

Figure 6a. Distribution of white hake based on spring and fall Engels trawl research surveys, 1950-1970. Darker shades depict denser concentrations of white hake.





Figure 6b. Distribution of white hake based on spring and fall Engels trawl research surveys, 1971-1988. Darker shades depict denser concentrations of white hake.





Figure 6c. Distribution of white hake based on spring and fall Engels trawl research surveys, 1989-1995. Darker shades depict denser concentrations of white hake.





Figure 6d. Distribution of white hake based on spring and fall Engels trawl research surveys, 1996-2001. Darker shades depict denser concentrations of white hake.





Figure 6e. Distribution of white hake based on spring and fall Campelen trawl research surveys, 1971-1988. Darker shades depict denser concentrations of white hake.




Figure 6f. Distribution of white hake based on spring and fall Campelen trawl research surveys, 1989-1995. Darker shades depict denser concentrations of white hake.




Figure 6g. Distribution of white hake based on spring and fall Campelen trawl research surveys, 1996-2001. Darker shades depict denser concentrations of white hake.




Figure 6h. Distribution of white hake based on spring and fall trawl research surveys (all trawl gears combined), 1950-1970. Darker shades depict denser concentrations of white hake.




Figure 6i. Distribution of white hake based on spring and fall trawl research surveys (all trawl gears combined), 1971-1988. Darker shades depict denser concentrations of white hake.





Figure 6j. Distribution of white hake based on spring and fall trawl research surveys (all trawl gears combined), 1989-1995. Darker shades depict denser concentrations of white hake.




Figure 6k.. Distribution of white hake based on spring and fall trawl research surveys (all trawl gears combined), 1996-2001. Darker shades depict denser concentrations of white hake.




Figure 6I. Distribution of white hake based on spring and fall trawl research surveys (all trawl gears and seasons combined), 1950-1988. Darker shades depict denser concentrations of white hake.





Figure 6m. Distribution of white hake based on spring and fall trawl research surveys (all trawl gears and seasons combined), 1989-2001. Darker shades depict denser concentrations of white hake.