


የፌዴራል <Δ/ክርስቲያን>< ደረሰኞ



$\sigma \Delta^{\ell} \subset \Gamma \Delta^{\ell} \supset J$ $\Delta \sigma^{-\ell} \dot{b}^{\ell} \subset \Delta \sigma^{-\ell}$

ርጋዥ ንዑስና ስርዓት በጥቅምት የሚያሳይ ይችላል
እኔ የሚያሳይ የሚያሳይ የሚያሳይ የሚያሳይ
እኔ የሚያሳይ የሚያሳይ የሚያሳይ የሚያሳይ

$\Delta^a J_a \not\vdash^a \sigma \cdot b$

ՀԱՅ սպեհունց մատուց
ՀՈՅ մՀՈ ալ

ՀԵՂԻ ԿԵՐպարագություն

ԵՐԵՎԱՆԻ ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅԱՆ ՀԱՅԱՍՏԱՆԻ ՀԱՆՐԱՊԵՏՈՒԹՅԱՆ

ՀԾՆԵՐԸ՝ ԱԼԿՈՎԱՄԾ, ՏԻՇԱ
ԱՎԳՈՐԸ ԷՐՄԵՆԻՑՅԱՆԸ 7-Ի 34%-ԼԸ
ԷԴՐԸ-ԾՎԸ ԾՈՎԸ ԿՈՎԸ ԿԵՐՆԵՎԱՐԸ ԵՐԵՎԱՆԻ ՀԱՅԱՍՏԱՆԻ
ԾԱԼԱՄԱՐՄԱՆ ԾԵԽԾՈՎԸ ՀԱՅԱՍՏԱՆԻ
ԴԱՄՆԵՐԸ ԾՎԵՐԸ ՏՐԸ ԾԱԿԱՐԸ ՏՐԸ
ԷՐՄԵՆԻՆՆԵՐԸ ՏԻՐԱՄԱՆ ԷՐՄԵՆԻՆՆԵՐԸ ՏՐԸ

↙iaux JGib CD <^c ->^c f^c ↗ib

$$\text{“PBR} = N_{\min} \frac{1}{2} R_{\max} F_R \text{”}$$

“ (where N_{min} = the 20th percentile of the abundance estimate (N. Foxe Basin: 245, NW Hudson Bay: 56, Combined: 312), R_{max} = the expected maximum net recruitment rate (4% per year for cetaceans), and F_R = a recovery factor used as a safety factor to account for unknown biases or estimation problems.) ”....

ዕጋዬልክርና 1. ሰነድ ፊልማትና በፊርማ የሚከተሉ የሚያስፈልግ ይችላል
የሚያስፈልግ የሚያስፈልግ የሚያስፈልግ የሚያስፈልግ የሚያስፈልግ የሚያስፈልግ

አዲስ አበባ	የደንብ የሰነድ ስም ተስፋዎች	የደንብ የሰነድ ስም ተስፋዎች
ከመናገድ የሰነድ ስም ቻል	የሰነድ ስም ቻል	የሰነድ ስም ቻል
0.5	2.4	4.9
0.1	0.6	1.1
0.6	3.0	6.0

*OSP = $\Delta \Gamma \gamma^a J^b <^c - \Delta \phi \gamma^a \gamma^b \Delta \gamma^c$

“*b>rərJCDrc* *a>aPcDσ-afc*

$\text{CD} \circ b \text{CD} \sigma^{-1} l$

Δ^αΩΡΔσ^αηΓ^γ (11.5 °C_θ) ΉΡε_Γ^γ
 ΕΡσ^αΓ^γ) ΔθΔσ^αΛΔσ^β
 Λ^γΔΔ^θΛΔσ^β > Δ^θ, Δ^θ
 ΛΔσ^β Δ^θ Δ^θ σ^β,
 Δ^θ Δ^θ σ^β Δ^θ Δ^θ σ^β
 ΔΓΔ^θ Δ^θ Δ^θ Δ^θ. Δ^θ Δ^θ Δ^θ σ^αΓ^γ
 Δ^θ Δ^θ Δ^θ Δ^θ Δ^θ

ΔΥΑΡΙC ΔΥΛΕΗΣ ΔΥΠΟΔΥC

የለጊር የፌዴራል ወጪ በፊት ይፈጸማል
ይሆናል የሚገኘውን ቀን የሚከተሉ የሚያስቀርብ
በመጀመሪያ የሚያስፈልግ የሚያስፈልግ የሚያስፈልግ የሚያስፈልግ
በመጀመሪያ የሚያስፈልግ የሚያስፈልግ የሚያስፈልግ የሚያስፈልግ

ДРУГИЕ ВЪДѢВЪ СЪЛЖАЦ

▷ፌፋፌ
▷ፌፋፌ ቤፌ
ፌፋፌ>በፌ
501 University Crescent
Winnipeg, MB, R3T 2N6
▷ፌፋፌ▷ፌ፡ 204-983-8838
የፌፋፌ ቤፌ፡ 204-984-2403
E-Mail: cosenss@dfo-mpo.gc.ca

$$a \rightarrow a A^b d C^c$$

ᖃᖅᓯᓇᖅᑐᖅ 1995. Nunavut bowhead traditional knowledge study: Preliminary report based on interviews conducted during 1995. Report presented to the Nunavut Wildlife Management Board, Rankin Inlet, NT., November, 1995.

Brön, R. A. 1999. Age classes of bowhead whales summering in northern Foxe Basin. Canadian Stock Assessment Secretariat Research Document 99/135.

ԵՐԱՆ, Հ. Ա. ՇԼՈՅ ԱՐԱ, Հ.

Cosens, S.E. and Innes, S. in press.
Distribution and numbers of bowhead
whales (*Balaena mysticetus*) in
northwestern Hudson Bay in August,
1995. Arctic.

- br'ac 4r'ac. 1998.
Cosens, S.E., de March, B.G.E., Innes, S., Mathias, J. and Shortt, T.A. 1998. Report of the Arctic Fisheries Scientific Advisory Committee for 1993/94, 1994/95 and 1995/96. Canadian Manuscript Report of Fisheries and Aquatic Sciences No. 2473.

br'ac 4r'ac. 1997.
Cosens, S.E., Qamukqaq, T., Parker, B. Dueck, L.P. and Anardjuak, B. 1997. The distribution and numbers of bowhead whales, *Balaena mysticetus*, in northern Foxe Basin in 1994. Canadian Field-Naturalist 111: 381-388.

Δac, P.P. 1990,
Finley, K.J. 1990. Isabella Bay, Baffin Island: An important historical and Present-day concentration area for the endangered bowhead whale (*Balaena mysticetus*) of the Eastern Canadian Arctic. Arctic 43: 137-152.

ΔΔb 4r'ac. 1999.
George, J.C., Bada, J., Zeh, J., Scott, L. Brown, S.E., O'Hara, T. and Suydam, R. 1999. Age and growth estimates of bowhead whales (*Balaena mysticetus*) via aspartic acid racemization. Canadian Journal of Zoology 77: 571-580.

HΔ, P. 1997.
Hay, K. 1997. Inuit bowhead knowledge study interim report: Northwest Hudson Bay and high Arctic. Nunavut Wildlife Management Board, Iqaluit, NT.

d'ac 4r'ac. 1993.
Koski, W.R., Davis, R.A., Miller, G.W. and Withrow, D.E. 1993. Reproduction. Pages 239-274, in The Bowhead Whale. Edited by J.J. Burns, J.J. Montague and C.J. Cowles. The Society of Marine Mammalogy Special Publication No. 2. 787 pages.

LΔb 4r'ac. 1999.
Maiers, L.D., de March, B.G.E., Clayton, J.W., Dueck, L.P. and Cosens, S.E. 1999. Genetic variation among populations of bowhead whales summering in Canadian waters. Canadian Stock Assessment Secretariat Research Document 99/134.

LbΔn 4L CΔΔ. 1982.
McLaren P.L. and Davis, R.A. 1982. Winter distribution of arctic marine mammals in ice-covered waters of eastern North America. Unpublished report prepared by LGL for Petro-Canada Exploration, Inc., Calgary, Alberta, xiii + 151 pages.

ΓcΔc 4L n'. 1982.
Mitchell, E.D. and Reeves, R.R. 1982. Factors affecting abundance of bowhead whales *Balaena mysticetus* in the eastern arctic of North America, 1915-1980. Biological Conservation 22: 59-78.

nσ 4r'ac. 1984.
Nerini, M.K., Braham, H.W., Marquette, W.M. and Rugh, D.J. 1984. Life history of the bowhead whale (Mammalia, Cetacea). Journal of Zoology (London) 204: 443-468.

n' ΓcΔ. 1988.
Reeves, R.R. and Mitchell, E. 1988. Distribution and seasonality of killer whales in the eastern Canadian Arctic. Rit Fiskideildar 11: 136-160.

n' 4L ΓcΔ. 1990.
Reeves, R.R. and Mitchell, E. 1990. Bowhead whales in Hudson Bay, Hudson Strait, and Foxe Basin: A

