JUVENILE SALMONID STUDIES
IN THE BRUNETTE RIVER BASIN, BURNABY BC
SPRING 2000

STUDY FUNDED BY

HABITAT RESTORATION AND SALMON ENHANCEMENT PROGRAM
BURNABY LAKE SYSTEM PROJECT
8TH NORTHVIEW SCOUTS

STUDY SUPPORTED BY
CITY OF BURNABY
FISHERIES AND OCEANS CANADA
GREATER VANCOUVER REGIONAL DISTRICT
STREAMKEEPERS OF BURNABY

PREPARED BY

BURNABY LAKE SYSTEM PROJECT
FISH, WILDLIFE AND RECREATION PROGRAM
BRITISH COLUMBIA INSTITUTE OF TECHNOLOGY

FEBRUARY 2001

EXECUTIVE SUMMARY

The juvenile salmonid study in the Brunette River basin in the spring of 2000 was initiated and managed by the Burnaby Lake System Project of the Fish, Wildlife and Recreation Program at the British Columbia Institute of Technology. The study was a pilot project undertaken for two main purposes: (i) to add needed information about juvenile salmonid populations in the basin; and (ii) establish a methodology for assessing smolt and fry outmigration in an urban system.

The watershed is highly urbanized and watercourses are subject to "flashiness" during storm events. The extreme rates of discharge contrasted by low flow periods in the basin create a unique and difficult challenge for trap design and maintenance. A primary objective of the study in 2000 was directed to test the methodologies and capture methods that work best in this urban system

Four systems were selected for the study: (i) Eagle Creek; (ii) Beecher Creek; (iii) Stoney Creek; and (iv) the Brunette River. In early March, a fence and live box trap was installed in Beecher Creek and an inclined plane trap (IPT) was installed in Stoney Creek and in the Brunette River. In mid April, a fence and live box trap was installed in Stoney Creek and in Eagle Creek. Stoney Creek is the only system to have two trap types deployed for sampling. Pole seines were used in the Brunette River to check the area near the IPT and to examine fish distribution upstream and downstream from the IPT.

The Provincial Ministry of Environment, Lands and Parks and the Federal Department of Fisheries and Oceans release thousands of salmonid juveniles into the Brunette watershed each year. Understanding salmonid survival, migration behavior, life history, timing, numbers and their use of habitat, will provide valuable information for identifying potential improvements in the existing strategy for salmon enhancement.

Traps were checked and maintained daily. Problems, modifications, and concerns related to the various capture methods used were identified and are recorded in the report. Fish enumeration results are organized in the report by species, system, and life stage using tables and graphs.

Coho, rainbow and cutthroat trout were captured in varying quantities in all of the systems. Chum fry were captured in Stoney Creek and the Brunette River. Chinook fry were captured in the Brunette River, but not by sampling in the other systems

A list of recommendations is attached with the report, focusing on the necessary requirements for future success of the project. This includes recommendations on project funding, human resources and community participation.

ACKNOWLEDGEMENTS

We owe a great deal to a number of individuals and organizations that provided assistance and input to the project. Gary Rosberg and Maurice Coulter-Boisvert (FOC) provided direction and offered their assistance and advice on biological and technical matters.

The 8th Northview Scouts, Stream keepers for Beecher Creek, provided a large part of the funding for the project and it would not have been possible to do the study without their support. A special thanks goes to Jim Atwater, a leader in the 8th Northview scouts and Beecher Creek projects. His enthusiasm and support is greatly appreciated.

We greatly appreciate the loan of two Incline Plane Traps from Kristen Westfall and staff at Fisheries and Oceans Canada Cultus Lake Lab. We could not have fished in the Brunette without an IPT and given funding limitations, we could not have provided the devices.

Many individuals participated in the fieldwork. Trevor Mitchell, the hired technician for the project, spent many hours building the fences and traps, installing gear, fixing fences and monitoring the fences. The success of the project and the data captured in the study is due to Trevor's commitment and diligence in keeping the traps functional. This he did in field conditions that were often less than optimal.

Fish, Wildlife and Recreation Program staff, namely Robert Gunn, Tom Saare, Laurie Smith and Gary Rosberg assisted in various capacities throughout the project, as did students from the class of 1999-2000. George Knorr, Helen Olynyk, James Wiley, Nicole Sampson, Caresse Ollenberger and Donna Rogers are to be mentioned for their efforts and time.

Staff members from the GVRD, including Ed Von Euw and Anthony Lu, are to be thanked for their support and provision of data. Anthony Lu provided flow data and precipitation records for the Brunette Basin. Ed Von Euw provided advice for placement of the traps and safety measures.

Robyn Lumley, Doneen Coxe and Laurie Smith translated the field notes into a digital database. Laurie Smith processed the field data and produced the written report, maps and graphics. Tom Saare provided the images of traps and installation procedures. Gary Rosberg reviewed and edited the report many times on its way to a final draft. His edits, input for the results section and polishing of the report are greatly appreciated.

LIST OF CONTENTS

Executive summary ii
Acknowledgements iii
List of Figures vi
List of Tables vii

PART 1. INTRODUCTION 2

1.1. BACKGROUND 2

1.2. OBJECTIVES 2

1.3. GENERAL DESCRIPTION OF STUDY AREA 3
1.3.1. Eagle Creek 6
1.3.2. Stoney Creek 7
1.3.3. Beecher Creek 8
1.3.4. Brunette River 9

1.4. JUVENILE RELEASES IN THE BRUNETTE BASIN 10

PART 2. METHODS 11

2.1. FENCE AND LIVE BOX TRAP 11
2.1.1. Eagle Creek 14
2.1.2. Stoney Creek 14
2.1.3. Beecher Creek 14

2.2. INCLINE PLANE TRAP 15
2.2.1. Brunette River 16
2.2.2. Stoney Creek 17

2.3. POLE SEINE 18

PART 3. RESULTS AND DISCUSSIONS 19

3.1. PROBLEMS ENCOUNTERED 19
3.1.1. Hydrology 19
3.1.2. Debris 19
Incline Plane Traps 19
Fence and live box traps 19
3.1.3. Resource limitations 20

3.2. JUVENILE SALMONID CAPTURE RESULTS 21
3.2.1. Coho captured 22
Eagle Creek coho captured at fence and live box trap 22
Stoney Creek coho captured at fence and live box trap 23
Stoney Creek coho captured at IPT 24
Beecher Creek coho captured at fence and live box trap 26
Brunette River coho captured at IPT 27
3.2.2. Chum captured 29
Stoney Creek chum captured at fence and live box trap 29
Stoney Creek chum fry captured at IPT 30
Brunette River chum captured at IPT 31
Brunette River chum captured with Pole Seine method 31
3.2.3. Chinook captured 32
Brunette River chinook captured at IPT 32
Brunette River chinook captured with Pole Seine method at Weir #1 33
Distribution study of Brunette River chinook with Pole Seine method 33
3.2.4. Rainbow/Cutthroat trout captured 35
Eagle Creek rainbow/cutthroat trout captured at fence and live box trap 35
Stoney Creek rainbow/cutthroat trout captured at fence and live box trap 36
Stoney Creek rainbow/cutthroat trout captured at IPT 37
Beecher Creek rainbow/cutthroat trout captured at fence and live box trap 38
Brunette River rainbow/cutthroat trout captured at IPT 39

PART 4. CONCLUSIONS AND RECOMMENDATIONS FOR FUTURE STUDIES 40

List of References 41
Appendix A: Data tables

LIST OF FIGURES

Figure 1. Location of the Brunette Basin in the Lower Mainland and Fraser Valley, British Columbia 3
Figure 2. Subcatchment areas and basin boundary with locations of traps in Eagle Creek, Beecher Creek, Stoney Creek and the Brunette River 5
Figure 3. Land use in the Eagle Creek subcatchment area. 6
Figure 4. Land use in the Stoney Creek subcatchment drainage basin. 7
Figure 5. Land use in the Beecher Creek subcatchment basin. 8
Figure 6. Land use in the lower Brunette River catchment area. 9
Figure 7. Snow fence installation for safety and signage advising public of study and danger of approaching fences. 12
Figure 8. View 1 is downstream view of site chosen for the Eagle Creek fence and View 2 is an illustration of materials used in construction and constructed fence panels. 12
Figure 9. Method steps 3 to 5 in fence panel installation in stream channel. 13
Figure 10. Live box illustration and installation. 13
Figure 11. View 1 is a downstream view of Stoney Creek fence and View 2 is a the live box trap before it was installed in the creek. 14
Figure 12. Downstream view of Beecher Creek fence and live box trap. 15
Figure 13. IPT in the Brunette River. View 1 is illustration of trap suspended in thalweg by bridle cables and View 2 is an upstream view of the trap and cable that spanned the channel. 15
Figure 14. . View 1 is the fisheries permit tag and View 2 is an illustration of cables with wire wrapped in tubing to protect anchor tree. 16
Figure 15. View 1 is an illustration of the IPT in the Brunette River at low flow and View 2 is an illustration of FWR students assisting in the sampling of juveniles in the Brunette. 16
Figure 16. IPT in the lower section of Stoney Creek 17
Figure 17. Illustration of Pole seine sampling method. 18
Figure 18. View 1 is an illustration of flooding around the Eagle Creek fence and View 2 is an upstream view of the modification to the Eagle Creek fence. 20
Figure 19. Coho smolts captured at fence in Eagle Creek from April 18th to May 31st 22
Figure 20. Coho smolts captured at fence in Stoney Creek from April 18th to May 31st 23
Figure 21. Coho fry captured at IPT in Stoney Creek from Mar 3rd to May 31st. 25
Figure 22. Coho smolts captured at IPT in Stoney Creek from Mar 3rd to May 31st 25
Figure 23. Coho smolts captured at fence in Beecher Creek from Mar 1st to May 31st 26
Figure 24. Coho fry captured at IPT in the Brunette River from Mar 2nd to May 31st 27
Figure 25. Coho smolts captured at IPT in the Brunette River from Mar 2nd to May 31st .. 28
Figure 26. Chum fry captured at fence in Stoney Creek from April 18th to May 31st 29
Figure 27. Chum fry captured by IPT in Stoney Creek from Mar 2nd to May 31st 30
Figure 28. Chum fry captured in IPT at Brunette River from Mar 2nd to May 31st 31
Figure 29. Chinook fry captured at IPT in Brunette River from Mar 2nd to May 31st 32
Figure 30. Location of pole seine sites on the Brunette River. 33

Figure 31. Distribution of chinook fry captured in the Brunette River indicated by seining, April 11th. 34
Figure 32. Rainbow/cutthroat trout captured in fence at Eagle Creek from April 18th to May 31st 35
Figure 33. Rainbow/cutthroat trout captured in fence at Stoney creek from April 18th to May 31st 36
Figure 34. Rainbow/cutthroat trout captured in IPT at Stoney creek from March 3rd to May 31st 37
Figure 35. Rainbow/cutthroat trout captured at fence in Beecher Creek from Mar 2nd to May 31st 38
Figure 36. Rainbow/cutthroat trout captured in IPT at Brunette River from Mar 2nd to May 31st. 39

LIST OF TABLES

Table 1. Fish released in the Brunette Basin from 1999-2000. List includes fish released during study but not fish released in remainder of year 2000. 10
Table 2. Summation tables for coho fry measured at fence in Eagle Creek for April and May. 22
Table 3. Summation tables for coho smolt captured at fence in Eagle Creek for April and May. 22
Table 4. Summation table for coho fry measured at fence in Stoney Creek for April and May. 23
Table 5. Summation table for coho smolt measured at fence in Stoney Creek for April and May 23
Table 6. Summation table for coho fry measured at IPT in Stoney Creek in March, April and May. 24
Table 7. Summation table for coho smolts measured at IPT in Stoney Creek in March, April and May. 24
Table 8. Summation table for coho fry measured at fence in Beecher Creek for March, April and May. 26
Table 9. Summation table for coho smolts measured at fence in Beecher Creek for March, April and May 26
Table 10. Summation table for coho fry measured at IPT in Brunette River from Mar 2nd to May 31st 27
Table 11. Summation table for coho smolts measured at IPT in Brunette River from Mar 2nd to May 31st. 27
Table 12. Summation table for chum fry measured at fence in Stoney Creek for April and May. 29
Table 13. Summation table for chum fry measured at IPT on Stoney Creek for March, April and May. 30
Table 14. Summation table for chum fry measured in Brunette River for March, April and May. 31
Table 15. Summation table for chum fry captured in pole seine sampling on April 11th in Brunette River. 31
Table 16. Summation table for chinook fry measured at IPT in Brunette River for March, April and May. 32
Table 17. Summation table for chinook fry captured with pole seine method at Weir #1. 33
Table 18. Summation table for distribution of chinook fry captured with seine on April 11th (see locations for sites in Figure 30 on previous page) 34
Table 19. Summation tables for rainbow/cutthroat tout measured in fence at Eagle Creek for April and May 35
Table 20. Summation table for rainbow/cutthroat trout measured in fence and live box trap at Stoney Creek for April and May. 36
Table 21. Summation table for rainbow/cutthroat trout measured in IPT at Stoney Creek for March, April and May. 37

Table 22. Summation table for rainbow/cutthroat trout measured in fence at Beecher Creek for March, April and May. 38
Table 23. Summation table for rainbow/cutthroat trout measured in fence at Brunette River for March, April and May 39

Part 1. INTRODUCTION

1.1. BACKGROUND

The Burnaby Lake System Project (BLSP), an initiative of the Fish, Wildlife and Recreation (FWR) Program at the British Columbia Institute of Technology (BCIT), spearheaded the investigation of juvenile salmonid populations in the Brunette basin to add further documentation on downstream migration numbers and timings.

While the Brunette is highly urbanized and salmonid populations are impacted by hydrology, pollution, poor water quality and loss of habitat, a number of streams in the system maintain the ecological integrity and functions necessary to support wild populations of fish. Based on the existence of suitable habitat, the basin provides a potential opportunity to sustain and further develop Lower Fraser salmon populations.

Fisheries and Oceans Canada (DFO) and the BC Ministry of Environment, Lands and Parks (MoELP) annually release salmonid hatchery fry and smolts into the Brunette system (see Table 1 for numbers). All levels of government, BCIT, and local community groups participate in projects for stream habitat rehabilitation in the basin. While studies have been done for water quality, there is an absence of data on salmonid juvenile success, outmigration and life history timings specific to the Brunette system.

This investigation of juveniles was conducted in part to study movements of fish in the Brunette System. Understanding fish survival and their use of habitat could help provide the information necessary to identify potential improvements for the wild population management and for the existing strategy for salmon enhancement.

1.2. OBJECTIVES

The objectives of the juvenile salmonid investigation were two-fold:

(i) Add to the needed information about the juvenile salmonid populations;

(ii) Establish a methodology for assessing smolt and fry populations and spring out-migration in an urban system; and

Information about juvenile salmonid populations in the Brunette basin is necessary for wild stock preservation and for salmon enhancement strategies. Programs to improve salmonid habitat and survival will hopefully benefit from the information in this report as it provides direction for future project development.

The trapping study in 2000 was directed to develop the methodologies and capture methods that best work in this urban system. Conventional trapping methods for juvenile studies are not intended for urban systems, as these exhibit dynamic hydrographs and debris issues that usually do not exist to such an extreme degree and frequency in undeveloped natural riverine environments. The study applied and experimented with three capture methods: (i) incline plane

traps; (ii) fence and live box traps; and (iii) pole seines. Problems with each of the methods are addressed in greater detail later.

The objective of using three methods and addressing the pros and cons of each was to develop and improve the methodology for future juvenile salmonid studies in the Brunette system.

1.3. GENERAL DESCRIPTION OF STUDY AREA

The Brunette Basin spans five municipalities. The core of the basin is located within the municipal boundaries of the City of Burnaby with many tributaries and drainages originating in the municipalities of Vancouver, New Westminster, Coquitlam, and Port Moody (See Figure 1). The basin covers an approximate area of 73 square kilometres and contains over 200 kilometres of streams. The networks of streams eventually flow to Burnaby Lake and then to the Fraser River in New Westminster, via the Brunette River.

Figure 1. Location of the Brunette Basin in the Lower Mainland and Fraser Valley, British Columbia

The Brunette Basin is located in a major population centre and consequently there are concentrated growth centres, major traffic and utility corridors, dense road networks, residential and commercial areas and a population of over 176,000 people (GVS and DD, 2000 draft). Population increased in the basin by 23% between 1986 and 1996 and over 9,000 new dwellings were added. Today, development continues in the basin and population is expected to increase to 290,000 by the year 2021 (GVS and DD, 2000 draft).

As a result of the development in the basin, urban streams face all the challenges common to urban watersheds. Problems include (i) sedimentation; (ii) non-point source pollution; (iii) fragmentation and loss of habitat areas; (iv) hydrological and hydraulic challenges; and (v) flooding and damage to private and public property.

For the purposes of the current project, the greatest challenges were sedimentation and the hydrological aspects of the system.

Hydrology in the Brunette Basin is typical of an urban system. Development in the basin occurred in a time when drainage and flood risk management were the main priorities. As a result, many of the streams have been affected, at least to some degree, by designs to move water quickly and efficiently to reduce the risk of flooding. Streams have been culverted, lined and straightened. Riparian areas have been stripped of vegetation, or reduced to narrow bands of greenery. Total impervious areas (TIA) for sub-catchment areas in the basin range from a minimum of 33%TIA in the Stoney Creek sub-catchment area to a maximum of 68% TIA in the upper Still Creek sub-catchment area (GVS and DD, 2000 draft).

The body of literature and empirical studies on urban hydrology indicates that rapid deterioration in ecological integrity and function of a stream occurs past the 10-20% impervious area level(GVRD, May 1999). Given the high TIA percentages and consequent extreme flow regimes in the basin, open waterways experience high peak wet flow to dry weather ratios, flashy storm hydrographs and low summer base flows (GVS and DD, 2000 draft; GVRD, May 1999). Streams are vulnerable to bank erosion and instability, downcutting, increased sediment loads, infilling and flooding.

Despite the pressure put on by development, many of the streams in the watershed provide habitat for salmonids, as well as other species of fish. The Brunette Basin supports a variety of birds, mammals, amphibians and reptiles. The riparian areas along these streams serve as important migration corridors and provide cover for wildlife.

The four waterways targeted in this study were Eagle Creek, Stoney Creek, Beecher Creek, and the Brunette River. All four are affected by urbanization, but continue to support salmonid populations. The general characteristics for each will be discussed in the following pages.

Figure 2 delineates the basin boundary and illustrates the locations of the four waterways and their drainage boundaries. As well, the locations of each study site, or trap deployments, are illustrated.



Figure 2. Subcatchment areas and basin boundary with locations of traps in Eagle Creek, Beecher Creek, Stoney Creek and the Brunette River

1.3.1. Eagle Creek

The Eagle Creek drainage (Figure 3) covers approximately 588 hectares and contains 11.87 km of waterways. There is 34% TIA in the sub-catchment area and a major road crossing at Lougheed Highway. A large portion of the stream is utilized as a utility corridor. The headwaters/ upper reaches span parkland, a golf course, the Trans Mountain Pipeline tank farms and Simon Fraser University lands. The lower reaches are primarily residential land use. The creek transports a high volume of sediment into the north central to northeast section of Burnaby Lake (GVS and DD, 2000 draft).

Despite the high level of development in the catchment area, the creek provides valuable habitat for coho, trout and other species and retains a fairly natural state (GVS and DD, 2000 draft). The community group for this area is the Eagle Creek Streamkeepers. (Contact Anita Bedo, 604.666.2473).



Figure 3. Land use in the Eagle Creek subcatchment area.

1.3.2. Stoney Creek

The Stoney Creek drainage (Figure 4) covers approximately 708 hectares and contains 10.69 km of waterways. There is 33% TIA in the sub-catchment area (the lowest TIA percentage in the basin), a major railway crossing in the lower reaches and a major road crossing at Lougheed Highway. The stream is utilized in part as a utility corridor. The headwaters/ upper reaches span parkland, Simon Fraser University lands, and Port Moody residential areas (GVS and DD, 2000 draft). Large portions of the headwaters are located in the Burnaby Mountain Conservation area. The lower reaches are primarily residential land use. The creek drains into the Brunette River below the Cariboo Dam.

Stoney Creek currently provides suitable habitat for coho, chum, steelhead, trout and other species and it is a fairly natural stream (GVS and DD, 2000 draft). The community group involved in this drainage area is the Stoney Creek Environment Committee (SCEC). (Contact Jennifer Atchinson, 604.420.9132)



Figure 4. Land use in the Stoney Creek subcatchment drainage basin.

1.3.3. Beecher Creek

The Beecher Creek drainage (Figure 5) covers approximately 236 hectares and contains 3.33 km of waterways. There is 55% TIA in the sub-catchment area, a railway crossing in the lower reaches and a major road crossing at Lougheed Highway. A portion of the stream corridor is utilized as a utility corridor. The headwaters/ upper reaches span residential area and a golf course (GVS and DD, 2000 draft). The lower reaches are primarily industrial/commercial areas. The creek drains into Still Creek and then Burnaby Lake.

Beecher Creek provides valuable habitat for trout and other species and it is a fairly natural stream (GVS and DD, 2000 draft). The community group involved in this drainage area is the 8th Northview Scouts. (Contact Jim Atwater, 604.822.4694)



Figure 5. Land use in the Beecher Creek subcatchment basin.

1.3.4. Brunette River

The drainage for the lower catchment (area below Burnaby Lake and Cariboo Dam, see Figure 6) of the Brunette River covers approximately 392 hectares and contains 3.96 km of waterways. The study site for the smolt enumeration was located in this lower catchment area. There is 54% TIA in the sub-catchment area. A large portion of the stream corridor is utilized as a utility corridor and a high proportion of the catchment area is industrial land use. The Cariboo Dam regulates flows in the river and is situated at the outlet of Burnaby Lake.

The river is fairly natural with conservation lands along the river corridor for most of the lower section (GVS and DD, 2000 draft). The section of the river that passes through New Westminster is channelized and adjacent areas exhibit industrial and commercial land use. The community group involved in this drainage is the Sapperton Fish and Game Club. (Contact Elmer Rudolph, 604.521.3346)



Figure 6. Land use in the lower Brunette River catchment area.

1.4. JUVENILE RELEASES IN THE BRUNETTE BASIN

For the purposes of this study, the juvenile releases in the Brunette Basin for 1999 and 2000 are provided in the following table. There were two sources for juvenile fish in the Brunette Basin, Fisheries and Oceans (FOC) and Ministry of Agriculture, Food and Fisheries (MAFF). All releases made in the duration of the study are highlighted in yellow. Release data is also portrayed in the results and discussion section in the relevant figures for the Brunette River and Stoney Creek.

Table 1. Fish released in the Brunette Basin from 1999-2000. List includes fish released during study but not fish released in remainder of year 2000.

Date released	Location Released for 2000 data	Species	Number released by Agency		Size (mm)		Wt (gm)	
			FOC	MAFF	FOC	MAFF	FOC	MAFF
Beecher Creek								
06-1999		Coho	2500	--	--	--	1	--
Brunette River								
06-05-1999		Coho	4000	--	--	--		--
07-05-1999		Ct. trout (anad)	--	5000	--	73.52	--	--
08-03-2000	Hwy 1 overpass	Coho	2400	--	--	--	30.6	--
11-05-2000	Cariboo Dam	Coho	6000	--	--	--	16	--
26-05-2000	Unknown	Ct.trout	--	4497	--	67.56	--	--
Eagle Creek								
06-05-1999		Coho	3000	--	--	--	25.4	--
06-1999		Coho	7500				1	
Deer Lake and tribs.								
06-05-1999		Coho	3000				25.4	
30-05-1999		Coho	5000				0.67	
11-06-1999		Coho	7500	--	--	--	1	--
09-04-1999		Rb trout	--	25000	--	16.1	--	--
Lubbock Creek								
11-06-1999		Coho	750	--	--	--	1	--
Robert Burnaby Creek								
11-06-1999		Coho	2500	--	--	--	1	--
Stoney Creek								
08-05-1999		Coho	2900	--	--	--	N/A	--
13-05-2000	Stoney Creek Elementary School	Coho	2500	--	--	--	19	--

Part 2. METHODS

There were three trapping methods used in the study: (i) fence and live box; (ii) incline plane; and (iii) pole seine. The method used at the four sampling sites depended upon the conditions encountered. Flow rates and channel morphology were the determining factors for method selection. Where discharges were normally low (<1 cu.m/sec), and depth shallow (< 0.30 m), a fence and live box trap method was applied. Where flow rates were moderate to high (>1 cu.m/sec) and channel depth moderate (>0.30 m and <2 m), an incline trap method was applied. The pole seining method was applied in the Brunette River at a number of sites to check chinook presence/absence. It was mainly used at the IPT site on the left and right side of trap below the weir. (See Figure 2 on page 2 for trap locations).

Daily, when in operation, all fish caught in the traps were recorded and samples of salmonids were measured for fork length. Non-salmonid species were recorded and released downstream but not measured. Salmonids were removed from the trap and placed in holding buckets, anaesthetized with clove oil or Alka-Seltzer tablets, measured for fork length, and placed in a recovery bucket of clean water. Once revived, they were released downstream.

A snow fence was erected where public access and recreation routes were in close proximity to the trap sites. Signage was posted in these areas to warn public of the danger of approaching the traps, to explain project objectives, and to provide contact information should anyone have questions or observe problems.

2.1. FENCE AND LIVE BOX TRAP

Three fence and live box trap structures were used in this study, located in Eagle Creek, Stoney Creek and Beecher Creek.

Fence and live box traps were cleaned daily and checked for fish in the live box.

The construction and placement of the fence and live box traps is best explained in series of steps.

1. Channel width, streambed foundation, banks, water velocity, and flood levels were considered for placement of the fence.
   Selection of site criteria included:
   - Width: widest section of river with shallow depth and low gradient
   - Streambed: stones, compacted gravels provided the best base for the fence
   - Banks: high enough to contain elevated flood levels and water level changes caused by fence.
   - Average water velocity < 1cms
   - Easy accessibility.
   - Public safety and vandalism

Figure 7. Snow fence installation for safety and signage advising public of study and danger of approaching fences.

2. Fence panels were constructed of 1.22m x 2.44m (4'x8') wood frames with ¼" hardware cloth stretched across the inside of the frame. The number of frames used depended upon the width of the creek channel.

Figure 8. View 1 is downstream view of site chosen for the Eagle Creek fence and View 2 is an illustration of materials used in construction and constructed fence panels.

3. The streambed and banks were covered with plastic sheeting to limit the effect of erosion and scour caused by the damming effect of the fence and to decrease the potential for fish to escape beneath the panels.
4. Sandbags were placed on top of the plastic to secure it and provide support for the panels.
5. Fence panels were set in the creek in a downstream 'V' formation and secured to the streambed by driving ‘Rebar’ through predrilled holes in the frame.

Figure 9. Method steps 3 to 5 in fence panel installation in stream channel.

6. Where necessary, fence panels were reinforced with 2'x 4' planks. Planks were placed over the rebar in the panels and further braced into the streambed downstream with rebar stakes.
7. Sandbags were placed around the downstream and upstream sides of the panels for added support and elimination of holes that would allow fish bypass opportunities. Sandbags were also placed along the bank edges of the panels to mitigate scouring effects along the edge.
8. Off-centre of the 'V' in the fence, a circular outlet was cut into a fence panel. A 10 cm diameter 'Big O' pipe was inserted into the downstream side of the panel and extended from the fence to a live box situated 5-10 metres downstream in quiet water. Flanges were used to secure the pipe to the fence and the live box.
9. The live box was constructed of ¾" plywood and the dimensions were 0.61m x 0.61m x 1.22m (3'x3'x4'). The sides of the box were cut out and covered with ¼" hardware cloth to allow for water flow through the box. The box was secured with rebar stakes at the downstream corners. A hinged lid with a fasten latch allowed for access to fish and cleaning.

Figure 10. Live box illustration and installation.

2.1.1. Eagle Creek

The illustrations for the installation of a fence and live box were taken at the Eagle Creek site. A fence and live box trap was installed on April 18th and removed on May 31st. An IPT with smaller dimensions than the two on Stoney Creek and the Brunette River was originally intended for Eagle Creek. Low water levels prohibited the use of an IPT and a fence and live box trap had to be constructed.

The Eagle Creek site had very little rise in bank on both sides of the stream. This caused a problem at high flow periods, as the fence would clog with debris and water would bypass the fence on both sides of the panels.

2.1.2. Stoney Creek

A fence and live box trap was installed on April 19th to compliment the existing IPT installed on March 3rd. The fence was placed upstream of the IPT and the objective was to catch juveniles that may be missed by the IPT, plagued with problems from the onset of the study. The IPT was removed on May 30th and the fence was removed on June 2nd.

Figure 11. View 1 is a downstream view of Stoney Creek fence and View 2 is a live box trap before it was installed in the creek.

2.1.3. Beecher Creek

A fence and live box trap was installed on March 2nd. Due to velocity and debris problems in Beecher Creek, the mesh was cut at the top of the panels to leave a 30 cm opening. This allowed water to pass over the fence in high flow events and decreased the frequency of failure. The consequence of this modification was that the fence did not fish effectively in high flow events. A second panel was added on March 10th in order to mitigate streambank scouring. A trash rack was installed upstream of the fence to decrease the debris buildup on the fence. The trap was removed on June 14th.

The problems common to all of the fence and live box traps were: (i) debris build up on panels and increase in head and water level; (ii) failure of 2' x 4' struts to support water pressure on fence during high flow events; (iii) scouring of banks and channel upstream and lateral to the fence. When in manageable flows, the Beecher setup worked well.

Figure 12. Downstream view of Beecher Creek fence and live box trap.

Fence and live box traps required a great deal of time and resources to maintain and repair. Effective maintenance of the traps during high flow periods to ensure they continued to fish would demand continuous monitoring and this was not possible given resource limitations.

2.2. INCLINE PLANE TRAP

Two incline plane traps (IPTs) were used in this study. One trap was located in the Brunette River, the other in the lower reach of Stoney Creek.

The dimensions of the model used for the study were 0.61 m x 0.91 m (2'x3'). They were constructed of aluminum with side box floats (Conlin and Tutty, 1979). The IPTs were placed in the thalweg to utilize the maximum velocity in both the Brunette River and Stoney Creek. The traps were suspended in place by two adjustable bridle cables that attached to a cable that spanned the channel.

Figure 13. IPT in the Brunette River. View 1 is illustration of trap suspended in thalweg by bridle cables and View 2 is an upstream view of the trap and cable that spanned the channel.

Cables were wrapped in rubber tubing to prevent damage to the anchor trees. The fisheries permit information was attached to the trap.

Figure 14. . View 1 is the fisheries permit tag and View 2 is an illustration of cables with wire wrapped in tubing to protect anchor tree.

2.2.1. Brunette River

The IPT was experimentally installed in the Brunette River on March 2nd. It was relocated at a downstream location on March 12th. The trap was removed on June 2nd. The variance in water level and flow made sampling with the IPT very difficult as settings on the trap had to be constantly adjusted in order for the trap to fish effectively.

The trap was located immediately below a weir structure in the main channel of flow. The assumption made in the placement of the trap was that the majority of fish would pass through the main channel of flow and into the trap live box.

No attempt was made to calculate total number of daily downstream migrants passing the trap site, as this would be unreliable given the device was inoperative when significant fish movement could have occurred.



Figure 15. View 1 is an illustration of the IPT in the Brunette River at low flow and View 2 is an illustration of FWR students assisting in the sampling of juveniles in the Brunette.

2.2.2. Stoney Creek

The IPT was installed in Stoney Creek on March 3rd and removed on May 30th. Water levels were often low which caused the trap to ground out in the channel. Debris was also an issue in Stoney Creek, causing the IPT to submerge frequently and therefore fish ineffectively. The large movement of bedload in the creek resulted in accumulation of materials in the trap also causing it to submerge and fish ineffectively. The opportunity for fish to bypass the trap also existed in Stoney Creek. High flows tended to submerge the trap and, as a result, outmigrating juveniles may have been gone unobserved. A fence and live box was installed upstream of the IPT on April 19th to catch the migrants that may be missed by the IPT.

Figure 16. IPT in the lower section of Stoney Creek

The problems encountered with the IPTs were numerous. Debris clogged the mesh and caused the trap to submerge. This allowed the fish to escape or the entrain fish ineffectively. Cleaning would have to be done 3 or 4 times per day in order to ensure the traps sampled effectively and project resources did not allow for this level of maintenance and monitoring. High flows forced water through the trap box and resulted in a number of mortalities.

2.3. POLE SEINE

The pole seine method was used exclusively on the Brunette River. The majority of the sampling was done at the IPT site and the dominant catch was juvenile chinook. Sampling was done on April 11th at a series of sites (see Figure 30 for locations of seine sites) in order to document chinook distribution down the Brunette River.

The pole seine consisted of two 1 metre long poles with a 6.4 mm (¼') mesh net stretched between the poles and a lead line along the bottom edge. One pole was held stationary while the other was led upstream and brought around in a circular motion to the stationary pole. The lead line was kept on the streambed and brought together as the net circled back to the shore or stationary pole. The result was a semi-circular pattern that was dragged in to the stream edge. The fish were removed from the net and placed in a bucket for processing.

This method was not applied on a daily basis and served as an assessment for chinook juvenile distribution in the Brunette River, and to teach capture techniques to students.

Figure 17. Illustration of Pole seine sampling method.

Part 3. RESULTS AND DISCUSSIONS

3.1. PROBLEMS ENCOUNTERED

3.1.1. Hydrology

The time period for the study was March 01 to May 31st, 2000. Intense storms and precipitation events are common in the Brunette basin during spring. The problems associated with urban hydrology and intense precipitation events are unavoidable as smolt migrations occur in early March to May and the study must be done during this period to observe their presence and migration.

The unstable and unpredictable hydrology of the systems caused a trap maintenance "nightmare". The repair and replacement of traps damaged by high flows demanded a large portion of project resources. Trap failures during high flow events affected the consistency and completeness of the data, as downstream migrations of smolts and fry were undoubtedly missed.

As is common to urban systems, high flow periods were intense and directly related to precipitation. In periods of low to zero precipitation, water levels and velocities dropped to a level where the IPTs could not effectively operate. The traps 'grounded out' on the substrate and water did not effectively pass over the incline into the live box. Fish bypassed the traps on their progress downstream.

3.1.2. Debris

Debris in the systems also created a constant challenge for the duration of the study. Debris clogged mesh, dammed flow and submerged traps. Trap failure and breakage was probably equally attributed to debris as it was to extreme flow fluctuations. Constant cleaning and repair to damage caused by debris jams was required to keep the traps afloat and operating. The three main types of debris in the systems were: (i) plant matter; (ii) sediment; and (iii) garbage. Both the IPT and fence methods of fish capture were affected.

Incline Plane Traps

Plant matter and garbage clogged the mesh on IPTs causing them to submerge frequently. Water did not flow freely through the live box of the IPT, decreasing the number of fish caught.

Sediments or fines had a similar effect as vegetation and garbage in that it clogged mesh and caused traps to submerge and fish ineffectively or ground out on the streambed. The IPT in Stoney Creek grounded out on numerous occasions due to the large amount of bedload movement in the system and the resultant accumulation of sediment in the trap box. High sediment loads in the live box of the IPT likely abraded gills and may have decreased the survival rates of juveniles detained in traps during these events.

Fence and live box traps

Similar to the IPTs, plant matter and garbage clogged mesh on the fence panels, which restricted water flow causing water pressure (head) and level to increase. The fence panels were frequently overtopped by water. Debris build-up combined with extreme flow frequently caused fence collapse.

In Beecher creek, a trash rack had to be constructed to mitigate the effects of debris on the fence panels. A 30-centimetre section along the top of the fence panels was removed to allow water flow. This decreased the effectiveness of the trap at high flows but increased stability. The effects of high flows at Beecher were exacerbated due to the narrow channel at the trap site. Project resources did not allow for more than one or two checks per day and so these modifications to the setup had to be made to ensure that the trap operated.

In Eagle Creek, a similar situation to Beecher existed in that debris and sediment clogged the mesh and forced the river around the sides of the fence. The fence panels were adjusted to allow a gap in the 'V' of the fence. The lower 1 metre of gap was covered with hardware cloth and secured to the streambed with sandbags. As with the Beecher Creek site, the fence was less effective, but it did not fail as frequently and fished during low and moderate flows.

Figure 18. View 1 is an illustration of flooding around the Eagle Creek fence and View 2 is an upstream view of the modification to the Eagle Creek fence.

Sediments or fines did not impact the fence and live box traps as significantly as it did the IPTs. The sediments were trapped and settled behind the fence panels during high flows due to plant matter and garbage clogging the mesh. The sediment also settled behind the trap boxes. Some sediment traveled down the Big O pipe from the fence into the live boxes and may have caused abrading in fish gills, or decreased the survival rates of juveniles in traps. In general, the number of mortalities in the fence and live box traps was lower than the mortalities in the IPT live boxes.

3.1.3. Resource limitations

Funding allowed for the employment of only one full time technician. BCIT Fish, Wildlife and Recreation (FWR) faculty and students assisted the technician in the field for installment and removal of traps, repair and routine maintenance and checks.

Traps were not installed in the four sites in early March due to limited staff time. For instance, installation of the fence and live box trap in Eagle did not occur until April 18th. Problems with IPTs, relocation of the trap on the Brunette, repair and maintenance demands for the other traps demanded the resources of the technician and FWR staff. Earlier installation of the trap in Eagle was not possible given the 2000 labour limitations.

Future project commitment will require attention at all locations 7 days a week. The coordination of student, staff, and volunteer assistants required time and energy on the part of the technician and the FWR staff. Given staff and student limitations, safety issues, daylight hours and employee fatigue, it was impossible to check all traps more than once a day. In the event of a failure or breakage, the trap had to be repaired and reinstalled during daylight hours compromising maintenance and checks at other sites.

Funding did not exist to retain the contract technician for May. Outmigration continued through mid-May and FWR staff continued to monitor the remaining juvenile presence and migration out of the systems. FWR staff had been involved in the project from the beginning, so consistency was maintained but compromised due to the loss of the technician.

In the absence of a project technician, a need for greater commitment from the FWR staff conflicted with existing responsibilities. Staff members maintained and monitored the traps during May, but could not visit each trap more than once per day. It was very difficult to repair traps and staff members contributed a considerable amount of their own time during the final period of the project.

The FWR students could not significantly contribute to the project in May or April. Course work and final exams demanded student time and limited their ability to contribute to non-curricular projects. In mid to late May, some students who were completing their practicum requirements for the FWR program assisted in trap monitoring and removal.

The debris and hydrology problems could have been lessened if the manpower and funding had existed to maintain and monitor the traps 3 or 4 times a day. Damage to traps caused by extreme flow events would probably still have resulted in data gaps but these would have been decreased had staff and resources existed to assist in trap repair and prompt reinstallation.

3.2. JUVENILE SALMONID CAPTURE RESULTS

The mean, max and min in the summary tables are for the measured lengths of fish. All lengths are in millimeters. Totals are categorized by life stage, species and system. The totals for chinook fry, chum fry, coho fry and smolts and for trout are the total number of fish captured in the traps for March, April and May. Note that the results are categorized by species and method used.

Although the 2000 trapping efforts are somewhat limited and incomplete due to gear non-functionality, some trends and observations were apparent in the data. These cannot be interpreted as definitive as fish probably moved downstream before the traps were in place and after they were removed. Undoubtedly, downstream movement also occurred, and was unaccounted for, during gear downtime.

Red triangles on Figures 19 through 35 indicate days when the traps were operating and no fish were captured. No entry on a date indicates that the traps were not functional due to damage or adverse stream conditions. For coho, smolts were defined as fish over a length of 40 mm.

It should be noted that the primary y-axis for the following charts is not consistent. Due to variable fish capture numbers between systems the y-axis on the figures is variable in scale.

3.2.1. Coho captured

Eagle Creek coho captured at fence and live box trap

Table 2. Summation tables for coho fry measured at fence in Eagle Creek for April and May.

April fry	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**18**

May fry	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**14**

Table 3. Summation tables for coho smolt captured at fence in Eagle Creek for April and May.

April smolt	
Mean	123.1
Max	151.0
Min	113.0
Total measured	18
Total (N)	**18**

May smolt	
Mean	128.1
Max	146.0
Min	114.0
Total measured	14
Total (N)	**14**



Figure 19. Coho smolts captured at fence in Eagle Creek from April 18th to May 31st

Stoney Creek coho captured at fence and live box trap

Table 4. Summation table for coho fry measured at fence in Stoney Creek for April and May

April fry	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**12**

May fry	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**51**

Table 5. Summation table for coho smolt measured at fence in Stoney Creek for April and May

April smolt	
Mean	108.3
Max	116.0
Min	98.0
Total measured	12
Total (N)	**12**

May smolt	
Mean	133.6
Max	148.0
Min	98.0
Total measured	51
Total (N)	**51**



Figure 20. Coho smolts captured at fence in Stoney Creek from April 18th to May 31st

Stoney Creek coho captured at IPT

Table 6. Summation table for coho fry measured at IPT in Stoney Creek in March, April and May.

March fry	
Mean	32.3
Max	38.0
Min	30.5
Total measured	128
Total (N)	**129**

April fry	
Mean	31.3
Max	32.0
Min	31.0
Total measured	4
Total (N)	**4**

May fry	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**4**

Table 7. Summation table for coho smolts measured at IPT in Stoney Creek in March, April and May.

March smolt	
Mean	105.0
Max	105.0
Min	105.0
Total measured	1
Total (N)	**129**

April smolt	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**4**

May smolt	
Mean	135.0
Max	141.0
Min	126.0
Total measured	4
Total (N)	**4**

Coho fry downstream dispersal and capture by IPT in Stoney Creek occurred in a well-defined period through March and early April. Peak downstream dispersal of fry occurred in mid through late March.

The fence set-up in Stoney Creek yielded far more coho smolts than did the IPT. This result is likely because water velocities into the trapbox were not fast enough to entrain smolt sized fish.

Captures in Stoney Creek indicate that there was some downstream movement of coho following the May 13 release of 2500 fish. A capture spike was also apparent at the Brunette trapsite following the release that is likely attributable to this cohort, or the release of 6000 juveniles at the Cariboo dam May 11, 2000. .



Figure 21. Coho fry captured at IPT in Stoney Creek from Mar 3rd to May 31st.



Figure 22. Coho smolts captured at IPT in Stoney Creek from Mar 3rd to May 31st

Beecher Creek coho captured at fence and live box trap

Table 8. Summation table for coho fry measured at fence in Beecher Creek for March, April and May.

March fry	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**6**

April fry	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**37**

May fry	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**0**

Table 9. Summation table for coho smolts measured at fence in Beecher Creek for March, April and May

March smolt	
Mean	128.0
Max	131.0
Min	125.0
Total measured	6
Total (N)	**6**

April smolt	
Mean	121.9
Max	146.0
Min	96.0
Total measured	37
Total (N)	**37**

April smolt	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**0**

Coho smolt outmigration in Beecher Creek was apparent mid-March through late April, with a peak indicated early to late April.



Figure 23. Coho smolts captured at fence in Beecher Creek from Mar 1st to May 31st

Brunette River coho captured at IPT

Table 10. Summation table for coho fry measured at IPT in Brunette River from Mar 2nd to May 31st.

March fry	
Mean	44.8
Max	46.0
Min	44.0
Total measured	4
Total (N)	**4**

April fry	
Mean	39.0
Max	42.0
Min	36.0
Total measured	2
Total (N)	**2**

May fry	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**4**

Table 11. Summation table for coho smolts measured at IPT in Brunette River from Mar 2nd to May 31st.

March smolt	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**4**

April smolt	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**2**

May smolt	
Mean	133.0
Max	133.0
Min	133.0
Total measured	4
Total (N)	**4**

Note that no spikes were noted in the Brunette trap following the release of 2400 coho March 8, or 6000 coho on May 13.



Figure 24. Coho fry captured at IPT in the Brunette River from Mar 2nd to May 31st



Figure 25. Coho smolts captured at IPT in the Brunette River from Mar 2nd to May 31st

3.2.2. Chum captured

Stoney Creek chum captured at fence and live box trap

Table 12. Summation table for chum fry measured at fence in Stoney Creek for April and May.

April	
Mean	40.7
Max	49.0
Min	35.0
Total measured	3
Total	**3**

May	
Mean	54.0
Max	54.0
Min	54.0
Total measured	1
Total	**1**

Chum fry capture in Stoney Creek spanned mid-March through mid-April. Peak downstream movement was apparent in late March. This result was echoed at the Brunette site



Figure 26. Chum fry captured at fence in Stoney Creek from April 18th to May 31st

Stoney Creek chum fry captured at IPT

Table 13. Summation table for chum fry measured at IPT on Stoney Creek for March, April and May.

March	
Mean	36.1
Max	40.0
Min	2.0
Total fry	194
Total	**194**

April	
Mean	39.3
Max	44.0
Min	31.0
Total fry	88
Total	**88**

May	
Mean	N/A
Max	N/A
Min	N/A
Total fry	0
Total	**0**



Figure 27. Chum fry captured by IPT in Stoney Creek from Mar 2nd to May 31st

Brunette River chum captured at IPT

Table 14. Summation table for chum fry measured in Brunette River for March, April and May.

March fry	
Mean	37.6
Max	40.0
Min	35.0
Total Fry	**51**

April fry	
Mean	38.9
Max	45.0
Min	31.0
Total Fry	**70**

May fry	
Mean	43.5
Max	44.0
Min	43.0
Total Fry	**2**

Similar to the situation observed in Stoney Creek, chum fry capture in the Brunette River spanned mid-March through mid-April. Peak downstream movement was apparent in late March.



Figure 28. Chum fry captured in IPT at Brunette River from Mar 2nd to May 31st

Brunette River chum captured with Pole Seine method

On April 11th, pole seines were done at the weir immediately above the IPT site and at two Newbury weirs downstream of the IPT. Chum fry were captured in the sampling and the numbers captured at each site are given in the table below. For location of weirs, see Figure 30.

Table 15. Summation table for chum fry captured in pole seine sampling on April 11th in Brunette River.

Pole seine chum	
Weir 1	18
Weir 2	10
Weir 3	1
Total	**29**

3.2.3. Chinook captured

Brunette River chinook captured at IPT

Table 16. Summation table for chinook fry measured at IPT in Brunette River for March, April and May.

March fry	
Mean	42.0
Max	42.0
Min	42.0
Total measured	1
Total (N)	**1**

April fry	
Mean	46.5
Max	55.0
Min	40.0
Total measured	31
Total (N)	**31**

May fry	
Mean	56.3
Max	59.0
Min	54.0
Total measured	3
Total (N)	**3**



Figure 29. Chinook fry captured at IPT in Brunette River from Mar 2nd to May 31st

The juveniles encountered exhibited growth over the study, increasing in mean length from 46 mm in April to 56 mm in may. This indicates successful rearing in the system. It is not known whether there is a small and undetected population of chinook that has historically used the Brunette or whether the fish are strays from another lower Fraser population. Pole seining should be continued over the juvenile rearing period in future years to investigate whether the 2000 data are an anomaly

Brunette River chinook captured with Pole Seine method at Weir #1

Table 17. Summation table for chinook fry captured with pole seine method at Weir #1.

Pole Seine date	# Caught
11-Apr-2000	21
17-Apr-2000	78
18-Apr-2000	18
5-May-2000	17
Total	**134**

Distribution study of Brunette River chinook with Pole Seine method

Of particular interest is the encounter with young of the year chinook in the Brunette mainstem. Their capture initially took the study team by surprise and considerable effort was expended to confirm identification. It is not known whether these juveniles represent the progeny of adults that spawned in the system in the fall of 1999, or whether they represent fry that emigrated into the Brunette from the Fraser River mainstem. It is suspected, however, the former is the more probable. A pair or a few pairs of spawning adults could easily have escaped detection if they spawned in the deep turbid water downstream of the weirs.

On April 11th, a series of pole seines were undertaken to examine distribution of chinook fry in the Brunette River. From upstream to downstream, the pole seine sites were the Cariboo dam, the weir immediately above the slot weir, the slot weir, the IPT trap site, and the two Newbury weirs downstream of the IPT site. For site locations, see the Figure below.



Figure 30. Location of pole seine sites on the Brunette River.

Table 18. Summation table for distribution of chinook fry captured with seine on April 11th (see locations for sites in Figure 30 on previous page)

Distribution study on April 11th at series of sites	
Cariboo Dam	0
Weir upstream of slot weir/downstream dam	0
Slot weir	8
IPT trap site	21
2nd Newbury weir	21
3rd Newbury weir	67
Total	**128**



Figure 31. Distribution of chinook fry captured in the Brunette River indicated by seining, April 11th.

3.2.4. Rainbow/Cutthroat trout captured

Eagle Creek rainbow/cutthroat trout captured at fence and live box trap

Table 19. Summation tables for rainbow/cutthroat tout measured in fence at Eagle Creek for April and May

April	
Mean	111.0
Max	111.0
Min	111.0
Total measured	1
Total (N)	**1**

May	
Mean	166.5
Max	203.0
Min	133.0
Total measured	11
Total (N)	**11**



Figure 32. Rainbow/cutthroat trout captured in fence at Eagle Creek from April 18th to May 31st

Stoney Creek rainbow/cutthroat trout captured at fence and live box trap

Table 20. Summation table for rainbow/cutthroat trout measured in fence and live box trap at Stoney Creek for April and May.

April trout	
Mean	142.9
Max	199.0
Min	114.0
Total measured	18
Total (N)	**18**

May trout	
Mean	150.5
Max	166.0
Min	135.0
Total measured	2
Total (N)	**2**



Figure 33. Rainbow/cutthroat trout captured in fence at Stoney Creek from April 18th to May 31st.

Stoney Creek rainbow/cutthroat trout captured at IPT

Table 21. Summation table for rainbow/cutthroat trout measured in IPT at Stoney Creek for March, April and May.

March trout	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**0**

April trout	
Mean	N/A
Max	N/A
Min	N/A
Total measured	0
Total (N)	**0**

May trout	
Mean	27.5
Max	28.0
Min	27.0
Total measured	2
Total (N)	**2**



Figure 34. Rainbow/cutthroat trout captured in IPT at Stoney creek from March 3rd to May 31st

Beecher Creek rainbow/cutthroat trout captured at fence and live box trap

Table 22. Summation table for rainbow/cutthroat trout measured in fence at Beecher Creek for March, April and May.

March trout	
Mean	116.1
Max	141.0
Min	101.0
Total measured	9
Total (N)	**9**

April trout	
Mean	128.4
Max	251.0
Min	40.0
Total measured	24
Total (N)	**24**

May trout	
Mean	97.8
Max	167.0
Min	46.0
Total measured	24
Total (N)	**24**



Figure 35. Rainbow/cutthroat trout captured at fence in Beecher Creek from Mar 2nd to May 31st

Brunette River rainbow/cutthroat trout captured at IPT

Table 23. Summation table for rainbow/cutthroat trout measured in fence at Brunette River for March, April and May

March	
Mean	N/A
Min	N/A
Max	N/A
Total measured	0
Total (N)	**0**

April	
Mean	56.0
Min	32.0
Max	132.0
Total measured	7
Total (N)	**7**

May	
Mean	51.0
Min	51.0
Max	51.0
Total measured	1
Total (N)	**1**



Figure 36. Rainbow/cutthroat trout captured in IPT at Brunette River from Mar 2nd to May 31st.

Part 4. CONCLUSIONS AND RECOMMENDATIONS FOR FUTURE STUDIES

The recommendations for future studies are listed below.

1. Funding sufficient for two to three full time, dedicated technicians for a 3½-month period is essential to effectively carry out a program of this nature and scope.
2. Precipitation and discharge response should be established for each system to help anticipate trap maintenance requirements.
3. Traps should be constructed in February and installed within the last week of February or the first week of March.
4. Traps should be maintained, cleaned and checked a minimum of 2 times per day. If daylight permits, traps should be checked 3 times per day.
5. Second year FWR students should be enlisted to assist field technicians as part of their practicum requirements or work-study. Times for student assistance should be pre-determined in a set schedule.
6. Community and streamkeeper groups should be advised and coordinated in early February to assist in the project. Project technicians and students experienced in fence and trap maintenance can provide training for volunteers. Like the student schedule, volunteers should be assigned specific times and dates for their assistance.

   This commitment is essential given the manpower and level of effort requirements we witnessed in this first attempt to "harness the Brunette". During extreme water events, all we could do was stand on the shore and watch high flows take our gear and efforts to the bottom of the river or downstream to the Fraser.
7. The fence and trap arrangement used during the 2000 study, although not perfect or 100% reliable probably provides best means to sample Beecher Creek.
8. IPTs are the only feasible trapping method for use on the Brunette mainstem. The IPT was frequently nun-functional and caused considerable problems, but with a greater degree of maintenance and attention, the device could be operated more effectively. Although probably not feasible, it would require personnel, adequate lighting and safety equipment on site 24 hours per day, 7 days a week when necessitated by river conditions to monitor outmigration. This is the only way to ensure the trap and data collection does not fail due to debris loading and problem flows.
9. The setup in Eagle and Stoney creeks would likely provide more data with a fence/trap operating during low flow periods. The fence should be designed to revert to a low profile during high flows. At each site, an IPT should be on hand to sample at high flows when the fences are not functional. Again, this demands more manpower, funding and community group involvement.

LITERATURE CITED

Conlin, K and B.D. Tutty. August 1979. Juvenile Salmonid Field Trapping Manual. 1st Edition. Fisheries and marine Service Manuscript, Report #1530. Department of Fisheries and Oceans, Vancouver B.C.

Greater Vancouver Regional District. May 1999. "Caring for our Waterways. Liquid Waste Management Plan Stage 2." Discussion Document.

Greater Vancouver Sewerage and Drainage District. January 2000. "Brunette Basin Watershed Plan". Draft document created for the Brunette Basin Task Group.

APPENDIX A:

Data tables for
Stoney, Eagle and Beecher Creeks and for
the Brunette River

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
3-Mar-2000	TM		Rain	Stoney Crk			IPT	N/A	0.0	N/A		Yes	Installation
4-Mar-2000	TM		Light rain	Stoney Crk			IPT	N/A	0.0	N/A		Yes	check of attachments/anchor trees ok, filled w sand in high water, a lot of bed movement, snow fence/signs posted
5-Mar-2000	TM	0920	Sunny	Stoney Crk			IPT	N/A	0.0	N/A		No	Flow decreased, water clear, trap is grounding out, no fish
6-Mar-2000	TM	0915	Sunny	Stoney Crk			IPT	N/A	0.0	N/A		Yes	Creek is low and clear, trap is fishing well despite being grounded out, cables and anchors ok
7-Mar-2000	TM		Sunny	Stoney Crk			IPT	N/A	0.0	N/A		No	No fish, trap hung up, low water flow, cables ok
8-Mar-2000	TM	0929	High overcast /no rain	Stoney Crk			IPT	N/A	0.0	N/A		No	Trap clear, but not fishing effectively, trap may need relocation
8-Mar-2000	TM	1430	High overcast /no rain	Stoney Crk			IPT	N/A	0.0	N/A		No	Pulled trap, fixed baffle btwn livebox and baffle
9-Mar-2000	TM	1722	Light rain	Stoney Crk			IPT	Cm	35.0	unbuttoned fry	Fry	No	
9-Mar-2000	TM	0800	Light rain	Stoney Crk			IPT	N/A	0.0	N/A		No	Re-install with new baffle locks, cables ok
9-Mar-2000	TM	1250	Light rain	Stoney Crk			IPT	N/A	0.0	N/A		Yes	Make trash rack
10-Mar-2000	TM	1030	Overcast	Stoney Crk			IPT	Co	36.0	N/A		No	Trap is grounded out again
11-Mar-2000	TM	1155	Light rain	Stoney Crk			IPT	Co	35.0	good condition		Yes	water low (not lowest), trap fished throughout the night, cables ok
12-Mar-2000	TM	1130	Overcast/light rain	Stoney Crk			IPT	Co	35.0	good condition		Yes	
12-Mar-2000	TM	1130	Overcast/light rain	Stoney Crk			IPT	Co	36.0	good condition		Yes	
13-Mar-2000	TM	0738	Overcast/light rain	Stoney Crk			IPT	N/A	0.0	N/A		No	Low water/fishing questionable
14-Mar-2000	TM	1013	Sunny/overcast	Stoney Crk			IPT	Co	105.0	dead		Yes	fry - asphyxiated? Sand or bedload

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
14-Mar-2000	TM	1013	Sunny/overcast	Stoney Crk			IPT	Lamprey	29.0	not good condition		Yes	
15-Mar-2000	TM	0710	Sunny/overcast	Stoney Crk			IPT	Co	32.0	buttoned		Yes	
15-Mar-2000	TM	0710	Sunny/overcast	Stoney Crk			IPT	Co	33.0	good condition		Yes	Water low and clear, trap fishing, but grounded, cables ok, shackles look ok
15-Mar-2000	TM	0710	Sunny/overcast	Stoney Crk			IPT	Co	36.0	good condition		Yes	
15-Mar-2000	TM	0710	Sunny/overcast	Stoney Crk			IPT	Co	0.0	newly buttoned		Yes	Lost the fish, no measurement
15-Mar-2000	TM	0710	Sunny/overcast	Stoney Crk			IPT	Lr	65.0	N/A		Yes	
15-Mar-2000	TM	0710	Sunny/overcast	Stoney Crk			IPT	Lr	65.0	N/A		Yes	
16-Mar-2000	TM	1335	Rain	Stoney Crk			IPT	Co	31.0	N/A		Yes	
16-Mar-2000	TM	1335	Rain	Stoney Crk			IPT	Co	31.0	N/A		Yes	
16-Mar-2000	TM	1335	Rain	Stoney Crk			IPT	Co	31.0	N/A		Yes	
16-Mar-2000	TM	1335	Rain	Stoney Crk			IPT	Co	31.0	N/A		Yes	
16-Mar-2000	TM	1335	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
16-Mar-2000	TM	1335	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
16-Mar-2000	TM	1335	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
16-Mar-2000	TM	1335	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
16-Mar-2000	TM	1335	Rain	Stoney Crk			IPT	Co	34.0	N/A		Yes	
16-Mar-2000	TM	1335	Rain	Stoney Crk			IPT	Co	35.0	N/A		Yes	Trap fishing ok, some leaf buildup hampering efficiency, trap cleaned, water flow is not too high, good fishing night
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	Dead		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	31.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	31.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	River/creek is still high, trap is submerging little
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	34.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Co	34.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Cm	38.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
17-Mar-2000	TM	1040	Rain	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
18-Mar-2000	TM	1000	Rain	Stoney Crk			IPT	N/A	0.0	N/A		Yes	All traps submerged or blown out, trap baffle opened so not fishing 1 Co rescued
19-Mar-2000	TM	1300	Rain	Stoney Crk			IPT	N/A	0.0	N/A		Yes	No fish, cables ok
20-Mar-2000	TM	1030	Overcast	Stoney Crk			IPT	N/A	0.0	N/A		No	Not fishing, no fish, water low, trap fixed - baffle adjusted, Co juvenile fry observed swimming free
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	31.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	31.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Co	31.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Co	33.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Co	33.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Co	38.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
21-Mar-2000	TM	1230	Overcast	Stoney Crk			IPT	Lamprey	0.0	N/A		Yes	Small sticks on baffle, several fry observed - Ch/Co -
22-Mar-2000	TM		Overcast/showers	Stoney Crk			IPT	Alevin	22.0	Dead		Yes	
22-Mar-2000	TM		Overcast/showers	Stoney Crk			IPT	Co	32.0	Dead		Yes	
22-Mar-2000	TM		Overcast/showers	Stoney Crk			IPT	Co	32.0	Dead		Yes	
22-Mar-2000	TM		Overcast/showers	Stoney Crk			IPT	Co	33.0	N/A		Yes	
22-Mar-2000	TM		Overcast/showers	Stoney Crk			IPT	Co	33.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	37.0	N/A		No	Cables ok, trap not fishing when I arrived, water clear
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Co	31.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Co	32.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Co	32.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Co	32.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Co	32.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Co	32.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Co	32.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Co	33.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	37.5	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
23-Mar-2000	TM		Sunny/overcast	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
24-Mar-2000	TM	1910	Sunny	Stoney Crk			IPT	Co	30.5	N/A		Yes	
24-Mar-2000	TM	2010	Sunny	Stoney Crk			IPT	Alevin	31.0	N/A		Yes	
24-Mar-2000	TM	2110	Sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	Water is clear, trap is fishing well, cables are ok
24-Mar-2000	TM	2210	Sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
24-Mar-2000	TM	2310	Sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
24-Mar-2000	TM	0010	Sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
24-Mar-2000	TM	0110	Sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
24-Mar-2000	TM	0210	Sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
24-Mar-2000	TM	0310	Sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	
24-Mar-2000	TM	0410	Sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	
24-Mar-2000	TM	0510	Sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	
24-Mar-2000	TM	0610	Sunny	Stoney Crk			IPT	Co	33.0	N/A		Yes	several schools of Co and Cm seen in creek - mixed schools above and below trap
24-Mar-2000	TM	0710	Sunny	Stoney Crk			IPT	Co	33.0	N/A		Yes	
24-Mar-2000	TM	0810	Sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
24-Mar-2000	TM	0910	Sunny	Stoney Crk			IPT	Cm	38.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
24-Mar-2000	TM	1010	Sunny	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
24-Mar-2000	TM	1110	Sunny	Stoney Crk			IPT	Cm	0.0	N/A		Yes	
25-Mar-2000	TM		Overcast/clear	Stoney Crk			IPT	Co	31.0	N/A		Yes	trap fishing ok, fence posts/sticks vandalized, piece of rebar into trap, water low and clear, cable ok
25-Mar-2000	TM		Overcast/clear	Stoney Crk			IPT	Co	31.0	N/A		Yes	
25-Mar-2000	TM		Overcast/clear	Stoney Crk			IPT	Co	31.0	N/A		Yes	
25-Mar-2000	TM		Overcast/clear	Stoney Crk			IPT	Co	31.0	N/A		Yes	
25-Mar-2000	TM		Overcast/clear	Stoney Crk			IPT	Co	31.0	N/A		Yes	
25-Mar-2000	TM		Overcast/clear	Stoney Crk			IPT	Co	32.0	N/A		Yes	
25-Mar-2000	TM		Overcast/clear	Stoney Crk			IPT	Co	32.0	N/A		Yes	
25-Mar-2000	TM		Overcast/clear	Stoney Crk			IPT	Co	32.0	N/A		Yes	
25-Mar-2000	TM		Overcast/clear	Stoney Crk			IPT	Co	33.0	N/A		Yes	
25-Mar-2000	TM		Overcast/clear	Stoney Crk			IPT	Co	0.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Co	33.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	35.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
26-Mar-2000	TM	1230	Sunny	Stoney Crk			IPT	Cm	40.0	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Cm	31.0	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Co	31.0	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Co	31.0	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Co	31.5	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Co	32.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Co	33.0	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Cm	37.0	N/A		Yes	Cables are ok, water is coloured, not too high, trap grounded
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Cm	39.5	N/A		Yes	
27-Mar-2000	TM	1150	Rain	Stoney Crk			IPT	Cm	40.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	36.0	N/A		No	Trap not fishing, water too low
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	37.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
28-Mar-2000	TM	0943	Intermittent showers	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	2.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	7.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	29.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	30.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	30.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	31.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	31.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	31.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	31.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	31.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	31.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	32.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	32.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	32.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	32.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	32.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	Fishing slowly, very successful, creek has large schools of fish in it
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	32.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	32.5	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	33.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	33.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	33.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	33.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	34.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	34.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	34.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	34.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	34.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	35.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	35.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	36.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	37.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	37.0	N/A		Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	38.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Co	38.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	39.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	40.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	40.0	N/A		Yes	
29-Mar-2000	TM	1200	sunny	Stoney Crk			IPT	Cm	40.0	N/A		Yes	
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Co	31.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Co	31.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Co	31.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Co	31.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	38.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	37.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	37.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	33.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	37.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	37.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Co	31.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	31.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	37.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	39.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Co	33.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Co	32.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Co	31.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Co	33.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	39.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	36.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
30-Mar-2000	TM	1154	Sunny	Stoney Crk		18.05	IPT	Cm	37.0	N/A	Fry	No	Cables OK; Water level low; clear; fishing slowly after cleaning
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	37.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	39.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	39.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	39.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	32.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	34.0	unbuttoned fry	Fry	Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	37.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	39.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	38.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	33.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	33.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	39.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	36.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	40.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	36.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Cm	35.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
31-Mar-2000	TM	1115	High overcast /dry/warm	Stoney Crk		18.04	IPT	Co	32.0	N/A		Yes	Trap fishing slowly; Cables OK; Staff gauge 18.04
1-Apr-2000	TS	1330	Sunny/High cloud	Stoney Crk			IPT	Cm	33.0	Live	Fry	Yes	abundance of fry spotted in creek and in throat of trap; Cleaned out live box; low water level in creek
1-Apr-2000	TS	1330	Sunny/High cloud	Stoney Crk			IPT	Cm	35.0	Live	Fry	Yes	abundance of fry spotted in creek and in throat of trap; Cleaned out live box; low water level in creek
1-Apr-2000	TS	1330	Sunny/High cloud	Stoney Crk			IPT	Cm	33.0	Live	Fry	Yes	abundance of fry spotted in creek and in throat of trap; Cleaned out live box; low water level in creek
1-Apr-2000	TS	1330	Sunny/High cloud	Stoney Crk			IPT	Cm	36.0	Live	Fry	Yes	abundance of fry spotted in creek and in throat of trap; Cleaned out live box; low water level in creek
1-Apr-2000	TS	1330	Sunny/High cloud	Stoney Crk			IPT	Cm	35.0	Dead	Fry	Yes	abundance of fry spotted in creek and in throat of trap; Cleaned out live box; low water level in creek
2-Apr-2000	TM	1415	Sunny/High cloud	Stoney Crk			IPT	N/A	0.0	N/A	N/A	No	No fish; water is low; trap not fishing
3-Apr-2000	TM	1400	Sunny	Stoney Crk	12.0	18.01	IPT	Cm	38.0	N/A	N/A	Yes	Staff gauge 18.01 m; Cables OK;
3-Apr-2000	TM	1400	Sunny	Stoney Crk	12.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Staff gauge 18.01 m; Cables OK;
4-Apr-2000	TM	0944	Overcast/dry	Stoney Crk	10.0	18.01	IPT	Cm	39.0	N/A	N/A	No	Staff gauge 18.01 m; Cables OK;
5-Apr-2000	TM	1041	Overcast/dry	Stoney Crk	8.5	18.01	IPT	N/A	0.0	N/A	N/A	No	Staff gauge 18.01 m; Cables OK;Water low; trap clogged with debris
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Cm	39.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Cm	40.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Cm	40.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Cm	40.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Cm	36.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Cm	44.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Cm	42.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Co	31.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Cm	38.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Cm	41.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in
6-Apr-2000	TM	1015	Sunny	Stoney Crk	8.0		IPT	Cm	38.0	N/A	N/A	Yes	Need to install fence in Stoney; Steelhead concerns; Trap location is filling in
7-Apr-2000	TM	0905	Sunny	Stoney Crk	7.0	18.00	IPT	Co	32.0	N/A	N/A	No	Trap not working; water level low; Cables OK; Staff gauge 18.0
7-Apr-2000	TM	0905	Sunny	Stoney Crk	7.0	18.00	IPT	Cm	38.0	N/A	N/A	No	Trap not working; water level low; Cables OK; Staff gauge 18.0
7-Apr-2000	TM	0905	Sunny	Stoney Crk	7.0	18.00	IPT	Cm	41.0	N/A	N/A	No	Trap not working; water level low; Cables OK; Staff gauge 18.0
8-Apr-2000	TM	1300	Sunny	Stoney Crk	12.0	17.99	IPT	N/A	0.0	N/A	N/A	Yes	No fish; cables OK; Staff gauge 17.99 (dewatered)
9-Apr-2000	TM	1024	N/A	Stoney Crk	10.0	17.99	IPT	N/A	0.0	N/A	N/A	No	Not fishing; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Co	31.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	39.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	38.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	36.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	39.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	34.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	38.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	37.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	38.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	43.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	42.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	36.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Co	31.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	42.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	39.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	44.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	39.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	39.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	42.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	N/A	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	31.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	38.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	43.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	39.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	31.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	36.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	39.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	36.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	39.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	38.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	39.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	41.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	42.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	37.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	38.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
10-Apr-2000	TM	0830	Overcast/warm	Stoney Crk	10.0	18.01	IPT	Cm	40.0	N/A	N/A	Yes	Trap fished last night; now not effectively fishing; creek is colored; silt and construction silts; cables OK
11-Apr-2000	TM	0811	Overcast	Stoney Crk	9.0	0.00	IPT	Cm	40.0	N/A	N/A	Yes	Cables OK
12-Apr-2000	TM	1025	Overcast	Stoney Crk	10.0	0.00	IPT	N/A	0.0	N/A	N/A	No	Trap not fishing;
13-Apr-2000	TM	1019	Overcast	Stoney Crk	11.0	0.00	IPT	N/A	0.0	N/A	N/A	No	Not many fish visible in creek
14-Apr-2000	TM; GR	1530	Overcast	Stoney Crk	11.0	0.00	IPT	N/A	0.0	N/A	N/A	No	Trap dry
15-Apr-2000	TM	1300	Heavy showers	Stoney Crk	11.0	0.00	IPT	Co	0.0	N/A	Fry	Yes	Trap fishing; no measurements of fish
15-Apr-2000	TM	1300	Heavy showers	Stoney Crk	11.0	0.00	IPT	Alevin	0.0	N/A	Alevin	Yes	Trap fishing; no measurements of fish
16-Apr-2000	TM	1500	Sunny	Stoney Crk	12.0	0.00	IPT	N/A	0.0	N/A	N/A	No	Trap not working;
17-Apr-2000	TM	1651	Sunny	Stoney Crk	13.0	0.00	IPT	N/A	0.0	N/A	N/A	No	Trap dry; no fish
18-Apr-2000	TM	N/A	N/A	Stoney Crk	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No	Not checked; not enough time in daylight hours to check trap
19-Apr-2000	TM; TS	N/A	Overcast	Stoney Crk	N/A	N/A	Fence	N/A	0.0	N/A	N/A	N/A	Installed fence; installed upstream of IPT
19-Apr-2000	TM; TS	N/A	Overcast	Stoney Crk	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No	Not checked; no data in field notes
20-Apr-2000	TM	1305	N/A	Stoney Crk	12.0	0.00	Fence	Cm	38.0	N/A	N/A	No	Fence needs more head
20-Apr-2000	TM	1305	N/A	Stoney Crk	12.0	0.00	Fence	Unident	88.0	N/A	N/A	No	
21-Apr-2000	TM	1215	Overcast/warm	Stoney Crk	12.5	0.00	Fence	Cm	35.0	N/A	N/A	Yes	
21-Apr-2000	TM	1215	Overcast/warm	Stoney Crk	12.5	0.00	Fence	Lamprey	0.0	Dead	N/A	Yes	
21-Apr-2000	TM	1215	Overcast/warm	Stoney Crk	12.5	0.00	IPT	N/A	0.0	N/A	N/A	No	IPT not fishing; no fish
22-Apr-2000	TS	1320	Sunny/warm	Stoney Crk			IPT	N/A	0.0	N/A	N/A	No	No notes on fence function; water temp or staff gauge

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
22-Apr-2000	TS	1328	Sunny/warm	Stoney Crk			Fence	Ct	132.0	N/A	N/A	Yes	No notes on fence function; water temp or staff gauge
23-Apr-2000							Fence					No	
23-Apr-2000							IPT					No	
24-Apr-2000	TM	N/A	Sunny/cool	Stoney Crk	N/A	N/A	N/A	N/A	0.0	N/A	N/A	Unknown	No data for Stoney on this date
25-Apr-2000	TM	1200	Overcast/showers	Stoney Crk	10.0	N/A	Fence	Co	100.0	N/A	Smolt	Yes	Fishing well; no serious erosion; needs plastic; overtopped in the night
25-Apr-2000	TM	1200	Overcast/showers	Stoney Crk	10.0	N/A	Fence	Ct	150.0	N/A	N/A	Yes	Fishing well; no serious erosion; needs plastic; overtopped in the night
25-Apr-2000	TM	1200	Overcast/showers	Stoney Crk	10.0	N/A	Fence	Ct	130.0	N/A	N/A	Yes	Fishing well; no serious erosion; needs plastic; overtopped in the night
25-Apr-2000	TM	1200	Overcast/showers	Stoney Crk	10.0	N/A	Fence	Rb	173.0	N/A	N/A	Yes	Fishing well; no serious erosion; needs plastic; overtopped in the night
25-Apr-2000	TM	1200	Overcast/showers	Stoney Crk	10.0	N/A	Fence	Ct	119.0	N/A	N/A	Yes	Fishing well; no serious erosion; needs plastic; overtopped in the night
25-Apr-2000	TM	1200	Overcast/showers	Stoney Crk	10.0	N/A	Fence	Rb	96.0	N/A	N/A	Yes	Fishing well; no serious erosion; needs plastic; overtopped in the night
25-Apr-2000	TM	1200	Overcast/showers	Stoney Crk	10.0	N/A	IPT	N/A	0.0	N/A	N/A	No	IPT not noted; assume it is not fishing
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	IPT	N/A	0.0	N/A	N/A	No	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Co	108.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Co	116.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Ct	171.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Ct	199.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Ct	131.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Co	98.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Co	106.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Ct	161.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Rb	142.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Ct	183.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Ct	130.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Co	113.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
26-Apr-2000	TM	1135	Sunny	Stoney Crk	11.0	0.00	Fence	Ct/Rb	83.0	N/A	N/A	Yes	IPT not fishing; Fence OK-no overtopping; low water levels
27-Apr-2000	TM	0817	Overcast/rain	Stoney Crk	10.0	0.00	IPT	N/A	0.0	N/A	N/A	No	IPT not fishing; Fence in good condition and fishing; no overtopping
27-Apr-2000	TM	0817	Overcast/rain	Stoney Crk	10.0	0.00	Fence	Ct	145.0	N/A	N/A	Yes	IPT not fishing; Fence in good condition and fishing; no overtopping
27-Apr-2000	TM	0817	Overcast/rain	Stoney Crk	10.0	0.00	Fence	Rb	146.0	N/A	N/A	Yes	IPT not fishing; Fence in good condition and fishing; no overtopping
27-Apr-2000	TM	0817	Overcast/rain	Stoney Crk	10.0	0.00	Fence	Co	113.0	N/A	N/A	Yes	IPT not fishing; Fence in good condition and fishing; no overtopping
27-Apr-2000	TM	0817	Overcast/rain	Stoney Crk	10.0	0.00	Fence	Co	112.0	N/A	N/A	Yes	IPT not fishing; Fence in good condition and fishing; no overtopping
27-Apr-2000	TM	0817	Overcast/rain	Stoney Crk	10.0	0.00	Fence	Cm	49.0	N/A	N/A	Yes	IPT not fishing; Fence in good condition and fishing; no overtopping
27-Apr-2000	TM	0817	Overcast/rain	Stoney Crk	10.0	0.00	Fence	Ld	76.0	N/A	N/A	Yes	IPT not fishing; Fence in good condition and fishing; no overtopping;
27-Apr-2000	TM	0817	Overcast/rain	Stoney Crk	10.0	0.00	Fence	Ld	69.0	N/A	N/A	Yes	IPT not fishing; Fence in good condition and fishing; no overtopping; Rhinichthys cataractoe
28-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.03	Fence	N/A	0.0	N/A	N/A	No	Fence blew out overnight; Trapbox beside IPT; Consulted Gary Rosberg; will mend and reinstall
28-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.03	IPT	N/A	0.0	N/A	N/A	No	IPT not fishing; Fished overnight possibly; no fish in trap

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	IPT	N/A	0.0	N/A	N/A	No	IPT not fishing;
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	Fence	Co	101.0	N/A	N/A	Yes	Fence OK; 6 dead smolts found; 1 upstream of trap; signs of predation;1 fish observed swimming erratically below trap
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	Fence	Co	115.0	N/A	N/A	Yes	Fence OK; 6 dead smolts found; 1 upstream of trap; signs of predation;1 fish observed swimming erratically below trap
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	Fence	Ct	119.0	N/A	N/A	Yes	Fence OK; 6 dead smolts found; 1 upstream of trap; signs of predation;1 fish observed swimming erratically below trap
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	Fence	Ct	151.0	N/A	N/A	Yes	Fence OK; 6 dead smolts found; 1 upstream of trap; signs of predation;1 fish observed swimming erratically below trap
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	Fence	Ct	128.0	N/A	N/A	Yes	Fence OK; 6 dead smolts found; 1 upstream of trap; signs of predation;1 fish observed swimming erratically below trap
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	Fence	Ct	127.0	N/A	N/A	Yes	Fence OK; 6 dead smolts found; 1 upstream of trap; signs of predation;1 fish observed swimming erratically below trap
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	Fence	Ct	114.0	N/A	N/A	Yes	Fence OK; 6 dead smolts found; 1 upstream of trap; signs of predation;1 fish observed swimming erratically below trap
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	Fence	Ct	156.0	N/A	N/A	Yes	Fence OK; 6 dead smolts found; 1 upstream of trap; signs of predation;1 fish observed swimming erratically below trap
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	Fence	Ct	127.0	N/A	N/A	Yes	Fence OK; 6 dead smolts found; 1 upstream of trap; signs of predation;1 fish observed swimming erratically below trap

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
29-Apr-2000	TM	0945	Overcast/showers	Stoney Crk	10.0	18.01	Fence	Co	108.0	N/A	N/A	Yes	Fence OK; 6 dead smolts found; 1 upstream of trap; signs of predation;1 fish observed swimming erratically below trap
30-Apr-2000	TM	1351		Stoney Crk	11.0	18.00	Fence	Co	110.0	N/A	Smolt	Yes	Fence and trap OK; IPT not fishing; no dead smolts in creek today
30-Apr-2000	TM	1351		Stoney Crk	11.0	18.00	IPT	N/A	0.0	N/A	N/A	No	Fence and trap OK; IPT not fishing; no dead smolts in creek today
1-May-2000	TM	1055	Overcast/rain overnight	Stoney Crk	11.0	18.05	Fence	N/A	0.0	N/A	N/A	No	Fence overtopped in the night; cleaned and working again; no fish
1-May-2000	TM	1055	Overcast/rain overnight	Stoney Crk	11.0	18.05	IPT	N/A	0.0	N/A	N/A	Yes	Cleaned; no fish; fishing but ineffectively
2-May-2000	TM	0745	Overcast/rain overnight	Stoney Crk	11.0	18.02	IPT	N/A	0.0	N/A	N/A	Yes	Fishing ineffectively; cleaned
2-May-2000	TM	0745	Overcast	Stoney Crk	11.0	18.02	Fence	Co	101.0	N/A	Smolt	Yes	Fence fishing well; found and plugged 2 possible fish escape routes; may be cause in drop in capture numbers
2-May-2000	TM	0745	Overcast	Stoney Crk	11.0	18.02	Fence	Co	98.0	N/A	Smolt	Yes	Fence fishing well; found and plugged 2 possible fish escape routes; may be cause in drop in capture numbers
2-May-2000	TM	0745	Overcast	Stoney Crk	11.0	18.02	Fence	Cm	54.0	N/A	Smolt	Yes	Fence fishing well; found and plugged 2 possible fish escape routes; may be cause in drop in capture numbers
3-May-2000	TM	0956	Overcast/rain	Stoney Crk	11.0	18.11	Fence	N/A	0.0	N/A	N/A	No	Fence overtopped; cleaned trap but water overtopped fence immediately
3-May-2000	TM	0956	Overcast/rain	Stoney Crk	11.0	18.11	IPT	N/A	0.0	N/A	N/A	Yes	Trap fishing well; no fish
4-May-2000	TM;CD	1112	Overcast/rain	Stoney Crk	10.0	18.15	Fence	N/A	0.0	N/A	N/A	No	Fence blown out; panel and supports broken; trap box shattered; broke on fingerjointed 2x4s; pulled trap out
4-May-2000	TM;CD	1112	Overcast/rain	Stoney Crk	10.0	18.15	IPT	N/A	0.0	N/A	N/A	No	IPT high and dry; no fish;
5-May-2000	TM; LS	1100	Clouds and sun	Stoney Crk	10.0	18.10	Fence	N/A	0.0	N/A	N/A	No	Fence not fishing

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
5-May-2000	TM; LS	1100	Clouds and sun	Stoney Crk	10.0	18.10	IPT	N/A	0.0	N/A	N/A	No	IPT not fishing
6-May-2000							IPT					No	
7-May-2000							IPT					No	
8-May-2000	TM	1659	Overcast	Stoney Crk	11.5		Fence	N/A	0.0	N/A	N/A	No	Need rebar to repair
8-May-2000	TM	1659	Overcast	Stoney Crk	11.5		IPT	N/A	0.0	N/A	N/A	No	IPT not fishing; No fish
9-May-2000	TM	0635	Overcast	Stoney Crk	10.5	18.04	IPT	N/A	0.0	N/A	N/A	No	Barely fishing; cleaned
9-May-2000	TM	0635	Overcast	Stoney Crk	10.5	18.04	Fence	N/A	0.0	N/A	N/A	No	Fence is still not fishing
10-May-2000	TM		Rain	Stoney Crk	N/A	N/A	Fence	N/A	0.0	N/A	N/A	No	Fence blown out; IPT not working
10-May-2000	TM		Rain	Stoney Crk	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No	Fence blown out; IPT not working
11-May-2000	TM	0952	Rain	Stoney Crk	10.0	18.20	IPT	N/A	0.0	N/A	N/A	Yes	IPT fishing well; no fish; trap cleaned
11-May-2000	TM	0952	Rain	Stoney Crk	10.0	18.20	Fence	N/A	0.0	N/A	N/A	No	Fence not fishing
12-May-2000	RG;LS	0930	Clear/Sunny	Stoney Crk	10.0	N/A	IPT	empty	0.0	N/A	N/A	Yes	cleaned and adjust to improve fishing
12-May-2000	RG;LS	0930	Clear/Sunny	Stoney Crk	10.0	N/A	Fence	empty	0.0	N/A	N/A	no	not functioning; panel blown out; re-installled
13-May-2000							IPT					No	
13-May-2000							Fence						
14-May-2000	RG	1410	Overcast/warm	Stoney Crk	13.0	N/A	Fence	Co	124.0	N/A	smolt	Yes	cleaned fence
14-May-2000	RG	1410	Overcast/warm	Stoney Crk	13.0	N/A	Fence	Co	119.0	N/A	smolt	Yes	cleaned fence
14-May-2000	RG	1410	Overcast/warm	Stoney Crk	13.0	N/A	Fence	Co	124.0	N/A	smolt	Yes	cleaned fence
14-May-2000	RG	1410	Overcast/warm	Stoney Crk	13.0	N/A	Fence	Co	119.0	N/A	smolt	Yes	cleaned fence
14-May-2000	RG	1410	Overcast/warm	Stoney Crk	13.0	N/A	Fence	Co	120.0	N/A	smolt	Yes	cleaned fence
14-May-2000	RG	1410	Overcast/warm	Stoney Crk	13.0	N/A	Fence	Co	139.0	N/A	smolt	Yes	cleaned fence
14-May-2000	RG	1410	Overcast/warm	Stoney Crk	13.0	N/A	Fence	Co	130.0	N/A	smolt	Yes	cleaned fence

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
14-May-2000	RG	1410	Overcast/warm	Stoney Crk	13.0	N/A	Fence	Co	130.0	N/A	smolt	Yes	cleaned fence
14-May-2000	RG	1410	Overcast/warm	Stoney Crk	13.0	N/A	Fence	Co	0.0	dead; u/s of fence	smolt	Yes	cleaned fence
14-May-2000	RG	1410	Overcast/warm	Stoney Crk	13.0	N/A	Fence	Co	0.0	dead; u/s of fence	smolt	Yes	cleaned fence
14-May-2000							IPT					No	
15-May-2000	TS	1605	Sunny	Stoney Crk	15.0	N/A	IPT	Co	126.0	N/A	Smolt	Yes	No notes on fence function; water in creek slightly silted
15-May-2000	TS	1605	Sunny	Stoney Crk	15.0	N/A	Fence	Co	136.0	N/A	Smolt	Unknown	No notes on fence function; water in creek slightly silted
15-May-2000	TS	1605	Sunny	Stoney Crk	15.0	N/A	Fence	Co	131.0	N/A	Smolt	Unknown	No notes on fence function; water in creek slightly silted
16-May-2000	TS	1612	Sunny	Stoney Crk	15.0	N/A	IPT	N/A	0.0	N/A	N/A	No	No notes on fence function; no staff gauge measurement
16-May-2000	TS	1612	Sunny	Stoney Crk	15.0	N/A	Fence	Co	137.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
16-May-2000	TS	1612	Sunny	Stoney Crk	15.0	N/A	Fence	Co	140.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
17-May-2000	TS	1009	Overcast/ cool	Stoney Crk	12.0	N/A	IPT	N/A	0.0	N/A	N/A	No	No notes on fence function; no staff gauge measurement
17-May-2000	TS	1009	Overcast/ cool	Stoney Crk	12.0	N/A	Fence	Co	148.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement; cleaned fence mesh
17-May-2000	TS	1009	Overcast/ cool	Stoney Crk	12.0	N/A	Fence	Co	133.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement; cleaned fence mesh
17-May-2000	TS	1009	Overcast/ cool	Stoney Crk	12.0	N/A	Fence	Co	131.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement; cleaned fence mesh
17-May-2000	TS	1009	Overcast/ cool	Stoney Crk	12.0	N/A	Fence	Co	142.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement; cleaned fence mesh
17-May-2000	TS	1009	Overcast/ cool	Stoney Crk	12.0	N/A	Fence	Lamprey	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement; cleaned fence mesh
18-May-2000	TS	1138	Sunny	Stoney Crk	12.0	N/A	IPT	N/A	0.0	N/A	N/A	No	No notes on fence function; no staff gauge measurement

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
18-May-2000	TS	1138	Sunny	Stoney Crk	12.0	N/A	Fence	Cyprinid	51.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement; cleaned fence mesh
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	IPT	Co	141.0	Dead	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	IPT	Co	135.0	Dead	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	IPT	Co	138.0	Dead	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	141.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	146.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	133.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	132.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	143.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	139.0	Dead	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	130.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	146.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	134.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	136.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	131.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	137.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	135.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	137.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Ct	166.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	134.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	140.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	142.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	136.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	145.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	136.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	136.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	134.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	142.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	134.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Ct	135.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	148.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	142.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	133.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	131.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	120.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	134.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Co	138.0	N/A	Smolt	Yes	No notes on fence function; no staff gauge measurement
19-May-2000	TS	0827	Raining/ cool	Stoney Crk	12.0	N/A	Fence	Lamprey	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
20-May-2000				Stoney Crk			Fence					No	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
20-May-2000				Stoney Crk			IPT					No	
21-May-2000				Stoney Crk			Fence					No	
21-May-2000				Stoney Crk			IPT					No	
22-May-2000				Stoney Crk			Fence					No	
22-May-2000				Stoney Crk			IPT					No	
23-May-2000	RG	13:30	overcast	Stoney Crk	12.2	N/A	IPT	empty	0.0	N/A	N/A	Yes	cleaned & reset IPT; Heavy accumulation of sand due to rain/elevated flows last night
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	Sculpin	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	IPT	Lamprey	0.0	N/A	N/A	Yes	No notes on fence function; no staff gauge measurement
23-May-2000	TS	1552	Sunny/warm	Stoney Crk	15.0	N/A	Fence	N/A	0.0	N/A	N/A	No	No notes on fence function; no staff gauge measurement
24-May-2000	RG	12:45	overcast	Stoney Crk	12.2	N/A	Fence	empty	0.0	N/A	N/A	No	Fence partially damaged from heavy rain during night; re-installed panel, cleaned fence. Fence still not fishing well.
24-May-2000	RG	17:30	overcast /light rain	Stoney Crk	12.2	N/A	IPT	empty	0.0	N/A	N/A	No	not fishing; cleaned & reset IPT
24-May-2000	RG	17:30	overcast /light rain	Stoney Crk	12.2	N/A	Fence	empty	0.0	N/A	N/A	No	Fence blown out again and need major repairs. Left in place pending removal on May 29th.
24-May-2000	TS	0905	Sunny/warm	Stoney Crk	10.0	N/A	IPT	N/A	0.0	N/A	N/A	No	No notes on fence function; no staff gauge measurement
24-May-2000	TS	0905	Sunny/warm	Stoney Crk	10.0	N/A	Fence	N/A	0.0	N/A	N/A	No	No notes on fence function; no staff gauge measurement
25-May-2000	TS; LS	1314	Sunny/warm	Stoney Crk	11.0	N/A	IPT	Ct	28.0	N/A	Fry	No	No notes regarding fence performance
25-May-2000	TS; LS	1325	Sunny/warm	Stoney Crk	11.0	N/A	Fence	N/A	0.0	N/A	N/A	No	No notes regarding fence performance
26-May-2000	TS	0857	Overcast/cool	Stoney Crk	10.0	N/A	IPT	Ct	27.0	N/A	Fry	No	No notes regarding fence performance
26-May-2000	TS	0913	Overcast/cool	Stoney Crk	10.0	N/A	Fence	N/A	0.0	N/A	N/A	No	No notes regarding fence performance
27-May-2000	TS	0829	Heavy showers	Stoney Crk	12.0	N/A	IPT	N/A	0.0	N/A	N/A	No	No notes regarding fence performance
27-May-2000	TS	0829	Heavy showers	Stoney Crk	12.0	N/A	Fence	N/A	0.0	N/A	N/A	No	No notes regarding fence performance
29-May-2000	RG	18:30	clear/sunny	Stoney Crk	13.0	N/A	IPT	empty	0.0	N/A	N/A	No	cleaned & adjusted trap; water level & flow too low
29-May-2000	RG	19:00	clear/sunny	Stoney Crk	13.0	N/A	Fence	empty	0.0	N/A	N/A	No	Fence only partially intact
30-May-2000	RG;TS	15:30	warm/overcast	Stoney Crk	13.2	N/A	IPT	empty	0.0	N/A	N/A	No	Removed IPT; 7 trout fry onserved in vicinity of trap
2-Jun-2000	RG;CT	10:10	warm/overcast	Stoney Crk									reported & tracked sediment discharge; remove fence

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
18-Apr-2000	TM	1400	Sunny	Eagle Creek	N/A	N/A	Fence	N/A		N/A	N/A	No	Installed trap; 14:00 to 17:15
19-Apr-2000	TM;TS	1910	Overcast	Eagle Creek	N/A	N/A	Fence	Rb	111.0	N/A	N/A	Yes	Fence OK; working
20-Apr-2000	TM	1328	N/A	Eagle Creek	N/A	N/A	Fence	Co	127.0	N/A	N/A	Yes	Six smolts seen above fence in deep holes
20-Apr-2000	TM	1328	N/A	Eagle Creek	N/A	N/A	Fence	Co	124.0	N/A	N/A	Yes	Six smolts seen above fence in deep holes
20-Apr-2000	TM	1328	N/A	Eagle Creek	N/A	N/A	Fence	Co	151.0	N/A	Smolt	Yes	Six smolts seen above fence in deep holes
20-Apr-2000	TM	1328	N/A	Eagle Creek	N/A	N/A	Fence	Co	127.0	N/A	N/A	Yes	Six smolts seen above fence in deep holes
20-Apr-2000	TM	1328	N/A	Eagle Creek	N/A	N/A	Fence	Co	117.0	N/A	N/A	Yes	Six smolts seen above fence in deep holes
20-Apr-2000	TM	1328	N/A	Eagle Creek	N/A	N/A	Fence	Co	115.0	N/A	N/A	Yes	Six smolts seen above fence in deep holes
20-Apr-2000	TM	1328	N/A	Eagle Creek	N/A	N/A	Fence	Co	119.0	N/A	N/A	Yes	Six smolts seen above fence in deep holes
20-Apr-2000	TM	1328	N/A	Eagle Creek	N/A	N/A	Fence	Co	126.0	N/A	N/A	Yes	Six smolts seen above fence in deep holes
21-Apr-2000	TM	1403	Overcast /warm	Eagle Creek	13.0	N/A	Fence	Co	131.0	N/A	N/A	Yes	
21-Apr-2000	TM	1403	Overcast /warm	Eagle Creek	13.0	N/A	Fence	Co	123.0	N/A	N/A	Yes	
21-Apr-2000	TM	1403	Overcast /warm	Eagle Creek	13.0	N/A	Fence	Co	116.0	N/A	N/A	Yes	
21-Apr-2000	TM	1403	Overcast /warm	Eagle Creek	13.0	N/A	Fence	Co	119.0	N/A	N/A	Yes	
21-Apr-2000	TM	1403	Overcast /warm	Eagle Creek	13.0	N/A	Fence	Co	126.0	N/A	N/A	Yes	
21-Apr-2000	TM	1403	Overcast /warm	Eagle Creek	13.0	N/A	Fence	Co	134.0	N/A	N/A	Yes	
21-Apr-2000	TM	1403	Overcast /warm	Eagle Creek	13.0	N/A	Fence	Co	117.0	N/A	N/A	Yes	
21-Apr-2000	TM	1403	Overcast /warm	Eagle Creek	13.0	N/A	Fence	Co	113.0	N/A	N/A	Yes	
21-Apr-2000	TM	1403	Overcast /warm	Eagle Creek	13.0	N/A	Fence	Co	116.0	N/A	N/A	Yes	
22-Apr-2000	TS	1250	Sunny/ warm	Eagle Creek		N/A	Fence	Lamprey	0.0	N/A	N/A	No	No notes on fence;

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
23-Apr-2000								N/A				No	
24-Apr-2000								N/A				No	
25-Apr-2000								N/A				No	
26-Apr-2000								N/A				No	
27-Apr-2000	TM	1230	Overcast/ wet	Eagle Creek	N/A	N/A	Fence	N/A	0.0	N/A	N/A	No	Fence reinstalled; finished at 1600
28-Apr-2000	TM	1100	Overcast/ wet	Eagle Creek	N/A	N/A	Fence	N/A	0.0	N/A	N/A	No	Trap box overturned; cleaned fence; water level dropped
29-Apr-2000	TM	1000	Overcast	Eagle Creek	10.5	N/A	Fence	Co	115.0	N/A	N/A	Partial	Cleaned fence; water flooding around fence;overtopping
30-Apr-2000	TM	1501		Eagle Creek	12.0	N/A	Fence	N/A	0.0	N/A	N/A	Partial	Water topping over fence and around; no fish; cleaned
1-May-2000	TM	1205	Overcast/ rain overnight	Eagle Creek	12.0	N/A	Fence	Co	0.0	N/A	N/A	Partial	Fence overflowing; no fish; cleaned and water level dropped
2-May-2000	TM	0948	Overcast	Eagle Creek	11.5	N/A	Fence	Co	120.0	Smolt	N/A	Partial	Water diverted around trap; cleaned and fishing again
2-May-2000	TM	0948	Overcast	Eagle Creek	11.5	N/A	Fence	Co	126.0	Smolt	N/A	Partial	Water diverted around trap; cleaned and fishing again
2-May-2000	TM	0948	Overcast	Eagle Creek	11.5	N/A	Fence	Co	116.0	Smolt	N/A	Partial	Water diverted around trap; cleaned and fishing again
2-May-2000	TM	0948	Overcast	Eagle Creek	11.5	N/A	Fence	Co	119.0	Smolt	N/A	Partial	Water diverted around trap; cleaned and fishing again
2-May-2000	TM	0948	Overcast	Eagle Creek	11.5	N/A	Fence	Lamprey	116.0	Preserved	N/A	Partial	Lampreys preserved for Gordon Haas; research project
2-May-2000	TM	0948	Overcast	Eagle Creek	11.5	N/A	Fence	Lamprey	0.0	Preserved	N/A	Partial	Lampreys preserved for Gordon Haas; research project
2-May-2000	TM	0948	Overcast	Eagle Creek	11.5	N/A	Fence	Lamprey	0.0	Preserved	N/A	Partial	Lampreys preserved for Gordon Haas; research project
3-May-2000	TM	1149	Overcast/ rain	Eagle Creek	12.0	N/A	Fence	N/A	0.0	N/A	N/A	Yes	Fence cleaned; no fish
4-May-2000	TM	1247	Overcast/ rain	Eagle Creek	11.5	N/A	Fence	N/A	0.0	N/A	N/A	Partial	Fence overtopping; cleaned but still overtopping; box refastened
5-May-2000	TM	1019	Clouds and sun	Eagle Creek	11.0	N/A	Fence	Lamprey	0.0	N/A	N/A	Partial	Fence overflowing; cleaned fence

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
6-May-2000								N/A				No	
7-May-2000								N/A				No	
8-May-2000	TM	1332	Overcast	Eagle Creek	11.5	N/A	Fence	Lamprey	0.0	Preserved	N/A	Yes	Lampreys preserved for Gordon Haas; research project
8-May-2000	TM	1332	Overcast	Eagle Creek	11.5	N/A	Fence	Lamprey	0.0	Preserved	N/A	Yes	Lampreys preserved for Gordon Haas; research project
8-May-2000	TM	1332	Overcast	Eagle Creek	11.5	N/A	Fence	Lamprey	0.0	Preserved	N/A	Yes	Lampreys preserved for Gordon Haas; research project
9-May-2000	TM	1727	Overcast	Eagle Creek	11.5	N/A	Fence	Co	0.0	Lost fish	N/A	Yes	Fence fishing well;
9-May-2000	TM	1727	Overcast	Eagle Creek	11.5	N/A	Fence	Co	125.0	N/A	N/A	Yes	Fence fishing well;
9-May-2000	TM	1727	Overcast	Eagle Creek	11.5	N/A	Fence	Co	114.0	N/A	N/A	Yes	Fence fishing well;
9-May-2000	TM	1727	Overcast	Eagle Creek	11.5	N/A	Fence	Lamprey	0.0	Preserved	N/A	Yes	Fence fishing well; Lampreys preserved for Gordon Haas; research project
9-May-2000	TM	1727	Overcast	Eagle Creek	11.5	N/A	Fence	Lamprey	0.0	Preserved	N/A	Yes	Fence fishing well; Lampreys preserved for Gordon Haas; research project
10-May-2000	TM		Rain	Eagle Creek		N/A	Fence	N/A	0.0	N/A	N/A	No	Fence blown out
11-May-2000	TM	1029	Rain	Eagle Creek	10.0	N/A	Fence	N/A	0.0	N/A	N/A	Partial	Trap box reinstalled; water too high; fence blown around itself
12-May-2000	RG;LS	1430	Clear/ sunny	Eagle Creek	11.5	N/A	Fence	Empty	0.0	N/A	N/A	No	
13-May-2000								N/A				No	
14-May-2000	RG	1230	Overcast /warm	Eagle Creek	13.0	0.40	Fence	Ct	170.0	N/A	adult	Yes	
15-May-2000	TS	1309	Sunny/ warm	Eagle Creek	16.0	N/A	Fence	Lamprey	141.0	N/A	N/A	Yes	Red mark on dorsal; No notes on fence function
15-May-2000	TS	1309	Sunny/ warm	Eagle Creek	16.0	N/A	Fence	Lamprey	141.0	N/A	N/A	Yes	No notes on fence function;
15-May-2000	TS	1309	Sunny/ warm	Eagle Creek	16.0	N/A	Fence	Lamprey	141.0	N/A	N/A	Yes	Red mark on dorsal; No notes on fence function

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
16-May-2000	TS	1518	Sunny/ warm	Eagle Creek	16.0	0.38	Fence	Ct	170.0	N/A	Adult	Yes	No notes on fence function;
16-May-2000	TS	1518	Sunny/ warm	Eagle Creek	16.0	0.38	Fence	Lamprey	0.0	N/A	N/A	Yes	No notes on fence function;
17-May-2000	TS	1057	Overcast /light rain	Eagle Creek	13.0	N/A	Fence	Lamprey	0.0	N/A	N/A	Yes	No notes on fence function;
17-May-2000	TS	1057	Overcast /light rain	Eagle Creek	13.0	N/A	Fence	Lamprey	0.0	N/A	N/A	Yes	No notes on fence function;
18-May-2000	TS	1213	Sunny	Eagle Creek	13.0	N/A	Fence	Ct	182.0	N/A	N/A	Yes	No notes on fence function;cleaned fence mesh
18-May-2000	TS	1213	Sunny	Eagle Creek	13.0	N/A	Fence	Ct	139.0	N/A	N/A	Yes	No notes on fence function;cleaned fence mesh
18-May-2000	TS	1213	Sunny	Eagle Creek	13.0	N/A	Fence	Ct	133.0	N/A	N/A	Yes	No notes on fence function;cleaned fence mesh
18-May-2000	TS	1213	Sunny	Eagle Creek	13.0	N/A	Fence	Ct	152.0	N/A	N/A	Yes	No notes on fence function;cleaned fence mesh
18-May-2000	TS	1213	Sunny	Eagle Creek	13.0	N/A	Fence	Lamprey	0.0	Dead	N/A	Yes	No notes on fence function;cleaned fence mesh
18-May-2000	TS	1213	Sunny	Eagle Creek	13.0	N/A	Fence	Lamprey	0.0	N/A	N/A	Yes	No notes on fence function;cleaned fence mesh
18-May-2000	TS	1213	Sunny	Eagle Creek	13.0	N/A	Fence	Lamprey	0.0	N/A	N/A	Yes	No notes on fence function;cleaned fence mesh
18-May-2000	TS	1213	Sunny	Eagle Creek	13.0	0.38	Fence	Lamprey	0.0	N/A	N/A	Yes	No notes on fence function;cleaned fence mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Ct	183.0	N/A	N/A	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Co	140.0	N/A	Smolt	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Co	129.0	N/A	Smolt	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Co	134.0	N/A	Smolt	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Co	129.0	N/A	Smolt	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Co	127.0	N/A	Smolt	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Ct	139.0	N/A	N/A	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Co	146.0	N/A	Smolt	Partial	overflowing fence; diverted; cleaned mesh

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Co	143.0	N/A	Smolt	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Ct	203.0	N/A	N/A	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Ct	170.0	N/A	N/A	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Ct	172.0	N/A	N/A	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Lamprey	0.0	N/A	N/A	Partial	overflowing fence; diverted; cleaned mesh
19-May-2000	TS	0941	Light rain	Eagle Creek	13.0	0.41	Fence	Lamprey	0.0	N/A	N/A	Partial	overflowing fence; diverted; cleaned mesh
20-May-2000								N/A				No	
21-May-2000								N/A				No	
22-May-2000								N/A				No	
23-May-2000	RG	1118	overcast	Eagle Creek	13.0	0.42	Fence	Empty	0.0	N/A	N/A	No	
23-May-2000	TS	1532	Sunny/ warm	Eagle Creek	14.0	0.39	Fence	N/A	0.0	N/A	N/A	No	No notes regarding fence performance
24-May-2000	RG	1640	Overcast /light rain	Eagle Cr	13.0	0.55	Fence	Empty	0.0	N/A	N/A	No	
24-May-2000	TS	0939	Sunny/ warm	Eagle Creek	12.0	0.39	Fence	N/A	0.0	N/A	N/A	No	No notes on fence function;
25-May-2000	TS; LS	1340	Sunny/ warm	Eagle Creek	13.0	0.38	Fence	Lamprey	0.0	N/A	N/A	No	No notes regarding fence performance
25-May-2000	TS; LS	1340	Sunny/ warm	Eagle Creek	13.0	0.38	Fence	Lamprey	0.0	N/A	N/A	No	No notes regarding fence performance
26-May-2000	TS	0933	Overcast/ cool	Eagle Creek	12.5	0.39	Fence	Co	125.0	N/A	Smolt	Yes	No notes regarding fence performance
26-May-2000	TS	0933	Overcast/ cool	Eagle Creek	12.5	0.39	Fence	Ct	189.0	N/A	Adult	Yes	No notes regarding fence performance
26-May-2000	TS	0933	Overcast/ cool	Eagle Creek	12.5	0.39	Fence	Lamprey	0.0	N/A	N/A	Yes	No notes regarding fence performance
27-May-2000	TS	0918	Heavy showers	Eagle Creek	13.0	N/A	Fence	N/A	0.0	N/A	N/A	No	No notes regarding fence performance
28-May-2000	N/A		N/A	Eagle Creek		N/A	Fence	N/A	0.0	N/A	N/A	No	
29-May-2000	N/A		N/A	Eagle Creek		N/A	Fence	N/A	0.0	N/A	N/A	No	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
30-May-2000	N/A		N/A	Eagle Creek		N/A	Fence	N/A	0.0	N/A	N/A	No	
31-May-2000	N/A		N/A	Eagle Creek		N/A	Fence	N/A	0.0	N/A	N/A	No	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
1-Mar-2000	TM	0300	Rain	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		Yes	Installation
2-Mar-2000	TM			Beecher Crk	N/A	N/A	Fence	N/A				Yes	
3-Mar-2000	TM			Beecher Crk	N/A	N/A	Fence	N/A				Yes	
4-Mar-2000	TM			Beecher Crk	N/A	N/A	Fence	N/A				Yes	
5-Mar-2000	TM	1055	Sunny	Beecher Crk	N/A	N/A	Fence	Unknown	0.0	N/A		Yes	Salmon (could not id) observed in front of fence (upstream)
6-Mar-2000	TM			Beecher Crk	N/A	N/A	Fence	N/A				Yes	
7-Mar-2000	TM	1230	Sunny	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		Yes	Fishing properly, water low
8-Mar-2000	TM			Beecher Crk	N/A	N/A	Fence	N/A				Yes	
9-Mar-2000	TM	0420	Light rain	Beecher Crk	N/A	N/A	Fence	TSB	0.0	N/A		Yes	Add on 1 2X4, cut/clean mesh, fence ok
10-Mar-2000	TM			Beecher Crk	N/A	N/A	Fence	N/A				Yes	
11-Mar-2000	TM	1100	Light rain	Beecher Crk	N/A	N/A	Fence	Ct	116.0	good condition		Yes	
11-Mar-2000	TM	1100	Light rain	Beecher Crk	N/A	N/A	Fence	Ct	122.0	good condition		Yes	
12-Mar-2000	TM	1230	Overcast/ light rain	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		No	No fish, debris blocking Big - O (removed)
13-Mar-2000	TM		Overcast/ light rain	Beecher Crk	N/A	N/A	Fence	Ct	101.0	good condition		Yes	all fish appeared healthy, tire quickly compared to Van Isle fish
13-Mar-2000	TM		Overcast/ light rain	Beecher Crk	N/A	N/A	Fence	Ct	103.0	good condition		Yes	all fish appeared healthy, tire quickly compared to Van Isle fish
13-Mar-2000	TM		Overcast/ light rain	Beecher Crk	N/A	N/A	Fence	Co	105.0	good condition		Yes	all fish appeared healthy, tire quickly compared to Van Isle fish
13-Mar-2000	TM		Overcast/ light rain	Beecher Crk	N/A	N/A	Fence	Ct	105.0	good condition		Yes	all fish appeared healthy, tire quickly compared to Van Isle fish
13-Mar-2000	TM		Overcast/ light rain	Beecher Crk	N/A	N/A	Fence	Ct	111.0	good condition		Yes	all fish appeared healthy, tire quickly compared to Van Isle fish
13-Mar-2000	TM		Overcast/ light rain	Beecher Crk	N/A	N/A	Fence	Ct	113.0	good condition		Yes	all fish appeared healthy, tire quickly compared to Van Isle fish
14-Mar-2000	TM	1230	Sunny/ overcast	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		No	No fish, fence's sandbags blown out - fence repaired and fishing water line suggests water was 3.5' or more overnight
15-Mar-2000	TM		Sunny/ overcast	Beecher Crk	N/A	N/A	Fence	Ct	27.0	N/A		No	Trout do not handle as well as salmon, fence is overlapping, flow is fairly good, observed 1 (one) fry of salmonid near trap box
15-Mar-2000	TM		Sunny/ overcast	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		No	Found one dead Ct just d/s of fence, length 118.0 mm
16-Mar-2000	TM	1500	Rain	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		No	No fish, fence overtopping, silty water coming from u/s culvert
17-Mar-2000	TM			Beecher Crk	N/A	N/A	Fence	N/A		N/A		No	
18-Mar-2000	TM	1000	Rain	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		No	All traps submerged or blown out
19-Mar-2000	TM	1640	Rain	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		No	No fish, fence is overtapping
20-Mar-2000	TM	1030	Overcast	Beecher Crk	N/A	N/A	Fence	TSB	0.0	N/A		No	Trap/fence overtopping slightly, 1 fry (Ct) observed, catkins are now main debris clogging fence, sandbags added to stop scour

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
21-Mar-2000	TM	1600	Overcast	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		No	No fish, Trap-fence overtopping due to debris build up, will install debris rack and pos. check 2 x's a day
22-Mar-2000	TM		Overcast/showers	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		No	No fish, fence overtopping
23-Mar-2000	TM		Sunny/ overcast	Beecher Crk	N/A	N/A	Fence	TSB	0.0	dead		No	Fence overtopping, no fish present, trash rack worked well
24-Mar-2000	TM	1230	Sunny	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		No	No fish, trap out, saw 1 fry/year in creek
25-Mar-2000	TM	1215	Overcast/clear	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		Yes	No fish, trout fry spotted in creek, trap/fence ok
26-Mar-2000	TM	1330	Sunny	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		Yes	No fish, trap ok, orange algae and sediment buildup on gravel
27-Mar-2000	TM			Beecher Crk	N/A	N/A	Fence	N/A	0.0			Yes	
28-Mar-2000	TM	1135	Intermittent showers	Beecher Crk	N/A	N/A	Fence	Co	120.0	N/A		Yes	
28-Mar-2000	TM	1135	Intermittent showers	Beecher Crk	N/A	N/A	Fence	Ct	133.0	N/A		Yes	1 male TSB released
29-Mar-2000	TM			Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		Yes	
30-Mar-2000	TM	1320	Sunny	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		Yes	Trap OK; no fish
31-Mar-2000	TM	1000	high overcast/dry/ warm	Beecher Crk	N/A	N/A	Fence	Ct	141.0	N/A		Yes	Trout fry observed
1-Apr-2000	TS	0000	Sunny/high cloud	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		Yes	No fish; Fry spotted in creek above fence; trap fishing
2-Apr-2000	TM	1530	Sunny/warm	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A		Yes	No fish; Trap OK
3-Apr-2000	TM	1600	Sunny	Beecher Crk	13.0	N/A	Fence	N/A	0.0	N/A		Yes	No fish; water is milky and bluish-Spill?
4-Apr-2000	TM	1020	Overcast/dry	Beecher Crk	10.0	N/A	Fence	Ct	102.0	N/A		Yes	Trap and fence OK; repaired hole under fence
4-Apr-2000	TM	1020	Overcast/dry	Beecher Crk	10.0	N/A	Fence	Ct	117.0	N/A		Yes	Trap and fence OK; repaired hole under fence
5-Apr-2000	TM	1036	Overcast/ light rain	Beecher Crk	10.0	N/A	Fence	Ct	136.0	N/A		Yes	water level low; Fence OK
5-Apr-2000	TM	1036	Overcast/ light rain	Beecher Crk	10.0	N/A	Fence	Co	122.0	N/A	Smolt	Yes	water level low; Fence OK
5-Apr-2000	TM	1036	Overcast/ light rain	Beecher Crk	10.0	N/A	Fence	Co	116.0	N/A	Smolt	Yes	water level low; Fence OK
5-Apr-2000	TM	1036	Overcast/ light rain	Beecher Crk	10.0	N/A	Fence	Co	131.0	N/A	Smolt	Yes	water level low; Fence OK
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Ct	208.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Ct	157.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Rb	168.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Co	119.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Co	96.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Co	120.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Co	125.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Co	131.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Co	138.0	Dead	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Co	126.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Co	115.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Co	146.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
6-Apr-2000	TM	1121	Sunny	Beecher Crk	11.0	N/A	Fence	Co	117.0	N/A	N/A	Yes	Fence is OK; Fishing very well; May have overtopped last night
7-Apr-2000	TM	0950	Sunny	Beecher Crk	9.0	N/A	Fence	N/A	0.0	N/A	N/A	Yes	Fence is OK; water level is low; no fish
8-Apr-2000	TM	1440	Sunny	Beecher Crk	13.0	N/A	Fence	Co	116.0	N/A	Smolt	Yes	Coho turning, fins orange tips but with blackening tips and dorsal
9-Apr-2000	TM	0935	N/A	Beecher Crk	10.0	N/A	Fence	N/A	0.0	N/A	N/A	Yes	Fence Ok
10-Apr-2000	TM	0740	Overcast/warm	Beecher Crk	10.0	N/A	Fence	Ct	129.0	N/A	N/A	Yes	Fence working well; 1 large bullfrog caught
10-Apr-2000	TM	0740	Overcast/warm	Beecher Crk	10.0	N/A	Fence	Ct	122.0	N/A	N/A	Yes	Fence working well; 1 large bullfrog caught
10-Apr-2000	TM	0740	Overcast/warm	Beecher Crk	10.0	N/A	Fence	Bullfrog	0.0	N/A	N/A	Yes	Fence working well; 1 large bullfrog caught
11-Apr-2000	TM	2146	Overcast/warm	Beecher Crk	12.0	N/A	Fence	Co	126.0	N/A	N/A	Yes	Trap fishing well; Late checking trap due to work in the Brunette
11-Apr-2000	TM	2146	Overcast/warm	Beecher Crk	12.0	N/A	Fence	Ct	133.0	N/A	N/A	Yes	Trap fishing well; Late checking trap due to work in the Brunette
11-Apr-2000	TM	2146	Overcast/warm	Beecher Crk	12.0	N/A	Fence	Co	120.0	N/A	N/A	Yes	Trap fishing well; Late checking trap due to work in the Brunette
11-Apr-2000	TM	2146	Overcast/warm	Beecher Crk	12.0	N/A	Fence	Rb	154.0	N/A	N/A	Yes	Trap fishing well; Late checking trap due to work in the Brunette
11-Apr-2000	TM	2146	Overcast/warm	Beecher Crk	12.0	N/A	Fence	Co	131.0	N/A	N/A	Yes	Trap fishing well; Late checking trap due to work in the Brunette
11-Apr-2000	TM	2146	Overcast/warm	Beecher Crk	12.0	N/A	Fence	Co	121.0	N/A	N/A	Yes	Trap fishing well; Late checking trap due to work in the Brunette
11-Apr-2000	TM	2146	Overcast/warm	Beecher Crk	12.0	N/A	Fence	Co	132.0	N/A	N/A	Yes	Trap fishing well; Late checking trap due to work in the Brunette
12-Apr-2000	TM	1051	Sunny	Beecher Crk	12.0	N/A	Fence	Co	N/A	N/A	Smolt	Yes	
12-Apr-2000	TM	1051	Sunny	Beecher Crk	12.0	N/A	Fence	Ct	126.0	N/A	N/A	Yes	
13-Apr-2000	TM	1137	Overcast	Beecher Crk	12.0	N/A	Fence	Co	121.0	N/A	N/A	Yes	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
13-Apr-2000	TM	1137	Overcast	Beecher Crk	12.0	N/A	Fence	Co	125.0	N/A	N/A	Yes	
13-Apr-2000	TM	1137	Overcast	Beecher Crk	12.0	N/A	Fence	Co	113.0	N/A	N/A	Yes	
13-Apr-2000	TM	1137	Overcast	Beecher Crk	12.0	N/A	Fence	Co	120.0	N/A	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Co	144.0	Dead	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Co	126.0	N/A	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Co	125.0	N/A	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Co	123.0	Dead	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Co	121.0	N/A	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Co	126.0	N/A	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Co	115.0	N/A	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Co	121.0	N/A	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Co	113.0	N/A	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Ct	251.0	N/A	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	TSB	N/A	Dead	N/A	Yes	
14-Apr-2000	TM; GR	1545	Overcast	Beecher Crk	12.0	N/A	Fence	Co	113.0	N/A	N/A	Yes	
15-Apr-2000	TM	1230	Heavy showers	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A	N/A	No	Fence and trap topped over; heavy flood; no access to trap box;
16-Apr-2000	TM	1430	Sunny	Beecher Crk	N/A	N/A	Fence	N/A	0.0	N/A	N/A	No	Fence clogged; intact; no fish; trap box open; gravel building u/s of fenc
17-Apr-2000	TM	1715	Sunny	Beecher Crk	N/A	N/A	Fence	Ct	126.0	N/A	N/A	Yes	Fence plugged; overtopping slightly
17-Apr-2000	TM	1715	Sunny	Beecher Crk	N/A	N/A	Fence	Co	116.0	N/A	N/A	Yes	
18-Apr-2000	TM	N/A	N/A	Beecher Crk	N/A	N/A	Fence	N/A	N/A	N/A	N/A	No	Not checked; not enough time in daylight hours to check trap
19-Apr-2000	TM;TS	1956	Overcast	Beecher Crk	12.0	N/A	Fence	Ct	124.0	N/A	N/A	Yes	Face to face encounter with a beaver; fence plugged
19-Apr-2000	TM;TS	1956	Overcast	Beecher Crk	12.0	N/A	Fence	Ct	102.0	N/A	N/A	Yes	Face to face encounter with a beaver; fence plugged
19-Apr-2000	TM;TS	1956	Overcast	Beecher Crk	12.0	N/A	Fence	Co	122.0	N/A	N/A	Yes	Face to face encounter with a beaver; fence plugged
20-Apr-2000	TM	1404	N/A	Beecher Crk	14.0	N/A	Fence	Co	126.0	N/A	N/A	Yes	Beaver plugged fence; cleaned fence;
20-Apr-2000	TM	1404	N/A	Beecher Crk	14.0	N/A	Fence	Crayfish	N/A	N/A	N/A	Yes	Beaver plugged fence; cleaned fence; Crayfish has eggs
21-Apr-2000	TM	1606	Overcast/warm	Beecher Crk	13.0	N/A	Fence	N/A	N/A	N/A	N/A	Yes	No fish; no notes on fence
22-Apr-2000	TS	1210	Sunny/warm	Beecher Crk			Fence	Ct	162.0	N/A	N/A	Yes	
22-Apr-2000	TS	1210	Sunny/warm	Beecher Crk			Fence	Ct	105.0	N/A	N/A	Yes	
23-Apr-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day
24-Apr-2000	TM	1150	Sunny/cool	Beecher Crk	11.0	N/A	Fence	Ct/Rb	41.0	N/A	N/A	No	Fence plugged with debris
24-Apr-2000	TM	1150	Sunny/cool	Beecher Crk	11.0	N/A	Fence	Ct/Rb	40.0	N/A	N/A	No	Fence plugged with debris
24-Apr-2000	TM	1150	Sunny/cool	Beecher Crk	11.0	N/A	Fence	Ct/Rb	44.0	N/A	N/A	No	Fence plugged with debris
25-Apr-2000	TM	1600	Hail/rain/ lightning	Beecher Crk	11.0	N/A	Fence	N/A	N/A	N/A	N/A	Yes	Fence OK
26-Apr-2000	TM	1301	Sunny	Beecher Crk	12.5	N/A	Fence	Co	N/A	N/A	N/A	Yes	Trout fry observed in creek
26-Apr-2000	TM	1301	Sunny	Beecher Crk	12.5	N/A	Fence	Sculpin	N/A	N/A	N/A	Yes	Trout fry observed in creek

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
27-Apr-2000	TM	1011	Overcast/rain	Beecher Crk	11.5	N/A	Fence	Co	110.0	N/A	N/A	Yes	Trap OK
28-Apr-2000	TM	1145	Overcast/rain	Beecher Crk	11.0	N/A	Fence	Co	116.0	Dead	Smolt	Yes	Fence overtopping; turbulence may have caused deaths of fish
28-Apr-2000	TM	1145	Overcast/rain	Beecher Crk	11.0	N/A	Fence	Co	113.0	Dead	Smolt	Yes	Fence overtopping; turbulence may have caused deaths of fish
28-Apr-2000	TM	1145	Overcast/rain	Beecher Crk	11.0	N/A	Fence	Co	117.0	Dead	Smolt	Yes	Fence overtopping; turbulence may have caused deaths of fish
28-Apr-2000	TM	1145	Overcast/rain	Beecher Crk	11.0	N/A	Fence	Ct	157.0	N/A	N/A	Yes	Fence overtopping; may have been in pipe; silver in colour
28-Apr-2000	TM	1145	Overcast/rain	Beecher Crk	11.0	N/A	Fence	Ct	151.0	N/A	N/A	Yes	Fence overtopping; may have been in pipe; silver in colour
29-Apr-2000	TM	1240	Overcast/rain	Beecher Crk	11.0	N/A	Fence	Ct	119.0	N/A	N/A	No	Fence overtopping
29-Apr-2000	TM	1240	Overcast/rain	Beecher Crk	11.0	N/A	Fence	Ct	108.0	N/A	N/A	No	Fence overtopping
29-Apr-2000	TM	1240	Overcast/rain	Beecher Crk	11.0	N/A	Fence	Co	122.0	N/A	Smolt	No	Fence overtopping
30-Apr-2000	TM	1551		Beecher Crk	12.0	N/A	Fence	N/A	0.0	N/A	N/A	Yes	No fish
1-May-2000	TM	1233	Overcast /rain overnight	Beecher Crk	12.0	N/A	Fence	N/A	0.0	N/A	N/A	No	Fence overtopping; no fish; fence cleaned
2-May-2000	RG	1940	clear/sunny	Beecher Crk	13.8	N/A	Fence	Empty	0.0	N/A	N/A	Yes	Fence plugged, water spilling over trap; cleaned fence
2-May-2000	TM	1037	Overcast	Beecher Crk	12.0	N/A	Fence	Ct	132.0	N/A	N/A	Yes	Fence OK
3-May-2000	TM	1230	Overcast/rain	Beecher Crk		N/A	Fence	N/A	0.0	N/A	N/A	No	Fence overflowing; water murky; fence cleaned of debris; working
4-May-2000	TM	1330	Sunny	Beecher Crk	11.5	N/A	Fence	N/A	0.0	N/A	N/A	No	Fence overtopping; box overflowing; blossoms blocking mesh; cleaned
5-May-2000	TM/LS	0920	Clouds and Sun	Beecher Crk	11.0	N/A	Fence	Ct	119.0	N/A	N/A	Yes	Fence overflowing; cleaned fence-fishing again
5-May-2000	TM/LS	0920	Clouds and Sun	Beecher Crk	11.0	N/A	Fence	TSB	0.0	N/A	N/A	Yes	Fence overflowing; cleaned fence-fishing again
6-May-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day
7-May-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day
8-May-2000	TM	1301	Overcast	Beecher Crk	11.0	N/A	Fence	Ct	50.0	N/A	N/A	Yes	Fence fishing well
9-May-2000	TM	1759	Overcast	Beecher Crk	11.5	N/A	Fence	Ct	51.0	N/A	N/A	Yes	Fence is OK
9-May-2000	TM	1759	Overcast	Beecher Crk	11.5	N/A	Fence	Ct	49.0	N/A	N/A	Yes	Fence is OK
10-May-2000	RG	1700	warm/ overcast	Beecher Cr	14.9	N/A	Fence	Empty	0.0	N/A	N/A	Yes	cleaned fence & box
10-May-2000	TM		Rain	Beecher Crk		N/A	Fence	N/A	0.0	N/A	N/A	Yes	High water levels; water overtopping
11-May-2000	TM	1102	Rain	Beecher Crk		N/A	Fence	Ct	165.0	N/A	N/A	Yes	Fence overtopping; cleaned-fishing again
11-May-2000	TM	1102	Rain	Beecher Crk		N/A	Fence	Ct	161.0	N/A	N/A	Yes	Fence overtopping; cleaned-fishing again
11-May-2000	TM	1102	Rain	Beecher Crk		N/A	Fence	Ct	118.0	N/A	N/A	Yes	Fence overtopping; cleaned-fishing again
11-May-2000	TM	1102	Rain	Beecher Crk		N/A	Fence	TSB	0.0	N/A	N/A	Yes	Fence overtopping; cleaned-fishing again

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
12-May-2000	RG;LS	1700	clear/sunny	Beecher Crk	12.5	N/A	Fence	Empty	0.0	N/A	N/A	No	
13-May-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day
14-May-2000	RG	1130	overcast/warm	Beecher Crk	13.0	N/A	Fence	Ct	121.0	N/A	Adult	yes	Fence fishing
15-May-2000	TS	1430	Sunny/warm	Beecher Crk	15.0	N/A	Fence	Ct	142.0	N/A	Smolt	Yes	Fence fishing
15-May-2000	TS	1430	Sunny/warm	Beecher Crk	15.0	N/A	Fence	Ct	46.0	N/A	Fry	Yes	Fence fishing
16-May-2000	TS	1451	Sunny/warm	Beecher Crk	16.0	N/A	Fence	Ct	54.0	N/A	Fy	Yes	Fence fishing
16-May-2000	TS	1451	Sunny/warm	Beecher Crk	16.0	N/A	Fence	Ct	148.0	N/A	Smolt	Yes	Fence fishing
16-May-2000	TS	1451	Sunny/warm	Beecher Crk	16.0	N/A	Fence	Ct	167.0	N/A	Smolt	Yes	Fence fishing
17-May-2000	TS	1130	Overcast/cool	Beecher Crk	13.0	N/A	Fence	Ct	51.0	N/A	Fry	Yes	Fence fishing
17-May-2000	TS	1130	Overcast/cool	Beecher Crk	13.0	N/A	Fence	Ct	135.0	N/A	N/A	Yes	Fence fishing
17-May-2000	TS	1130	Overcast/cool	Beecher Crk	13.0	N/A	Fence	Ct	133.0	N/A	N/A	Yes	Fence fishing
18-May-2000	TS	1303	Sunny	Beecher Crk	14.0	N/A	Fence	Ct	149.0	N/A	N/A	Yes	Fence fishing
19-May-2000	TS	1030	Light rain/cool	Beecher Crk	14.0	N/A	Fence	Ct	136.0	N/A	N/A	Yes	Fence fishing
20-May-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day
21-May-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day
22-May-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day
23-May-2000	TS	1505	Sunny/warm	Beecher Crk	14.0	N/A	Fence	N/A	0.0	N/A	N/A	Yes	Fence fishing
23-May-2000	RG	1045	overcast	Beecher Cr	13.5	N/A	Fence	Empty	0.0	N/A	N/A	Yes	cleaned fence & box
24-May-2000	RG	1615	Overcast/ light rain	Beecher Crk	13.5	N/A	Fence	Empty	0.0	N/A	N/A	Yes	Heavy debris accumulation; Heavy rain last night; signs of sediment movement 7 stream bed erosion/accumulation at fence and trap box. Cleaned fence.
24-May-2000	TS	1005	Sunny/high cloud	Beecher Crk	13.0	N/A	Fence	Ct	57.0	N/A	Fry	Yes	Fence fishing
24-May-2000	TS	1005	Sunny/high cloud	Beecher Crk	13.0	N/A	Fence	Ct	59.0	N/A	Fry	Yes	Fence fishing
25-May-2000	TS; LS	1400	Sunny/warm	Beecher Crk	15.0	N/A	Fence	Ct	58.0	N/A	Fry	Yes	Fence fishing
25-May-2000	TS; LS	1400	Sunny/warm	Beecher Crk	15.0	N/A	Fence	Crayfish	130.0	N/A	Adult	Yes	Fence fishing
26-May-2000	TS	1006	Overcast/cool	Beecher Crk	13.0	N/A	Fence	Ct	60.0	N/A	Fry	Yes	Fence fishing
26-May-2000	TS	1006	Overcast/cool	Beecher Crk	13.0	N/A	Fence	Ct	58.0	N/A	Fry	Yes	Fence fishing
26-May-2000	TS	1006	Overcast/cool	Beecher Crk	13.0	N/A	Fence	Ct	48.0	N/A	Fry	Yes	Fence fishing
26-May-2000	TS	1006	Overcast/cool	Beecher Crk	13.0	N/A	Fence	Sculpin	0.0	N/A	N/A	Yes	Fence fishing
27-May-2000	TS	0949	Heavy showers	Beecher Crk	13.0	N/A	Fence	N/A	0.0	N/A	N/A	No	Heavy flow due to rain event; unable to access fence.
28-May-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day
29-May-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Comments
30-May-2000	RG:TS	17:00	warm/ overcast	Beecher Crk	13.8	N/A	Fence	Empty	0.0	N/a	N/A	Yes	fence working well; cleaned fence
31-May-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day
1-Jun-2000	N/A		N/A	Beecher Crk		N/A	Fence	N/A	N/A	N/A	N/A	No	No data for day
2-Jun-2000	RG	1700	warm/sunny	Beecher Crk	15.0	N/A	Fence	crayfish	0.0	N/A	N/A	No	cleaned fence & box
5-Jun-2000	RG	1800	hot/sunny	Beecher Crk	16.0	N/A	Fence	crayfish	0.0	N/A	N/A	Yes	cleaned fence & box
5-Jun-2000	RG	1800	hot/sunny	Beecher Crk	16.0	N/A	Fence	crayfish	0.0	N/A	N/A	Yes	cleaned fence & box
5-Jun-2000	RG	1800	hot/sunny	Beecher Crk	16.0	N/A	Fence	crayfish	0.0	N/A	N/A	Yes	cleaned fence & box
14-Jun-2000	TS:CO:DR	1000	cloudy/warm	Beecher Crk									trap removed from stream

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
2-Mar-2000	TM		Rain	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No		Installation
3-Mar-2000	TM		Rain	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No		No notes
4-Mar-2000	TM		Light drizzle/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	impinged	N/A	No		Grounded out in high water, traps collect lilly pads, not fishing so removed
5-Mar-2000	TM		Sunny/ clear	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No		Water high, trap high, dry where left, water murky
6-Mar-2000	TM		Sunny/ clear	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No		Still out of water, not fishing
6-Mar-2000	TM		Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Still out of water, not fishing
6-Mar-2000	TM		Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Still out of water, not fishing
6-Mar-2000	TM		Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Still out of water, not fishing
6-Mar-2000	TM		Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Still out of water, not fishing
6-Mar-2000	TM		Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Still out of water, not fishing
6-Mar-2000	TM		Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Still out of water, not fishing
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, , 6 bullfrog tadpoles dead, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
7-Mar-2000	TM	0109	Sunny/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A	N/A	No		Fished well overnight, not fishing at 1:09pm, trap covered in lilly pads
8-Mar-2000	TM	0914	High overcast/ no rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Trap fishing level water, trap clogged with lillypad debris - cleared, 2 TSB, 1 tadpole
8-Mar-2000	TM	0914	High overcast/ no rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A	N/A	No		Trap fishing level water, trap clogged with lillypad debris - cleared, 2 TSB, 1 tadpole
9-Mar-2000	TM	0800	Light rain	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No		Re-install with new baffle locks, cables ok
9-Mar-2000	TM	1115	Light rain	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No		Make trash rack
10-Mar-2000	TM	1030	Overcast/ dry	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No		Trap needs relocation D/S, Hard ground makes install of trash rack impossible
11-Mar-2000	TM	1100	Light rain	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No		Still out of water, not fishing
12-Mar-2000	TM	0800	Overcast/ rain	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No		Re-installed and fishing, snow fence/signage up
13-Mar-2000	TM	0738	Overcast/ rain	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A		Yes		TSB - 3 dead, 1 alive - bad condition, baffle clogged with debris, needs trash rack

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
13-Mar-2000	TM	0738	Overcast/ rain	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A		Yes		TSB - 3 dead, 1 alive - bad condition, baffle clogged with debris, needs trash rack
13-Mar-2000	TM	0738	Overcast/ rain	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A		Yes		TSB - 3 dead, 1 alive - bad condition, baffle clogged with debris, needs trash rack
13-Mar-2000	TM	0738	Overcast/ rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Installed trash rack u/s of IPT, used 2" stucco mesh + rebar, flagged off the fresh screen
13-Mar-2000	TM	0738	Overcast/ rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Installed trash rack u/s of IPT, used 2" stucco mesh + rebar, flagged off the fresh screen
13-Mar-2000	TM	0738	Overcast/ rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Installed trash rack u/s of IPT, used 2" stucco mesh + rebar, flagged off the fresh screen
13-Mar-2000	TM	0738	Overcast/ rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Installed trash rack u/s of IPT, used 2" stucco mesh + rebar, flagged off the fresh screen
14-Mar-2000	TM	1030	Sunny/ overcast	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Not much debris, trap diving a little, trash rack blown-found downstream
15-Mar-2000	TM	0740	Sunny/ overcast	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Debris not a problem on Brunette, water dropping
15-Mar-2000	TM	0740	Sunny/ overcast	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Debris not a problem on Brunette, water dropping
15-Mar-2000	TM	0740	Sunny/ overcast	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Debris not a problem on Brunette, water dropping
15-Mar-2000	TM	0740	Sunny/ overcast	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Debris not a problem on Brunette, water dropping
15-Mar-2000	TM	0740	Sunny/ overcast	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Debris not a problem on Brunette, water dropping
15-Mar-2000	TM	0740	Sunny/ overcast	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Debris not a problem on Brunette, water dropping
16-Mar-2000	TM	1425	Rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		River high and coloured, cleaned trap, cables ok
18-Mar-2000	TM	1000	Rain	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A		Yes		All traps submerged or blown out
19-Mar-2000	TM	1300	Rain	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A		Yes		Not fishing, no fish, pulled IPT from main current, cables ok
20-Mar-2000	TM	1030	Overcast/ dry	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A		Yes		Not fishing, still needs new bridals

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
21-Mar-2000	TM	1300	Overcast	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A		No		Re-installed trap with longer bridals, trap now fishing ok
22-Mar-2000	TM	1200	Overcast/ showers	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		
22-Mar-2000	TM	1200	Overcast/ showers	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		
22-Mar-2000	TM	1200	Overcast/ showers	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A		Yes		
23-Mar-2000	TM	1140	Sunny/ overcast	Brunette R	N/A	N/A	IPT	Cm	37.0	N/A		Yes		Trap fishing after fish sampled, cables ok
24-Mar-2000	TM	1000	Sunny	Brunette R	N/A	N/A	IPT	Cm	36.0	N/A		Yes		Not fishing as water is too low, barely fishing, cables ok
24-Mar-2000	TM	1000	Sunny	Brunette R	N/A	N/A	IPT	Cm	37.0	N/A		Yes		
24-Mar-2000	TM	1000	Sunny	Brunette R	N/A	N/A	IPT	Cm	37.0	N/A		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	Cm	36.0	N/A		Yes		Staff guage 7.05 cables ok, lillypads clogged trap
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	Cm	37.0	N/A		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	Cm	37.0	N/A		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	Cm	38.0	N/A		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	Tadpole	0.0	N/A		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	Eggmass	0.0	N/A		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	Dead		Yes		
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
25-Mar-2000	TM	1015	Overcast/ clear	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		
26-Mar-2000	TM	1130	Sunny	Brunette R	N/A	N/A	IPT	Cm	37.0	N/A		Yes		Trap not fishing, water level very low, cables ok
26-Mar-2000	TM	1130	Sunny	Brunette R	N/A	N/A	IPT	Cm	37.0	N/A		Yes		Trap fishing, age building, cables ok, cadisfly
27-Mar-2000	TM	1100	Rain	Brunette R	N/A	N/A	IPT	Ch	42.0	N/A		Yes		
27-Mar-2000	TM	1100	Rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Trap fishing slowly, cables ok, TSB 3 dead, tadpole alive, staff guage 7.28m
27-Mar-2000	TM	1100	Rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Trap fishing slowly, cables ok, TSB 3 dead, tadpole alive, staff guage 7.28m
27-Mar-2000	TM	1100	Rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Trap fishing slowly, cables ok, TSB 3 dead, tadpole alive, staff guage 7.28m
27-Mar-2000	TM	1100	Rain	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Trap fishing slowly, cables ok, TSB 3 dead, tadpole alive, staff guage 7.28m
28-Mar-2000	TM	0900	Intermittent showers	Brunette R	N/A	N/A	IPT	Cm	38.0	N/A		Yes		
28-Mar-2000	TM	0900	Intermittent showers	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Trap clogged with alder catkins, not fishing, water low cables ok 1of 2 TSB dead
28-Mar-2000	TM	0900	Intermittent showers	Brunette R	N/A	N/A	IPT	TSB	0.0	N/A		Yes		Trap clogged with alder catkins, not fishing, water low cables ok 1of 2 TSB dead
29-Mar-2000	TM	1100	Sunny	Brunette R	N/A	N/A	IPT	Cm	36.0	N/A		Yes		Trap high and dry, needs short bridals, cables ok
29-Mar-2000	TM	1100	Sunny	Brunette R	N/A	N/A	IPT	Cm	37.0	N/A		Yes		
29-Mar-2000	TM	1100	Sunny	Brunette R	N/A	N/A	IPT	Cm	38.0	N/A		Yes		
29-Mar-2000	TM	1100	Sunny	Brunette R	N/A	N/A	IPT	Cm	39.0	N/A		Yes		
29-Mar-2000	TM	1100	Sunny	Brunette R	N/A	N/A	IPT	Cm	39.0	N/A		Yes		
29-Mar-2000	TM	1100	Sunny	Brunette R	N/A	N/A	IPT	Cm	39.0	N/A		Yes		
29-Mar-2000	TM	1100	Sunny	Brunette R	N/A	N/A	IPT	Cm	40.0	N/A		Yes		
29-Mar-2000	TM	1100	Sunny	Brunette R	N/A	N/A	IPT	Cm	40.0	N/A		Yes		
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	39.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	36.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Co	44.0	N/A		Yes		Not confident in identification; fins are uncharacteristically pale
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	36.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	39.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	39.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	37.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	36.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	37.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	40.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	37.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	36.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	35.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	36.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	37.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	37.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Co	44.0	N/A		Yes		Not confident in identification; fins are uncharacteristically pale
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	37.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	39.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	39.5	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	36.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
30-Mar-2000	TM	1000	Sunny	Brunette R	N/A	7.03	IPT	Cm	38.0	N/A		Yes		Not fishing when found; fished overnight; cleaned; water level dropping; Cables OK
31-Mar-2000	TM	1038	High overcast/ dry/warm	Brunette R	N/A	N/A	IPT	Cm	39.0	N/A		Yes		Trap jammed with lillies; some fish captured; Cables OK; Staff Gauge 7.03
31-Mar-2000	TM	1038	High overcast/ dry/warm	Brunette R	N/A	N/A	IPT	Cm	38.0	N/A		Yes		Trap jammed with lillies; some fish captured; Cables OK; Staff Gauge 7.03
31-Mar-2000	TM	1038	High overcast/ dry/warm	Brunette R	N/A	N/A	IPT	Co	45.0	N/A		Yes		Trap jammed with lillies; some fish captured; Cables OK; Staff Gauge 7.03
31-Mar-2000	TM	1038	High overcast/ dry/warm	Brunette R	N/A	N/A	IPT	Co	46.0	N/A		Yes		Trap jammed with lillies; some fish captured; Cables OK; Staff Gauge 7.03
1-Apr-2000	TS	1405	Sunny/ high cloud	Brunette R	N/A	N/A	IPT	Ct	41.0	Live	Fry	Yes		Water level low; trap fishing; 1 3-spine stickleback; water turbid
1-Apr-2000	TS	1405	Sunny/ high cloud	Brunette R	N/A	N/A	IPT	Ct	32.0	Live	Fry	Yes		Water level low; trap fishing; 1 3-spine stickleback; water turbid
1-Apr-2000	TS	1405	Sunny/ high cloud	Brunette R	N/A	N/A	IPT	Cm	31.0	Live	Fry	Yes		Water level low; trap fishing; 1 3-spine stickleback; water turbid
2-Apr-2000	TM	1345	Sunny/ warm	Brunette R	N/A	7.03	IPT	TSB	0.0	N/A	N/A	Yes		Staff gauge 7.03; 1 salmonid escaped before identification; snow fence removed; cables OK
2-Apr-2000	TM	1345	Sunny/ warm	Brunette R	N/A	7.03	IPT	TSB	0.0	N/A	N/A	Yes		Staff gauge 7.03; 1 salmonid escaped before identification; snow fence removed; cables OK
2-Apr-2000	TM	1345	Sunny/ warm	Brunette R	N/A	7.03	IPT	Co	0.0	N/A	N/A	Yes		Staff gauge 7.03; 1 salmonid escaped before identification; snow fence removed; cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
3-Apr-2000	TM	1430	Sunny	Brunette R	13.5	N/A	IPT	N/A	0.0	N/A	N/A	Yes		No fish; cables OK; Staff gauge dewatered
4-Apr-2000	TM	0920	Overcast/ dry	Brunette R	13.0	N/A	IPT	Rb	43.0	N/A	N/A	Yes		Staff gauge dewatered; trap fishing; Cables OK
5-Apr-2000	TM	1000	Overcast	Brunette R	11.0	7.00	IPT	N/A	0.0	N/A	N/A	No		Staff gauge dewatered;clogged with catkins; water level is low;cables OK
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	39.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	40.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	36.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	40.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	42.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	40.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	38.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	38.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	38.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	39.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	39.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	37.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	38.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	36.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	40.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	39.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	38.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	35.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	37.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
6-Apr-2000	TM	0830	Sunny	Brunette R	10.0	7.00	IPT	Cm	37.0	N/A	N/A	Yes		One fish caught; trap cleaned;19 fish caught in short time period;Trap clogged
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Squawfish	38.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	34.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	36.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	37.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	39.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Ct	47.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	37.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	39.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	39.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	37.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	37.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	41.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	36.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Ct	49.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	45.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	40.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	39.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	36.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	44.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	38.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	40.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	40.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	39.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	39.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	42.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	40.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	39.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	31.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	41.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Ct	48.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	42.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	37.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	37.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	40.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	42.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	43.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	40.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	39.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	40.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	40.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
7-Apr-2000	TM	0730	Sunny	Brunette R	9.5	N/A	IPT	Cm	40.0	N/A	N/A	Yes		2 trout taken as ID specimens; one Co +40 counted out and not measured
8-Apr-2000	TM	1320	Sunny	Brunette R	13.0	N/A	IPT	N/A	0.0	N/A	N/A	Yes		Cables OK; no fish; Staff gauge ?
9-Apr-2000	TM	0956	N/A	Brunette R	12.0	7.00	IPT	Ct	0.0	N/A	N/A	Yes		No measurement on fish; staff gauge 7; cables OK
10-Apr-2000	TM	0950	Overcast/ warm	Brunette R	12.5	7.02	IPT	tadpole	0.0	N/A	N/A	Yes		No fish; cables OK;
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	IPT	Cm	0.0	N/A	N/A	No		Not fishing well; 1 dead chum; adjusted trap;
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	49.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	63.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	43.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	54.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	50.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	55.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	49.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	46.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	46.0	N/A	N/A	Yes	Weir 1	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	51.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	44.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	50.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	53.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	46.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	48.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	42.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	53.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	48.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	TSB	53.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	TSB	46.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	50.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	TSB	41.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	43.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	45.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	TSB	41.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	46.0	N/A	N/A	Yes	Weir 1	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Cm	0.0	N/A	N/A	Yes		Pole seine below ladder weir
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Slot weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Slot weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Slot weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Slot weir	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Slot weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Slot weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Slot weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Slot weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
11-Apr-2000	TM	0920	High overcast	Brunette R	14.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	2nd newberry weir	
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Cm	39.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Ch	46.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Cm	41.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Ch	45.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Ch	42.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Cm	37.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Ch	40.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Ch	41.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Cm	41.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Cm	42.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Ch	42.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Cm	35.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Cm	45.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Cm	39.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Cm	45.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Ch	55.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Ch	46.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Cm	39.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK
12-Apr-2000	TM	0940	Overcast	Brunette R	14.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap cleaned; fishing well; cables OK

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
13-Apr-2000	TM	0954	Overcast	Brunette R	15.0	7.02	IPT	Ch	52.0	N/A	N/A	No		IPT clogged; Might have fished overnight; discolored water; light green color; call made to City of Burnaby
13-Apr-2000	TM	0954	Overcast	Brunette R	15.0	7.02	IPT	Co	42.0	N/A	N/A	No		
14-Apr-2000	TM; GR	1427	Overcast	Brunette R	9.0	7.02	IPT	Ch	55.0	N/A	N/A	Yes		
14-Apr-2000	TM; GR	1427	Overcast	Brunette R	9.0	7.02	IPT	Ch	48.0	N/A	N/A	Yes		
14-Apr-2000	TM; GR	1427	Overcast	Brunette R	9.0	7.02	IPT	Ch	53.0	N/A	N/A	Yes		
14-Apr-2000	TM; GR	1427	Overcast	Brunette R	9.0	7.02	IPT	Ch	43.0	N/A	N/A	Yes		
14-Apr-2000	TM; GR	1427	Overcast	Brunette R	9.0	7.02	IPT	Ch	45.0	N/A	N/A	Yes		
14-Apr-2000	TM; GR	1427	Overcast	Brunette R	9.0	7.02	IPT	Ch	44.0	N/A	N/A	Yes		
14-Apr-2000	TM; GR	1427	Overcast	Brunette R	9.0	7.02	IPT	Ch	43.0	N/A	N/A	Yes		
14-Apr-2000	TM; GR	1427	Overcast	Brunette R	9.0	7.02	IPT	Ch	43.0	N/A	N/A	Yes		
14-Apr-2000	TM; GR	1427	Overcast	Brunette R	9.0	7.02	IPT	Co	36.0	N/A	N/A	Yes		
14-Apr-2000	TM; GR	1427	Overcast	Brunette R	9.0	7.02	IPT	Bullfrog	0.0	N/A	N/A	No		Trap submerged; Bridal cables to long.
15-Apr-2000	TM	1531	Overcast	Brunette R	14.0	7.45	IPT	N/A	0.0	N/A	N/A	No		
16-Apr-2000	TM	1330	Sunny	Brunette R	14.0	7.02	IPT	N/A	0.0	N/A	N/A	No		Trap high and dry; Trap installed; cables OK
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	41.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	40.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	45.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	61.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	43.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Rb	120.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	51.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	49.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	60.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	46.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	61.0	N/A	N/A	Yes		

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	49.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	44.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	52.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	48.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	46.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	45.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	54.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	46.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	41.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	46.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	55.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	60.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	44.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	54.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	49.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	44.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Ch	0.0	N/A	N/A	Yes	Weir 1	
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	Shiner	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	TSB	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	TSB	0.0	N/A	N/A	Yes		
17-Apr-2000	TM	1530	Sunny	Brunette R	15.0	N/A	Pole seine	TSB	0.0	N/A	N/A	Yes		
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	45.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	46.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	44.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	44.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	42.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	48.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	48.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	44.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	48.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	48.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	51.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	44.0	N/A	N/A	Yes	Weir 1	

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	47.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	45.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	43.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	43.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	43.0	N/A	N/A	Yes	Weir 1	
18-Apr-2000	TM;MCE	0900	Sunny	Brunette R	13.5	7.02	Pole seine	Ch	47.0	N/A	N/A	Yes	Weir 1	
19-Apr-2000	TM;TS	N/A	Overcast	Brunette R	N/A	N/A	N/A	N/A	0.0	N/A	N/A	No		Trap not checked; worked on installing fence and live box on Stoney Creek
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	IPT	Ch	55.0	N/A	N/A	No	Weir 1	Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	IPT	Ch	46.0	N/A	N/A	No	Weir 1	Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	IPT	Ch	44.0	N/A	N/A	No	Weir 1	Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	IPT	Ch	42.0	N/A	N/A	No	Weir 1	Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	IPT	Ch	44.0	N/A	N/A	No	Weir 1	Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	IPT	Ch	53.0	N/A	N/A	No	Weir 1	Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	IPT	Ch	45.0	N/A	N/A	No	Weir 1	Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	IPT	Ch	43.0	N/A	N/A	No	Weir 1	Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	Pole seine	TSB	0.0	N/A	N/A	No		Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	Pole seine	TSB	0.0	N/A	N/A	No		Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	Pole seine	TSB	0.0	N/A	N/A	No		Trap plugged; cables OK
20-Apr-2000	TM	1231	Sunny	Brunette R	15.5	N/A	Pole seine	TSB	0.0	N/A	N/A	No		Trap plugged; cables OK
21-Apr-2000	TM	1324	Overcast/ warm	Brunette R	16.0	N/A	IPT	Ch	45.0	N/A	N/A	Yes		Trap fishing; no pole seining done
21-Apr-2000	TM	1324	Overcast/ warm	Brunette R	16.0	N/A	IPT	Ch	50.0	N/A	N/A	Yes		Trap fishing; no pole seining done
21-Apr-2000	TM	1324	Overcast/ warm	Brunette R	16.0	N/A	IPT	Ch	48.0	N/A	N/A	Yes		Trap fishing; no pole seining done
21-Apr-2000	TM	1324	Overcast/ warm	Brunette R	16.0	N/A	IPT	Ch	0.0	N/A	N/A	Yes		Trap fishing; no pole seining done

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
21-Apr-2000	TM	1324	Overcast/ warm	Brunette R	16.0	N/A	IPT	Cm	56.0	N/A	N/A	Yes		Trap fishing; no pole seining done
22-Apr-2000	TS	1403	Sunny/ warm	Brunette R		N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no water temp or staff gauge
22-Apr-2000	TS	1403	Sunny/ warm	Brunette R		N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no water temp or staff gauge
22-Apr-2000	TS	1403	Sunny/ warm	Brunette R		N/A	IPT	Bullfrog	0.0	N/A	N/A	Yes		Trap fishing; no water temp or staff gauge
22-Apr-2000	TS	1403	Sunny/ warm	Brunette R		N/A	IPT	Bullfrog	0.0	N/A	N/A	Yes		Trap fishing; no water temp or staff gauge
22-Apr-2000	TS	1403	Sunny/ warm	Brunette R		N/A	IPT	Bullfrog	0.0	N/A	N/A	Yes		Trap fishing; no water temp or staff gauge
22-Apr-2000	TS	1403	Sunny/ warm	Brunette R		N/A	IPT	Bullfrog	0.0	N/A	N/A	Yes		Trap fishing; no water temp or staff gauge
22-Apr-2000	TS	1403	Sunny/ warm	Brunette R		N/A	IPT	Bullfrog	0.0	N/A	N/A	Yes		Trap fishing; no water temp or staff gauge
22-Apr-2000	TS	1403	Sunny/ warm	Brunette R		N/A	IPT	Bullfrog	0.0	N/A	N/A	Yes		Trap fishing; nowater temp or staff gauge
23-Apr-2000	N/A		N/A	Brunette R		N/A	IPT	N/A		N/A	N/A	No		
24-Apr-2000	TM	1000	Sunny/ Cool	Brunette R	12.0	N/A	IPT	N/A		N/A	N/A	No		IPT lost baffle adjustment; not fishing; baffle lifted up
24-Apr-2000	TM	1000	Sunny/ Cool	Brunette R	12.0	N/A	IPT	Ch	45.0	N/A	N/A	No		IPT lost baffle adjustment; not fishing; baffle lifted up
24-Apr-2000	TM	1000	Sunny/ Cool	Brunette R	12.0	N/A	IPT	Ch	46.0	N/A	N/A	No		IPT lost baffle adjustment; not fishing; baffle lifted up
25-Apr-2000	TM	N/A	Sunny	Brunette R		N/A	IPT	N/A	0.0	N/A	N/A	No		No data for this day; no reason given
26-Apr-2000	TM	1228	Sunny	Brunette R	13.0	7.04	IPT	N/A	0.0	N/A	N/A	No		IPT not fishing; no pole seining data
27-Apr-2000	TM	0934	Overcast/ rain	Brunette R	13.0	7.04	IPT	N/A	0.0	N/A	N/A	Yes		Cleaned and fixed
28-Apr-2000	TM	1030	Overcast/ rain	Brunette R	12.0	7.11	IPT	N/A	0.0	N/A	N/A	No		Plugged with algae; cleaned and fishing again; cables OK
29-Apr-2000	TM	1409	Overcast/ rain	Brunette R	12.0	7.25	IPT	TSB	0.0	predated	N/A	Yes		Water rising; Dam must have been opened; cables OK
30-Apr-2000	TM	1427		Brunette R	13.0	7.04	IPT	Ch	51.0	N/A	Smolt	No		IPT drifts to slack water flow; not fishing; observed one mink
1-May-2000	TM	1127	Overcast/ rain overnight	Brunette R	12.0	7.29	IPT	N/A	0.0	N/A	N/A	Yes		Fishing; cables OK;cleaned trap; creek d/s trap is dirty again; call later to City of Burnaby

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
2-May-2000	TM	0841	Overcast	Brunette R	13.0	7.11	IPT	Rb	132.0	dead	N/A	Yes		IPT not fishing in main current; river dropped sign during observation time
2-May-2000	TM	0841	Overcast	Brunette R	13.0	7.11	IPT	Ch	59.0	N/A	N/A	Yes		IPT not fishing in main current; river dropped sign during observation time
2-May-2000	TM	0841	Overcast	Brunette R	13.0	7.11	IPT	Cm	43.0	N/A	N/A	Yes		IPT not fishing in main current; river dropped sign during observation time
2-May-2000	TM	0841	Overcast	Brunette R	13.0	7.11	IPT	TSB	0.0	N/A	N/A	Yes		IPT not fishing in main current; river dropped sign during observation time
2-May-2000	TM	0841	Overcast	Brunette R	13.0	7.11	IPT	Tadpole	0.0	N/A	N/A	Yes		IPT not fishing in main current; river dropped sign during observation time
2-May-2000	TM	0841	Overcast	Brunette R	13.0	7.11	IPT	Tadpole	0.0	N/A	N/A	Yes		IPT not fishing in main current; river dropped sign during observation time
2-May-2000	TM	0841	Overcast	Brunette R	13.0	7.11	IPT	Tadpole	0.0	N/A	N/A	Yes		IPT not fishing in main current; river dropped sign during observation time
2-May-2000	TM	0841	Overcast	Brunette R	13.0	7.11	IPT	Tadpole	0.0	N/A	N/A	Yes		IPT not fishing in main current; river dropped sign during observation time
2-May-2000	TM	0841	Overcast	Brunette R	13.0	7.11	IPT	Tadpole	0.0	N/A	N/A	Yes		IPT not fishing in main current; river dropped sign during observation time
2-May-2000	TM	0841	Overcast	Brunette R	13.0	7.11	IPT	Tadpole	0.0	N/A	N/A	Yes		IPT not fishing in main current; river dropped sign during observation time
3-May-2000	TM	1100	Overcast/ rain	Brunette R	13.0	7.11	IPT	TSB	0.0	N/A	N/A	No		IPT jammed with debris; cleaned
4-May-2000	TM	1145	Overcast/ rain	Brunette R	12.0	7.00	IPT	N/A	0.0	N/A	N/A	No		IPT to heavy; cannot set on long bridals; trap on side of river
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	IPT	N/A	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	59.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	69.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	65.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	69.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	56.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	48.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	56.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	49.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	57.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	57.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	51.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	59.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	69.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	55.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	55.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	60.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	Ch	69.0	N/A	N/A	No	Weir 1	IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
5-May-2000	TM; LS	1143	Clouds and sun	Brunette R	12.5	7.11	Pole seine	TSB	0.0	N/A	N/A	No		IPT not fishing; pole seining data
6-May-2000	N/A		N/A	Brunette R			IPT	N/A			N/A	No		
7-May-2000	N/A		N/A	Brunette R			IPT	N/A			N/A	No		
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Ch	56.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Ch	54.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
8-May-2000	TM	1400	Overcast	Brunette R	13.0	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT not fishing well; out of main current; corrected and cleaned
9-May-2000	TM	1652	Overcast	Brunette R	13.5	7.06	IPT	Sculpin	0.0	N/A	N/A	No		IPT jammed with debris; cleaned
9-May-2000	TM	1652	Overcast	Brunette R	13.5	7.06	IPT	TSB	0.0	N/A	N/A	No		IPT jammed with debris; cleaned
9-May-2000	TM	1652	Overcast	Brunette R	13.5	7.06	IPT	WPT	0.0	N/A	N/A	No		Western pointed turtle (WPT); IPT jammed with debris; cleaned
9-May-2000	TM	1652	Overcast	Brunette R	13.5	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT jammed with debris; cleaned
9-May-2000	TM	1652	Overcast	Brunette R	13.5	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT jammed with debris; cleaned
9-May-2000	TM	1652	Overcast	Brunette R	13.5	7.06	IPT	Tadpole	0.0	N/A	N/A	No		IPT jammed with debris; cleaned
10-May-2000	TM		Rain	Brunette R	N/A	N/A	IPT	N/A	0.0	N/A	N/A	No		IPT submerged
11-May-2000	TM	0927	Rain	Brunette R	11.0	7.47	IPT	N/A	0.0	N/A	N/A	No		IPT not fishing;
12-May-2000	RG;LS	15:15	clear/sunny	Brunette R	10.5	N/A	IPT	empty	0.0	N/A	N/A	No		Installed IPT on short Bridal; removed previous day due to high water conditions; observed approx. 35 coho smolts dead in River around trap
13-May-2000	N/A		N/A	Brunette R			IPT	N/A			N/A	No		
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		cleaned trap
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		cleaned trap
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		cleaned trap
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		cleaned trap
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		cleaned trap
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		cleaned trap
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Co	0.0	dead	smolt	Yes		smolt partially eaten
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Co	0.0	dead	smolt	Yes		smolt partially eaten
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Co	0.0	dead	smolt	Yes		smolt partially eaten
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Cm	44.0	N/A	fry	Yes		no marks

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
14-May-2000	RG;LS	13:30	Overcast/ warm	Brunette R	15.0	N/A	IPT	Co	133.0	N/A	smolt	Yes		no marks
15-May-2000	TS	1600	Sunny	Brunette R	17.0	N/A	IPT	Ct	51.0	N/A	Fry	Yes		Trap fishing; no staff gauge measurments
15-May-2000	TS	1600	Sunny	Brunette R	17.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurments
15-May-2000	TS	1600	Sunny	Brunette R	17.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurments
15-May-2000	TS	1600	Sunny	Brunette R	17.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurments
15-May-2000	TS	1600	Sunny	Brunette R	17.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurments
15-May-2000	TS	1600	Sunny	Brunette R	17.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurments
15-May-2000	TS	1600	Sunny	Brunette R	17.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing: no staff gauge measurments
15-May-2000	TS	1600	Sunny	Brunette R	17.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurments
16-May-2000	TS	1553	Sunny/ warm	Brunette R	17.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurments
17-May-2000	TS	0934	Overcast	Brunette R	16.0	N/A	IPT	N/A	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurments
18-May-2000	TS	1110	Sunny	Brunette R	16.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurments
19-May-2000	TS	0755	Raining/ cool	Brunette R	14.0	N/A	IPT	Sculpin	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurments
20-May-2000	N/A		N/A	Brunette R			IPT	N/A			N/A	No		
21-May-2000	N/A		N/A	Brunette R			IPT	N/A			N/A	No		
22-May-2000	N/A		N/A	Brunette R			IPT	N/A			N/A	No		
23-May-2000	RG	12:05	overcast	Brunette R	14.2	7.10	IPT	TSB	0.0	N/A	N/A	No		cleaned & reset IPT; Intermitantly fishing
23-May-2000	RG	12:05	overcast	Brunette R	14.2	7.10	IPT	TSB	0.0	N/A	N/A	No		cleaned & reset IPT; Intermitantly fishing
23-May-2000	RG	12:05	overcast	Brunette R	14.2	7.10	IPT	TSB	0.0	N/A	N/A	No		cleaned & reset IPT; Intermitantly fishing
23-May-2000	RG	12:05	overcast	Brunette R	14.2	7.10	IPT	TSB	0.0	N/A	N/A	No		cleaned & reset IPT; Intermitantly fishing
23-May-2000	RG	12:05	overcast	Brunette R	14.2	7.10	IPT	TSB	0.0	N/A	N/A	No		cleaned & reset IPT; Intermitantly fishing
23-May-2000	RG	12:05	overcast	Brunette R	14.2	7.10	IPT	TSB	0.0	N/A	N/A	No		cleaned & reset IPT; Intermitantly fishing
23-May-2000	RG	12:05	overcast	Brunette R	14.2	7.10	IPT	Tadpole	0.0	N/A	N/A	No		cleaned & reset IPT; Intermitantly fishing
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
23-May-2000	TS	1552	Sunny/ warm	Brunette R	15.0	N/A	IPT	Sculpin	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
24-May-2000	TS	0824	Sunny/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
24-May-2000	TS	0824	Sunny/ warm	Brunette R	15.0	N/A	IPT	Tadpole	0.0	N/A	N/A	Yes		Trap fishing; no staff gauge measurement
24-May-2000	RG	17:15	Overcast/ light rain	Brunette R	14.0	7.45	IPT	N/A		N/A	N/A	No		water level/flow to high to access trap. Brunette River appears very silty; chocolate milk color
25-May-2000	TS; LS	1309	Sunny/ warm	Brunette R	15.0	N/A	IPT	Ct	58.0	N/A	Fry	Yes		Trap fishing
26-May-2000	TS	0832	Overcast/ cool	Brunette R	15.0	N/A	IPT	TSB	0.0	N/A	N/A	Yes		Trap fishing
26-May-2000	TS	0832	Overcast/ cool	Brunette R	15.0	N/A	IPT	Sculpin	0.0	N/A	N/A	Yes		Trap fishing

Date	Crew	Time	WX	Location	Temp ©	Staff gauge	Trap Type	Species (#)	Lg (mm)	Fish Condition	Life stage	Trap fishing Yes/No	Location for seines	Comments
27-May-2000	TS	0810	Heavy showers	Brunette R	14.0	N/A	IPT	N/A	0.0	N/A	N/A	No		IPT submerged; unable to access trap due to flows
29-May-2000	RG	18:00	clear/sunny	Brunette R	15.2	7.30	IPT	empty	0.0	N/A	N/A	No		removed trap to side of channel/preparation to remove trap
30-May-2000	RG;TS	16:00	warm/ overcast	Brunette R	15.0	N/A	IPT	empty	0.0	N/A	N/A	No		IPT had been removed to side of channel previous day
31-May-2000	N/A		N/A	Brunette R			IPT	N/A			N/A	No		
2-Jun-2000	RG;CT	10:10	warm/ overcast	Brunette R										reported & tracked sediment discharge; remove trap from system