The state of phytoplankton and bacterioplankton at the Compass Buoy Station: Bedford Basin Monitoring Program 1992-2013

W.K.W. Li

Ocean and Ecosystem Sciences Division Maritimes Region Fisheries and Oceans Canada

Bedford Institute of Oceanography P.O. Box 1006 Dartmouth, Nova Scotia Canada B2Y 4A2

2014

Canadian Technical Report of Hydrography and Ocean Sciences 304





Canadian Technical Report of Hydrography and Ocean Sciences

Technical reports contain scientific and technical information of a type that represents a contribution to existing knowledge but which is not normally found in the primary literature. The subject matter is generally related to programs and interests of the Oceans and Science sectors of Fisheries and Oceans Canada.

Technical reports may be cited as full publications. The correct citation appears above the abstract of each report. Each report is abstracted in the data base *Aquatic Sciences and Fisheries Abstracts*.

Technical reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page.

Regional and headquarters establishments of Ocean Science and Surveys ceased publication of their various report series as of December 1981. A complete listing of these publications and the last number issued under each title are published in the *Canadian Journal of Fisheries and Aquatic Sciences*, Volume 38: Index to Publications 1981. The current series began with Report Number 1 in January 1982.

Rapport technique canadien sur l'hydrographie et les sciences océaniques

Les rapports techniques contiennent des renseignements scientifiques et techniques qui constituent une contribution aux connaissances actuelles mais que l'on ne trouve pas normalement dans les revues scientifiques. Le sujet est généralement rattaché aux programmes et intérêts des secteurs des Océans et des Sciences de Pêches et Océans Canada.

Les rapports techniques peuvent être cités comme des publications à part entière. Le titre exact figure au-dessus du résumé de chaque rapport. Les rapports techniques sont résumés dans la base de données *Résumés des sciences aquatiques et halieutiques*.

Les rapports techniques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page de titre.

Les établissements de l'ancien secteur des Sciences et Levés océaniques dans les régions et à l'administration centrale ont cessé de publier leurs diverses séries de rapports en décembre 1981. Vous trouverez dans l'index des publications du volume 38 du *Journal canadien des sciences halieutiques et aquatiques*, la liste de ces publications ainsi que le dernier numéro paru dans chaque catégorie. La nouvelle série a commencé avec la publication du rapport numéro 1 en janvier 1982. Canadian Technical Report of Hydrography and Ocean Sciences 304

2014

The state of phytoplankton and bacterioplankton at the Compass Buoy Station: Bedford Basin Monitoring Program 1992-2013

by

W.K.W. Li

Ocean and Ecosystem Sciences Division Maritimes Region Fisheries and Oceans Canada

Bedford Institute of Oceanography P.O. Box 1006 Dartmouth, Nova Scotia Canada B2Y 4A2 E-mail: Bill.Li@dfo-mpo.gc.ca

© Her Majesty the Queen in Right of Canada, 2014 Cat. No. Fs97-18/304E ISBN 978-1-100-25288-9 ISSN 0711-6764 (print version) Cat. No. Fs97-18/304E-PDF ISBN 978-1-100-25289-6 ISSN 1488-5417 (PDF version)

Correct citation for this publication:

Li, W.K.W. 2014. The state of phytoplankton and bacterioplankton at the Compass Buoy Station: Bedford Basin Monitoring Program 1992-2013. Can. Tech. Rep. Hydrogr. Ocean. Sci. 304: xiv + 122 p.

TABLE OF CONTENTS

LIST OF TABLES	v
LIST OF FIGURES	vii
ABSTRACT	xi
RÉSUMÉ	xii
PREFACE	xiii
1. INTRODUCTION	1
1.1 AIMS AND STRATEGY	1
1.2 BACKGROUND	1
1.3 PURPOSE	2
2. METHODS	2
2.1 SAMPLING AND ANALYSES	2
2.2 DATA HANDLING	4
2.3 DATA PRESENTATION	4
2.4 DATA SUMMARY	6
2.5 DATA AVAILABILITY	7
3. RESULTS	
3.1 TEMPERATURE	8
3.2 SALINITY	8
3.3 DENSITY	8
3.4 STRATIFICATION	8
3.5 OXYGEN	8
3.6 PAR ATTENUATION	9
3.7 NITRATE	9
3.8 SILICATE	9
3.9 PHOSPHATE	9
3.10 AMMONIUM	9
3.11 POC and PON	
3.12 BACTERIA	10
3.13 CHLOROPHYLL a	10
3.14 SYNECHOCOCCUS	

3.15 PICOEUKARYOTES	11
3.16 PICOPHYTOPLANKTON	11
3.17 CRYPTOPHYTES	11
3.18 NANOPHYTOPLANKTON	11
3.19 PHYTOPLANKTON PIGMENTS	12
3.20 PHYTOPLANKTON LIGHT ABSORPTION	17
3.21 ANNUAL CYCLES	
3.22 MULTIYEAR TRENDS	19
4. DISCUSSION	19
4.1 SCIENTIFIC METHOD	19
4.2 SYSTEM STATE	20
4.3 SYSTEM CHANGE	21
4.4 IMPLICATIONS	22
ACKNOWLEDGMENTS	
REFERENCES	25
TABLES	
FIGURES	59

LIST OF TABLES

- Table 1: Weekly averages of temperature at 1, 5, 10, and 60m.
- Table 2: Weekly averages of salinity at 1, 5, 10, and 60m.
- Table 3: Weekly averages of density at 1, 5, 10, and 60m, and stratification.
- Table 4: Weekly averages of dissolved oxygen concentration and saturation at 5 and
60m.
- Table 5: Weekly averages of PAR attenuation.
- Table 6: Weekly averages of nitrate at 1, 5, 10, and 60m.
- Table 7: Weekly averages of silicate at 1, 5, 10, and 60m
- Table 8: Weekly averages of phosphate at 1, 5, 10, and 60m.
- Table 9: Weekly averages of ammonium at 1, 5, 10, and 60m.
- Table 10: Weekly averages of POC and PON at 5 and 60m.
- Table 11: Weekly averages of bacteria at 1, 5, 10, and 60m.
- Table 12: Weekly averages of chlorophyll *a* at 1, 5, 10, and 60m.
- Table 13: Weekly averages of Synechococcus, picoeukaryotes, picophytoplankton,
cryptophytes, and nanophytoplankton at 5m.
- Table 14: Weekly averages of 19'-butanoyloxyfucoxanthin at 1, 5, 10, and 60m.
- Table 15: Weekly averages of 19'-hexanoyloxyfucoxanthin at 1, 5, 10, and 60m.
- Table 16: Weekly averages of alloxanthin at 1, 5, 10, and 60m.
- Table 17: Weekly averages of HPLC chlorophyll *a* at 1, 5, 10, and 60m.
- Table 18: Weekly averages of chlorophyll *b* at 1, 5, 10, and 60m.
- Table 19: Weekly averages of chlorophyll *c* 1, 5, 10, and 60m.
- Table 20: Weekly averages of diadinoxanthin at 1, 5, 10, and 60m.
- Table 21: Weekly averages of fucoxanthin at 1, 5, 10, and 60m.
- Table 22: Weekly averages of peridinin at 1, 5, 10, and 60m.

- Table 23: Weekly averages of zeaxanthin at 1, 5, 10, and 60m.
- Table 24: Weekly averages of diagnostic pigments at 1, 5, 10, and 60m.
- Table 25: Weekly averages of microphytoplankton pigments at 1, 5, 10, and 60m.
- Table 26: Weekly averages of nanophytoplankton pigments at 1, 5, 10, and 60m.
- Table 27: Weekly averages of picophytoplankton pigments at 1, 5, 10, and 60m.
- Table 28: Weekly averages of f-micro at 1, 5, 10, and 60m.
- Table 29: Weekly averages of f-nano at 1, 5, 10, and 60m.
- Table 30: Weekly averages of f-pico at 1, 5, 10, and 60m.
- Table 31: Weekly averages of $a_{ph}(443)$, $a_{ph}(555)$, $a_{ph}(676)$, and $a_{ph}(555)$: $a_{ph}(443)$ at 1m.

LIST OF FIGURES

- Figure 1: Map of the Compass Buoy Station in Bedford Basin, Nova Scotia.
- Figure 2: Temperature (average of 1, 5, and 10m) means, norms, and anomalies.

Panel descriptions for Figures 2-17, 19-39, 41-57:

Top panel: Weekly observations;

Middle left panel: Monthly means for each year (green dots) and monthly norms (red circle);

Middle right panel: Monthly means in year x month matrix;

Bottom left panel: Normalised monthly anomalies in year x month matrix, colour-code for anomalies: strong positive (red), weak positive (pink), weak negative (cyan), strong negative (blue);

Bottom right panel: Normalised annual anomalies in time series (bars) with 3-year running average (line).

- Figure 3: Salinity (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 4: Density (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 5: Stratification means, norms, and anomalies.
- Figure 6: Dissolved oxygen concentration (5m) means, norms, and anomalies.
- Figure 7: Dissolved oxygen saturation (5m) means, norms, and anomalies.
- Figure 8: PAR attenuation coefficient means, norms, and anomalies.
- Figure 9: Nitrate (average of 1, 5, and 10m) means, norms, and anomalies.

Figure 10: Silicate (average of 1, 5, and 10m) means, norms, and anomalies.

- Figure 11: Phosphate (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 12: Ammonium (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 13: Particulate organic carbon (5m) means, norms, and anomalies.
- Figure 14: Particulate organic nitrogen (5m) means, norms, and anomalies.
- Figure 15: Bacteria (average of 1, 5, and 10m) means, norms, and anomalies.

Figure 16: Chlorophyll *a* (average of 1, 5, and 10m) means, norms, and anomalies.

- Figure 17: Synechococcus (5m) means, norms, and anomalies.
- Figure 18: *Synechococcus* and nitrate (5m) weekly norms, indicating coincidence in the period of cell increase and nitrate concentrations below ~0.5 mmol m⁻³ (weeks 22-37).
- Figure 19: Picoeukaryotes (5m) means, norms, and anomalies.
- Figure 20: Picophytoplankton (5m) means, norms, and anomalies.
- Figure 21: Cryptophytes (5m) means, norms, and anomalies.
- Figure 22: Nanophytoplankton (5m) means, norms, and anomalies.
- Figure 23: 19'-butanoyloxyfucoxanthin (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 24: 19'-hexanoyloxyfucoxanthin (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 25: Alloxanthin (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 26: Chlorophyll *a* measured by HPLC (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 27: Chlorophyll *b* (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 28: Chlorophyll c (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 29: Diadinoxanthin (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 30: Fucoxanthin (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 31: Peridinin (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 32: Zeaxanthin (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 33: Diagnostic pigments (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 34: Microphytoplankton pigments (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 35: Nanophytoplankton pigments (average of 1, 5, and 10m) means, norms, and anomalies.

- Figure 36: Picophytoplankton pigments (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 37: F-micro (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 38: F-nano (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 39: F-pico (average of 1, 5, and 10m) means, norms, and anomalies.
- Figure 40: Spectral values of light absorption by phytoplankton (1m) weekly norms.
- Figure 41: Phytoplankton absorption coefficient at 443 nm (1m) means, norms, and anomalies.
- Figure 42: Phytoplankton absorption coefficient at 555 nm (1m) means, norms, and anomalies.
- Figure 43: Phytoplankton absorption coefficient at 676 nm (1m) means, norms, and anomalies.
- Figure 44: Ratio of $a_{ph}(555):a_{ph}(443)$ (1m) means, norms, and anomalies.
- Figure 45: Temperature (60m) means, norms, and anomalies.
- Figure 46: Salinity (60m) means, norms, and anomalies.
- Figure 47: Density (60m) means, norms, and anomalies.
- Figure 48: Dissolved oxygen concentration (60m) means, norms, and anomalies.
- Figure 49: Dissolved oxygen saturation (60m) means, norms, and anomalies.
- Figure 50: Nitrate (60m) means, norms, and anomalies.
- Figure 51: Silicate (60m) means, norms, and anomalies.
- Figure 52: Phosphate (60m) means, norms, and anomalies.
- Figure 53: Ammonium (60m) means, norms, and anomalies.
- Figure 54: Particulate organic carbon (60m) means, norms, and anomalies.
- Figure 55: Particulate organic nitrogen (60m) means, norms, and anomalies.
- Figure 56: Bacteria (60m) means, norms, and anomalies.
- Figure 57: Chlorophyll *a* (60m) means, norms, and anomalies.

- Figure 58: Heat-map display of weekly norms of surface layer variables, adjusted to zero-mean and unit deviation, ranked by the first principal component, which explains 53% of the total variance.
- Figure 59: Matrix display of month-based trajectories in bivariate phase space for 13 pairs of variables. Each bivariate plot shows the phase trajectory of the 12 unadjusted monthly norms, with the indicated X-variable on the abscissa and the indicated Y-variable on the ordinate. TMPR=temperature, SALI=salinity, STRA=stratification, NITR=nitrate, AMMO=ammonium, CHLa=chlorophyll *a*, FUCO=fucoxanthin, PERI=peridinin, NANO=nanophytoplantkon, CRYP=cryptophytes, PEUK=picoeukaryotes, SYNE=Synechococccus, BACT=bacteria.
- Figure 60: The 21-year time series of environmental variables in the upper depth zone (average 1, 5, and 10m) at the Compass Buoy Station ranked in decreasing order of the first principal component of the annual average anomalies, which explains 29% of the total variance.
- Figure 61: The 20-year time series of environmental variables near bottom (60m) at the Compass Buoy Station ranked in decreasing order of the first principal component of the annual average anomalies, which explains 41% of the total variance.
- Figure 62: Matrix display of a selection of annual-based trajectories in bivariate phase space for 13 pairs of variables. Each bivariate plot shows the phase trajectory of the 21 (or less) annual average values, with the indicated X-variable on the abscissa and the indicated Y-variable on the ordinate. Symbols are colour-coded using a grey scale with early years indicated by light tones and recent years by dark tones. Abbreviations as in Figure 59; PHOS=phosphate. Inset is a magnification of the trajectory of the picoeukaryotes/*Synechococcus* pair.
- Figure 63: Phase trajectories for picoeukaryotes/Synechococcus bivariate pair. (A)Bundle of month-averages from 1993 to 2013. (B) Overlay trajectories of the month-norms (green) and the annual averages (orange). Month numbers are in green, initial and final year numbers are in orange.
- Figure 64: Phase trajectories for phosphate/bacteria bivariate pair. (A) Bundle of month-averages from 1993 to 2010 (blue) and from 2011 to 2013 (red). (B) Overlay trajectories of the month-norms (green) and the annual averages (orange). Month numbers are in green, initial and final year numbers are in orange.

ABSTRACT

Li, W.K.W. 2014. The state of phytoplankton and bacterioplankton at the Compass Buoy Station: Bedford Basin Monitoring Program 1992-2013. Can. Tech. Rep. Hydrogr. Ocean. Sci. 304: xiv + 122 p.

Since 1992, the Bedford Basin Monitoring Program has undertaken dedicated oceanographic sampling at the Compass Buoy Station on a nominal weekly basis. This report presents a detailed record of microbial plankton in the context of their immediate physical and chemical environment at this station from 1992 to 2013. It provides information on microbes that is supplementary to annual data of the core program reported to the Canadian Science Advisory Secretariat. Descriptions are given for both the climatological mean state and the interannual change for picophytoplankton, nanophytoplankton, bacterioplankton, associated phytoplankton pigments, and light absorption by phytoplankton. The physical (temperature, salinity, stratification, light attenuation), chemical (nitrate, phosphate, silicate, ammonium, oxygen, particulate organic carbon and nitrogen), and biological variables are compared on the common basis of dimensionless standard anomalies. The results of such comparisons are ordered sequences of variables ranked by relative temporal coherence within the 53-week annual cycle, and also over the multivear time span from 1993 to 2013. The Bedford Basin system appears to have characteristics indicating both local and regional trends. On the one hand, the recent state of low bacteria and low phosphate seems to be a local trend. On the other hand, the continuing increase of picophytoplankton seems to be a trend that is shared with systems at other locations on the Scotian Shelf.

RÉSUMÉ

Li, W.K.W. 2014. Situation du phytoplancton et du bactérioplancton à la station de bouée de réglage de compas : Programme de surveillance du bassin de Bedford 1992-2013. Rapp. tech. can. hydrogr. sci. océan. 304: xiv + 122 p.

Depuis 1992, le programme de surveillance du bassin de Bedford a entrepris un échantillonnage océanographique dédié à la station de bouée de réglage du compas sur une base hebdomadaire régulière. Ce rapport présente un dossier détaillé sur le plancton microbien dans le contexte de son environnement physique et chimique immédiat à cette station de 1992 à 2013. Il fournit des renseignements sur les microbes qui viennent compléter les données annuelles du programme de base déclarées au Secrétariat canadien de consultation scientifique. Les descriptions sont fournies pour l'état moyen du climat et la variation interannuelle du picophytoplancton, du nanophytoplancton, du bactérioplancton, des pigments phytoplanctoniques associés ainsi que de l'absorption de la lumière par le phytoplancton. Les variables physiques (température, salinité, stratification, atténuation de la lumière), chimiques (nitrate, phosphate, silicate, ammonium, oxygène, carbone organique en particules, azote) et biologiques sont comparées sur une base commune d'anomalies adimensionnelles standard. Les résultats de ces comparaisons sont des séquences ordonnées de variables classées par cohérence temporelle dans le cycle annuel de 53 semaines et également sur la durée de la période de plusieurs années entre 1993 et 2013. Le système du bassin de Bedford semble avoir des caractéristiques indiquant les tendances locales et régionales. D'un côté, la situation récente des faibles taux de bactéries et de phosphate semble être une tendance à l'échelle locale. D'un autre côté, la tendance à l'accroissement continu du picophytoplancton semble être partagée avec des systèmes à d'autres emplacements sur le plateau néoécossais.

PREFACE

This is one in a set of three reports that document the mean state and interannual change of phytoplankton and bacterioplankton in the ocean waters of Atlantic Canada from program inception to the end of 2013. This report documents the observations made at the Compass Buoy Station in the Bedford Basin Monitoring Program. The companion reports document observations made on the Scotian Shelf and Slope in the Atlantic Zone Monitoring Program¹, and in the Labrador Sea in the Atlantic Zone Off-Shelf Monitoring Program². Together, this set of three reports comprises an integrated technical output of the core non-research component of microbial oceanographic activity in Ocean and Ecosystem Sciences Division aligned to the DFO hierarchical program architecture of Sustainable Aquatic Ecosystems / Oceans Management / Ecosystem Assessments / Aquatic Ecosystems Science.

¹ Li, W.K.W. 2014. The state of phytoplankton and bacterioplankton on the Scotian Shelf and Slope: Atlantic Zone Monitoring Program 1997-2013. Can. Tech. Rep. Hydrogr. Ocean. Sci. 303: xx + 140 p.

² Li, W.K.W. and W.G. Harrison 2014. The state of phytoplankton and bacterioplankton in the Labrador Sea: Atlantic Zone Off Shelf Monitoring Program 1994-2013. Can. Tech. Rep. Hydrogr. Ocean. Sci. 302: xviii + 181 p.

This page intentionally left blank.

1. INTRODUCTION

1.1 AIMS AND STRATEGY

Bedford Basin Monitoring Program (BBMP) is a perpetual and uninterrupted observational record of the plankton ecosystem aimed at discerning normal conditions, natural variability, and long-term trends at the Compass Buoy Station. On a weekly basis, measurements are made of selected properties that characterize the physical, chemical, biological and optical environments of the water column³. The core program also provides the logistical and information backbone supporting additional value added research.

In aspiring towards a goal of monitoring climate and plankton variability, BBMP has ostensibly adopted an analytic strategy to link cause and effect - a focus on mechanistic oceanographic processes over indeterminate complex environmental history, which, arguably, may be a useful alternative to a synthetic approach for managing ecological futures. With this strategy, BBMP is firmly grounded in phenomenological description of the cumulative oceanographic data collection. The ensuing data reduction and statistical predictions are not explicitly referenced to a null hypothesis in the tradition of hypothetico-deductive science amenable to strong test. Instead, BBMP collects circumstantial evidence that corroborates (or not) the alternative hypothesis of biological change produced by a physical or chemical cause of interest. In this reductionist heuristic, we accept that the reification⁴ of statistics constructs the knowledge representation which enables us to understand and explain, at least in a probabilistic manner.

1.2 BACKGROUND

From an oceanographic standpoint, Bedford Basin is one of the most well-studied sites in Nova Scotia. The location of the Bedford Institute of Oceanography on the shore of the Basin has facilitated numerous diverse studies in the past five decades. Some of these studies were undertaken because they were investigations of general scientific principles which simply required an easily accessible water body. Other studies were aimed at understanding the specific nature of the Basin itself. In a coastal ecosystem such as Bedford Basin, biological populations undergo large natural fluctuations, upon

³ http://www.bio.gc.ca/science/monitoring-monitorage/bbmp-pobb/bbmp-pobb-eng.php

⁴ Slobodkin (2001) explains that "[r]eification consists of accepting a designation as if it has empirical meaning when, in fact, its existence has either never been tested or it has been found empty...reification is taken as an untestable axiom...To reify consists of assigning to a word, quantity or image an illegitimate ontological status".

which may be superimposed the effects of human activities. The ability to discern the latter from the former depends on a time series of relevant measurements made at an appropriate frequency for an extended period.

BBMP was conceived and carried out by a small team, beginning in 1991 (Li et al. 1998), with the aim of discerning long-term ecological change in the water column⁵. Later, in 1997, the Atlantic Zone Monitoring Program (AZMP) was assembled as the flagship ocean observing program undertaken by DFO in the Northwest Atlantic Ocean (Therriault et al. 1998). Importantly, Bedford Basin was designated as the only near-shore complement to six offshore fixed stations that are sampled at high-frequency in the Atlantic Zone Monitoring Program (AZMP).

1.3 PURPOSE

The present report has a two-fold purpose. First, it describes the annual 53-week cycle for the climatological mean state of picophytoplankton, nanophytoplankton, bacterioplankton, phytoplankton pigments, phytoplankton light absorption, and associated physical and chemical variables. For this descriptive purpose, we tabulate the average value of each variable for every week in the year. This description allows a synthetic consideration of inter-weekly patterns of coherence and anti-coherence amongst all variables in their normal (climatological) state.

Second, this report relates the multiyear change of microbial plankton variables to their physical and chemical environment. For this descriptive purpose, we coarse-grain the weekly averages into monthly norms and anomalies, and then we combine the monthly anomalies as a reification of annual-based departures from the normal state. This description allows a synthetic consideration of inter-annual patterns of coherence and anti-coherence amongst all variables as they change from year-to-year. This report is a detailed evidentiary record of microbial plankton and their environment in the Bedford Basin, against which scientific hypotheses may be tested.

2. METHODS

2.1 SAMPLING AND ANALYSES

The Compass Buoy Station (44° 41' 37" N, 63° 38' 25" W) is situated in the deepest part (~70m) of Bedford Basin (Figure 1). The nominal schedule for sampling is once per

⁵ The sedimentation of suspended particulate matter is not an element of BBMP, but has been studied by others (Hargrave and Taguchi 1978).

week, usually on a Wednesday morning, but this is adjusted when necessary to accommodate operational and program contingencies. To the end of 2013, BBMP had completed about 1100 station occupations. On station, a profiling conductivity-temperature-depth (CTD) system records pressure, conductivity, temperature, photosynthetically active radiation (PAR), in vivo fluorescence, and dissolved oxygen. Data are processed to 0.5 m depth resolution.

Water samples are collected by Niskin bottle at 1, 5, 10, and 60m depths. Standard AZMP method protocols are used for the analyses of nutrients by segmented flow analysis and of bulk chlorophyll by fluorometry (Mitchell et al. 2002). Dissolved oxygen at 5m and 60m is measured by optode (Hach IntelliCAL LDO101) connected to a portable meter (Hach HQ30d). Particulate organic carbon (POC) and nitrogen (PON) at 5m and 60m are measured by Perkin Elmer Series II CHNS/O Analyzer 2400. The spectrophotometric method for the measurement of light absorption by particles sampled at 1m, and the calculations for light absorption by phytoplankton are made according to Hoepffner and Sathyendranath (1992, 1993). For picophytoplankton (picoeukaryotic algae and *Synechococcus* cyanobacteria), nanophytoplankton, and bacterioplankton, samples are fixed with paraformaldehyde, stored at -80°C, and analysed by flow cytometry (Li and Dickie 2001).

For phytoplankton pigments, the method of high performance liquid chromatography (Stuart and Head 2005) was used to estimate concentrations of the following pigments at 1, 5, 10, and 60m:

- 19'-butanoyloxyfucoxanthin [But-fuco]
- 19'-hexanoyloxyfucoxanthin [Hex-fuco]
- alloxanthin [Allo]
- chlorophyll *a* [Chl*a*]
- chlorophyll *b* [Chl*b*]
- chlorophyll *c* [Chl*c*]
- diadinoxanthin [Diadino]
- fucoxanthin [Fuco]
- peridinin [Peri]
- zeaxanthin [Zea]

Following Uitz et al. (2006), we apportioned diagnostic pigments to cell size classes as follows:

Microphytoplankton pigments (mg m⁻³) MICROPIG = 1.41[Fuco] + 1.41[Peri] Nanophytoplankton pigments (mg m⁻³) NANOPIG = 1.27[Hex-fuco] + 0.35[But-fuco] + 0.60[Allo]

Picophytoplankton pigments (mg m⁻³) PICOPIG = 1.01[TChlb] + 0.86[Zea]

Thus the weighted sum of diagnostic pigments (mg m⁻³) is given by: DIAGPIG = MICROPIG + NANOPIG + PICOPIG

And the fractional contribution of each size class to the sum is given by: F-MICRO = MICROPIG/DIAGPIG F-NANO = NANOPIG/DIAGPIG F-PICO = PICOPIG/DIAGPIG

It should be noted that since we did not undertake a local calibration of this general method to obtain custom weighting coefficients for Bedford Basin phytoplankton, there is uncertainty in the quantitative assignment of the 7 pigments to the 3 size classes.

2.2 DATA HANDLING

At the time of collection, each water sample is assigned a unique 6-digit identification number that serves to link all variously-measured physical, chemical, and biological variables to the date, time, and depth of sampling. Hydrographic data (temperature, salinity, pressure, density) are extracted from continuous vertical profiles to match the actual depths from which water samples are collected. Vertical stratification of the water column (kg m⁻⁴) is calculated as the depth-normalised difference of seawater density between deep (60m) and shallow (average of 1, 5, and 10m) waters. All data are compiled and consolidated into a single flat file. Data manipulations are handled using an Excel pivot table created from the flat file.

2.3 DATA PRESENTATION

2.3.1 Weekly climatologies

The 53-week climatology of every variable sampled at each depth is computed by averaging values that are measured in the same week number of the year (specified by the Excel date function WEEKNUM) for all years in the time series. These weekly norms are presented in tabular form.

2.3.2 Monthly climatologies

The 12-month climatology of every variable in surface water (average of 1, 5, and 10m samples) and in deep water (60m) is computed as follows. First, a simple line plot of the entire time series of weekly measurements (top panel of graph page) is visually inspected for data integrity and quality assurance.

Second, for each year in the time series, the weekly measurements are binned by month and then averaged. For each variable, this procedure yields $22 \times 12=264$ month-binned average values, or less if the time series does not extend for 22 years (middle left panel of graph page, green dots). The grand average for each month taken over all years is the monthly norm (middle left panel of graph page, red circle).

Third, a visual display is made of the month-binned averages in a 22 \times 12 matrix of year \times month (middle right panel of graph page). The values for all the month-binned averages are sorted numerically and then divided into 20 equal-n member rank groups. The rankings are then assigned a colour from the rainbow palette, with low monthly mean values assigned to short wavelength colours, and high values to long wavelength colours⁶.

2.3.3 Monthly anomalies

Monthly anomalies are the departures (arithmetic differences) of the month-binned averages (green dots) from the monthly norm (red circles). A monthly anomaly divided by its month-specific standard deviation gives the normalised monthly anomaly. This z-standardised quantity measures the deseasonalised departure of the variable from normal conditions in standard deviate unit.

A visual display is made of the normalised monthly anomalies in a 22 x 12 matrix of year x month (bottom left panel of graph page). Positive anomalies are coloured red and negative anomalies are coloured blue, with stronger hues assigned to stronger anomalies. Strong positive anomalies are defined as those greater than the mean of all positive anomaly values in the time series. Likewise, strong negative anomalies are those less than the mean of all negative anomaly values.

2.3.4 Annual anomalies

Annual anomalies are the net average (positive or negative) of all 12 normalised monthly anomalies in each year. The multiyear trend of annual anomalies is indicated by a 3-year running average (bottom right panel of graph page).

⁶ A possible alternative classification is division of month-binned averages into equal-interval member rank groups, in which case some classes are likely to have only a very small number of members. The choice between these alternative classifications is largely one of cognitive preference.

2.4 DATA SUMMARY

2.4.1 Annual cycles

2.4.1.1 Cluster heat map

To discern inter-weekly coherence of 40 surface layer variables, we use a colour-coded 2-dimensional visual display to summarise the annual cycles of variables, a version of the cluster heat map (Wilkinson and Friendly 2009). We first adjusted the weekly norm for each variable by z-standardisation to zero mean and unit deviation: $X' = \frac{(x-\overline{x})}{s_x}$, where X' = adjusted norm, X = weekly norm, $\overline{X} =$ average weekly norm, $s_{\overline{x}} =$ standard deviation of weekly norms. Positive values of the adjusted weekly norms are coloured red whereas negative values are coloured blue, with stronger hues assigned to stronger departure from zero mean. Strong positive values are defined as those greater than the mean of all positive values in the 53-week cycle. Likewise, strong negative values are those less than the mean of all negative values.

We then performed principal component analysis on the adjusted weekly norms of the variables, and ranked the 40 variables by the loading of the first principal component. A variable x week number matrix displays the variables in a vertical sequence ranked from the highest positive loading to the highest negative loading, arrayed along a horizontal sequence of week number. Variables close to each other in component ranking reflect a degree of similarity in their temporal dynamics from week to week. Vice versa, variables far apart from each other in rank with opposite signs reflect a degree of inverse similarity. This allows the visualisation of any coherence (or anti-coherence) in the manner in which suites of these variables are changing over the weeks within a year.

2.4.1.2 State space plots

A system can be specified by the *n*-dimensional space of possible locations of state variables (see Section 4.2). For a 13-element subset of the measured variables in this study, we display a full matrix of bivariate plots, each showing the 12-point trajectory of the unadjusted monthly norms (from Section 2.3.2) for different combinations of 2 variables at a time. This graphic display shows the relationship between paired variables in the normal (climatological) annual cycle of the system.

2.4.2 Multiyear trends

2.4.2.1 Cluster heat map

To discern inter-annual coherence of multiyear change in variables (for which the time series length is ≥ 18 years), we use a similar cluster heat map to summarise the

year-based time series from 1993-2013, as indicated by the normalised annual anomalies (Section 2.3.4).

We performed principal component analysis on the normalised annual anomalies of the variables, and ranked the 28 variables by the loading of the first principal component. A variable X year matrix displays the variables in a vertical sequence ranked from the highest positive loading to the highest negative loading, arrayed along a horizontal sequence of years. We follow Frank (2003) in using this method to discern the ordinated pattern of how normalised anomalies of ecosystem variables are changing over time from year-to-year. Variables close to each other in component ranking reflect a degree of similarity in their temporal dynamics from year-to-year. Vice versa, variables far apart from each other in rank with opposite signs reflect a degree of inverse similarity. This allows the visualisation of any coherence (or anti-coherence) in the manner in which suites of these variables are changing over the years.

2.4.2.2 State space plots

A system can be specified by the *n*-dimensional space of possible locations of state variables (see Section 4.2). For a 13-element subset of the measured variables in this study, we display a partial⁷ matrix of bivariate plots, each showing the 21-point (or less) trajectory of the annual average values for different combinations of 2 variables at a time. This graphic display shows the relationship between paired variables forming a long-term temporal trend as the system transitions through the time series from 1993 to 2013.

2.5 DATA AVAILABILITY

The data in this report are available from the BioChem database maintained by DFO Integrated Science Data Management⁸. The data have also been submitted to the International Council for the Exploration of the Sea (ICES) Working Group on Phytoplankton and Microbial Ecology (WGMPE)⁹, as well as the UNESCO Intergovernmental Oceanographic Commission (IOC) International Group for Marine Ecological Time Series (IGMETS)¹⁰.

⁷ Not all bivariate pairs are plotted for the purpose of reducing visual clutter.

⁸ <u>http://www.meds-sdmm.dfo-mpo.gc.ca/biochem/biochem-eng.htm</u>

⁹ <u>http://wgpme.net</u>

¹⁰ <u>http://igmets.net</u>

3. RESULTS

3.1 TEMPERATURE

[Table 1; Figures 2, 45]

Weekly norms of temperature at 1m and 5m are almost perfectly correlated (r = 0.96), and remain strongly correlated for those at 1m and 10m (r = 0.88). Monthly norms of surface (deep) temperature are lowest in February (April) and highest in September (January). The recent running average trend of annual anomalies of surface (deep) temperature is positive (positive).

3.2 SALINITY

[Table 2; Figures 3, 46]

Weekly norms of salinity at 1m and 5m are correlated (r = 0.52), but those at 1m and 10m are poorly correlated (r = 0.26). Monthly norms of surface (deep) salinity are lowest in May (May) and highest in August (December). The recent running average trend of annual anomalies of surface (deep) salinity is negative (negative).

3.3 DENSITY

[Table 3; Figures 4, 47]

Weekly norms of density at 1m and 5m are strongly correlated (r = 0.74), and slightly less correlated for those at 1m and 10m (r = 0.50). Monthly norms of surface (deep) density are lowest in September (September) and highest in March (April). The recent running average trend of annual anomalies of surface (deep) density is negative (negative).

3.4 STRATIFICATION

[Table 3; Figure 5]

Monthly norms of stratification are lowest in March and highest in September. The recent running average trend of annual anomalies of stratification is near normal.

3.5 OXYGEN

[Table 4; Figures 6, 7, 48, 49]

Weekly norms of oxygen concentration at 5m and 60m are strongly correlated (r = 0.78), as are the weekly norms of oxygen saturation at 5m and 60m (r = 0.87). Monthly norms of 5m (60m) oxygen saturation are lowest in December (December) and highest in April (April). The recent running average trend of annual anomalies of 5m (60m) oxygen saturation is near normal (positive).

3.6 PAR ATTENUATION

[Table 5; Figure 8]

Monthly norms of PAR attenuation are lowest in January and highest in March. The recent running average trend of annual anomalies of PAR attenuation is near negative.

3.7 NITRATE

[Table 6; Figures 9, 50]

Weekly norms of nitrate at 1m and 5m are almost perfectly correlated (r = 0.998), as are those at 1m and 10m (r = 0.983). Monthly norms of surface (deep) nitrate are lowest in July (June) and highest in January (January). The recent running average trend of annual anomalies of surface (deep) nitrate is near normal (negative).

3.8 SILICATE

[Table 7; Figures 10, 51]

Weekly norms of silicate at 1m and 5m are almost perfectly correlated (r = 0.989), as are those at 1m and 10m (r = 0.963). Monthly norms of surface (deep) silicate are lowest in July (April) and highest in January (December). The recent running average trend of annual anomalies of surface (deep) silicate is near normal (negative).

3.9 PHOSPHATE

[Table 8; Figures 11, 52]

Weekly norms of phosphate at 1m and 5m are almost perfectly correlated (r = 0.991), as are those at 1m and 10m (r = 0.963). Monthly norms of surface (deep) phosphate are lowest in July (April) and highest in January (September). The recent running average trend of annual anomalies of surface (deep) phosphate is negative (negative).

3.10 AMMONIUM

[Table 9; Figures 12, 53]

Weekly norms of ammonium at 1m and 5m are almost perfectly correlated (r = 0.951), but those at 1m and 10m are less correlated (r = 0.59). Monthly norms of surface (deep) ammonium are lowest in July (February) and highest in November (July). The recent running average trend of annual anomalies of surface (deep) ammonium is positive (negative).

3.11 POC and PON

[Table 10; Figures 13, 14, 54, 55]

Weekly norms of POC at 5m and 60m are correlated (r = 0.51), as are the weekly norms of PON at 5m and 60m (r = 0.72). Monthly norms of 5m (60m) POC and PON are lowest in January (February) and highest in June (July). The recent running average trend of annual anomalies of 5m (60m) POC and PON are near normal (positive).

3.12 BACTERIA

[Table 11; Figures 15, 56]

Weekly norms of bacteria at 1m and 5m are almost perfectly correlated (r = 0.996), as are those at 1m and 10m (r = 0.981). Monthly norms of surface (deep) bacteria are lowest in January (February) and highest in July (July). The recent running average trend of annual anomalies of surface (deep) bacteria is negative (negative).

3.13 CHLOROPHYLL a

[Table 12; Figures 16, 57]

The quantity reported in this section is determined by fluorometric assay and is therefore analytically independent of the quantity determined by HPLC analysis (Section 3.19.4).

Weekly norms of Chl*a* at 1m and 5m are strongly correlated (r = 0.91), and less strongly correlated for those at 1m and 10m (r = 0.71). Monthly norms of surface Chl*a* indicate a primary bloom in spring (March) and a secondary bloom in fall (September). Monthly norms of deep Chl*a* are highest in April, one month following the surface spring bloom. The recent running average trend of annual anomalies of surface (deep) Chl*a* is positive (positive).

3.14 SYNECHOCOCCUS

[Table 13; Figures 17, 18]

Weekly norms of *Synechococcus* at 5m increase 929-fold (from 73 to 68148 cells ml⁻¹) over a 15-week period (from week 22 to 37), indicating a net doubling of the population in about 1.5 weeks. This period of net increase coincides exactly with the period during which the concentration of nitrate at 5m is less than about 0.5 mmol m⁻³. In other words, *Synechococcus* decreases both during nitrate draw-down in spring, and during nitrate recharge in fall. It seems that *Synechococcus* starts to increase once nitrate falls

below the threshold from above, and it starts to decrease once nitrate rises above the threshold from below.

Monthly norms of *Synechococcus* at 5m are lowest in May; they are highest in September, coinciding with the fall bloom of Chl*a*. The recent running average trend of annual anomalies of *Synechococcus* is positive.

3.15 PICOEUKARYOTES

[Table 13; Figure 19]

Weekly norms of picoeukaryotes at 5m increase 27-fold (from 1515 to 40254 cells ml⁻¹) over a 25-week period (from week 7 to 32), indicating a net doubling of the population in about 5.3 weeks. Monthly norms of picoeukaryotes at 5m are lowest in February and are highest in August. The recent running average trend of annual anomalies of picoeukaryotes is positive.

3.16 PICOPHYTOPLANKTON

[Table 13; Figure 20]

Picophytoplankton is the sum of *Synechococcus* (Section 3.14) and picoeukaryotic algae (Section 3.15). Weekly norms of picophytoplankton at 5m increase 52-fold (from 1848 to 96667 cells ml^{-1}) over a 30-week period (from week 7 to 37), indicating a net doubling of the population in about 5.3 weeks. Monthly norms of picophytoplankton at 5m are lowest in February and are highest in September. The recent running average trend of annual anomalies of picophytoplankton is positive.

3.17 CRYPTOPHYTES

[Table 13; Figure 21]

Weekly norms of cryptophytes at 5m increase 6.7-fold (from 189 to 1268 cells ml⁻¹) over a 34-week period (from week 1 to 35), indicating a net doubling of the population in about 12.4 weeks. Monthly norms of cryptophytes at 5m are lowest in January and are highest in August. The recent running average trend of annual anomalies of cryptophytes is positive.

3.18 NANOPHYTOPLANKTON

[Table 13; Figure 22]

Weekly norms of nanophytoplantkon at 5m increase 12.8-fold (from 1489 to 19077 cells ml⁻¹) over a 34-week period (from week 1 to 35), indicating a net doubling of the population in about 9.2 weeks. Monthly norms of nanophytoplankton at 5m are lowest

in January and are highest in August. The recent running average trend of annual anomalies of nanophytoplankton is positive.

3.19 PHYTOPLANKTON PIGMENTS

In this section, we use Roy et al. (2011) as our reference monograph on phytoplankton pigments, especially the chapters by Jeffrey et al. (2011) on microalgal classes and their signature pigments, and by Higgins et al. (2011) on the quantitative interpretation of chemotaxonomic pigment data.

3.19.1 19'-Butanoyloxyfucoxanthin

[Table 14; Figure 23]

The xanthophyll 19'-butanoyloxyfucoxanthin is dominant in Dictyophyceae and Pelagophyceae; it is significant but not always present in Prymnesiophyceae; and it is minor or variable in Dinophyceae.

Weekly norms of but-fuco at 1m and 5m are correlated (r = 0.77), as are those at 1m and 10m (r = 0.55). Monthly norms of surface (average 1, 5, and 10m) but-fuco are lowest in February and highest in August. The recent running average trend of annual anomalies of surface but-fuco is positive.

3.19.2 19'-Hexanoyloxyfucoxanthin

[Table 15; Figure 24] The xanthophyll 19'-hexanoyloxyfucoxanthin is dominant in Prymnesiophyceae and Dinophyceae.

Weekly norms of hex-fuco at 1m and 5m are correlated (r = 0.74), as are those at 1m and 10m (r = 0.59). Monthly norms of surface (average 1, 5, and 10m) hex-fuco are lowest in February and highest in August. The recent running average trend of annual anomalies of surface hex-fuco is negative.

3.19.3 Alloxanthin

[Table 16; Figure 25]

The xanthophyll alloxanthin is dominant in Cryptophyta, including cryptophycean symbionts of the ciliate *Myrionecta rubra*. Alloxanthin also occurs in some dinoflagellates, and has been reported in 2 chlorophytes that show no evidence of a cryptomonad endosymbiont.

Weekly norms of alloxanthin at 5m and 10m are correlated (r = 0.75), but those at 1m and 10m are not correlated (r = 0.04). Monthly norms of surface (average 1, 5, and

10m) alloxanthin are lowest in March and highest in August. The recent running average trend of annual anomalies of surface alloxanthin is near normal.

3.19.4 Chlorophyll a

[Table 17; Figure 26]

Chlorophyll *a* is universal pigment found in all taxa. The quantity reported in this section is determined by HPLC analysis, and is therefore analytically independent from the quantity reported in Section 3.13

Weekly norms of Chl*a* at 1m and 5m are strongly correlated (r = 0.87), and slightly less correlated for those at 1m and 10m (r = 0.59). Monthly norms of surface (average 1, 5, and 10m) Chl*a* indicate a primary bloom in spring (March) and a secondary bloom in fall (September). The recent running average trend of annual anomalies of surface Chl*a* is positive.

3.19.5 Chlorophyll b

[Table 18; Figure 27] Chlorophyll *b* is dominant in the green algal lineage – Chlorophyceae, Prasinophyceae, Trebouxiophyceae, Mesostigmatophyceae, Euglenophyceae, and Chlorarachniophyceae.

Weekly norms of Chl*b* at 5m and 10m are correlated (r = 0.82), but those at 1m and 10m are not correlated (r = 0.16). Monthly norms of surface (average 1, 5, and 10m) Chl*b* indicate a primary bloom in spring (April) and a secondary bloom in fall (September). The recent running average trend of annual anomalies of surface Chl*b* is positive.

3.19.6 Chlorophyll c

[Table 19; Figure 28]

Chlorophyll *c* occurs in the red algal lineage. Chlorophyll c_1+c_2 is dominant and widespread across 4 divisions (Heterokontophyta, Haptophyta, Cryptophyta, Dinophyta) with a distribution in 11 classes (Bacillariophyceae, Chrysophyceae, Dictyochophyceae, Pelagophyceae, Phaeothamniophyceae, Raphidophyceae, Synurophyceae, Pavlovophyceae, Prymnesiophyceae, Cryptophyceae, and Dinophyceae). Chlorophyll c_3 is dominant in Bacillariophyceae, Bolidophyceae, Prymnesiophyceae, and Dinophyceae, and Dinophyceae.

Weekly norms of Chl*c* at 1m and 5m are strongly correlated (r = 0.94), and slightly less correlated for those at 1m and 10m (r = 0.73). Monthly norms of surface (average

1, 5, and 10m) Chl*c* indicate a primary bloom in spring (March) and a secondary bloom in fall (September). The recent running average trend of annual anomalies of surface Chl*c* is slightly negative or near normal.

3.19.7 Diadinoxanthin

[Table 20; Figure 29]

The xanthophyll diadinoxanthin is dominant in Bacillariophyceae, Bolidophyceae, Dictyochophyceae, Pelagophyceae, Phaeothamniophyceae, Pavlovophyceae, Prymnesiophyceae, Dinophyceae, and Euglenophyceae. It is a minor pigment in Xanthophyceae.

Weekly norms of diadinoxanthin at 1m and 5m are correlated (r = 0.75), and slightly less correlated for those at 1m and 10m (r = 0.52). Monthly norms of surface (average 1, 5, and 10m) diadinoxanthin indicate a primary bloom in spring (March) with levels sustained fairly high till fall (September). The recent running average trend of annual anomalies of surface diadinoxanthin is slightly negative or near normal.

3.19.8 Fucoxanthin

[Table 21; Figure 30]

The xanthophyll fucoxanthin is dominant and widespread in Bacillariophyceae, Bolidophyceae, Chrysophyceae, Dictyochophyceae, Pelagophyceae, Phaeothamniophyceae, Pinguiophyceae, Raphidophyceae, Synurophyceae, Pavlovophyceae, Prymnesiophyceae, and Dinophyceae.

Weekly norms of fucoxanthin at 1m and 5m are strongly correlated (r = 0.95), and slightly less correlated for those at 1m and 10m (r = 0.80). Monthly norms of surface (average 1, 5, and 10m) fucoxanthin indicate a primary bloom in spring (March) and a secondary bloom in fall (September). The recent running average trend of annual anomalies of surface fucoxanthin is near normal.

3.19.9 Peridinin

[Table 22; Figure 31] Peridinin is a diagnostic marker for dinoflagellates.

Weekly norms of peridinin at 1m and 5m are strongly correlated (r = 0.95), and less correlated for those at 1m and 10m (r = 0.54). Monthly norms of surface (average 1, 5, and 10m) peridinin are lowest in January and highest in October. The recent running average trend of annual anomalies of surface peridinin is near normal.

3.19.10 Zeaxanthin

[Table 23; Figure 32]

The xanthophyll zeaxanthin is widespread in cyanobacteria, and also present in the classes of the green lineage – Prasinophyceae, Chlorophyceae, Trebouxiophyceae, and Chlorarachniophyceae.

Weekly norms of zeaxanthin at 1m and 5m are strongly correlated (r = 0.96), and slightly less correlated for those at 1m and 10m (r = 0.85). Monthly norms of surface (average 1, 5, and 10m) zeaxanthin are lowest in February and highest in September. The recent running average trend of annual anomalies of surface zeaxanthin is positive.

3.19.11 Diagnostic Pigments

[Table 24; Figure 33]

The weighted sum of diagnostic pigments (DiagPig) is a quasi-measure of total phytoplankton chlorophyll *a*. This quasi-measure is based on the weighted contribution of 7 phytoplankton pigments used as chemotaxonomic markers for constituent members of the phytoplankton community. In principle, the salient patterns of DiagPig should corroborate those of Chl*a* (Section 3.19.4). However, because we have not tuned the Uitz global formula with weighting factors derived from local calibration, the comparison between DiagPig and Chl*a* cannot be taken as a validation exercise. Notwithstanding the lack of calibration, because Fuco occurs at high concentrations in these waters, and also because Fuco is weighted heavily in the Uitz global formula, it can be deduced that the results of DiagPig and Fuco are necessarily similar in pattern. These deductions are confirmed.

Weekly norms of DiagPig at 1m and 5m are strongly correlated (r = 0.88), and less correlated for those at 1m and 10m (r = 0.63). Monthly norms of surface (average 1, 5, and 10m) DiagPig indicate a primary bloom in spring (March) and a secondary bloom in fall (September). The recent running average trend of annual anomalies of surface DiagPig is near normal.

3.19.12 Microphytoplankton Pigments

[Table 25; Figure 34] MicroPig is the weighted sum of fucoxanthin and peridinin (Section 2.1).

Weekly norms of MicroPig at 1m and 5m are strongly correlated (r = 0.94), and less correlated for those at 1m and 10m (r = 0.69). Monthly norms of surface (average 1, 5, and 10m) MicroPig indicate a primary bloom in spring (March) and a secondary bloom in fall (September). The recent running average trend of annual anomalies of surface MicroPig is near normal.

3.19.13 Nanophytoplankton Pigments

[Table 26; Figure 35] NanoPig is the weighted sum of but-fuco, hex-fuco, and alloxanthin (Section 2.1).

Weekly norms of NanoPig at 1m and 5m are correlated (r = 0.81), and less correlated for those at 1m and 10m (r = 0.60). Monthly norms of surface (average 1, 5, and 10m) NanoPig are lowest in February and highest in August. The recent running average trend of annual anomalies of surface NanoPig is slightly negative.

3.19.14 Picophytoplankton Pigments

[Table 27; Figure 36] PicoPig is the weighted sum of Chl*b* and zeaxanthin (Section 2.1).

Weekly norms of PicoPig at 5m and 10m are correlated (r = 0.81), but those at 1m and 10m are not correlated (r = 0.17). Monthly norms of surface (average 1, 5, and 10m) PicoPig are highest in April and remain high till September. The recent running average trend of annual anomalies of surface PicoPig is positive.

3.19.15 f-Microphytoplankton Pigments

[Table 28; Figure 37] f-Micro is the fraction of diagnostic pigments assigned to the microphytoplankton size class.

Weekly norms of f-Micro at 1m and 5m are correlated (r = 0.84), and less correlated for those at 1m and 10m (r = 0.57). Monthly norms of surface (average 1, 5, and 10m) f-Micro are high ($\geq 66\%$) throughout the year, with a maximum value of 89% in March. The recent running average trend of annual anomalies of surface f-Micro is near normal.

3.19.16 f-Nanophytoplankton Pigments

[Table 29; Figure 38]

f-Nano is the fraction of diagnostic pigments assigned to the nanophytoplankton size class.

Weekly norms of f-Nano at 1m and 5m are strongly correlated (r = 0.90), and less correlated for those at 1m and 10m (r = 0.58). Monthly norms of surface (average 1, 5, and 10m) f-Nano are low ($\leq 20\%$) throughout the year, with a minimum value of 4% in March. The recent running average trend of annual anomalies of surface f-Nano is slightly negative.

3.19.16 f-Picophytoplankton Pigments

[Table 30; Figure 39]

f-Pico is the fraction of diagnostic pigments assigned to the picophytoplankton size class.

Weekly norms of f-Pico at 1m and 5m are correlated (r = 0.71), and considerably less correlated for those at 1m and 10m (r = 0.44). Monthly norms of surface (average 1, 5, and 10m) f-Pico are low ($\leq 17\%$) throughout the year, with a minimum value of 3.5% in February. The recent running average trend of annual anomalies of surface f-Pico is positive.

3.20 PHYTOPLANKTON LIGHT ABSORPTION

[Table 31; Figures 40, 41, 42, 43, and 44]

In Bedford Basin, as elsewhere, the spectral shape of the phytoplankton absorption coefficient is strongly determined by pigment packaging (which is related to cell size) and concentration of accessory pigments. Spectra for assemblages dominated by microphytoplankton are flatter than those dominated by nanophytoplankton, which in turn are flatter than those dominated by picophytoplankton (Ciotti et al. 2002). The weekly norms of absorption spectra (Figure 40) are most flat in the early and late weeks of the year, and least flat in the middle weeks of the year.

Weekly norms of phytoplankton absorption of blue light at 443 nm, $a_{ph}(443)$ are almost perfectly correlated with absorption of red light at 656 nm, $a_{ph}(656)$ at 1m depth (r = 0.97); the correlation of $a_{ph}(443)$ with absorption of green light, $a_{ph}(555)$ is also very strong, but less than perfect (r = 0.92).

Monthly norms of phytoplankton absorption at all 3 wavelengths are lowest in January and highest in September. The green:blue ratio $[a_{ph}(555): a_{ph}(443)]$ is low (0.16) in April, May, June, and July.

The pigment-specific absorption coefficients $[a_{ph}^*(\lambda)]$, which are values of absorption divided by HPLC-determined Chl*a*, are lowest during the spring bloom in March. The norms¹¹ in March are $a_{ph}^*(443) = 0.023$, $a_{ph}^*(555) = 0.005$, and $a_{ph}^*(676) = 0.013$. The average \pm sd of the monthly norms are $a_{ph}^*(443) = 0.037 \pm 0.006$, $a_{ph}^*(555) = 0.008 \pm 0.002$, and $a_{ph}^*(676) = 0.016 \pm 0.002$.

The time series for phytoplankton absorption are too short to delineate meaningful multiyear trends.

¹¹ Units are $[m^2 (mg Chla)^{-1}]$

3.21 ANNUAL CYCLES

[Figure 58, 59]

Normal (climatological) annual cycles of physical, chemical, and biological variables in Bedford Basin typify the canonical model of spring-autumn blooms on mid-latitude continental shelves in the coastal domain (Longhurst 1995). General characteristics of the normal state of Bedford Basin have been previously described (Li and Dickie 2001; Li and Harrison 2008), but a new cluster heat map of z-standardised variables (Figure 58) highlights statistical associations between variables at an unprecedented level of detail for this system.

The phenomenological start of the spring bloom can be discerned between week 9 and week 10. At this time, there is a coherent increase in Chla, Chlb, Chlc, fucoxanthin, diadinoxanthin, 19'-butanoyloxyfucoxanthin, microphytoplankton pigments, PAR attenuation, $a_{ph}(443)$, $a_{ph}(555)$, $a_{ph}(676)$, POC and PON. At the same time, there is a coherent decrease in nitrate, silicate and phosphate, when both temperature and stratification are just starting to rise from their annual low values. The peak of the spring bloom is normally attained on week 12, which is the time of spring equinox.

During several weeks immediately leading to the fall equinox (week 39), temperature and stratification reach their annual maxima, and so do *Synechococcus*, picoeukaryotes, cryptophytes, nanophytoplankton, zeaxanthin, and 19'-hexanoyloxyfucoxanthin. At this time, nutrients are all starting to rise above their summer low values. Indeed, as noted earlier (Section 3.14), the start and stop triggers for annual growth of *Synechococcus* in summer appears to be a critical concentration of nitrate.

Following the fall equinox, for about 8 weeks, as stratification starts to weaken and nutrients rise considerably above limiting concentrations, there is continuing persistence of Chl*a*, Chl*c*, diadinoxanthin, fucoxanthin, and alloxanthin. Notably, this is a period of increase for peridinin (dinoflagellate biomarker), which reaches its annual maximum on week 46.

Bivariate phase plots for a subset of the variables show seasonal hysteresis in many of the relationships, meaning that few of them represent mathematical functions that map a single output to a given input. Exceptions exist: some are expected by deduction, for example the input/output pairs of Chla/fucoxanthin, and temperature/stratification; however, others are less easily ascribed to axiomatic principles, such as temperature/picoeukaryotes, nitrate/nanophytoplankton, nitrate/bacteria, and perhaps nanophytoplankton/picoeukaryotes.

3.22 MULTIYEAR TRENDS

[Figures 60, 61, 62]

In analysing the first 14 years of this time series, Li and Harrison (2008) noted that annual average anomalies in stratification explain significant amounts of variability in the anomalies of bulk phytoplankton biomass, especially that contributed by diatoms, but not the biomass of picophytoplankton. Instead, the responses of the small phytoplankton appear directly related to temperature.

More recently, the surface layer has become still warmer, still fresher, and still less dense. At the same time, the deep layer has also become warmer, fresher, and less dense – effectively attenuating the increase of stratification anomaly. Notwithstanding this attenuation, inter-annual change in stratification remains anti-coherent with surface salinity and surface density. As a consequence of these recent changes, positive anomalies in variables related to picoplankton (*Synechococcus*, picoeukaryotes, zeaxanthin, Chl*b*) remain coherent with higher surface temperatures. Similarly, negative anomalies in variables related to microplankton (fucoxanthin, diadinoxanthin, Chl*c*) remain coherent with lower surface salinity and density.

Bivariate phase plots for a subset of the annual average variables show that some parts of the system exhibit trajectories that have now carried those parts substantially away from their starting positions first occupied at the beginning of the time series. For example, the input/output pairs of temperature/picoeukaryotes and temperature/*Synechococcus* both have trajectories that are directed from low/low values to high/high values – and therefore this is also the case with the picoeukaryotes/*Synechococcus* pair. On the other hand, the input/output pair of phosphate/bacteria is on a trajectory from high/high values to low/low values.

4. DISCUSSION

4.1 SCIENTIFIC METHOD

This report presents a detailed evidentiary record of microbial plankton and their environment in the Bedford Basin from 1992 to 2013. It provides information on microbes that is supplementary to annual data of the core program reported to the Canadian Science Advisory Secretariat (Johnson et al. 2013). In this respect, the microbial data broaden BBMP ecosystem considerations to include all size classes of the phytoplankton and also the prokaryotic secondary producers. Amongst the small number of long-term oceanographic observation programs in the world carried out in support of ecosystem assessment and management, BBMP is one of the very few that includes direct measurements in explicit recognition of the new microbial paradigm (now 40-years old) of the ocean's food web (Pomeroy 1974).

Towards meeting the expressed goals and objectives of BBMP (Section 1.1), we offer in this report the multidisciplinary data sets that can be used to establish relationships among the organismal (phytoplankton and bacteria), chemotaxonomic (diagnostic pigments), bio-optical (light absorption), chemical (nutrients and oxygen), and physical (temperature, salinity, stratification) variables. We use the method of hierarchical coarse-graining to progressively enlarge the scale of analysis to discern macroscopic pattern (Li and López-Urrutia 2013). Starting at the grain scale of a week, we progressively average over months and years. Phytoplankton and bacterioplankton interact at the short scales of microbial generation times which are below the detection capabilities of BBMP; but temporal averaging to increasingly large scales allows the detection of climate-related signals (Li et al. 2006; Li 2009).

Notwithstanding the relatively short length of the time series, the relationships amongst variables presented in this report offer insight on putative changes in the state of the Bedford Basin. However, we note carefully that phenomenological ecology offers, at best, circumstantial evidence which corroborates one particular alternative hypothesis, but does not and cannot constitute a strong test of a null hypothesis (Strong 1980). Essentially, in ecological systems, causes are usually neither severally necessary nor jointly sufficient for their effects (Hull 1974). This means that although we may be able to explain (in statistical form), we may not always be able to predict. This is an ineluctable constraint.

4.2 SYSTEM STATE

Given an insufficient understanding of systems based on holistic theory, a framework for understanding marine ecosystem health has been developed using the pragmatic alternative of a state space approach (Tett et al. 2013). The following definitions undergird this framework. A *system* is a set of elements standing in interrelation among themselves and with their environment. A *state variable* is a quantification of a system property. The *state* of the system is given by a single set of values of a set of state variables sufficient to specify the system's condition uniquely. *State space* is the *n*-dimensional space of possible locations of state variables. *Trajectory* is a temporal sequence of system states plotted in state space. *Regime* is a coherent bundle of trajectories, such as those arising from seasonal cycles. *Domain* is a region in state space. *Basin of attraction* is a region in state space in which the system tends to remain. *Variability* in state space has three components: semi-cyclical (e.g. associated with seasonal cycles and classed as part of the organisation); medium-term (about a trend);
and long-term (i.e. a trend). *Organisation* is the types and arrangements or interconnections of the components of a system.

Here in this report, we can see the alignment of BBMP to the framework. The physical, chemical, and biological *system* of the Bedford Basin is quantified by a set of many *state variables* (although not all independent). A portion of the *state space* is now described in detail (Figure 59), showing seasonal *trajectories* that partially delineate the *domain* of the normal *state* of the system, which has an *organisation* of interconnected seasonal *variability* (Figure 58), reflecting a *regime* where temperature, stratification, and nutrients bundle biological trajectories in coherent manner (Figure 63A), or otherwise into a putatively different *basin of attraction* (Figure 64A). For the phytoplankton and bacteria system in Bedford Basin, the results of the monitoring program give a good description of the reference state for understanding ecosystem health.

4.3 SYSTEM CHANGE

System change can be tracked by the departure of annual means from their reference state, and if the departures lead increasingly to a greater cumulative difference from the reference state, then a long-term trend is indicated. A system that is subject to the forcing from earth orbit around the sun is more-or-less reset to its initial state on a 12-month period. Therefore, even for a 12-month trajectory that is far-ranging over phase space (which is the usual case for variables of temperate coastal environments), the trajectory tends to return close to its starting position after 12 months. On the other hand, unlike the entirely predictable annual orbital cycle, we are not aware of any regular phenomenon that might predictably drive system trajectories on a multiyear basis in Bedford Basin, at least from 1992 to 2013. In this latter regard, annual-based trajectories are not predictably constrained; where they end may give a clue as to the forces that led them there (Figures 63, 64).

In one part of the Bedford Basin system, there is evidence of a long-term increase in the abundance of both picoeukaryotes and *Synechococcus*. The phase trajectory of the 2 taxa is not a straight line from 1993 to 2013 (Figure 63B), but the long-term trend is clearly discernible in spite of medium-term variability. What is the proximate driver of this annual change? Principal component analysis indicates that changes in picophytoplankton are strongly coherent with changes in temperature and stratification; strongly anti-coherent with changes in diatom-related markers (fucoxanthin, diadinoxanthin); and not strongly coherent with nutrients (Figure 60). In the absence of time series information on other important parts of the ecosystem (such as nanozooplankton, microzooplankton, mesozooplankton, viruses, micronutrients, or vitamins), any assignment of putative cause to observed effect can only be provisional.

Therefore, based on only the circumstantial evidence collected, a probabilistic explanation for the long-term trend of picophytoplankton is positive forcing by identified coherent system properties and/or negative forcing by identified anti-coherent system properties.

In another part of the Bedford Basin system, there is suggestive evidence that the annual-based trajectory of phosphate/bacteria has recently shifted to a substantially different portion of the phase space (Figure 64B). Unlike the month-based trajectory of phosphate/bacteria that moves from high/low to low/high (January to June), and then from low/high back to high/low (July to December), the annual-based trajectory has moved in the opposite direction from high/high (1993) to low/low (2013). Clearly, different underlying processes must be implicated in the different time scales. The attraction of one annual-based trajectory to a different centre, that is to say a variables-shift, is a necessary but not sufficient condition for a regime-shift. The latter, by definition, requires a bundle of such trajectories moving coherently to the new centre of attraction. It is possible that PAR attenuation (Figure 8) has a similar trajectory, thus putatively making a bundle of two. A plausible but untested circumstantial explanation for the state shift is the influence of advanced-primary treatment on municipal wastewater discharged into Halifax Harbour¹², which started in February 2008, was interrupted in January 2009, and brought back to full operation in June 2010¹³.

4.4 IMPLICATIONS

Long-term change in marine ecosystems is driven by a hierarchy of nested processes that cascade from global to hemispheric to regional to local scales. Further, in nearshore coastal ecosystems, the forcings from ocean, land, and atmosphere intersect and interact (Cloern and Jassby 2008; Cloern et al. 2014). Long-term change cannot be tracked and understood without observational time series nested in a spatial network of monitoring sites. To this end, the oceanographic and ecological measurements presented in this report on Bedford Basin, and the companion reports on the Scotian Shelf (Li 2014) and the Labrador Sea (Li and Harrison 2014) together constitute an integrated collection from which we can examine the state of the ocean at various scales of time and space. Theorists point out that as we coarse-grain a fractal system to higher hierarchical levels (e.g. Figures 63, 64), there is an inevitable gain in entropy according to the second law of thermodynamics (Baranger, undated). In a curious way, it is paradoxical that gaining knowledge about the long term first requires gaining knowledge about the space and the purposefully forgoing it.

¹² http://www.halifax.ca/harboursol/documents/HHWQMPFinalSummaryReport.pdf

¹³ <u>http://www.halifax.ca/harboursol/HSPTimeline-1749toPresent.php;</u>

In its normal (climatological) state, the microbial plankton system in Bedford Basin is well-described (Figures 58, 59) and usefully understood in the context of seasonal cycles of pelagic production and consumption (Longhurst 1995). Nonetheless, there is still much to be revealed as system components are further examined by other methods of reductionistic analysis. For example, the community of bacteria (which we only considered in bulk in this report) can be distinguished by gene analysis as various assemblages of co-occurring bacteria that exhibit strong seasonal preferences and associations with particular phytoplankton taxa (El-Swais et al. 2014). As another example, identification of peptide sequences by mass spectrometry to examine protein expression patterns can be used to study seasonal progression of microbial metabolic activity (Georges et al. 2014).

However, it is in its long-term trajectory that the Bedford Basin system is most informative of future ecosystem health. The Compass Buoy Station is the inshore terminus of the AZMP Halifax Line which extends seaward onto the Scotian Shelf. It is perhaps not surprising that the system appears to have characteristics indicating both local and regional trends. On the one hand, the recent state of low bacteria and low phosphate seems to be a local trend. On the other hand, the continuing increase of picophytoplankton seems to be a trend that is shared with systems at other locations on the Scotian Shelf (Li 2014). To date, these regional changes of picophytoplankton seem to be confined to the normal basin of system attraction. Only time and continued observation will tell if these systems have enough latitude to resist a regime shift, or whether they are precariously close to losing their resilience. Any ensuing impact on ecosystem health will need to be assessed according to whether the system retains, inter alia, adequate functional diversity and functional response diversity. Evidence to test these conjectures lie beyond the scope of this report.

ACKNOWLEDGMENTS

We thank DFO Maritimes Science sector management and the Small Vessels Operational Services of the Canadian Coast Guard for supporting and enabling this work. We also thank the many members of the Marine Ecosystem Section (previously Ocean Research and Monitoring Section, previously Biological Oceanography Section/Division) who manage, coordinate, and administer the program, including those now retired: Harrison (Glen) and Landry (Marilyn). We especially thank staff who have directly contributed to the collection and analysis of samples as well as the management of data, including Anning (Jeff), Anstey (Carol), Caverhill (Carla), Dickie (Paul), Horne (Edward), Kennedy (Mary), Maass (Heidi), Pauley (Kevin), Perry (Tim), Porter (Cathy), Ringuette (Marc), Spry (Jeff), and Thamer (Peter). We are also grateful to those who have worked in the flow cytometry laboratory over the years: Forbes (Gillian), Giroux (Chantal), Haussler (Kelly), Horn (Diane), Scarcella (Karen), and Sykes (Peter). We thank Glen Harrison and Edward Horne for their review of this report.

REFERENCES

Baranger, M. undated. Chaos, complexity, and entropy. A physics talk for non-physicists. <u>www.necsi.edu/projects/baranger/cce.html</u>

Ciotti, A.M., Lewis, M.R., Cullen, J.J. 2002. Assessment of the relationships between dominant cell size in natural phytoplankton communities and the spectral shape of the absorption coefficient. Limnol. Oceanogr. 47:404-417.

- Cloern, J.E., and Jassby, A.D. 2008. Complex seasonal patterns of primary producers at the land-sea interface. Ecol. Lett. 11:1294-1303.
- Cloern, J.E., Foster, S.Q., and Kleckner, A.E. 2014. Phytoplankton primary production in the world's estuarine-coastal ecosystems. Biogeosciences 11:2477-2501.
- El-Swais, H., Dunn, K.A., Bielawski, J.P., Li, W.K.W., and Walsh, D.A. 2014. Seasonal assemblages and short-lived blooms in coastal northwest Atlantic Ocean bacterioplankton. Environ. Microbiol. doi: 10.1111/1462-2920.12629.
- Frank, K.T. 2003. State of the Eastern Scotian Shelf Ecosystem. Department of Fisheries and Oceans, Canadian Science Advisory Secretariat, Ecosystem Status Report 2003/004.
- Georges, A.A., El-Swais, H., Craig, S.E., Li, W.K.W., and Walsh, D.A. 2014. Metaproteomic analysis of a winter to spring succession in coastal northwest Atlantic Ocean microbial plankton. ISME Journal, 8:1301-1313.
- Hargrave, B.T., and Taguchi, S. 1978. Origin of deposited material sedimented in a marine bay. J. Fish. Res. Board Can. 35:1604-1613.
- Higgins, H.W., Wright, S.W., and Schluter, L. 2011. Quantitative interpretation of chemotaxonomic pigment data. In: Phytoplankton Pigments: Characterization, Chemotaxonomy and Applications in Oceanography. Cambridge University Press, pp. 257 313. http://dx.doi.org/10.1017/CBO9780511732263.010
- Hoepffner, N. and Sathyendranath, S. 1992. Bio-optical characteristics of coastal waters: Absorption spectra of phytoplankton and pigment distribution in the western North Atlantic. Limnol. Oceanogr. 37:1660-1679.
- Hoepffner, N. and Sathyendranath, S. 1993. Determination of the major groups of phytoplankton pigments from the absorption spectra of total particulate matter. J. Geophys. Res. 98 (C12):22,789-22,803.

Hull, D.L. 1974. Philosophy of Biological Science. Prentice-Hall, New Jersey, 148p.

- Jeffrey, S.W., Wright, S.W., and Zapata, M. 2011. Microalgal classes and their signature pigments. In: Phytoplankton Pigments: Characterization, Chemotaxonomy and Applications in Oceanography. Cambridge University Press, pp. 3 77. <u>http://dx.doi.org/10.1017/CBO9780511732263.004</u>
- Johnson, C., Harrison, G., Casault, B., Spry, J., Li, W., and Head, E. 2013. Optical, chemical, and biological oceanographic conditions on the Scotian Shelf and in the eastern Gulf of Maine in 2012. DFO Can. Sci. Advis. Sec. Res. Doc. 2013/070. v + 42 p.
- Li, W.K.W. 2009. From cytometry to macroecology: a quarter century quest in microbial oceanography. Aquat. Microb. Ecol. 57: 239-251.
- Li, W.K.W. 2014. The state of phytoplankton and bacterioplankton on the Scotian Shelf and Slope: Atlantic Zone Monitoring Program 1997-2013. Can. Tech. Rep. Hydrogr. Ocean. Sci. 303: xx + 140 p.
- Li, W.K.W. and Dickie, P.M. 2001. Monitoring phytoplankton, bacterioplankton, and virioplankton in a coastal inlet (Bedford Basin) by flow cytometry. Cytometry 44:236-246.
- Li, W.K.W., Dickie, P.M., and Spry, J.A. (1998). Plankton monitoring programme in the Bedford Basin, 1991-1997. Can. Data Rep. Fish. Aquat. Sci. 1036: vii+342pp.
- Li, W.K.W. and W.G. Harrison 2014. The state of phytoplankton and bacterioplankton in the Labrador Sea: Atlantic Zone Off Shelf Monitoring Program 1994-2013. Can. Tech. Rep. Hydrogr. Ocean. Sci. 302: xviii + 181 p.
- Li, W.K.W., Harrison, W.G., and Head, E.J.H. 2006. Coherent sign switching in multiyear trends of microbial plankton. Science 311: 1157-1160.
- Li, W.K.W., and Harrison, W.G. 2008. Propagation of an atmospheric climate signal to phytoplankton in a small marine basin. Limnol. Oceanogr. 53:1734-1745.
- Li, W.K.W. and López-Urrutia, A. 2013. Macroscopic patterns in marine plankton. In: Encyclopedia of Biodiversity, Volume 4. Edited by S.A. Levin. Academic Press, Waltham, MA. pp. 667-680.
- Longhurst, A. 1995. Seasonal cycles of pelagic production and consumption. Prog. Oceanog. 36:77-167.
- Mitchell, M.R., G. Harrison, K. Pauley, A. Gagné, G. Maillet, and P. Strain. 2002. Atlantic Zonal Monitoring Program Sampling Protocol. Can. Tech. Rep. Hydrogr. Ocean Sci. 223: iv + 23 pp.

- Pomeroy, L.R. 1974. The ocean's food web, a changing paradigm. Bioscience 24: 499-504.
- Roy, S., Llewellyn, C.A., Egeland, E.S., and Johnsen, G. [Eds.] 2011. Phytoplankton Pigments: Characterization, Chemotaxonomy and Applications in Oceanography. Cambridge University Press. <u>http://dx.doi.org/10.1017/CBO9780511732263</u>
- Slobodkin, L.B. 2001. The good, the bad and the reified. Evolutionary Ecological Research 3:1 13.
- Strong, D.R. Jr. 1980. Null hypothesis in ecology. In Conceptual Issues in Ecology. Edited by E. Saarinen. D. Reidel Publishing, Dordrecht. pp. 245-259.
- Stuart, V. and Head, E.J.H. 2005. The BIO method. In: The Second SeaWiFS HPLC Analysis Round-Robin Experiment (SeaHARRE-2). NASA/TM–2005–212785. National Aeronautics and Space Administration, Goddard Space Flight Center, Maryland, pp. 78-80.
- Tett, P. and 20 others. 2013. Framework for understanding marine ecosystem health. Mar. Ecol. Prog. Ser. 494:1-27.
- Therriault, J.-C., Petrie, B., Pepin, P., Gagnon, J., Gregory, D., Helbig, J., Herman, A., Lefaivre, D., Mitchell, M., Pelchat, B., Runge, J., and Sarneoto, D. 1998. Proposal for a Northwest Atlantic Zonal Monitoring Program. Can. Tech. Rep. Hydrogr. Ocean Sci. 194: vii+57 p.
- Uitz, J., Claustre, H., Morel, A., and Hooker, S.B. 2006. Vertical distribution of phytoplankton communities in open ocean: An assessment based on surface chlorophyll. J. Geophys. Res. 111, C08005, doi:10.1029/2005JC003207.
- Wilkinson, L., and Friendly, M. 2009. The history of the cluster heat map. American Statistician 63:179-184.

(All)

YEAR

TEMPERATURE (Celsius)

WEEK TMPR_01m TMPR_05m TMPR_10m TMPR_60m 1 3.53 3.91 4.35 4.93 2 3.16 3.60 4.14 4.74 3 2.66 2.77 3.10 4.61 4 2.10 2.51 2.80 4.81 5 1.47 1.89 2.34 4.60 6 1.24 1.49 1.79 4.61 7 0.96 1.35 1.45 4.08 8 1.14 1.27 1.55 3.82 9 1.17 1.32 1.39 3.61 10 1.30 1.44 1.41 3.31 11 1.79 1.65 1.61 2.49 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 1.95 14 3.06 2.77 1.96 1.95 15 3.59 2.17 1.96 14.1		Data			
1 3.53 3.91 4.35 4.93 2 3.16 3.69 4.14 4.74 3 2.66 2.77 3.10 4.61 4 2.10 2.51 2.80 4.81 5 1.47 1.89 2.34 4.60 6 1.24 1.49 1.79 4.61 7 0.96 1.35 1.45 4.08 8 1.14 1.27 1.55 3.82 9 1.17 1.32 1.39 3.61 10 1.30 1.44 1.41 3.13 11 1.79 1.65 1.61 2.67 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 1.31 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 <	WEEK	TMPR_01m	TMPR_05m	TMPR_10m	TMPR_60m
2 3.16 3.69 4.14 4.74 3 2.66 2.77 3.10 4.61 4 2.10 2.51 2.80 4.81 5 1.47 1.89 2.34 4.60 6 1.24 1.49 1.79 4.61 7 0.96 1.35 1.45 4.08 8 1.14 1.27 1.55 3.82 9 1.17 1.32 1.39 3.61 10 1.30 1.44 1.41 3.31 11 1.79 1.65 1.61 2.67 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.52 2.08 15 5	1	3.53	3.91	4.35	4.93
3 2.66 2.77 3.10 4.61 4 2.10 2.51 2.80 4.81 5 1.47 1.89 2.34 4.60 6 1.24 1.49 1.79 4.61 7 0.96 1.35 1.45 4.08 8 1.14 1.27 1.55 3.82 9 1.17 1.32 1.39 3.61 10 1.30 1.44 1.41 3.31 11 1.79 1.65 1.61 2.67 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 <t< td=""><td>2</td><td>3.16</td><td>3.69</td><td>4.14</td><td>4.74</td></t<>	2	3.16	3.69	4.14	4.74
4 2.10 2.51 2.80 4.81 5 1.47 1.89 2.34 4.60 6 1.24 1.49 1.79 4.61 7 0.96 1.35 1.45 4.08 8 1.14 1.27 1.55 3.82 9 1.17 1.32 1.39 3.61 10 1.30 1.44 1.41 3.31 11 1.79 1.65 1.61 2.67 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04	3	2.66	2.77	3.10	4.61
5 1.47 1.89 2.34 4.60 6 1.24 1.49 1.79 4.61 7 0.96 1.35 1.45 4.08 8 1.14 1.27 1.55 3.82 9 1.17 1.32 1.39 3.61 10 1.30 1.44 1.41 3.31 11 1.79 1.65 1.61 2.67 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93	4	2.10	2.51	2.80	4.81
6 1.24 1.49 1.79 4.61 7 0.96 1.35 1.45 4.08 8 1.14 1.27 1.55 3.82 9 1.17 1.32 1.39 3.61 10 1.30 1.44 1.41 3.31 11 1.79 1.65 1.61 2.67 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00	5	1.47	1.89	2.34	4.60
7 0.96 1.35 1.45 4.08 8 1.14 1.27 1.55 3.82 9 1.17 1.32 1.39 3.61 10 1.30 1.44 1.41 3.31 11 1.79 1.65 1.61 2.67 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95	6	1.24	1.49	1.79	4.61
8 1.14 1.27 1.55 3.82 9 1.17 1.32 1.39 3.61 10 1.30 1.44 1.41 3.31 11 1.79 1.65 1.61 2.67 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08	7	0.96	1.35	1.45	4.08
9 1.17 1.32 1.39 3.61 10 1.30 1.44 1.41 3.31 11 1.79 1.65 1.61 2.67 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 1.97 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 7.21 2.19	8	1.14	1.27	1.55	3.82
10 1.30 1.44 1.41 3.31 11 1.79 1.65 1.61 2.67 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.06 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 <tr< td=""><td>9</td><td>1.17</td><td>1.32</td><td>1.39</td><td>3.61</td></tr<>	9	1.17	1.32	1.39	3.61
11 1.79 1.65 1.61 2.67 12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.00 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 <tr< td=""><td>10</td><td>1.30</td><td>1.44</td><td>1.41</td><td>3.31</td></tr<>	10	1.30	1.44	1.41	3.31
12 2.13 1.81 1.60 2.49 13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 30 16.78 <td>11</td> <td>1.79</td> <td>1.65</td> <td>1.61</td> <td>2.67</td>	11	1.79	1.65	1.61	2.67
13 2.20 1.82 1.65 2.13 14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 29 15.32 10.94 8.34 2.29 30 16.88 12.07 9.20 2.54	12	2.13	1.81	1.60	2.49
14 3.06 2.37 1.91 1.87 15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.29 29 15.32 10.94 8.34 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.72 2.41 34 16.71 12.65 10.09 2.49 33	13	2.20	1.82	1.65	2.13
15 3.59 2.72 2.16 1.95 16 4.16 2.93 2.17 1.96 17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 29 15.32 10.94 8.34 2.29 30 16.88 12.07 9.26 2.54	14	3.06	2.37	1.91	1.87
164.162.932.171.9617 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 29 15.32 10.94 8.34 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 9.72 2.41 34 16.71 12.65 10.09 2.49 35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 <	15	3.59	2.72	2.16	1.95
17 6.10 4.05 2.95 1.97 18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 29 15.32 10.94 8.34 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 0.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.29 3.16 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.01 44 9.85 </td <td>16</td> <td>4.16</td> <td>2.93</td> <td>2.17</td> <td>1.96</td>	16	4.16	2.93	2.17	1.96
18 5.81 4.24 3.03 1.83 19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.30 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 29 15.32 10.94 8.34 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 9.72 2.41 34 16.71 12.65 10.09 2.49 35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 <	17	6.10	4.05	2.95	1.97
19 6.81 5.29 3.55 1.91 20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 29 15.32 10.94 8.34 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 9.72 2.41 34 16.71 12.65 10.09 2.49 35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.0	18	5.81	4.24	3.03	1.83
20 7.95 5.90 4.20 1.93 21 9.04 6.49 4.62 2.00 22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 9.72 2.41 34 16.71 12.65 10.09 2.49 35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 </td <td>19</td> <td>6.81</td> <td>5.29</td> <td>3.55</td> <td>1.91</td>	19	6.81	5.29	3.55	1.91
219.046.494.622.00 22 9.666.804.871.95 23 10.607.415.422.08 24 11.418.176.232.30 25 12.779.317.212.19 26 14.4810.598.332.23 27 14.839.767.462.37 28 15.4710.778.352.29 29 15.3210.948.342.29 30 16.8812.079.202.54 31 17.0912.289.702.43 32 17.3213.0410.122.45 33 16.7912.589.722.41 34 16.7112.6510.092.49 35 16.0712.9610.272.46 36 15.6913.8411.862.61 37 15.7814.0912.252.80 38 15.1513.8211.962.94 39 14.6013.7812.233.10 40 14.3413.8012.593.36 41 12.8912.6111.613.36 42 11.7411.5910.954.09 43 10.8810.9510.514.01 44 9.859.999.833.96 45 8.989.209.184.07 46 8.418.608.534.33 47 7.618.388.584.33	20	7.95	5.90	4.20	1.93
22 9.66 6.80 4.87 1.95 23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 29 15.32 10.94 8.34 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 9.72 2.41 34 16.67 12.65 10.09 2.49 35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2	21	9.04	6.49	4.62	2.00
23 10.60 7.41 5.42 2.08 24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 9.72 2.41 34 16.71 12.65 10.09 2.49 35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 <tr< td=""><td>22</td><td>9.66</td><td>6.80</td><td>4.87</td><td>1.95</td></tr<>	22	9.66	6.80	4.87	1.95
24 11.41 8.17 6.23 2.30 25 12.77 9.31 7.21 2.19 26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 29 15.32 10.94 8.34 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 9.72 2.41 34 16.71 12.65 10.09 2.49 35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 <t< td=""><td>23</td><td>10.60</td><td>7.41</td><td>5.42</td><td>2.08</td></t<>	23	10.60	7.41	5.42	2.08
2512.779.317.212.192614.4810.598.332.232714.839.767.462.372815.4710.778.352.292915.3210.948.342.293016.8812.079.202.543117.0912.289.702.433217.3213.0410.122.453316.7912.589.722.413416.7112.6510.092.493516.0712.9610.272.463615.6913.8411.862.613715.7814.0912.252.803815.1513.8211.962.943914.6013.7812.233.104014.3413.8012.593.364112.8912.6111.613.364211.7411.5910.954.094310.8810.9510.514.01449.859.999.833.96458.989.209.184.07468.418.608.534.39477.618.388.584.33486.747.217.544.50496.516.877.114.69505.455.926.314.60514.695.185.464.45523.974.634.	24	11.41	8.17	6.23	2.30
26 14.48 10.59 8.33 2.23 27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 9.72 2.41 34 16.71 12.65 10.09 2.49 35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.01	25	12.77	9.31	7.21	2.19
27 14.83 9.76 7.46 2.37 28 15.47 10.77 8.35 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 9.72 2.41 34 16.71 12.65 10.09 2.49 35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.01 44 9.85 9.99 9.83 3.96	26	14.48	10.59	8.33	2.23
28 15.47 10.77 8.35 2.29 29 15.32 10.94 8.34 2.29 30 16.88 12.07 9.20 2.54 31 17.09 12.28 9.70 2.43 32 17.32 13.04 10.12 2.45 33 16.79 12.58 9.72 2.41 34 16.71 12.65 10.09 2.49 35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.01 44 9.85 9.99 9.83 3.96	27	14.83	9.76	7.46	2.37
2915.3210.948.342.293016.8812.079.202.543117.0912.289.702.433217.3213.0410.122.453316.7912.589.722.413416.7112.6510.092.493516.0712.9610.272.463615.6913.8411.862.613715.7814.0912.252.803815.1513.8211.962.943914.6013.7812.233.104014.3413.8012.593.364112.8912.6111.613.364211.7411.5910.954.094310.8810.9510.514.01449.859.999.833.96458.989.209.184.07468.418.608.534.39477.618.388.584.33486.747.217.544.50496.516.877.114.69505.455.926.314.60514.695.185.464.45523.974.634.984.44533.513.664.073.86Grand Total8.727.306.343.13	28	15.47	10.77	8.35	2.29
3016.8812.079.202.543117.0912.289.702.433217.3213.0410.122.453316.7912.589.722.413416.7112.6510.092.493516.0712.9610.272.463615.6913.8411.862.613715.7814.0912.252.803815.1513.8211.962.943914.6013.7812.233.104014.3413.8012.593.364112.8912.6111.613.364211.7411.5910.954.094310.8810.9510.514.01449.859.999.833.96458.989.209.184.07468.418.608.534.39477.618.388.584.33486.747.217.544.50496.516.877.114.69505.455.926.314.60514.695.185.464.45523.974.634.984.44533.513.664.073.86	29	15.32	10.94	8.34	2.29
3117.0912.289.702.433217.3213.0410.122.453316.7912.589.722.413416.7112.6510.092.493516.0712.9610.272.463615.6913.8411.862.613715.7814.0912.252.803815.1513.8211.962.943914.6013.7812.233.104014.3413.8012.593.364112.8912.6111.613.364211.7411.5910.954.094310.8810.9510.514.01449.859.999.833.96458.989.209.184.07468.418.608.534.33477.618.388.584.33486.747.217.544.50496.516.877.114.69505.455.926.314.60514.695.185.464.45523.974.634.984.44533.513.664.073.86Grand Total8.727.306.343.13	30	16.88	12.07	9.20	2.54
3217.3213.0410.122.453316.7912.589.722.413416.7112.6510.092.493516.0712.9610.272.463615.6913.8411.862.613715.7814.0912.252.803815.1513.8211.962.943914.6013.7812.233.104014.3413.8012.593.364112.8912.6111.613.364211.7411.5910.954.094310.8810.9510.514.01449.859.999.833.96458.989.209.184.07468.418.608.534.33477.618.388.584.33486.747.217.544.50496.516.877.114.69505.455.926.314.60514.695.185.464.45523.974.634.984.44533.513.664.073.86Grand Total8.727.306.343.13	31	17.09	12.28	9.70	2.43
3316.7912.589.722.413416.7112.6510.092.493516.0712.9610.272.463615.6913.8411.862.613715.7814.0912.252.803815.1513.8211.962.943914.6013.7812.233.104014.3413.8012.593.364112.8912.6111.613.364211.7411.5910.954.094310.8810.9510.514.01449.859.999.833.96458.989.209.184.07468.418.608.534.33477.618.388.584.33486.747.217.544.50496.516.877.114.69505.455.926.314.60514.695.185.464.45523.974.634.984.44533.513.664.073.86Grand Total8.727.306.343.13	32	17.32	13.04	10.12	2.45
3416.7112.6510.092.493516.0712.9610.272.463615.6913.8411.862.613715.7814.0912.252.803815.1513.8211.962.943914.6013.7812.233.104014.3413.8012.593.364112.8912.6111.613.364211.7411.5910.954.094310.8810.9510.514.01449.859.999.833.96458.989.209.184.07468.418.608.534.33477.618.388.584.33486.747.217.544.50496.516.877.114.69505.455.926.314.60514.695.185.464.45523.974.634.984.44533.513.664.073.86Grand Total8.727.306.343.13	33	16.79	12.58	9.72	2.41
35 16.07 12.96 10.27 2.46 36 15.69 13.84 11.86 2.61 37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.01 44 9.85 9.99 9.83 3.96 45 8.98 9.20 9.18 4.07 46 8.41 8.60 8.53 4.33 47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 <td< td=""><td>34</td><td>16.71</td><td>12.65</td><td>10.09</td><td>2.49</td></td<>	34	16.71	12.65	10.09	2.49
3615.6913.8411.862.613715.7814.0912.252.803815.1513.8211.962.943914.6013.7812.233.104014.3413.8012.593.364112.8912.6111.613.364211.7411.5910.954.094310.8810.9510.514.01449.859.999.833.96458.989.209.184.07468.418.608.534.39477.618.388.584.33486.747.217.544.50496.516.877.114.69505.455.926.314.60514.695.185.464.45523.974.634.984.44533.513.664.073.86Grand Total8.727.306.343.13	35	16.07	12.96	10.27	2.46
37 15.78 14.09 12.25 2.80 38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.01 44 9.85 9.99 9.83 3.96 45 8.98 9.20 9.18 4.07 46 8.41 8.60 8.53 4.39 47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand	36	15.69	13.84	11.86	2.61
38 15.15 13.82 11.96 2.94 39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.01 44 9.85 9.99 9.83 3.96 45 8.98 9.20 9.18 4.07 46 8.41 8.60 8.53 4.39 47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86	37	15.78	14.09	12.25	2.80
39 14.60 13.78 12.23 3.10 40 14.34 13.80 12.59 3.36 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.01 44 9.85 9.99 9.83 3.96 45 8.98 9.20 9.18 4.07 46 8.41 8.60 8.53 4.39 47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13 <td>38</td> <td>15.15</td> <td>13.82</td> <td>11.96</td> <td>2.94</td>	38	15.15	13.82	11.96	2.94
40 14.34 13.80 12.59 3.36 41 12.89 12.61 11.61 3.36 42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.01 44 9.85 9.99 9.83 3.96 45 8.98 9.20 9.18 4.07 46 8.41 8.60 8.53 4.39 47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86	39	14.60	13.78	12.23	3.10
4112.8912.6111.613.364211.7411.5910.954.094310.8810.9510.514.01449.859.999.833.96458.989.209.184.07468.418.608.534.39477.618.388.584.33486.747.217.544.50496.516.877.114.69505.455.926.314.60514.695.185.464.45523.974.634.984.44533.513.664.073.86Grand Total8.727.306.343.13	40	14.34	13.80	12.59	3.36
42 11.74 11.59 10.95 4.09 43 10.88 10.95 10.51 4.01 44 9.85 9.99 9.83 3.96 45 8.98 9.20 9.18 4.07 46 8.41 8.60 8.53 4.39 47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	41	12.89	12.61	11.61	3.36
43 10.88 10.95 10.51 4.01 44 9.85 9.99 9.83 3.96 45 8.98 9.20 9.18 4.07 46 8.41 8.60 8.53 4.39 47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	42	11.74	11.59	10.95	4.09
44 9.85 9.99 9.83 3.96 45 8.98 9.20 9.18 4.07 46 8.41 8.60 8.53 4.39 47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	43	10.88	10.95	10.51	4.01
45 8.98 9.20 9.18 4.07 46 8.41 8.60 8.53 4.39 47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	44	9.85	9.99	9.83	3.96
46 8.41 8.60 8.53 4.39 47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	45	8.98	9.20	9.18	4.07
47 7.61 8.38 8.58 4.33 48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	46	8.41	8.60	8.53	4.39
48 6.74 7.21 7.54 4.50 49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	47	7.61	8.38	8.58	4.33
49 6.51 6.87 7.11 4.69 50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	48	6.74	7.21	7.54	4.50
50 5.45 5.92 6.31 4.60 51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	49	6 51	6.87	7 11	4 69
51 4.69 5.18 5.46 4.45 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	50	5.45	5.92	6.31	4,60
51 3.05 3.16 5.40 4.43 52 3.97 4.63 4.98 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	51	4 69	5 1 8	5.46	4 45
51 3.65 4.03 4.44 53 3.51 3.66 4.07 3.86 Grand Total 8.72 7.30 6.34 3.13	52	3 97	4 63	2.40 2 98	4.45 4.44
Grand Total 8.72 7.30 6.34 3.13	52	3.57	3 66	4.07	3 86
	Grand Total	8.72	7.30	6.34	3.13

29

(All)

YEAR

SALINITY (psu)

	Data			
WEEK	SALI_01m	SALI_05m	SALI_10m	SALI_60m
1	29.51	29.70	30.15	31.41
2	28.92	29.51	30.08	31.38
3	29.80	29.95	30.26	31.37
4	29.57	29.89	30.18	31.36
5	29.31	29.81	30.15	31.20
6	28.93	29.86	30.30	31.35
7	29.59	30.06	30.27	31.28
8	29.02	30.00	30.30	31.24
9	29.08	29.92	30.29	31.21
10	29.06	29.90	30.28	31.19
11	29.06	29.85	30.37	31.04
12	29.29	30.07	30.40	31.10
13	29.40	30.16	30.40	31.11
14	28.35	29.94	30.37	31.11
15	28.56	29.89	30.35	31.10
16	28.51	29.93	30.51	31.15
17	28.74	29.93	30 51	31 14
18	28.52	29.95	30.48	31.14
10	28.32	20.50	30.43	21 12
20	28.54	29.78	30.43	31.12
20	20.10	29.09	20.33	21 10
21	20.14	29.70	30.32	21.10
22	28.40	29.89	30.44	31.11
23	28.01	30.08	30.52	31.12
24	28.57	30.03	30.49	31.12
25	28.69	29.80	30.28	31.11
26	28.86	30.06	30.43	31.13
27	29.05	30.26	30.61	31.12
28	29.11	30.29	30.63	31.13
29	29.35	30.24	30.60	31.14
30	29.08	30.35	30.73	31.11
31	29.35	30.44	30.72	31.13
32	29.06	30.29	30.63	31.10
33	29.42	30.37	30.66	31.11
34	29.60	30.49	30.73	31.09
35	29.79	30.44	30.72	31.09
36	29.65	30.32	30.56	31.10
37	29.59	30.19	30.50	31.12
38	29.13	30.06	30.48	31.12
39	29.73	30.17	30.57	31.13
40	29.20	29.82	30.25	31.15
41	29.24	29.94	30.38	31.18
42	29.35	29.91	30.39	31.26
43	29.10	29.76	30.23	31.28
44	28.95	29.66	30.14	31.31
45	29.07	29.56	30.16	31.31
46	28.81	29.69	30.13	31.35
47	28.37	29.43	29.98	31.32
48	28.79	29.70	30.13	31.35
49	28.44	29.29	29.87	31.35
50	28.96	29.64	30.11	31.39
51	29.24	29.80	30.08	31.36
52	28.62	29.71	30.10	31.33
53	29.12	29.81	30,11	31.38
Grand Total	29.03	29.95	30.36	31.19

YEAR	(All)	DENSITY (kg/m3	3)		
		STRATIFICATION	N (kg/m4)		
	Data				
WEEK	DENSITY_01m	DENSITY_05m	DENSITY_10m	DENSITY_60m	STRATFCTN
1	23.45	23.57	23.89	24.83	0.0216
2	23.03	23.45	23.86	24.83	0.0249
3	23.75	23.87	24.08	24.83	0.0168
4	23.61	23.84	24.05	24.80	0.0169
5	23.44	23.82	24.07	24.70	0.0167
6	23.14	23.88	24.21	24.82	0.0185
7	23.69	24.05	24.21	24.81	0.0144
8	23.23	24.01	24.24	24.81	0.0174
9	23.27	23.94	24.23	24.80	0.0160
10	23.26	23.92	24.22	24.81	0.0179
11	23.23	23.87	24.29	24.74	0.0170
12	23.38	24.03	24.31	24.80	0.0160
13	23.46	24.11	24.31	24.84	0.0152
14	22.57	23.89	24.27	24.86	0.0228
15	22.69	23.82	24.23	24.85	0.0226
16	22.60	23.84	24.36	24.88	0.0235
17	22.61	23.76	24.31	24.87	0.0227
18	22.45	23.76	24.27	24.86	0.0242
19	22.15	23.50	24.18	24.86	0.0278
20	21.93	23 37	24.05	24.85	0.0310
21	21.35	23.37	24.02	24.85	0.0320
21	21.70	23.37	24.02	24.85	0.0320
22	21.00	23.45	24.00	24.00	0.0303
23	21.00	23.30	24.09	24.03	0.0308
24	21.00	23.37	23.90	24.05	0.0352
25	21.57	23.01	23.08	24.84	0.0370
26	21.31	23.02	23.66	24.85	0.0401
27	21.42	23.30	23.92	24.83	0.0355
28	21.37	23.22	23.83	24.85	0.0371
29	21.52	23.09	23.79	24.85	0.0389
30	21.00	23.03	23.83	24.81	0.0398
31	21.21	23.04	23.70	24.84	0.0387
32	20.92	22.77	23.52	24.81	0.0437
33	21.28	22.86	23.58	24.82	0.0402
34	21.43	22.95	23.57	24.80	0.0388
35	21.73	22.85	23.53	24.80	0.0387
36	21.69	22.58	23.12	24.80	0.0427
37	21.63	22.41	23.03	24.79	0.0423
38	21.41	22.38	23.06	24.78	0.0454
39	21.97	22.45	23.04	24.78	0.0416
40	21.61	22.21	22.77	24.77	0.0453
41	21.93	22.52	23.04	24.80	0.0427
42	22.24	22.69	23.18	24.79	0.0374
43	22.17	22.68	23.13	24.81	0.0388
44	22.26	22.78	23.19	24.84	0.0378
45	22.48	22.83	23.31	24.83	0.0365
46	22.36	23.02	23.38	24.83	0.0355
47	22.12	22.84	23.25	24.81	0.0376
48	22.54	23.21	23.50	24.83	0.0315
49	22.28	22.93	23.35	24.80	0.0350
50	22.84	23.32	23.64	24.84	0.0281
51	23.14	23.53	23.72	24.84	0.0250
52	22.71	23.51	23.78	24.82	0.0273
52	23.16	23.69	23.90	24.91	0.0242
Grand Total	22.30	23.29	23.77	24.82	0.0305

YEAR	(All)	DXYGEN CONCE	NTRATION (ml/	(1)
		OXYGEN SAT	URATION (%)	
	Data			
WEEK	OXY-CONC_05	m OXY-SAT_05m	OXY-CONC_60r	n OXY-SAT_60m
1	7.26	96	2.60	36
2	6.91	91	2.99	41
3	7.37	96	3.09	38
4	7.60	98	3.16	44
5	7.52	95	2.89	39
6	7.86	99	3.03	41
7	8.26	103	3.43	46
8	8.39	105	3.68	49
9	8.89	111	4.22	55
10	8.81	111	4.61	64
11	9.05	114	5.70	73
12	8.78	108	4.92	68
13	8.99	114	6.53	83
14	9.37	119	7.24	88
15	9.32	121	6.85	87
16	9.32	121	7.29	93
17	9.57	129	7.50	95
18	9.09	123	7.23	92
19	8.78	121	7.55	96
20	8.81	123	7.22	92
21	8.69	122	7.00	90
22	8.45	119	6.72	86
23	8.65	124	6.89	88
24	8.94	128	6.45	85
25	7.93	120	6.32	81
26	8.00	124	6.35	81
27	7.86	119	5.85	75
28	7.42	114	5.50	71
29	8.08	123	5.15	66
30	6.95	110	5.03	64
31	7.49	118	5.09	65
32	7.09	113	4.57	59
33	7.31	116	4.41	57
34	6.95	112	3.93	51
35	6.99	116	3.90	50
36	6.37	106	3.53	46
37	6.56	107	3.56	47
38	6.84	114	3.24	43
39	6.66	110	3.54	48
40	6.19	106	3.67	45
41	5.96	97	3.38	50
42	6.24	99	3.79	52
43	6.09	95	3.47	51
44	6.16	94	3.47	48
45	6.40	96	3.38	46
46	6.41	96	3.65	50
47	6.12	91	2.85	39
48	6.59	95	2.78	38
49	6.18	89	2.74	41
50	6.17	86	2.66	36
51	6.22	86	2.35	32
52	7.12	97	2.34	31
53	7.28	96	1.48	19
Crand Tatal	7 50	100	1.61	61

YEAR	(All)	PAR ATTENUATION (m ⁻¹)
	Data	
WEEK	PAR ATTEN	
	0.252	
2	0.248	
3	0.257	
4	0.287	
5	0.252	
6	0.233	
/	0.295	
8	0.288	
9	0.255	
10	0.367	
11	0.389	
12	0.426	
13	0.366	
14	0.433	
15	0.373	
16	0.314	
17	0.345	
18	0.323	
19	0.315	
20	0.357	
21	0.345	
22	0.370	
23	0.329	
24	0.340	
25	0.316	
26	0.348	
27	0.318	
28	0.323	
29	0.352	
30	0.339	
31	0.343	
32	0.352	
33	0.348	
34	0.342	
35	0.327	
36	0.312	
37	0.338	
38	0.326	
39	0.326	
40	0.301	
41	0.296	
42	0.329	
43	0.267	
44	0.312	
45	0.288	
46	0.315	
47	0.282	
48	0.274	
49	0.269	
50	0.286	
51	0.253	
52	0.272	
53	0.306	
Grand Total	0 318	

(All)

NITRATE (mmol/m3)

	Data			
WEEK	NITRA_01m	NITRA_05m	NITRA_10m	NITRA_60m
1	8.06	7.74	7.97	17.40
2	8.25	8.21	8.04	16.84
3	7.37	7.37	7.42	17.64
4	7.45	7.40	7.32	17.33
5	7.76	7.67	7.67	17.88
6	7.14	6.93	6.92	18.01
7	7 23	7 04	7.05	16 17
8	6.77	6.66	6.91	15.77
9	5.95	5 72	6.23	15.81
10	4.66	1 71	5.48	14.30
10	4.00	4.06	5.40	12 52
12	2.08	4.00 2.61	4 56	11.02
12	2.08	2.01	3 00	0.72
13	2.10	2.14	3.50	9.72
14	1.01	1.03	3.23	9.43
15	1.52	1.50	2.45	9.55
10	1.32	1.30	2.54	8.22
17	1.08	0.87	1.74	8.10
18	1.10	0.81	1.66	7.66
19	1.09	0.80	1.23	7.95
20	1.02	0.68	1.03	8.26
21	1.12	0.75	1.00	8.29
22	0.47	0.49	0.80	8.54
23	0.57	0.50	0.78	7.29
24	0.43	0.37	0.59	7.70
25	0.52	0.39	0.60	8.21
26	0.36	0.29	0.61	8.47
27	0.33	0.35	0.65	8.71
28	0.31	0.32	0.73	9.90
29	0.24	0.25	0.48	9.31
30	0.20	0.24	0.50	10.68
31	0.29	0.22	0.66	10.35
32	0.26	0.29	0.72	10.32
33	0.19	0.25	0.92	10.26
34	0.14	0.20	0.87	10.58
35	0.23	0.27	0.84	10.49
36	0.30	0.30	0.81	11.65
37	0.18	0.23	0.84	11.20
38	0.44	0.45	1.08	11.63
39	0.58	0.67	1.34	12.93
40	0.86	0.74	1.25	13.69
41	1.24	1.14	1.83	13.09
42	1.77	1.72	2.47	13.02
43	1.97	2.10	2.97	13.13
44	3.12	3.02	3.52	13.31
45	3.58	3.68	4.41	14.60
46	4.21	3.94	4.52	13.82
47	4.56	4.25	4.46	15.55
48	5.52	5.21	5.25	16.82
49	6.53	5.71	5.89	16.11
50	7.00	6.60	6.68	16.68
51	7.73	7.35	7.31	17.09
52	7.33	7.03	7.16	16.89
53	7.88	7.85	7.81	20.15
Grand Total	2.88	2.80	3.29	12.21

YEAR	(All)	SILICATE (mmol/m3)	
	Data			
WEEK	SILI_01m	SILI_05m	SILI_10m	SILI_60m
1	10.84	10.32	10.24	30.98
2	11.14	10.82	10.44	29.49
3	10.01	9.83	9.66	30.83
4	9.92	9.61	9.33	30.05
5	10.94	10.31	10.14	33.09
0	10.27	9.47	9.27	33.15
/	9.59	8.94	8.87	28.69
8	9.35	0.00 7.40	8.89 7.91	28.00
9	0.4Z	7.49	7.01	27.77
10	6.28	5.37	6.92	24.10
11	0.20	2.20	5.71	20.14
12	2.1/	3.29	3.40 4.40	17.78
1/	3.14	2.75	3.40	14.20
15	3.47	2.00	3.44	12 12
16	2 74	2.48	2 53	11 82
10	3 20	2.05	1 99	11.02
18	3.17	2.15	2 47	11.42
19	3.61	2.03	2 39	12.63
20	3.44	2.31	2.15	13.90
21	3.59	2.27	2.58	14.45
22	2.63	2.33	2.86	15.43
23	2.64	2.23	2.97	15.11
24	2.66	2.12	2.70	15.93
25	2.52	2.14	2.63	17.17
26	1.94	1.67	2.97	18.21
27	1.43	2.38	2.59	18.30
28	0.67	1.32	2.48	21.47
29	0.65	0.99	2.34	21.11
30	0.52	0.96	2.33	23.17
31	0.41	0.75	2.32	23.61
32	1.14	1.17	2.40	24.33
33	0.72	1.14	2.69	25.36
34	0.59	1.12	2.96	26.18
35	0.89	1.58	3.25	27.30
36	1.75	1.69	2.97	28.25
37	1.68	2.06	3.58	29.41
38	2.41	2.32	3.74	29.46
39	1.89	2.06	3.99	30.88
40	2.40	1.99	3.05	30.53
41	3.67	2.97	4.46	31.13
42	3.97	3.55	4.73	28.43
43	4.25	4.24	4.83	28.46
44	5.61	5.28	5.57	30.27
45	6.19	5.57	6.23	31.44
46	7.10	6.11	6.43	27.76
47	7.74	7.13	6.79	32.44
48	8.80	8.00	7.59	33.18
49	10.28	8.35	8.32	32.19
50	10.40	9.24	8.81	32.54
51	10.63	9.74	9.29	34.32
52	10.57	9.37	9.26	29.13
53	11.01	10.85	10.68	34.01
Grand Total	4.91	4.49	5.10	24.12

(All)

PHOSPHATE (mmol/m3)

	Data			
WEEK	PHOS_01m	PHOS_05m	PHOS_10m	PHOS_60m
1	1.20	1.18	1.25	4.59
2	1.24	1.22	1.20	4.22
3	1.11	1.12	1.15	4.24
4	1.10	1.14	1.12	4.37
5	1.16	1.15	1.16	4.88
6	1.11	1.08	1.11	4.13
7	1.06	1.07	1.11	3.56
8	1.04	1.07	1.11	3.41
9	0.96	1.01	1.11	3.34
10	0.86	0.94	1.02	3.36
11	0.75	0.82	1.00	2.47
12	0.60	0.74	0.96	2.25
13	0.64	0.70	0.92	1.98
14	0.55	0.64	0.86	1.88
15	0.53	0.61	0.78	1.80
16	0.49	0.53	0.75	1.63
17	0.46	0.53	0.72	1.83
18	0.47	0.52	0.73	1.85
19	0.47	0.52	0.70	1.92
20	0.42	0.52	0.65	1.96
21	0.45	0.55	0.72	2.08
22	0.36	0.46	0.66	2.30
23	0.37	0.49	0.64	2 21
23	0.36	0.47	0.60	2 51
25	0.39	0.47	0.60	2.67
25	0.35	0.47	0.60	2.89
27	0.35	0.43	0.63	3.02
28	0.32	0.44	0.66	3.43
29	0.32	0.44	0.65	3.63
30	0.31	0.45	0.63	3.88
31	0.31	0.42	0.68	3.95
32	0.36	0.51	0.72	4.09
33	0.35	0.60	0.75	3.92
34	0.36	0.51	0.76	3.98
35	0.42	0.57	0.76	4.02
36	0.47	0.54	0.74	4.30
37	0.46	0.57	0.78	4.10
38	0.48	0.56	0.81	4.30
39	0.61	0.62	0.85	4.49
40	0.50	0.56	0.74	4.78
41	0.63	0.65	0.84	4.89
42	0.72	0.75	0.90	4.47
43	0.68	0.75	0.89	4.22
44	0.80	0.82	0.92	4.13
45	0.84	0.88	0.98	4.17
46	0.86	0.93	1.02	3.63
47	0.93	0.93	0.94	4.17
48	0.99	0.97	0.98	4.26
49	0.98	1.00	1.01	4.36
50	1.03	1.02	1.02	4.20
51	1.17	1.10	1.13	4.42
52	1.13	1.08	1.13	3.99
53	1.22	1.18	1.14	4.04
Grand Total	0.67	0.73	0.87	3.46

(All)

AMMONIUM (mmol/m3)

WEEK AMMO_01m AMMO_05m AMMO_10m AMMO_60m 1 4.25 3.88 3.10 1.47 2 4.07 3.24 2.48 1.91 3 4.09 3.29 2.82 1.10 4 3.42 2.86 2.60 1.64 5 5.39 3.03 2.80 1.76 6 3.65 3.10 2.83 0.52 7 3.25 2.92 2.78 1.43 8 2.40 2.05 2.09 0.83 9 2.41 2.03 1.22 1.0 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.51 16 1.79 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.83 1.52 2.67 16 1.79 0.95 1.41 3.06 17<		Data			
1 4.25 3.88 3.10 1.47 2 4.07 3.24 2.48 1.91 3 4.09 3.29 2.82 1.10 4 3.42 2.86 2.60 1.64 5 5.39 3.03 2.80 1.76 6 3.65 3.10 2.83 0.52 7 3.25 2.92 2.78 1.43 8 2.40 2.05 2.09 0.83 9 2.41 2.03 2.03 1.22 10 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.75 12 1.49 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.41 3.06 17 1.72 1.14 1.58 5.38 19 1.83 1.46 1.55 6.01	WEEK	AMMO_01m	AMMO_05m	AMMO_10m	AMMO_60m
2 4.07 3.24 2.48 1.91 3 4.09 3.29 2.82 1.10 4 3.42 2.86 2.60 1.64 5 5.39 3.03 2.80 1.76 6 3.65 3.10 2.83 0.52 7 3.25 2.92 2.78 1.43 8 2.40 2.05 2.09 0.83 9 2.41 2.03 2.03 1.22 10 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.75 12 1.49 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.41 3.06 17 1.72 1.14 1.58 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18	1	4.25	3.88	3.10	1.47
3 4.09 3.29 2.82 1.10 4 3.42 2.86 2.60 1.64 5 5.39 3.03 2.80 1.76 6 3.65 3.10 2.83 0.52 7 3.25 2.92 2.78 1.43 8 2.40 2.05 2.09 0.83 9 2.41 2.03 1.22 1.0 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.19 2.32 15 1.63 0.83 1.52 2.67 16 1.79 0.95 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 <td< td=""><td>2</td><td>4.07</td><td>3.24</td><td>2.48</td><td>1.91</td></td<>	2	4.07	3.24	2.48	1.91
4 3.42 2.86 2.60 1.64 5 5.39 3.03 2.80 1.76 6 3.65 3.10 2.83 0.52 7 3.25 2.92 2.78 1.43 8 2.40 2.05 2.09 0.83 9 2.41 2.03 2.03 1.22 10 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.75 12 1.49 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.19 2.32 15 1.63 0.83 1.52 2.67 16 1.79 0.95 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98	3	4.09	3.29	2.82	1.10
5 5.39 3.03 2.80 1.76 6 3.65 3.10 2.83 0.52 7 3.25 2.92 2.78 1.43 8 2.40 2.05 2.09 0.83 9 2.41 2.03 1.22 10 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.75 12 1.49 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74 23 <	4	3.42	2.86	2.60	1.64
6 3.65 3.10 2.83 0.52 7 3.25 2.92 2.78 1.43 8 2.40 2.05 2.09 0.83 9 2.41 2.03 2.03 1.22 10 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.75 12 1.49 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.19 2.32 15 1.63 0.83 1.52 2.67 16 1.79 0.95 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79	5	5.39	3.03	2.80	1.76
7 3.25 2.92 2.78 1.43 8 2.40 2.05 2.09 0.83 9 2.41 2.03 2.03 1.22 10 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.75 12 1.49 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.19 2.32 15 1.63 0.83 1.52 2.67 16 1.79 0.95 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74	6	3.65	3.10	2.83	0.52
8 2.40 2.05 2.09 0.83 9 2.41 2.03 2.03 1.22 10 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.75 12 1.49 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.19 2.32 15 1.63 0.83 1.52 2.67 16 1.79 0.95 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74 23 1.54 1.41 2.52 14.62	7	3.25	2.92	2.78	1.43
9 2.41 2.03 2.03 1.22 10 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.75 12 1.49 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.19 2.32 15 1.63 0.83 1.52 2.67 16 1.79 0.95 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74 23 1.54 1.41 2.52 1.462 26 1.32 1.46 3.74 1.43	8	2.40	2.05	2.09	0.83
10 1.55 1.39 1.67 1.31 11 1.87 1.23 1.63 1.75 12 1.49 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.19 2.32 15 1.63 0.83 1.52 2.67 16 1.79 0.95 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74 23 1.54 1.41 2.52 12.10 24 1.58 1.35 1.80 14.51 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.77 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51	9	2.41	2.03	2.03	1.22
11 1.87 1.23 1.63 1.75 12 1.49 0.85 1.43 1.54 13 1.17 0.87 1.57 1.94 14 1.02 0.85 1.19 2.32 15 1.63 0.83 1.52 2.67 16 1.79 0.95 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74 23 1.54 1.41 2.52 12.10 24 1.58 1.35 1.80 14.51 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 <tr< td=""><td>10</td><td>1.55</td><td>1.39</td><td>1.67</td><td>1.31</td></tr<>	10	1.55	1.39	1.67	1.31
121.490.851.431.54131.170.871.571.94141.020.851.192.32151.630.831.522.67161.790.951.413.06171.721.141.584.52181.490.761.805.38191.831.461.556.01202.161.371.997.01211.981.402.077.79221.181.592.1910.74231.541.412.5212.10241.581.351.8014.51252.701.792.5214.62261.321.463.7414.35271.140.621.9114.73280.820.822.0514.64290.500.511.1914.83300.551.081.7814.67310.560.532.2714.76320.590.822.4314.82330.540.702.3715.29340.540.973.7313.89350.510.752.2814.83360.830.992.5113.14370.630.762.8112.40380.640.812.1910.42391.171.663.628.22	11	1.87	1.23	1.63	1.75
131.170.871.571.94141.020.851.192.32151.630.831.522.67161.790.951.413.06171.721.141.584.52181.490.761.805.38191.831.461.556.01202.161.371.997.01211.981.402.077.79221.181.592.1910.74231.541.412.5212.10241.581.351.8014.51252.701.792.5214.62261.321.463.7414.35271.140.621.9114.73280.820.822.0514.64290.500.511.1914.83300.551.081.7814.67310.560.532.2714.76320.590.822.4314.82330.540.702.3715.22340.540.973.7313.89350.510.752.2814.83360.830.992.5113.14370.630.762.8112.40380.640.812.1910.42391.171.663.628.22402.062.033.316.95	12	1.49	0.85	1.43	1.54
14 1.02 0.85 1.19 2.32 15 1.63 0.83 1.52 2.67 16 1.79 0.95 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74 23 1.54 1.41 2.52 12.10 24 1.58 1.35 1.80 14.51 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83	13	1.17	0.87	1.57	1.94
151.630.831.522.67161.790.951.413.06171.721.141.584.52181.490.761.805.38191.831.461.556.01202.161.371.997.01211.981.402.077.79221.181.592.1910.74231.541.412.5212.10241.581.351.8014.51252.701.792.5214.62261.321.463.7414.35271.140.621.9114.73280.820.822.0514.64290.500.511.1914.83300.551.081.7814.67310.560.532.2714.76320.590.822.4314.82330.540.702.3715.22340.540.973.7313.89350.510.752.2814.83360.830.992.5113.14370.630.762.8112.40380.640.812.1910.42391.171.663.628.22402.062.033.316.95413.223.384.577.73434.013.895.507.03	14	1.02	0.85	1.19	2.32
16 1.79 0.95 1.41 3.06 17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74 23 1.54 1.41 2.52 12.10 24 1.58 1.35 1.80 14.51 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76	15	1.63	0.83	1.52	2.67
17 1.72 1.14 1.58 4.52 18 1.49 0.76 1.80 5.38 19 1.83 1.46 1.55 6.01 20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74 23 1.54 1.41 2.52 12.10 24 1.58 1.35 1.80 14.51 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.77 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38	16	1.79	0.95	1.41	3.06
181.49 0.76 1.80 5.38 191.831.461.556.01202.161.371.997.01211.981.402.077.79221.181.592.1910.74231.541.412.5212.10241.581.351.8014.51252.701.792.5214.62261.321.463.7414.35271.140.621.9114.73280.820.822.0514.64290.500.511.1914.83300.551.081.7814.67310.560.532.2714.76320.590.822.4314.82330.540.702.3715.22340.540.973.7313.89350.510.752.2814.83360.830.992.5113.14370.630.762.8112.40380.640.812.1910.42391.171.663.628.22402.062.033.316.95413.223.384.577.73423.263.114.887.27434.013.895.507.03444.453.704.306.05453.863.744.036.05	17	1.72	1.14	1.58	4.52
191.831.461.556.01202.161.371.997.01211.981.402.077.79221.181.592.1910.74231.541.412.5212.10241.581.351.8014.51252.701.792.5214.62261.321.463.7414.35271.140.621.9114.73280.820.822.0514.64290.500.511.1914.83300.551.081.7814.67310.560.532.2714.76320.590.822.4314.82330.540.702.3715.22340.540.973.7313.89350.510.752.2814.83360.830.992.5113.14370.630.762.8112.40380.640.812.1910.42391.171.663.628.22402.062.033.316.95413.223.384.577.73423.263.114.887.27434.013.895.507.03444.453.704.306.05453.863.744.036.05464.193.984.385.60	18	1.49	0.76	1.80	5.38
20 2.16 1.37 1.99 7.01 21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74 23 1.54 1.41 2.52 12.10 24 1.58 1.35 1.80 14.51 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 <td>19</td> <td>1.83</td> <td>1.46</td> <td>1.55</td> <td>6.01</td>	19	1.83	1.46	1.55	6.01
21 1.98 1.40 2.07 7.79 22 1.18 1.59 2.19 10.74 23 1.54 1.41 2.52 12.10 24 1.58 1.35 1.80 14.51 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38	20	2.16	1.37	1.99	7.01
22 1.18 1.59 2.19 10.74 23 1.54 1.41 2.52 12.10 24 1.58 1.35 1.80 14.51 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39	21	1.98	1.40	2.07	7.79
23 1.54 1.41 2.52 12.10 24 1.58 1.35 1.80 14.51 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 </td <td>22</td> <td>1.18</td> <td>1.59</td> <td>2.19</td> <td>10.74</td>	22	1.18	1.59	2.19	10.74
24 1.58 1.35 1.80 14.51 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 <td>23</td> <td>1.54</td> <td>1.41</td> <td>2.52</td> <td>12.10</td>	23	1.54	1.41	2.52	12.10
1 1.00 1.00 1.00 1.00 25 2.70 1.79 2.52 14.62 26 1.32 1.46 3.74 14.35 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22	24	1.58	1.35	1.80	14.51
1.10 1.14 0.62 1.91 1.4.73 27 1.14 0.62 1.91 14.73 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 </td <td>25</td> <td>2.70</td> <td>1.79</td> <td>2.52</td> <td>14.62</td>	25	2.70	1.79	2.52	14.62
27 1.14 0.62 1.91 14.73 28 0.82 0.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45	26	1.32	1.46	3.74	14.35
11 1.11 1.12 1.13 1.13 28 0.82 0.82 2.05 14.64 29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27	27	1 14	0.62	1 91	14 73
29 0.50 0.51 1.19 14.83 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.05 46 4.19 3.98 4.38 5.60 47 <t< td=""><td>28</td><td>0.82</td><td>0.82</td><td>2.05</td><td>14.64</td></t<>	28	0.82	0.82	2.05	14.64
10 1.05 1.08 1.78 14.67 30 0.55 1.08 1.78 14.67 31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.05	29	0.50	0.51	1.19	14.83
31 0.56 0.53 2.27 14.76 32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49	30	0.55	1.08	1.78	14.67
32 0.59 0.82 2.43 14.82 33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5	31	0.56	0.53	2.27	14.76
33 0.54 0.70 2.37 15.22 34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.	32	0.59	0.82	2.43	14.82
34 0.54 0.97 3.73 13.89 35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 <tr< td=""><td>33</td><td>0.54</td><td>0.70</td><td>2.37</td><td>15.22</td></tr<>	33	0.54	0.70	2.37	15.22
35 0.51 0.75 2.28 14.83 36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70	34	0.54	0.97	3 73	13.89
36 0.83 0.99 2.51 13.14 37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 <	35	0.51	0.75	2 28	14.83
37 0.63 0.76 2.81 12.40 38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total <	36	0.83	0.99	2.20	13 14
38 0.64 0.81 2.19 10.42 39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	37	0.63	0.76	2.31	12.14
39 1.17 1.66 3.62 8.22 40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	38	0.64	0.81	2.01	10.42
40 2.06 2.03 3.31 6.95 41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	39	1 17	1.66	3.62	8 22
41 3.22 3.38 4.57 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	40	2.06	2.03	3 31	6.95
41 3.22 3.35 4.37 7.73 42 3.26 3.11 4.88 7.27 43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	40	3 22	3 38	157	7 73
43 4.01 3.89 5.50 7.03 44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	42	3.26	3 11	4.88	7.75
44 4.45 3.70 4.30 6.80 45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	42	4 01	3.89	5 50	7.03
45 3.86 3.74 4.03 6.05 46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	44	4 45	3 70	4 30	6.80
46 4.19 3.98 4.38 5.60 47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	45	3.86	3 74	4.03	6.05
47 6.26 4.96 4.22 5.40 48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	46	<u>д</u> 10	3 98	4.05 4.28	5 60
48 5.82 4.73 4.15 2.91 49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	47	6.26	2.20 4 96	4.30 4.22	5.00 5.40
49 5.83 4.62 3.88 3.77 50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27		5.20	4.50 4.73	4.15	2. 4 0 2.91
50 5.73 3.69 3.14 3.39 51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	40 49	5.02	4.62	2 88	2.51
51 3.69 3.23 2.85 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27		5.05	2 60	3.00 2.14	2 20
51 3.05 3.25 2.65 4.08 52 3.70 3.13 2.69 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	50	3.75	3.03	2.14	3.33 A 08
52 5.76 5.15 2.09 2.39 53 2.62 2.57 2.32 0.71 Grand Total 2.42 2.04 2.71 7.27	57	3.03	3.23	2.05	7 20
Grand Total 2.42 2.04 2.71 7.27	52	2.70	2.13	2.03	0.71
	Grand Total	2.42	2.04	2.71	7.27

WEEKPOC_05mPON_05mPOC_60mPON_60m121527182202203271721932102819620423832200205242321751662714014917732347152168405651431794387313016106981141681911739118176221273812220030136801072263614762128202281578713718930166009920832177631331943018756132180291966912124940206971252093121760134191292295016319829239561642213224967159249342578414129945261,1581833144127978158323412873612331340
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$
3 210 28 196 20 4 238 32 200 20 5 242 32 175 16 6 271 40 149 17 7 323 47 152 16 8 405 65 143 17 9 438 73 130 16 10 698 114 168 19 11 739 118 176 22 12 738 122 200 30 13 680 107 226 36 14 762 128 202 28 15 787 137 189 30 16 600 99 208 32 17 763 133 194 30 18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 $1,158$ 183 314 41 27 978 158 323 41
4 238 32 200 20 5 242 32 175 16 6 271 40 149 17 7 323 47 152 16 8 405 65 143 17 9 438 73 130 16 10 698 114 168 19 11 739 118 176 22 12 738 122 200 30 13 680 107 226 36 14 762 128 202 28 15 787 137 189 30 16 600 99 208 32 17 763 133 194 30 18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 $1,158$ 183 314 41 27 978 158 323 41
5 242 32 175 16 6 271 40 149 17 7 323 47 152 16 8 405 65 143 17 9 438 73 130 16 10 698 114 168 19 11 739 118 176 22 12 738 122 200 30 13 680 107 226 36 14 762 128 202 28 15 787 137 189 30 16 600 99 208 32 17 763 133 194 30 18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 $1,158$ 183 314 41 27 978 158 323 41
6 271 40 149 17 7 323 47 152 16 8 405 65 143 17 9 438 73 130 16 10 698 114 168 19 11 739 118 176 22 12 738 122 200 30 13 680 107 226 36 14 762 128 202 28 15 787 137 189 30 16 600 99 208 32 17 763 133 194 30 18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 $1,158$ 183 314 41 27 978 158 323 41
7 323 47 152 16 8 405 65 143 17 9 438 73 130 16 10 698 114 168 19 11 739 118 176 22 12 738 122 200 30 13 680 107 226 36 14 762 128 202 28 15 787 137 189 30 16 600 99 208 32 17 763 133 194 30 18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 22 950 163 198 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 $1,158$ 183 314 41 27 978 158 323 41
8 405 65 143 17 9 438 73 130 16 10 698 114 168 19 11 739 118 176 22 12 738 122 200 30 13 680 107 226 36 14 762 128 202 28 15 787 137 189 30 16 600 99 208 32 17 763 133 194 30 18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 22 950 163 198 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 $1,158$ 183 314 41 27 978 158 323 41
9438 73 13016106981141681911739118176221273812220030136801072263614762128202281578713718930166009920832177631331943018756132180291966912124940206971252093121760134191292295016319829239561642213224967159249342578414129945261,1581833144127978158323412873612331340
10 698 114 168 19 11 739 118 176 22 12 738 122 200 30 13 680 107 226 36 14 762 128 202 28 15 787 137 189 30 16 600 99 208 32 17 763 133 194 30 18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 22 950 163 198 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 $1,158$ 183 314 41 27 978 158 323 41
111 739 118 176 22 12 738 122 200 30 13 680 107 226 36 14 762 128 202 28 15 787 137 189 30 16 600 99 208 32 17 763 133 194 30 18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 22 950 163 198 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 $1,158$ 183 314 41 27 978 158 323 41
12 738 122 200 30 13 680 107 226 36 14 762 128 202 28 15 787 137 189 30 16 600 99 208 32 17 763 133 194 30 18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 22 950 163 198 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 $1,158$ 183 314 41 27 978 158 323 41 28 736 123 313 40
13 680 107 226 36 14 762 128 202 28 15 787 137 189 30 16 600 99 208 32 17 763 133 194 30 18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 22 950 163 198 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 $1,158$ 183 314 41 27 978 158 323 41 28 736 123 313 40
14762128202281578713718930166009920832177631331943018756132180291966912124940206971252093121760134191292295016319829239561642213224967159249342578414129945261,1581833144127978158323412873612331340
1578713718930166009920832177631331943018756132180291966912124940206971252093121760134191292295016319829239561642213224967159249342578414129945261,1581833144127978158323412873612331340
166009920832177631331943018756132180291966912124940206971252093121760134191292295016319829239561642213224967159249342578414129945261,1581833144127978158323412873612331340
177631331943018756132180291966912124940206971252093121760134191292295016319829239561642213224967159249342578414129945261,1581833144127978158323412873612331340
18 756 132 180 29 19 669 121 249 40 20 697 125 209 31 21 760 134 191 29 22 950 163 198 29 23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 1,158 183 314 41 27 978 158 323 41 28 736 123 313 40
1966912124940206971252093121760134191292295016319829239561642213224967159249342578414129945261,1581833144127978158323412873612331340
206971252093121760134191292295016319829239561642213224967159249342578414129945261,1581833144127978158323412873612331340
21760134191292295016319829239561642213224967159249342578414129945261,1581833144127978158323412873612331340
2295016319829239561642213224967159249342578414129945261,1581833144127978158323412873612331340
23 956 164 221 32 24 967 159 249 34 25 784 141 299 45 26 1,158 183 314 41 27 978 158 323 41 28 736 123 313 40
24 967 159 249 34 25 784 141 299 45 26 1,158 183 314 41 27 978 158 323 41 28 736 123 313 40
25 784 141 299 45 26 1,158 183 314 41 27 978 158 323 41 28 736 123 313 40
26 1,158 183 314 41 27 978 158 323 41 28 736 123 313 40
27 978 158 323 41 28 736 123 313 40
28 736 123 212 40
29 951 151 327 49
30 890 146 321 44
31 984 144 396 51
32 900 147 314 45
33 872 138 293 43
34 905 136 258 38
35 918 143 271 39
36 879 134 255 37
37 983 149 245 34
38 934 148 241 34
39 802 130 275 37
40 782 125 212 29
41 690 113 246 32
42 713 113 219 30
43 773 120 263 36
44 507 82 181 24
45 616 95 183 23
46 536 82 190 21
47 391 63 190 24
48 369 56 208 25
49 299 43 200 22
50 250 36 218 25
51 255 38 240 29
52 339 46 317 32
53 265 42 315 31
Grand Total 662 107 227 30

YEAR (All) POC, PON (mg/m3)

YEAR

(All)

BACTERIA (cells/ml)

	Data			
WEEK	BACT_01m	BACT_05m	BACT_10m	BACT_60m
1	867,594	768,272	791,217	731,421
2	857,469	782,948	782,521	724,559
3	694,766	664,670	669,612	693,339
4	894,238	795,365	769,049	662,544
5	845,783	784,589	707,097	719,018
6	836,484	731,867	666,544	661,827
7	814,981	772,868	741,316	655,741
8	812,954	715,225	735,141	670,881
9	1,113,113	1,007,607	1,006,403	754,445
10	988,149	948,109	863,696	687,096
11	1,184,819	1,018,346	965,648	698,444
12	1,223,552	1,112,815	1,028,165	742,006
13	1,326,682	1,211,725	1,062,547	778,096
14	1,458,837	1,347,762	1,258,392	808,450
15	1.589.091	1.398.206	1.169.681	872.908
16	1,749,572	1,586,096	1,329,987	1,048,876
17	1,917,983	1,756,740	1,635,316	1,071,251
18	1.526.713	1.460.321	1.369.535	1.050.202
19	1.630.374	1.478.336	1.340.955	996.044
20	1.937.715	1.681.640	1.491.858	970.616
21	2.292.491	1.768.229	1.621.386	931.571
22	2.255.493	1.974.143	1.569.761	904.923
23	2.335.964	1.883.867	1.668.823	924,511
23	3.696.980	2.872.244	2.008.951	925.691
25	4.307.230	3.736.912	2,509,106	935.012
26	5 185 675	4 391 726	2,803,100	975 391
27	4 432 850	3 699 246	2,651,151	1 091 365
28	4 231 678	3 792 005	2,740,597	1 050 053
20	4 156 329	3 330 479	2,7 40,357	930 201
30	3,298,805	2,743,470	2,034,033	1.201.510
31	3 461 841	2 956 561	2 006 481	1 023 969
32	3.764.621	2.904.158	1.988.522	1.137.399
33	3.651.261	3.100.827	1.966.011	1.085.532
34	3.325.053	2.803.894	2.182.605	1.012.815
35	3.423.394	2.599.886	2.194.086	939.154
36	3.648.986	2.918.358	2.411.276	956.027
37	3.040.840	2.640.334	1.838.895	937.802
38	2.948.550	2.570.180	1.892.026	915.595
39	2.783.576	2.369.623	1.893.538	841.679
40	2.239.965	1.871.148	1.402.855	758.431
41	1.880.721	1.641.211	1.392.233	755.524
42	1.863.395	1.580.536	1.387.806	787.734
43	1.714.498	1.510.148	1.253.588	810.154
44	1.781.369	1.550.723	1.345.783	735.978
45	1.359.676	1.199.352	1.074.234	756.491
46	1.421.302	1.257.307	1.185.904	918.191
47	1,222.222	1,123.356	1,041.085	701.826
48	1,303.704	1,137.824	1,121.529	764.967
49	1,301.243	1,070.848	1,011.906	800.265
50	1.033.831	921.697	912.969	754.274
51	942.621	856.631	842.095	773.694
52	1.002.853	895.971	887,665	704.521
53	902,996	771,769	718,063	566,287
Grand Total	2,139,206	1,819,108	1,471,356	864,449

(All)

YEAR

CHLOROPHYLL a (mg/m3)

WEEK CHL 01m CHL 05m CHL 10m CHL 60m 1 1.41 1.39 0.92 0.07 2 2.19 2.15 0.83 0.06 3 3.12 3.11 2.61 0.07 4 2.84 4.04 3.35 0.10 5 1.18 1.37 1.06 0.07 6 3.59 3.82 3.51 0.06 7 2.67 3.53 2.97 0.11 8 4.56 5.77 4.51 0.24 9 5.71 6.61 5.18 0.18 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94		Data			
1 1.41 1.39 0.92 0.07 2 2.19 2.15 0.83 0.06 3 3.12 3.11 2.61 0.07 4 2.84 4.04 3.35 0.10 5 1.18 1.37 1.06 0.07 6 3.59 3.82 3.51 0.06 7 2.67 3.53 2.97 0.11 8 4.56 5.77 4.51 0.24 9 5.71 6.61 5.18 0.18 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.74	WEEK	CHL_01m	CHL_05m	CHL_10m	CHL 60m
2 2.19 2.15 0.83 0.06 3 3.12 3.11 2.61 0.07 4 2.84 4.04 3.35 0.10 5 1.18 1.37 1.06 0.07 6 3.59 3.82 3.51 0.06 7 2.67 3.53 2.97 0.11 8 4.56 5.77 4.51 0.24 9 5.71 6.61 5.18 0.18 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 19 4.51 5.63 5.53 0.44 20 3.93 5.38 5.49 0.30 21	1	1.41	1.39	0.92	0.07
3 3.12 3.11 2.61 0.07 4 2.84 4.04 3.35 0.10 5 1.18 1.37 1.06 0.07 6 3.59 3.82 3.51 0.06 7 2.67 3.53 2.97 0.11 8 4.56 5.77 4.51 0.24 9 5.71 6.61 5.18 0.18 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27	2	2.19	2.15	0.83	0.06
4 2.84 4.04 3.35 0.10 5 1.18 1.37 1.06 0.07 6 3.59 3.82 3.51 0.061 7 2.67 3.53 2.97 0.11 8 4.56 5.77 4.51 0.24 9 5.71 6.61 5.18 0.18 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 20 3.93 5.38 5.49 0.30	3	3.12	3.11	2.61	0.07
5 1.18 1.37 1.06 0.07 6 3.59 3.82 3.51 0.06 7 2.67 3.53 2.97 0.11 8 4.56 5.77 4.51 0.24 9 5.71 6.61 5.18 0.18 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 9.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30	4	2.84	4.04	3.35	0.10
6 3.59 3.82 3.51 0.06 7 2.67 3.53 2.97 0.11 8 4.56 5.77 4.51 0.24 9 5.71 6.61 5.18 0.18 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.30 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27	5	1.18	1.37	1.06	0.07
7 2.67 3.53 2.97 0.11 8 4.56 5.77 4.51 0.24 9 5.71 6.61 5.18 0.11 9 5.71 6.61 5.18 0.12 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27	6	3 59	3.82	3 51	0.06
7 1.07 5.53 1.07 0.11 9 5.71 6.61 5.18 0.18 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37	7	2.67	3.52	2 97	0.00
0 1.7.5 1.7.7 1.7.5 0.1.4 9 5.71 6.61 5.18 0.18 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 19 4.51 5.63 5.53 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 <t< td=""><td>, 8</td><td>4.56</td><td>5.55</td><td>1 51</td><td>0.11</td></t<>	, 8	4.56	5.55	1 51	0.11
5 5.11 5.11 5.11 5.11 5.11 10 9.08 10.67 7.65 0.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 <td>9</td> <td>5 71</td> <td>6.61</td> <td>5 18</td> <td>0.24</td>	9	5 71	6.61	5 18	0.24
10 5.00 10.07 7.05 6.40 11 9.93 11.50 8.04 0.72 12 10.65 11.39 7.41 1.14 13 9.00 9.84 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.42 27 4.84 5.31 6.21 0.94	10	9.09	10.67	7.65	0.10
11 5.33 11.30 8.04 0.72 12 10.65 11.39 7.40 1.26 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70	10	9.08	11 50	7.05 8.04	0.40
1210.0311.337.411.14139.009.847.401.26148.699.968.381.03156.747.966.070.94164.145.135.130.76175.447.575.620.79183.956.795.410.44194.515.635.530.44203.935.385.490.30214.266.094.490.30224.555.765.170.27235.517.395.720.24245.166.105.010.37254.965.443.580.44266.966.684.350.42274.845.316.210.94284.375.184.220.70294.896.616.920.79305.736.105.090.85315.986.775.880.67326.5313.115.280.87335.587.454.030.59345.647.554.360.49356.356.914.700.42366.878.475.090.31378.3110.816.440.58387.869.855.040.33398.648.833.990.1940 <t< td=""><td>11</td><td>9.95</td><td>11.30</td><td>8.04 7.41</td><td>0.72</td></t<>	11	9.95	11.30	8.04 7.41	0.72
13 5.00 5.44 7.40 1.20 14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 19 4.51 5.63 5.53 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86	12	10.05	0.94	7.41	1.14
14 8.69 9.96 8.38 1.03 15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 19 4.51 5.63 5.53 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 442 7.98 <t< td=""><td>15</td><td>9.00</td><td>9.64</td><td>7.40</td><td>1.20</td></t<>	15	9.00	9.64	7.40	1.20
15 6.74 7.96 6.07 0.94 16 4.14 5.13 5.13 0.76 17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 19 4.51 5.63 5.53 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98	14	8.09	9.96	8.38	1.03
164.145.135.130.7917 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 19 4.51 5.63 5.53 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 <td>15</td> <td>6.74</td> <td>7.96</td> <td>6.07</td> <td>0.94</td>	15	6.74	7.96	6.07	0.94
17 5.44 7.57 5.62 0.79 18 3.95 6.79 5.41 0.44 19 4.51 5.63 5.53 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 <td< td=""><td>16</td><td>4.14</td><td>5.13</td><td>5.13</td><td>0.76</td></td<>	16	4.14	5.13	5.13	0.76
183.95 6.79 5.41 0.44 19 4.51 5.63 5.53 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 $7.$	1/	5.44	7.57	5.62	0.79
19 4.51 5.63 5.53 0.44 20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01	18	3.95	6.79	5.41	0.44
20 3.93 5.38 5.49 0.30 21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 <td< td=""><td>19</td><td>4.51</td><td>5.63</td><td>5.53</td><td>0.44</td></td<>	19	4.51	5.63	5.53	0.44
21 4.26 6.09 4.49 0.30 22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12	20	3.93	5.38	5.49	0.30
22 4.55 5.76 5.17 0.27 23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78	21	4.26	6.09	4.49	0.30
23 5.51 7.39 5.72 0.24 24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 </td <td>22</td> <td>4.55</td> <td>5.76</td> <td>5.17</td> <td>0.27</td>	22	4.55	5.76	5.17	0.27
24 5.16 6.10 5.01 0.37 25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 </td <td>23</td> <td>5.51</td> <td>7.39</td> <td>5.72</td> <td>0.24</td>	23	5.51	7.39	5.72	0.24
25 4.96 5.44 3.58 0.44 26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 </td <td>24</td> <td>5.16</td> <td>6.10</td> <td>5.01</td> <td>0.37</td>	24	5.16	6.10	5.01	0.37
26 6.96 6.68 4.35 0.42 27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28	25	4.96	5.44	3.58	0.44
27 4.84 5.31 6.21 0.94 28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 </td <td>26</td> <td>6.96</td> <td>6.68</td> <td>4.35</td> <td>0.42</td>	26	6.96	6.68	4.35	0.42
28 4.37 5.18 4.22 0.70 29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88	27	4.84	5.31	6.21	0.94
29 4.89 6.61 6.92 0.79 30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79	28	4.37	5.18	4.22	0.70
30 5.73 6.10 5.09 0.85 31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39	29	4.89	6.61	6.92	0.79
31 5.98 6.77 5.88 0.67 32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18	30	5.73	6.10	5.09	0.85
32 6.53 13.11 5.28 0.87 33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 </td <td>31</td> <td>5.98</td> <td>6.77</td> <td>5.88</td> <td>0.67</td>	31	5.98	6.77	5.88	0.67
33 5.58 7.45 4.03 0.59 34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 <td>32</td> <td>6.53</td> <td>13.11</td> <td>5.28</td> <td>0.87</td>	32	6.53	13.11	5.28	0.87
34 5.64 7.55 4.36 0.49 35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 <td>33</td> <td>5.58</td> <td>7.45</td> <td>4.03</td> <td>0.59</td>	33	5.58	7.45	4.03	0.59
35 6.35 6.91 4.70 0.42 36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 <td>34</td> <td>5.64</td> <td>7.55</td> <td>4.36</td> <td>0.49</td>	34	5.64	7.55	4.36	0.49
36 6.87 8.47 5.09 0.31 37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 <td>35</td> <td>6.35</td> <td>6.91</td> <td>4.70</td> <td>0.42</td>	35	6.35	6.91	4.70	0.42
37 8.31 10.81 6.44 0.58 38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	36	6.87	8.47	5.09	0.31
38 7.86 9.85 5.04 0.33 39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	37	8.31	10.81	6.44	0.58
39 8.64 8.83 3.99 0.19 40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	38	7.86	9.85	5.04	0.33
40 8.28 8.27 4.37 0.30 41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	39	8.64	8.83	3.99	0.19
41 6.83 7.12 3.15 0.28 42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	40	8.28	8.27	4.37	0.30
42 7.98 7.69 4.10 0.36 43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	41	6.83	7.12	3.15	0.28
43 8.27 7.90 3.75 0.33 44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	42	7.98	7.69	4.10	0.36
44 6.01 5.89 3.90 0.37 45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	43	8.27	7.90	3.75	0.33
45 9.07 8.08 3.12 0.39 46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	44	6.01	5.89	3.90	0.37
46 8.69 7.79 3.78 0.18 47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	45	9.07	8.08	3.12	0.39
47 5.63 5.48 3.99 0.25 48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	46	8.69	7.79	3.78	0.18
48 3.51 3.38 2.44 0.20 49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	47	5.63	5.48	3.99	0.25
49 2.52 2.33 1.95 0.28 50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	48	3.51	3.38	2.44	0.20
50 1.63 1.73 1.11 0.10 51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	49	2.52	2.33	1.95	0.28
51 1.32 1.52 1.05 0.09 52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	50	1.63	1.73	1.11	0.10
52 1.64 1.65 0.88 0.09 53 2.10 1.31 0.79 0.05	51	1.32	1.52	1.05	0.09
53 2.10 1.31 0.79 0.05 Grand Total 5.57 6.43 4.46 0.43	52	1.64	1.65	0.88	0.09
Grand Total 5.57 6.43 4.46 0.43	53	2.10	1.31	0.79	0.05
	Grand Total	5.57	6.43	4.46	0.43

(All) PHYTOPLANKTON (cells/ml)

	Data				
WEEK	SYNECHO-5m	PICOEUK-5m	PICOPHYTO-5m	CRYPTO-5m	NANOPHYTO-5m
1	1,349	3,533	4,882	189	1,489
2	1,025	3,444	4,469	164	1,510
3	883	2,697	3,580	190	1,579
4	652	2,548	3,200	340	1,782
5	487	1,751	2,238	311	1,424
6	423	1,832	2,255	278	1,414
7	332	1,515	1,848	299	1,707
8	280	1,918	2,199	398	2,298
9	289	1,715	2,004	340	2,533
10	248	2,055	2,303	270	4,434
11	269	3,224	3,493	337	5,522
12	242	1,880	2,122	353	5,226
13	243	2,039	2,282	441	5,810
14	318	2,532	2,851	251	5,962
15	141	2,904	3,045	587	4,622
16	137	3,929	4,066	305	3,815
17	114	3,489	3,603	486	4,443
18	200	3,239	3,439	403	6,339
19	109	3,561	3,664	839	7,939
20	79	5,660	5,739	408	8,437
21	143	9,625	9,760	907	8,049
22	73	12,830	12,896	714	15,153
23	130	20,585	20,715	453	18,111
24	148	16,030	16,178	542	11,589
25	835	17,765	18,558	513	10,045
26	341	14,660	15,000	449	10,162
27	954	19,411	20,365	624	13,724
28	3,196	25,119	28,315	734	9,242
29	4,397	23,909	28,306	988	19,341
30	6,086	25,866	31,951	462	16,122
31	16,643	30,108	46,751	542	12,591
32	24,780	40,254	65,035	827	12,644
33	21,929	27,650	49,579	967	16,426
34	26,534	30,694	57,229	808	17,386
35	46,490	28,565	75,055	1,268	19,077
36	58,279	26,873	85,152	1,129	17,717
37	68,148	28,519	96,667	980	17,068
38	55,982	28,812	84,794	1 0 2 0	14,991
23	26 191	20,479 11 010	00,704 50.206	1,039	8 630 TT'200
40	25 420	14,212	26 742	650	0,030
41	23,430	0 1 2 2	21 001	672	6,138
42	22,008	9,123 10 107	21 274	/00	0,749
43	21,107	12 522	25 278	352	4,954
44 25	9 240	7 596	16 826	420	4,554
45	7 30/	8 550	15,855	346	2 558
40	7 859	6 408	14 267	272	2,333
48	8,337	8,330	16,270	215	2,711
49	5.031	6.647	11.678	194	2.338
50	3.352	5,333	8.684	222	1.744
51	2.620	4.203	6.823	194	1.403
52	1.334	3.611	4.945	366	1.414
53	805	3,414	4,219	134	895
Grand Total	11,095	11,855	22,884	517	7,709

YEAR

41		

19'-BUTANOYLOXYFUCOXANTHIN (mg/m3)

	Data			
WEEK	19BUT 01m	19BUT 05m	19BUT 10m	19BUT 60m
1	0.000	0.003	0.000	0.000
2	0.000	0.000	0.000	0.000
3	0.000	0.000	0.000	0.000
4	0.000	0.000	0.000	0.000
5	0.000	0.000	0.000	0.000
6	0.000	0.000	0.000	0.000
7	0.000	0.000	0.000	0.000
8	0.000	0.000	0.000	0.000
9	0.000	0.000	0.000	0.000
10	0.009	0.000	0.007	0.000
11	0.025	0.020	0.015	0.000
12	0.032	0.020	0.014	0.003
13	0.017	0.014	0.014	0.008
14	0.017	0.023	0.005	0.003
15	0.010	0.007	0.007	0.000
16	0.017	0.010	0.006	0.000
17	0.037	0.042	0.013	0.004
18	0.011	0.024	0.004	0.001
19	0.015	0.021	0.003	0.002
20	0.021	0.007	0.008	0.000
21	0.012	0.008	0.007	0.000
22	0.070	0.036	0.000	0.000
23	0.025	0.011	0.017	0.000
24	0.065	0.015	0.009	0.000
25	0.051	0.023	0.015	0.000
26	0.051	0.036	0.018	0.000
27	0.061	0.042	0.013	0.000
28	0.020	0.013	0.030	0.000
29	0.052	0.051	0.009	0.000
30	0.059	0.042	0.034	0.000
31	0.112	0.162	0.026	0.000
32	0.062	0.061	0.044	0.000
33	0.104	0.065	0.002	0.000
34	0.052	0.054	0.024	0.001
35	0.068	0.031	0.006	0.000
36	0.046	0.060	0.011	0.000
37	0.045	0.037	0.014	0.000
38	0.035	0.014	0.003	0.000
39	0.002	0.002	0.000	0.004
40	0.011	0.004	0.002	0.000
41	0.032	0.034	0.003	0.000
42	0.021	0.034	0.027	0.000
43	0.077	0.058	0.037	0.004
44	0.010	0.015	0.007	0.000
45	0.072	0.017	0.010	0.000
46	0.002	0.066	0.000	0.006
47	0.007	0.007	0.008	0.000
48	0.032	0.013	0.000	0.000
49	0.001	0.007	0.000	0.000
50	0.002	0.000	0.000	0.000
51	0.000	0.000	0.000	0.000
52	0.001	0.001	0.001	0.000
52	0.000	0.001	0.001	0,000
Grand Total	0.000	0.000	0.009	0.001

(All)

YEAR

(All) 19'-HEXANOYLOXYFUCOXANTHIN (mg/m3)

WEEK 19HEX 01m 19HEX 05m 19HEX 10m 19HEX 60m 1 0.000 0.000 0.000 0.000 2 0.001 0.000 0.000 0.000 3 0.000 0.000 0.000 0.000 4 0.000 0.000 0.000 0.000 5 0.000 0.000 0.000 0.000 6 0.000 0.000 0.000 0.000 7 0.000 0.000 0.000 0.000 9 0.001 0.000 0.000 0.000 10 0.000 0.000 0.000 0.003 11 0.005 0.044 0.065 0.017 14 0.021 0.49 0.41 0.015 15 0.076 0.158 0.065 0.017 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.074 0.005 20 0.023 0.028 </th <th></th> <th>Data</th> <th></th> <th></th> <th></th>		Data			
1 0.000 0.000 0.000 0.000 2 0.001 0.002 0.000 0.000 3 0.000 0.000 0.000 0.000 4 0.000 0.000 0.000 0.000 5 0.000 0.000 0.000 0.000 6 0.000 0.000 0.000 0.000 7 0.000 0.000 0.000 0.000 9 0.011 0.000 0.000 0.000 10 0.000 0.000 0.000 0.003 11 0.002 0.034 0.033 0.066 13 0.005 0.044 0.665 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.033 0.028	WEEK	19HEX 01m	19HEX 05m	19HEX 10m	19HEX 60m
2 0.001 0.002 0.000 0.000 3 0.000 0.000 0.000 0.000 4 0.000 0.000 0.000 0.000 5 0.000 0.000 0.000 0.000 6 0.000 0.000 0.000 0.000 7 0.000 0.000 0.000 0.000 9 0.001 0.000 0.000 0.000 10 0.000 0.000 0.000 0.003 11 0.002 0.003 0.000 0.003 12 0.039 0.034 0.033 0.006 13 0.005 0.044 0.065 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.001 20 0.023 0.028 <td< td=""><td>1</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td></td<>	1	0.000	0.000	0.000	0.000
3 0.000 0.000 0.000 0.000 4 0.000 0.000 0.000 0.000 5 0.000 0.000 0.000 0.000 6 0.000 0.000 0.000 0.000 7 0.000 0.000 0.000 0.000 8 0.000 0.000 0.000 0.000 10 0.000 0.000 0.000 0.000 11 0.002 0.003 0.000 0.003 12 0.039 0.034 0.033 0.006 13 0.005 0.044 0.041 0.015 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.074 0.005 20 0.023 0.028 0.044 0.000 21 0.043 0.025 <t< td=""><td>2</td><td>0.001</td><td>0.002</td><td>0.000</td><td>0.000</td></t<>	2	0.001	0.002	0.000	0.000
4 0.000 0.000 0.000 0.000 5 0.000 0.000 0.000 0.000 6 0.000 0.000 0.000 0.000 7 0.000 0.000 0.000 0.000 8 0.000 0.000 0.000 0.000 9 0.011 0.000 0.000 0.003 10 0.002 0.033 0.006 0.003 11 0.002 0.034 0.033 0.006 13 0.005 0.044 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.366 0.318 0.100 0.007 18 0.038 0.346 0.172 0.012 19 0.011 0.31 0.074 0.005 20 0.023 0.028 0.043 0.002 21 0.043 0.028 0.043 0.002 22 0.081 0.054 <td< td=""><td>3</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td></td<>	3	0.000	0.000	0.000	0.000
5 0.000 0.000 0.000 0.000 6 0.000 0.000 0.000 0.000 7 0.000 0.000 0.000 0.000 8 0.000 0.000 0.000 0.000 9 0.001 0.000 0.000 0.000 10 0.002 0.003 0.000 0.003 11 0.002 0.003 0.000 0.003 12 0.039 0.344 0.065 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.071 0.001 22 0.023 0.028 0.044 0.000 23 0.117 0.109 <	4	0.000	0.000	0.000	0.000
6 0.000 0.000 0.000 0.000 7 0.000 0.000 0.000 0.000 8 0.000 0.000 0.000 0.000 9 0.001 0.000 0.000 0.000 10 0.002 0.003 0.000 0.003 11 0.002 0.034 0.033 0.006 13 0.005 0.044 0.065 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.074 0.005 20 0.023 0.028 0.044 0.000 22 0.081 0.054 0.020 0.001 24 0.039 0.665	5	0.000	0.000	0.000	0.000
7 0.000 0.000 0.000 0.000 8 0.000 0.000 0.000 0.000 9 0.001 0.000 0.000 0.003 11 0.002 0.003 0.000 0.003 12 0.039 0.034 0.033 0.006 13 0.005 0.044 0.065 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.071 0.000 22 0.023 0.028 0.044 0.000 23 0.117 0.109 0.071 0.001 24 0.039 0.663 0.027 0.000 25 0.966 0.665	6	0.000	0.000	0.000	0.000
8 0.000 0.000 0.000 0.000 9 0.001 0.000 0.000 0.000 10 0.002 0.003 0.000 0.003 11 0.002 0.003 0.000 0.003 12 0.039 0.034 0.033 0.006 13 0.005 0.044 0.665 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.032 0.028 0.044 0.000 20 0.023 0.028 0.044 0.000 21 0.043 0.028 0.044 0.000 22 0.81 0.071 0.030 0.001 24 0.039 0.065 0.027 0.000 25 0.096 0.665	7	0.000	0.000	0.000	0.000
9 0.001 0.000 0.000 0.000 10 0.000 0.000 0.003 11 0.002 0.003 0.000 0.003 12 0.039 0.034 0.033 0.006 13 0.005 0.044 0.065 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.074 0.005 20 0.023 0.028 0.044 0.000 21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.001 123 0.117 0.109 0.071 0.001 24 0.039 0.665 0.027 0.000	8	0.000	0.000	0.000	0.000
10 0.000 0.000 0.003 11 0.002 0.003 0.000 0.003 12 0.039 0.034 0.033 0.006 13 0.005 0.044 0.065 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.074 0.005 20 0.023 0.028 0.044 0.000 21 0.043 0.028 0.044 0.001 23 0.117 0.109 0.071 0.001 24 0.039 0.663 0.035 0.003 25 0.096 0.065 0.027 0.000 26 0.081 0.054 0.020	9	0.001	0.000	0.000	0.000
1 0.002 0.003 0.003 0.003 12 0.039 0.034 0.033 0.006 13 0.005 0.044 0.065 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.074 0.005 20 0.023 0.028 0.044 0.000 21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.030 0.001 24 0.039 0.665 0.027 0.000 25 0.096 0.065 0.027 0.000 26 0.811 0.54 0.202 0.000 27 0.349 0.147	10	0.000	0.000	0.000	0.003
12 0.039 0.034 0.033 0.006 13 0.005 0.044 0.065 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.032 0.028 0.043 0.002 20 0.023 0.028 0.044 0.000 21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.030 0.001 23 0.117 0.109 0.071 0.001 24 0.039 0.663 0.035 0.003 25 0.096 0.065 0.027 0.000 26 0.081 0.054 0.020 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103	11	0.002	0.003	0.000	0.003
13 0.005 0.041 0.005 0.014 14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.032 0.028 0.043 0.002 20 0.023 0.028 0.044 0.000 21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.030 0.001 23 0.117 0.109 0.071 0.001 24 0.039 0.663 0.035 0.000 25 0.096 0.665 0.027 0.000 26 0.81 0.054 0.020 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.000 31 0.139 0.082	12	0.039	0.034	0.033	0.006
14 0.021 0.049 0.041 0.015 15 0.076 0.158 0.065 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.074 0.005 20 0.023 0.028 0.043 0.002 21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.030 0.001 23 0.117 0.109 0.071 0.001 24 0.039 0.065 0.027 0.000 25 0.096 0.065 0.027 0.000 26 0.081 0.054 0.020 0.000 27 0.349 0.147 0.029 0.001 30 0.138 0.023 0.001 33 0.024 0.005 30	13	0.005	0.044	0.065	0.014
1 0.076 0.158 0.017 0.017 16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.074 0.005 20 0.023 0.028 0.044 0.000 21 0.043 0.028 0.044 0.001 23 0.117 0.109 0.071 0.001 24 0.039 0.063 0.035 0.003 25 0.096 0.065 0.027 0.000 26 0.081 0.054 0.029 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.000 31 0.139 0.082 0.026 0.000 32 0.214 0.145	14	0.021	0.049	0.041	0.015
16 0.042 0.124 0.073 0.008 17 0.036 0.318 0.100 0.007 18 0.038 0.346 0.172 0.012 19 0.011 0.031 0.074 0.005 20 0.023 0.028 0.044 0.000 21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.030 0.001 23 0.117 0.109 0.071 0.001 24 0.039 0.063 0.035 0.003 25 0.996 0.065 0.27 0.000 26 0.081 0.054 0.200 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.148 0.056 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 0.000 44 0.024 0.036 0.013 0.000 45 $0.$	15	0.076	0.158	0.065	0.017
17 0.36 0.311 0.000 0.007 18 0.036 0.346 0.172 0.012 19 0.011 0.031 0.074 0.005 20 0.023 0.028 0.043 0.002 21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.300 0.001 23 0.117 0.109 0.071 0.000 24 0.039 0.663 0.035 0.003 25 0.096 0.065 0.27 0.000 26 0.81 0.054 0.020 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.366 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 36 0.278 0.266 0.112 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 </td <td>16</td> <td>0.042</td> <td>0.124</td> <td>0.073</td> <td>0.008</td>	16	0.042	0.124	0.073	0.008
1 0.038 0.346 0.172 0.011 19 0.011 0.031 0.074 0.005 20 0.023 0.028 0.043 0.002 21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.030 0.011 23 0.117 0.109 0.071 0.001 24 0.039 0.063 0.035 0.003 25 0.096 0.065 0.227 0.000 26 0.081 0.054 0.020 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.148 0.056 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.099 0.001 44 0.024 0.036 0.013 0.000 45 $0.$	17	0.036	0 318	0 100	0.007
13 0.031 0.074 0.002 20 0.023 0.028 0.043 0.002 21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.030 0.001 23 0.117 0.109 0.071 0.001 24 0.039 0.063 0.035 0.003 25 0.096 0.065 0.027 0.000 26 0.081 0.054 0.020 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.822 0.266 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 0.001 46 0.009 0	18	0.038	0 346	0 172	0.012
12 0.021 0.021 0.021 0.021 0.001 20 0.023 0.028 0.044 0.000 21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.030 0.001 23 0.117 0.109 0.071 0.001 24 0.039 0.663 0.035 0.003 25 0.096 0.065 0.027 0.000 26 0.081 0.054 0.020 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.266 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 0.000 44 0.014 0.013	19	0.011	0.031	0.074	0.005
21 0.043 0.028 0.044 0.000 22 0.081 0.071 0.030 0.001 23 0.117 0.109 0.071 0.001 24 0.039 0.063 0.035 0.003 25 0.096 0.065 0.027 0.000 26 0.081 0.054 0.020 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266	20	0.023	0.028	0.043	0.002
12 0.015 0.025 0.011 0.000 22 0.081 0.071 0.030 0.001 23 0.117 0.109 0.071 0.001 24 0.039 0.063 0.035 0.003 25 0.096 0.065 0.027 0.000 26 0.081 0.054 0.020 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.366 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.422 0.000 42 0.154 0.079 0.399 0.015 43 0.049 0.038 0.012 0.000 44 0.026 0.028 0.009 0.000 45 0.026 0.028 0.009	21	0.043	0.028	0.044	0.000
23 0.117 0.109 0.071 0.001 24 0.039 0.063 0.035 0.003 25 0.096 0.065 0.027 0.000 26 0.81 0.054 0.020 0.000 27 0.349 0.147 0.029 0.002 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217	22	0.081	0.071	0.030	0.001
15 0.137 0.103 0.101 0.101 24 0.039 0.063 0.031 0.003 25 0.096 0.065 0.027 0.000 26 0.081 0.054 0.020 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 38 0.215 0.217 0.096 0.000 40 0.244 0.195	23	0.117	0 109	0.071	0.001
24 0.005 0.005 0.005 0.005 25 0.096 0.065 0.027 0.000 26 0.081 0.054 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 40 0.244 0.195 0.060 0.033 41 0.188 0.157	23	0.039	0.063	0.035	0.001
15 0.081 0.054 0.021 0.000 26 0.081 0.054 0.020 0.000 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 40 0.244 0.195 0.660 0.003 41 0.188 0.157	25	0.096	0.065	0.027	0.000
10 1001 1001 1002 1002 27 0.349 0.147 0.029 0.000 28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.005 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 40 0.244 0.195 0.660 0.003 41 0.188 0.157 0.422 0.000 42 0.154 0.079	26	0.081	0.054	0.020	0.000
28 0.165 0.103 0.015 0.002 29 0.141 0.112 0.036 0.003 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.600 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038	27	0 349	0 147	0.029	0.000
29 0.141 0.112 0.036 0.001 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.600 0.033 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.026 0.028	28	0.165	0 103	0.015	0.002
125 0.111 0.112 0.023 0.001 30 0.138 0.098 0.023 0.001 31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.600 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.39 0.015 43 0.049 0.038 0.012 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.014 0.015 0.003 0.000 49 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000	29	0 141	0 112	0.036	0.005
31 0.139 0.082 0.026 0.000 32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.036 0.013 0.000 44 0.026 0.028 0.009 0.003 45 0.026 0.028 0.009 0.000 46 0.014 0.015	30	0.138	0.098	0.023	0.001
32 0.214 0.145 0.079 0.006 33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	31	0.139	0.082	0.026	0.000
33 0.204 0.152 0.038 0.000 34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.026 0.028 0.009 0.001 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.013	32	0.214	0.145	0.079	0.006
34 0.367 0.318 0.127 0.000 35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.026 0.028 0.009 0.001 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.013 0.001 0.000 50 0.014 0.007	33	0.204	0.152	0.038	0.000
35 0.291 0.247 0.106 0.000 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.026 0.028 0.009 0.001 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.003	34	0.367	0.318	0.127	0.000
36 0.101 0.101 0.101 0.100 36 0.278 0.266 0.112 0.000 37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.026 0.028 0.009 0.001 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.003	35	0.291	0.247	0.106	0.000
37 0.297 0.223 0.119 0.000 38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.026 0.028 0.009 0.001 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000	36	0.278	0.266	0.112	0.000
38 0.215 0.217 0.096 0.000 39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.026 0.028 0.009 0.000 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.015 0.003 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.003 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	37	0.297	0.223	0.119	0.000
39 0.205 0.148 0.056 0.000 40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.036 0.013 0.000 44 0.026 0.028 0.009 0.000 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	38	0.215	0.217	0.096	0.000
40 0.244 0.195 0.060 0.003 41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.036 0.013 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 0.003 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	39	0.205	0.148	0.056	0.000
41 0.188 0.157 0.042 0.000 42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.015 0.003 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	40	0.244	0.195	0.060	0.003
42 0.154 0.079 0.039 0.015 43 0.049 0.038 0.012 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 0.003 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.013 0.001 0.000 50 0.014 0.013 0.001 0.000 51 0.007 0.004 0.013 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	41	0.188	0.157	0.042	0.000
43 0.049 0.038 0.012 0.000 44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.015 0.003 0.000 49 0.014 0.013 0.001 0.003 51 0.007 0.004 0.013 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	42	0.154	0.079	0.039	0.015
44 0.024 0.036 0.013 0.000 45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.015 0.003 0.000 49 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	43	0.049	0.038	0.012	0.000
45 0.026 0.028 0.009 0.000 46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.015 0.003 0.000 49 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	44	0.024	0.036	0.013	0.000
46 0.009 0.013 0.001 0.003 47 0.012 0.020 0.016 0.000 48 0.014 0.015 0.003 0.000 49 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	45	0.026	0.028	0.009	0.000
47 0.012 0.020 0.016 0.000 48 0.014 0.015 0.003 0.000 49 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	46	0.009	0.013	0.001	0.003
48 0.014 0.015 0.003 0.000 49 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	47	0.012	0.020	0.016	0.000
49 0.014 0.013 0.001 0.000 50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	48	0.014	0.015	0.003	0.000
50 0.014 0.007 0.004 0.013 51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	49	0.014	0.013	0.001	0.000
51 0.007 0.005 0.000 0.000 52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	50	0.014	0.007	0.004	0.013
52 0.002 0.003 0.000 0.000 53 0.000 0.000 0.000 0.000	51	0.007	0.005	0.000	0.000
53 0.000 0.000 0.000 0.000	52	0.002	0.003	0.000	0.000
0.000 0.000 0.000	53	0.000	0.000	0.000	0.000
Grand Total 0.088 0.085 0.038 0.004	Grand Total	0.088	0.085	0.038	0.004

(All)

15

ALLOXANTHIN (mg/m3)

	Data			
WEEK	ALLOX_01m	ALLOX_05m	ALLOX_10m	ALLOX_60m
1	0.11	0.11	0.07	0.00
2	0.23	0.23	0.05	0.00
3	0.26	0.21	0.07	0.00
4	0.08	0.31	0.15	0.00
5	0.36	0.23	0.10	0.00
6	0.07	0.14	0.10	0.01
7	0.04	0.17	0.16	0.01
8	0.07	0.23	0.15	0.00
9	0.06	0.14	0.15	0.00
10	0.09	0.17	0.09	0.00
11	0.06	0.14	0.08	0.00
12	0.06	0.14	0.11	0.00
13	0.04	0.18	0.11	0.00
14	0.11	0.15	0.10	0.00
15	0.11	0.18	0.16	0.00
15	0.05	0.10	0.19	0.00
10	0.05	0.11	0.15	0.00
19	0.07	0.15	0.10	0.00
10	0.09	0.20	0.22	0.00
19	0.08	0.23	0.30	0.00
20	0.14	0.34	0.20	0.00
21	0.10	0.39	0.35	0.01
22	0.11	0.25	0.32	0.02
23	0.19	0.23	0.36	0.02
24	0.09	0.29	0.34	0.04
25	0.20	0.35	0.37	0.02
26	0.33	0.53	0.33	0.03
27	0.32	0.39	0.25	0.06
28	0.10	0.33	0.29	0.07
29	0.13	0.41	0.48	0.06
30	0.17	0.36	0.40	0.08
31	0.10	0.36	0.31	0.10
32	0.25	0.44	0.41	0.12
33	0.23	0.52	0.31	0.11
34	0.19	0.48	0.42	0.05
35	0.19	0.46	0.45	0.06
36	0.23	0.42	0.41	0.06
37	0.22	0.44	0.34	0.02
38	0.31	0.42	0.27	0.01
39	0.33	0.43	0.21	0.06
40	0.30	0.37	0.23	0.02
41	0.34	0.37	0.23	0.09
42	0.33	0.35	0.21	0.16
43	0.39	0.40	0.14	0.10
44	0.31	0.29	0.14	0.02
45	0.51	0.37	0.13	0.06
46	0.34	0.30	0.17	0.04
47	0.25	0.19	0.11	0.02
48	0.26	0.19	0.12	0.03
49	0.16	0.12	0.07	0.08
50	0.15	0.14	0.07	0.02
51	0.11	0.13	0.07	0.02
52	0.15	0.15	0.09	0.00
53	0.23	0.10	0.03	0.00
Grand Total	0.19	0.28	0.22	0.03

44

|--|

	Data			
WEEK	CHLa_01m	CHLa_05m	CHLa_10m	CHLa_60m
1	1.84	1.71	1.31	0.10
2	1.76	2.09	0.95	0.06
3	2.07	2.11	1.57	0.09
4	1.16	2.29	1.56	0.11
5	2.61	2.23	1.23	0.09
6	1.31	1.94	1.27	0.05
7	1.71	2.84	2.18	0.07
8	3.42	4.30	3.15	0.20
9	4.19	5.63	4.94	0.13
10	6.24	7.43	6.01	0.31
11	7.16	9.49	5.86	0.64
12	7.93	9.36	6.32	1.11
13	7.07	7.24	6.94	1.28
14	5.39	6.19	5.82	1.04
15	5.82	7 59	5 20	0.85
16	3 30	4 59	4 91	0.62
17	3 69	6 57	5 55	0.49
18	3 30	7.04	5 33	0.36
19	2.80	3 96	4 65	0.32
20	4 11	5 21	4 40	0.34
20	2 75	4.68	5.00	0.29
21	4 22	4.50	4 38	0.25
22	5 39	6 39	6.06	0.25
23	3 47	4 57	4 38	0.25
25	4 97	5 35	4.06	0.24
26	6.12	7 12	3 64	0.32
27	7.21	6.50	4.79	0.65
28	3.53	5.25	4.19	0.56
29	4.65	5.64	5.49	0.41
30	5.13	5.00	5.97	0.61
31	4.16	5.95	4.51	0.80
32	5.43	5.51	4.55	0.68
33	4.78	5.80	3.50	0.57
34	5.00	5.83	3.65	0.35
35	5.91	6.08	3.95	0.24
36	6.32	6.29	4.37	0.24
37	6.58	6.72	4.29	0.20
38	6.68	7.01	4.07	0.14
39	7.73	7.28	3.79	0.21
40	6.68	6.45	3.77	0.20
41	6.60	6.44	3.50	0.77
42	6.25	5.32	2.50	1.59
43	7.33	5.97	2.36	0.89
44	6.11	5.64	3.41	0.60
45	6.92	5.93	2.15	0.92
46	7.15	7.47	3.68	0.54
47	6.00	4.14	3.48	0.28
48	3.25	2.70	2.25	0.27
49	2.46	1.97	1.40	0.42
50	1.68	1.48	0.88	0.08
51	1.31	1.23	0.91	0.09
52	1.53	1.51	1.22	0.06
53	1.41	0.90	0.36	0.06
Grand Total	4.66	5.16	3.78	0.44

YEAR (All)

) CHLOROPHYLL b (mg/m3)

	Data			
WEEK	CHLb_01m	CHLb_05m	CHLb_10m	CHLb_60m
1	0.03	0.04	0.03	0.00
2	0.04	0.03	0.03	0.01
3	0.03	0.04	0.03	0.01
4	0.03	0.02	0.02	0.00
5	0.02	0.01	0.01	0.00
6	0.01	0.03	0.03	0.00
7	0.01	0.07	0.01	0.00
8	0.01	0.03	0.02	0.00
9	0.05	0.06	0.04	0.00
10	0.17	0.31	0.22	0.00
11	0.21	0.42	0.25	0.01
12	0.47	0.52	0.40	0.01
13	0.12	0.46	0.63	0.01
14	0.17	0.40	0.54	0.01
15	0.85	1.63	0.58	0.09
16	0.13	0.78	0.60	0.01
17	0.31	2.12	0.95	0.03
18	0.28	2.47	1.11	0.07
19	0.12	0.48	0.76	0.03
20	0.35	0.55	0.41	0.00
21	0.15	0.22	0.63	0.03
22	0.26	0.66	0.18	0.01
23	0.33	0.37	0.50	0.01
24	0.24	0.42	0.36	0.01
25	0.44	0.33	0.25	0.01
26	0.30	0.32	0.08	0.00
27	1.03	0.36	0.10	0.02
28	0.31	0.35	0.13	0.00
29	0.52	0.38	0.16	0.00
30	0.71	0.37	0.16	0.00
31	0.35	0.32	0.09	0.03
32	0.46	0.31	0.17	0.00
33	0.47	0.50	0.15	0.00
34	0.37	0.46	0.20	0.00
35	0.50	0.48	0.21	0.00
36	0.47	0.48	0.26	0.01
37	0.50	0.44	0.16	0.00
38	0.48	0.45	0.15	0.00
39	0.41	0.34	0.14	0.00
40	0.40	0.33	0.19	0.00
41	0.32	0.26	0.09	0.00
42	0.18	0.12	0.09	0.01
43	0.35	0.18	0.10	0.00
44	0.17	0.19	0.08	0.00
45	0.30	0.20	0.06	0.00
46	0.34	0.30	0.06	0.00
47	0.27	0.15	0.07	0.00
48	0.13	0.11	0.06	0.00
40	0.10	0.07	0.00	0.00
	0.10	0.07	0.04 0.04	0.00
51	0.05	0.05	0.04	0.00
52	0.00	0.03	0.07	0.00
52	0.04	0.04	0.03	0.00
Grand Total	0.28	0.29	0.22	0.00
	0.20	0.00	0.20	0.01

CHLOROPHYLL c (mg/m3)

	Data			
WEEK	CHLc 01m	CHLc 05m	CHLc 10m	CHLc 60m
1	0.18	0.16	0.10	0.01
2	0.21	0.23	0.09	0.01
3	0.22	0.23	0.15	0.04
4	0.11	0.26	0.15	0.05
5	0.35	0.27	0.13	0.02
6	0.14	0.21	0.14	0.00
7	0.23	0.34	0.27	0.00
8	0.54	0.70	0.49	0.04
9	0.66	0.84	0.66	0.01
10	1 13	1 33	0.95	0.04
11	1 32	1 72	0.92	0.09
12	1 43	1 59	0.92	0.03
13	1.45	1 31	0.99	0.14
14	1.25	1.31	0.93	0.15
15	0.83	0.08	0.55	0.10
15	0.83	0.58	0.04	0.10
10	0.07	0.71	0.01	0.09
17	0.64	0.50	0.50	0.08
10	0.54	0.50	0.30	0.04
19	0.44	0.48	0.49	0.04
20	0.58	0.57	0.51	0.03
21	0.37	0.51	0.41	0.03
22	0.65	0.69	0.48	0.03
23	0.73	0.99	0.78	0.01
24	0.54	0.59	0.53	0.04
25	0.75	0.85	0.50	0.02
26	0.94	0.96	0.45	0.03
27	0.91	0.90	0.77	0.06
28	0.54	0.63	0.56	0.04
29	0.63	0.83	0.76	0.03
30	0.69	0.67	0.87	0.05
31	0.73	0.96	0.62	0.12
32	0.87	0.82	0.65	0.07
33	0.71	0.77	0.45	0.05
34	0.78	0.87	0.53	0.03
35	0.86	0.87	0.51	0.04
36	0.98	0.96	0.66	0.04
37	1.06	1.01	0.63	0.02
38	0.88	1.01	0.57	0.01
39	1.06	0.99	0.49	0.04
40	1.02	0.91	0.46	0.03
41	0.95	0.93	0.48	0.20
42	0.94	0.84	0.31	0.36
43	1.28	0.94	0.33	0.28
44	0.98	0.90	0.53	0.13
45	1.04	0.83	0.25	0.29
46	1.27	1.25	0.47	0.22
47	0.93	0.62	0.41	0.05
48	0.42	0.39	0.27	0.10
49	0.26	0.24	0.15	0.08
50	0.19	0.17	0.08	0.01
51	0.12	0.12	0.07	0.01
52	0.14	0.15	0.12	0.01
53	0.22	0.13	0.04	0.04
Grand Total	0.72	0.74	0.49	0.08

(All)

0.00

DIADINOXANTHIN (mg/m3) YEAR (All) Data DIADINO_01m DIADINO_05m DIADINO_10m DIADINO_60m WEEK 0.04 0.03 1 0.02

2	0.03	0.03	0.02	0.00
3	0.02	0.03	0.03	0.01
4	0.03	0.03	0.02	0.01
5	0.04	0.04	0.02	0.01
6	0.04	0.05	0.02	0.00
7	0.07	0.10	0.05	0.00
8	0.15	0.17	0.00	0.00
9	0.15	0.20	0.10	0.00
10	0.10	0.20	0.15	0.00
10	0.34	0.37	0.21	0.01
12	0.47	0.40	0.23	0.02
12	0.43	0.47	0.20	0.04
15	0.40	0.40	0.51	0.03
14	0.36	0.41	0.27	0.04
15	0.46	0.60	0.23	0.04
16	0.22	0.35	0.24	0.02
1/	0.29	0.72	0.28	0.02
18	0.24	0.70	0.34	0.02
19	0.20	0.23	0.21	0.01
20	0.30	0.26	0.16	0.00
21	0.30	0.22	0.13	0.01
22	0.39	0.32	0.10	0.01
23	0.54	0.45	0.22	0.00
24	0.44	0.29	0.12	0.01
25	0.58	0.34	0.10	0.00
26	0.53	0.42	0.14	0.00
27	0.48	0.30	0.11	0.01
28	0.36	0.25	0.08	0.00
29	0.37	0.28	0.12	0.00
30	0.46	0.30	0.21	0.00
31	0.60	0.47	0.15	0.02
32	0.46	0.27	0.15	0.00
33	0.44	0.30	0.09	0.01
34	0.57	0.42	0.14	0.00
35	0.57	0.39	0.14	0.00
36	0.50	0.38	0.16	0.01
37	0.61	0.43	0.15	0.01
38	0.51	0.49	0.17	0.00
39	0.49	0.39	0.11	0.00
40	0.43	0.36	0.11	0.00
40	0.45	0.33	0.12	0.01
41	0.38	0.33	0.10	0.05
42	0.57	0.30	0.10	0.11
43	0.34	0.30	0.09	0.03
44	0.28	0.20	0.14	0.02
45	0.56	0.27	0.07	0.04
40	0.45	0.23	0.11	0.04
47	0.40	0.22	0.11	0.01
48	0.11	0.11	0.06	0.01
49	0.07	0.07	0.04	0.01
50	0.05	0.03	0.01	0.01
51	0.02	0.02	0.02	0.00
52	0.03	0.03	0.02	0.00
53	0.04	0.02	0.01	0.00
Grand Total	0.33	0.29	0.13	0.02

YEAR	(All)	FUCOXANTHIN (mg/m3)

	Data			
WEEK	FUCO_01m	FUCO_05m	FUCO_10m	FUCO_60m
1	0.55	0.49	0.37	0.05
2	0.28	0.38	0.32	0.04
3	0.26	0.42	0.50	0.16
4	0.26	0.24	0.29	0.26
5	0.40	0.44	0.29	0.11
6	0.32	0.35	0.29	0.04
7	0.54	0.61	0.52	0.06
8	1.37	1.56	1.26	0.13
9	1.59	1.88	1.60	0.12
10	2.21	2.56	2.04	0.15
11	2 64	3.26	2.07	0.29
12	2.63	3 37	2 20	0.49
13	2.05	2.26	2.06	0.54
1/	1.62	1 73	1.61	0.43
15	1.02	1.75	1.01	0.43
15	1.22	1.32	1.13	0.33
10	1.00	1.20	1.17	0.29
10	1.10	0.89	0.99	0.21
10	0.90	0.92	0.82	0.13
19	0.70	0.82	0.78	0.11
20	0.98	0.99	0.94	0.14
21	0.79	0.88	0.75	0.08
22	1.24	1.19	0.89	0.07
23	1.35	1.72	1.46	0.05
24	0.90	0.94	0.86	0.09
25	1.09	1.16	0.70	0.05
26	1.60	1.55	0.73	0.05
27	1.77	1.84	1.50	0.17
28	1.01	1.21	0.99	0.04
29	1.23	1.35	1.23	0.03
30	1.30	1.21	1.57	0.05
31	1.56	1.89	1.40	0.15
32	1.91	1.54	1.08	0.07
33	1.48	1.41	0.81	0.06
34	1.79	1.66	0.89	0.04
35	2.11	1.82	1.18	0.04
36	1.92	1.91	1.19	0.06
37	2.20	1.99	1.21	0.02
38	1.84	2.09	1.44	0.03
39	2.00	1.83	1.14	0.05
40	1.98	1.76	1.02	0.06
41	1.83	1.76	0.99	0.34
42	2.08	1.62	0.72	0.65
43	2.11	1.66	0.70	0.60
44	2.10	1.87	1.36	0.25
45	1.41	1.30	0.49	0.57
46	2.06	2.14	1.13	0.50
47	1.56	1.13	1.09	0.13
48	0.68	0.66	0.66	0.15
49	0.48	0.46	0.40	0.28
50	0.27	0.27	0.19	0.11
51	0.25	0.24	0.23	0.06
52	0.35	0.32	0.37	0.03
53	0.34	0.35	0.18	0.19
Grand Total	1.34	1.36	1.00	0.19

YEAR	(All)	PERIDININ (mg/m3)

	Data			
WEEK	PERI 01m	PERI 05m	PERI 10m	PERI 60m
1	0.01	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00
4	0.01	0.01	0.00	0.00
5	0.03	0.02	0.01	0.00
6	0.00	0.04	0.01	0.00
7	0.01	0.06	0.03	0.00
8	0.02	0.08	0.02	0.00
9	0.03	0.05	0.03	0.00
10	0.16	0.14	0.04	0.00
11	0.10	0.18	0.04	0.00
12	0.09	0.11	0.08	0.00
13	0.05	0.11	0.00	0.00
14	0.15	0.10	0.02	0.01
15	0.10	0.20	0.05	0.00
15	0.31	0.30	0.00	0.00
10	0.04	0.07	0.02	0.00
10	0.03	0.00	0.03	0.00
10	0.03	0.02	0.00	0.00
19	0.03	0.06	0.01	0.00
20	0.12	0.08	0.03	0.00
21	0.12	0.13	0.02	0.00
22	0.15	0.23	0.07	0.04
23	0.48	0.46	0.12	0.00
24	0.52	0.28	0.09	0.01
25	0.94	0.65	0.15	0.01
26	0.54	0.48	0.23	0.01
27	0.12	0.13	0.04	0.00
28	0.18	0.19	0.09	0.00
29	0.06	0.11	0.15	0.00
30	0.14	0.17	0.48	0.01
31	0.13	0.14	0.07	0.05
32	0.11	0.11	0.20	0.00
33	0.12	0.22	0.13	0.00
34	0.25	0.41	0.27	0.00
35	0.19	0.38	0.12	0.00
36	0.46	0.33	0.27	0.00
37	0.46	0.44	0.15	0.05
38	0.46	0.55	0.17	0.00
39	0.92	0.78	0.26	0.01
40	0.49	0.43	0.17	0.01
41	0.57	0.45	0.13	0.02
42	0.48	0.53	0.21	0.13
43	1.38	0.86	0.18	0.07
44	0.64	0.77	0.32	0.01
45	1.13	0.90	0.24	0.01
46	1.59	1.38	0.14	0.02
47	1.27	0.66	0.22	0.02
48	0.18	0.18	0.08	0.00
49	0.14	0.12	0.05	0.00
50	0.06	0.04	0.01	0.00
51	0.01	0.01	0.01	0.00
52	0.00	0.01	0.00	0.00
53	0.03	0.00	0.00	0.00
Grand Total	0.31	0.28	0.10	0.01

YEAR (All) ZEAXANTHIN (mg/m3)

WEEK ZEA_01m ZEA_05m ZEA_10m ZEA_60m 1 0.000 0.003 0.000 0.000 2 0.001 0.001 0.000 3 0.001 0.001 0.000 4 0.001 0.001 0.000 5 0.001 0.001 0.000 6 0.001 0.000 0.000 7 0.001 0.000 0.000 8 0.000 0.000 0.000 9 0.000 0.000 0.000 10 0.002 0.011 0.006 0.000 11 0.009 0.012 0.012 0.012 14 0.010 0.014 0.022 0.011 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.001 0.000 21 0.025 0.021 0.011 0.002		Data			
1 0.000 0.001 0.001 0.000 2 0.001 0.001 0.001 0.000 3 0.001 0.001 0.000 0.000 4 0.001 0.001 0.000 0.000 5 0.001 0.001 0.000 0.000 6 0.001 0.001 0.000 0.000 7 0.001 0.000 0.000 0.000 9 0.000 0.000 0.000 0.000 10 0.002 0.011 0.006 0.000 11 0.009 0.011 0.006 0.000 12 0.009 0.012 0.012 0.012 13 0.010 0.014 0.020 0.010 15 0.012 0.017 0.013 0.000 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.000 0.007 18 0.015 0.022	WEEK	ZEA_01m	ZEA_05m	ZEA_10m	ZEA_60m
2 0.001 0.001 0.001 0.000 3 0.001 0.001 0.000 0.000 4 0.001 0.001 0.000 0.000 5 0.001 0.001 0.000 0.000 6 0.001 0.000 0.000 0.000 7 0.001 0.000 0.000 0.000 9 0.000 0.000 0.000 0.000 10 0.002 0.011 0.006 0.000 11 0.009 0.012 0.012 0.014 13 0.010 0.014 0.022 0.011 14 0.016 0.008 0.012 0.007 15 0.012 0.014 0.004 0.014 18 0.015 0.014 0.001 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.002 24 0.033 0.027 <td< td=""><td>1</td><td>0.000</td><td>0.003</td><td>0.000</td><td>0.000</td></td<>	1	0.000	0.003	0.000	0.000
3 0.001 0.001 0.001 0.000 4 0.001 0.001 0.000 0.000 5 0.001 0.001 0.000 0.000 6 0.001 0.001 0.000 0.000 7 0.001 0.000 0.000 0.000 9 0.000 0.000 0.000 0.000 10 0.002 0.001 0.000 0.000 12 0.009 0.011 0.006 0.001 13 0.010 0.015 0.022 0.012 14 0.010 0.014 0.020 0.011 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.007 0.001 18 0.015 0.022 0.021 0.000 20 0.018 0.013 0.011 0.000 21 0.025 0.021 <t< td=""><td>2</td><td>0.001</td><td>0.001</td><td>0.001</td><td>0.000</td></t<>	2	0.001	0.001	0.001	0.000
4 0.001 0.000 0.001 0.000 5 0.001 0.001 0.000 0.000 6 0.001 0.001 0.000 0.000 7 0.001 0.000 0.000 0.000 8 0.000 0.000 0.000 0.000 10 0.002 0.001 0.000 0.000 11 0.009 0.012 0.012 0.001 13 0.010 0.015 0.022 0.011 14 0.010 0.014 0.020 0.011 15 0.012 0.017 0.013 0.000 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.007 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.001 23 0.046 0.022 <	3	0.001	0.001	0.001	0.000
5 0.001 0.001 0.000 6 0.001 0.001 0.000 7 0.001 0.000 0.000 8 0.000 0.000 0.000 9 0.000 0.000 0.000 10 0.002 0.001 0.000 0.000 11 0.009 0.011 0.006 0.000 12 0.009 0.012 0.012 0.012 14 0.010 0.014 0.022 0.011 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.007 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.002 24 0.038 0.037 0.024 0.005 25 0.044 0.040 0.027 0.000 26 0.033 0.02	4	0.001	0.000	0.001	0.000
6 0.001 0.001 0.001 0.000 7 0.001 0.000 0.000 8 0.000 0.000 0.000 9 0.000 0.000 0.000 10 0.002 0.001 0.000 0.000 11 0.009 0.011 0.006 0.001 12 0.009 0.012 0.012 0.012 14 0.010 0.014 0.020 0.011 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.014 0.004 18 0.015 0.025 0.016 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.002 22 0.021 0.007 0.001 2.005 24 0.038 0.037 0.011 0.002	5	0.001	0.001	0.000	0.000
7 0.001 0.000 0.000 8 0.000 0.000 0.000 9 0.002 0.001 0.000 10 0.002 0.001 0.000 11 0.009 0.012 0.012 0.001 12 0.009 0.012 0.012 0.012 14 0.010 0.015 0.022 0.010 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.0014 0.000 18 0.015 0.014 0.007 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.000 24 0.038 0.037 0.024 0.005 25 0	6	0.001	0.001	0.001	0.000
8 0.000 0.000 0.000 0.000 9 0.000 0.000 0.000 10 0.002 0.001 0.000 0.000 11 0.009 0.012 0.012 0.004 13 0.010 0.015 0.022 0.012 14 0.010 0.014 0.020 0.007 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.007 0.000 19 0.020 0.025 0.016 0.000 20 0.018 0.013 0.010 0.000 21 0.021 0.009 0.007 0.011 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.000 24 0.038 0.037 0.016 0.005 25 0.044 0.047 0.021	7	0.001	0.001	0.000	0.000
9 0.000 0.000 0.000 0.000 10 0.002 0.001 0.000 0.000 11 0.009 0.011 0.006 0.000 12 0.009 0.012 0.012 0.012 14 0.010 0.014 0.020 0.011 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.014 0.004 18 0.015 0.014 0.007 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.011 23 0.046 0.022 0.011 0.000 24 0.038 0.037 0.016 0.000 25 0.044 0.404 0.027 0.000 26 0.033 0.022	8	0.000	0.000	0.000	0.000
10 0.002 0.001 0.000 0.000 11 0.009 0.011 0.006 0.000 12 0.009 0.012 0.012 0.012 13 0.010 0.015 0.022 0.012 14 0.010 0.014 0.020 0.010 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.001 17 0.017 0.014 0.007 0.000 19 0.020 0.025 0.016 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.002 24 0.038 0.037 0.024 0.001 25 0.044 0.040 0.027 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 30 0.079 0.047	9	0.000	0.000	0.000	0.000
11 0.009 0.011 0.006 0.000 12 0.009 0.012 0.012 0.014 13 0.010 0.015 0.022 0.012 14 0.010 0.014 0.020 0.010 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.014 0.000 19 0.020 0.025 0.016 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.002 23 0.046 0.022 0.011 0.002 24 0.038 0.037 0.014 0.000 25 0.044 0.404 0.027 0.000 26 0.033 0.024 0.011 0.000 28 0.049 0.037 0.016 0.001 34 0.056 0.038	10	0.002	0.001	0.000	0.000
12 0.009 0.012 0.012 0.004 13 0.010 0.015 0.022 0.012 14 0.010 0.014 0.020 0.010 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.004 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.011 0.000 0.001 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.000 24 0.038 0.037 0.024 0.001 25 0.044 0.047 0.021 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 30 0.079 0.048 0.033 0.033 31 0.038 0.022	11	0.009	0.011	0.006	0.000
13 0.010 0.015 0.022 0.012 14 0.010 0.014 0.020 0.010 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.007 0.000 19 0.020 0.025 0.016 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.002 22 0.021 0.007 0.001 22 0.021 0.008 0.027 0.000 24 0.038 0.037 0.024 0.005 25 0.044 0.040 0.027 0.000 26 0.033 0.024 0.011 0.000 28 0.049 0.037 0.016 0.001 30 0.079 0.448 0.033 0.001 31 0.038 0.037 0.016	12	0.009	0.012	0.012	0.004
14 0.010 0.014 0.020 0.010 15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.014 0.004 18 0.015 0.014 0.007 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.002 24 0.038 0.037 0.024 0.005 25 0.044 0.400 0.027 0.000 26 0.033 0.024 0.016 0.005 29 0.061 0.045 0.022 0.033 30 0.050 0.337 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059	13	0.010	0.015	0.022	0.012
15 0.012 0.017 0.013 0.009 16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.014 0.004 18 0.015 0.014 0.007 0.000 19 0.020 0.025 0.016 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.002 24 0.038 0.037 0.024 0.001 25 0.044 0.047 0.021 0.000 26 0.033 0.027 0.000 0.033 0.033 27 0.079 0.047 0.021 0.000 0.033 30 0.079 0.048 0.033 0.003 0.033 31 0.038 0.037 0.017 0.000	14	0.010	0.014	0.020	0.010
16 0.016 0.008 0.012 0.007 17 0.017 0.014 0.014 0.004 18 0.015 0.014 0.007 0.000 19 0.020 0.025 0.016 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.002 24 0.033 0.024 0.011 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 28 0.049 0.37 0.016 0.005 29 0.61 0.045 0.022 0.033 31 0.038 0.037 0.017 0.000 32 0.055 0.039 0.016 0.001 34 0.056 0.38	15	0.012	0.017	0.013	0.009
17 0.017 0.014 0.014 0.004 18 0.015 0.014 0.007 0.000 19 0.020 0.025 0.016 0.000 20 0.018 0.013 0.011 0.000 21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.002 24 0.038 0.037 0.024 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 28 0.049 0.037 0.016 0.001 28 0.049 0.037 0.016 0.001 30 0.079 0.048 0.033 0.033 31 0.038 0.020 0.000 32 0.053 0.037 0.017 0.002 34 0.056 0.038 0.020	16	0.016	0.008	0.012	0.007
18 0.015 0.014 0.007 0.000 19 0.020 0.025 0.016 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.002 24 0.038 0.037 0.024 0.000 25 0.044 0.040 0.027 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 28 0.049 0.037 0.016 0.003 30 0.079 0.048 0.033 0.003 31 0.038 0.037 0.017 0.000 32 0.055 0.039 0.016 0.001 34 0.056 0.38 0.020 0.000 35 0.064 0.059	17	0.017	0.014	0.014	0.004
19 0.020 0.025 0.016 0.000 20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.002 24 0.038 0.037 0.024 0.005 25 0.044 0.040 0.027 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 28 0.049 0.037 0.016 0.003 30 0.079 0.048 0.033 0.003 31 0.038 0.037 0.017 0.000 32 0.055 0.039 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055	18	0.015	0.014	0.007	0.000
20 0.018 0.013 0.010 0.000 21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.002 24 0.038 0.037 0.024 0.005 25 0.044 0.040 0.027 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 28 0.049 0.037 0.016 0.005 29 0.061 0.045 0.022 0.003 30 0.079 0.048 0.033 0.003 31 0.038 0.033 0.017 0.000 32 0.051 0.038 0.020 0.000 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055	19	0.020	0.025	0.016	0.000
21 0.025 0.021 0.011 0.000 22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.002 24 0.038 0.037 0.024 0.005 25 0.044 0.040 0.027 0.000 26 0.033 0.024 0.011 0.000 28 0.049 0.037 0.016 0.005 29 0.061 0.045 0.022 0.003 30 0.079 0.048 0.033 0.003 31 0.038 0.037 0.016 0.001 32 0.055 0.037 0.017 0.000 33 0.505 0.038 0.020 0.000 34 0.056 0.038 0.029 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.099 0.012	20	0.018	0.013	0.010	0.000
22 0.021 0.009 0.007 0.001 23 0.046 0.022 0.011 0.002 24 0.038 0.037 0.024 0.005 25 0.044 0.040 0.027 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 28 0.049 0.037 0.016 0.003 30 0.079 0.048 0.033 0.001 31 0.038 0.037 0.016 0.001 32 0.053 0.037 0.017 0.000 33 0.050 0.039 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 39 0.055 0.040 0.028 0.001 41 0.037 0.032	21	0.025	0.021	0.011	0.000
21 0.046 0.022 0.011 0.002 24 0.038 0.037 0.024 0.005 25 0.044 0.040 0.027 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 28 0.049 0.037 0.016 0.005 29 0.061 0.045 0.022 0.003 30 0.079 0.048 0.033 0.001 31 0.038 0.033 0.017 0.000 32 0.053 0.037 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.029 0.000 38 0.079 0.667 0.029 0.000 40 0.062 0.047	22	0.021	0.009	0.007	0.001
10 10.01 10.01 10.01 10.01 24 0.038 0.037 0.024 0.005 25 0.044 0.040 0.027 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 28 0.049 0.037 0.016 0.005 29 0.061 0.045 0.022 0.003 30 0.079 0.048 0.033 0.003 31 0.038 0.037 0.016 0.001 32 0.053 0.037 0.017 0.000 33 0.056 0.038 0.020 0.000 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 38 0.079 0.067 0.029 0.000 40 0.062 0.047	23	0.046	0.022	0.011	0.002
1 0.037 0.021 0.000 25 0.044 0.040 0.027 0.000 26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 28 0.049 0.037 0.016 0.005 29 0.061 0.045 0.022 0.003 30 0.079 0.048 0.033 0.001 31 0.038 0.037 0.017 0.000 32 0.053 0.037 0.017 0.000 33 0.050 0.039 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.909 0.029 0.000 38 0.079 0.667 0.029 0.000 40 0.662 0.047 0.016	24	0.038	0.037	0.024	0.005
26 0.033 0.024 0.011 0.000 27 0.079 0.047 0.021 0.000 28 0.049 0.037 0.016 0.005 29 0.061 0.045 0.022 0.003 30 0.079 0.048 0.033 0.003 31 0.038 0.037 0.017 0.000 32 0.053 0.037 0.017 0.000 33 0.050 0.039 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.229 0.000 38 0.079 0.067 0.028 0.000 40 0.062 0.047 0.016 0.011 41 0.037 0.032 0.017 0.000 43 0.019 0.012	25	0.044	0.040	0.027	0.000
27 0.079 0.047 0.021 0.000 28 0.049 0.037 0.016 0.005 29 0.061 0.045 0.022 0.003 30 0.079 0.048 0.033 0.000 31 0.038 0.037 0.017 0.000 32 0.055 0.037 0.017 0.000 33 0.050 0.39 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.000 40 0.062 0.047 0.016 0.001 41 0.037 0.032 0.017 0.000 43 0.019 0.012	26	0.033	0.024	0.011	0.000
28 0.049 0.037 0.016 0.005 29 0.061 0.045 0.022 0.003 30 0.079 0.048 0.033 0.003 31 0.038 0.033 0.017 0.000 32 0.053 0.037 0.017 0.000 33 0.050 0.039 0.016 0.001 34 0.056 0.038 0.029 0.000 35 0.064 0.59 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.909 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.404 0.028 0.000 40 0.062 0.047 0.016 0.001 41 0.037 0.032 0.017 0.000 43 0.019 0.012 0.007 0.004 44 0.009 0.012	27	0.079	0.047	0.021	0.000
10 1000 1000 1000 29 0.061 0.045 0.022 0.003 30 0.079 0.048 0.033 0.003 31 0.038 0.033 0.017 0.000 32 0.053 0.037 0.017 0.000 33 0.050 0.039 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.001 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.12 0.006 0.000 44 0.009 0.012 0.000	28	0.049	0.037	0.016	0.005
15 0.012 0.013 0.013 0.003 30 0.079 0.048 0.033 0.003 31 0.038 0.037 0.017 0.000 32 0.053 0.037 0.017 0.000 33 0.050 0.039 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.000 40 0.062 0.047 0.016 0.011 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.006 0.000 44 0.007 0.005	29	0.061	0.045	0.022	0.003
31 0.038 0.033 0.017 0.000 32 0.053 0.037 0.017 0.000 33 0.050 0.039 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.000 40 0.062 0.047 0.016 0.011 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.000 0.001 45 0.032 0.010 0.001 0.000 46 0.010 0.005	30	0.079	0.048	0.033	0.003
32 0.053 0.037 0.017 0.000 33 0.050 0.039 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.001 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.003 49 0.003 0.005	31	0.038	0.033	0.017	0.000
33 0.050 0.039 0.016 0.001 34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.000 40 0.062 0.047 0.016 0.011 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.003 49 0.003 0.005	32	0.053	0.037	0.017	0.000
34 0.056 0.038 0.020 0.000 35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.000 40 0.062 0.047 0.016 0.001 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002	33	0.050	0.039	0.016	0.001
35 0.064 0.059 0.017 0.002 36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.000 40 0.062 0.047 0.016 0.001 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001	34	0.056	0.038	0.020	0.000
36 0.057 0.055 0.029 0.000 37 0.095 0.090 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.000 40 0.062 0.047 0.016 0.001 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001	35	0.064	0.059	0.017	0.002
37 0.095 0.090 0.029 0.000 38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.000 40 0.062 0.047 0.016 0.001 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.001	36	0.057	0.055	0.029	0.000
38 0.079 0.067 0.029 0.000 39 0.055 0.040 0.028 0.000 40 0.062 0.047 0.016 0.001 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.003 48 0.007 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000	37	0.095	0.090	0.029	0.000
39 0.055 0.040 0.028 0.000 40 0.062 0.047 0.016 0.001 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.003 48 0.007 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.002	38	0.079	0.067	0.029	0.000
40 0.062 0.047 0.016 0.001 41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.003 48 0.007 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000	39	0.055	0.040	0.028	0.000
41 0.037 0.032 0.017 0.000 42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.000 48 0.007 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000	40	0.062	0.047	0.016	0.001
42 0.031 0.016 0.011 0.005 43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.000 48 0.007 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000	41	0.037	0.032	0.017	0.000
43 0.019 0.012 0.007 0.004 44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.000 48 0.007 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.001 0.001 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000	42	0.031	0.016	0.011	0.005
44 0.009 0.012 0.006 0.000 45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.000 48 0.007 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000 Grand Total 0.027 0.021 0.012 0.002	43	0.019	0.012	0.007	0.004
45 0.032 0.010 0.004 0.000 46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.000 48 0.007 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000 Grand Total 0.027 0.021 0.012 0.002	44	0.009	0.012	0.006	0.000
46 0.010 0.007 0.005 0.001 47 0.008 0.006 0.002 0.000 48 0.007 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000 Grand Total 0.027 0.021 0.012 0.002	45	0.032	0.010	0.004	0.000
47 0.008 0.006 0.002 0.000 48 0.007 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.000 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000 Grand Total 0.027 0.021 0.012 0.002	46	0.010	0.007	0.005	0.001
48 0.007 0.006 0.002 0.003 49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.002 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000 Grand Total 0.027 0.021 0.012 0.002	47	0.008	0.006	0.002	0.000
49 0.003 0.005 0.001 0.000 50 0.002 0.002 0.002 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000 Grand Total 0.027 0.021 0.012 0.002	48	0.007	0.006	0.002	0.003
50 0.002 0.002 0.002 0.002 0.000 51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000 Grand Total 0.027 0.021 0.012 0.002	49	0.003	0.005	0.001	0.000
51 0.001 0.001 0.000 0.000 52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000 Grand Total 0.027 0.021 0.012 0.002	50	0.002	0.002	0.002	0.000
52 0.000 0.001 0.000 0.000 53 0.000 0.000 0.000 0.000 Grand Total 0.027 0.021 0.012 0.002	51	0.001	0.001	0.000	0.000
53 0.000 0.000 0.000 0.000 Grand Total 0.027 0.021 0.012 0.002	52	0.000	0.001	0.000	0.000
Grand Total 0.027 0.021 0.012 0.002	53	0.000	0.000	0.000	0.000
	Grand Total	0.027	0.021	0.012	0.002

YEAR

(All) DIAGNOSTIC PIGMENTS (mg/m3)

	Data			
WEEK	DIAGPIG_01m	DIAGPIG_05m	DIAGPIG_10m	DIAGPIG_60m
1	0.88	0.80	0.59	0.08
2	0.59	0.72	0.52	0.07
3	0.57	0.76	0.77	0.24
4	0.46	0.56	0.53	0.36
5	0.84	0.80	0.49	0.16
6	0.51	0.66	0.52	0.05
7	0.81	1.12	0.88	0.09
8	2.02	2.48	1.92	0.19
9	2.38	2.87	2.42	0.17
10	3.57	4.23	3.21	0.22
11	4.19	5.37	3.29	0.42
12	4.41	5.59	3.74	0.71
13	3.58	3.98	3.74	0.82
14	2.70	3.26	3.03	0.65
15	3.19	4.53	2.49	0.60
16	1.82	2.92	2.51	0.43
17	2.01	3.99	2.65	0.34
18	1.72	4.40	2.64	0.26
19	1.31	1.92	2.17	0.19
20	2.03	2.33	2.00	0.20
21	1.58	1.95	2.01	0.15
22	2.44	2.94	1.76	0.18
23	3.22	3.75	3.04	0.10
24	2.41	2.44	1.97	0.17
25	3.61	3.22	1.74	0.10
26	3.67	3.61	1.67	0.09
27	4.43	3.61	2.50	0.29
28	2 31	2 70	1.87	0.11
29	2.68	2.89	2.46	0.09
30	3.10	2.72	3.37	0.14
31	3.05	3.61	2 40	0.36
32	3.80	3 14	2 36	0.18
33	3.20	3.36	1.73	0.16
34	3 90	4 1 2	2.78	0.09
35	4 30	4 23	2.20	0.10
36	4 39	4 30	2 73	0.13
37	4 87	4 51	2.75	0.13
38	4.27	4.76	2.74	0.06
39	5.03	4.50	2.34	0.12
40	4.44	3.93	2.10	0.12
41	4.19	3.84	1.88	0.55
42	4 22	3 49	1.60	1 23
43	5.61	4 05	1 45	1.23
44	4 26	4 15	2.13	0.39
45	4.20	3 58	1 17	0.86
45 46	5 71	5.50	1 95	0.76
40 47	<u> </u>	2.50	2 01	0.73
	1 5 2	1 //	1 18	0.23
40	1 10	1.44	0.72	0.25
50	0.67	0.99	0.72	0.45
50	0.07	0.00	0.30	0.19
52	0.52	0.49	0.42	0.10
52	0.05	0.59	0.01	0.04
Grand Total	2 87	3,00	1 98	0.27
Si ana i Utai	2.07	5.00	1.50	0.52

(All)

52

MICROPHYTO PIGMENTS (mg/m3)

	Data				
WEEK		01mMICROPIG	05mMICROPIG	10mMICROPIG	60m
1	0.78	0.70	0.52	0.08	
2	0.41	0.55	0.46	0.06	
3	0.38	0.60	0.70	0.22	
4	0.39	0.35	0.42	0.36	
5	0.60	0.65	0.42	0.16	
6	0.46	0.55	0.42	0.05	
7	0.78	0.94	0.77	0.09	
8	1.96	2.32	1.81	0.18	
9	2.29	2.73	2.29	0.17	
10	3.34	3.81	2.94	0.21	
11	3.92	4.85	2.97	0.41	
12	3.83	4.92	3.21	0.69	
13	3.41	3.33	2.93	0.78	
14	2.43	2.67	2.35	0.60	
15	2.15	2.56	1.71	0.47	
16	1.59	1.90	1.68	0.40	
17	1.59	1.34	1.43	0.30	
18	1.31	1.32	1.16	0.18	
19	1.11	1.23	1.11	0.15	
20	1.55	1.52	1.37	0.20	
21	1.29	1.43	1.09	0.12	
22	1.97	2.01	1.35	0.15	
23	2.57	3.08	2.22	0.08	
24	2.01	1.72	1.34	0.13	
25	2.87	2.55	1.20	0.08	
26	3.02	2.87	1.35	0.08	
27	2.66	2.77	2.18	0.24	
28	1.67	1.98	1.52	0.06	
29	1.83	2.06	1.95	0.05	
30	2.02	1.94	2.89	0.08	
31	2.39	2.87	2.07	0.28	
32	2.85	2.32	1.81	0.10	
33	2.26	2.30	1.33	0.09	
34	2.88	2.92	1.63	0.06	
35	3.23	3.10	1.83	0.07	
36	3.36	3.16	2.06	0.08	
37	3.75	3.42	1.92	0.11	
38	3.25	3.72	2.27	0.05	
39	4.12	3.68	1.98	0.08	
40	3.49	3.09	1.67	0.10	
41	3.39	3.12	1.58	0.50	
42	3.61	3.04	1.31	1.10	
43	4.92	3.55	1.23	0.95	
44	3.86	3.72	2.36	0.37	
45	3.59	3.10	1.02	0.82	
46	5.14	4.97	1.79	0.73	
47	3.99	2.53	1.84	0.22	
48	1.21	1.19	1.05	0.21	
49	0.88	0.82	0.64	0.40	
50	0.47	0.43	0.27	0.16	
51	0.36	0.35	0.34	0.09	
52	0.49	0.46	0.53	0.04	
53	0.53	0.49	0.25	0.27	
Grand Total	2.33	2.30	1.56	0.28	

(All)

53

NANOPHYTO PIGMENTS (mg/m3)

	Data				
WFFK		01m NANOPIG	05m NANOPIG	10m NANOPIG	60m
1	0.06	0.07	0.04	0.00	
2	0.14	0.14	0.03	0.00	
3	0.16	0.13	0.04	0.00	
4	0.05	0.18	0.09	0.00	
5	0.22	0.14	0.06	0.00	
6	0.04	0.09	0.06	0.00	
7	0.02	0.05	0.09	0.00	
8	0.04	0.14	0.09	0.00	
9	0.03	0.14	0.09	0.00	
10	0.05	0.00	0.06	0.00	
11	0.05	0.10	0.00	0.00	
12	0.05	0.10	0.03	0.01	
12	0.10	0.15	0.11	0.01	
1/	0.04	0.17	0.15	0.02	
14	0.10	0.10	0.11	0.02	
15	0.17	0.51	0.10	0.02	
10	0.09	0.23	0.21	0.01	
1/	0.10	0.50	0.24	0.01	
18	0.10	0.57	0.35	0.02	
19	0.07	0.19	0.28	0.01	
20	0.12	0.24	0.21	0.01	
21	0.12	0.27	0.27	0.01	
22	0.19	0.25	0.23	0.01	
23	0.27	0.28	0.31	0.01	
24	0.12	0.26	0.25	0.03	
25	0.26	0.30	0.26	0.01	
26	0.32	0.40	0.23	0.02	
27	0.66	0.43	0.19	0.04	
28	0.28	0.33	0.20	0.04	
29	0.28	0.41	0.33	0.04	
30	0.30	0.36	0.28	0.05	
31	0.28	0.38	0.23	0.06	
32	0.44	0.47	0.36	0.08	
33	0.43	0.52	0.24	0.07	
34	0.60	0.71	0.42	0.03	
35	0.51	0.60	0.41	0.03	
36	0.51	0.61	0.39	0.04	
37	0.53	0.56	0.36	0.01	
38	0.47	0.54	0.29	0.01	
39	0.46	0.45	0.20	0.04	
40	0.50	0.47	0.22	0.01	
41	0.46	0.43	0.19	0.05	
42	0.40	0.32	0.19	0.11	
43	0.32	0.31	0.11	0.06	
44	0.22	0.22	0.10	0.01	
45	0.36	0.26	0.09	0.04	
46	0.22	0.22	0.10	0.03	
47	0.17	0.14	0.09	0.01	
48	0.18	0.14	0.08	0.02	
49	0.12	0.09	0.04	0.05	
50	0.11	0.10	0.05	0.03	
51	0.08	0.09	0.05	0.01	
52	0.09	0.09	0.05	0.00	
53	0.14	0.06	0.02	0.00	
Grand Total	0.23	0.28	0.18	0.03	

YEAR

(All) PICOPHYTO PIGMENTS (mg/m3)

WEEK PICOPIG_01m PICOPIG_05m PICOPIG_10m PICOPIG_60m 1 0.03 0.04 0.03 0.001 2 0.04 0.03 0.01 0.01 3 0.03 0.02 0.02 0.001 4 0.03 0.02 0.01 0.001 5 0.02 0.02 0.01 0.001 6 0.01 0.03 0.03 0.001 6 0.01 0.03 0.02 0.001 9 0.05 0.066 0.01 0.001 10 0.17 0.32 0.22 0.001 11 0.22 0.43 0.26 0.011 12 0.48 0.42 0.57 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.03 0.01 16 0.15 0.80 0.51 0.01 17 0.32 2.15 0.97		Data			
1 0.03 0.04 0.03 0.00 2 0.04 0.03 0.03 0.01 3 0.03 0.04 0.03 0.01 4 0.03 0.02 0.02 0.00 5 0.02 0.02 0.01 0.00 6 0.01 0.03 0.03 0.00 7 0.01 0.07 0.01 0.00 8 0.01 0.03 0.02 0.00 9 0.05 0.06 0.04 0.00 10 0.17 0.32 0.22 0.00 11 0.22 0.43 0.26 0.01 12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.01 16 0.15 0.80 0.62 0.01	WEEK	PICOPIG_01m	PICOPIG_05m	PICOPIG_10m	PICOPIG_60m
2 0.04 0.03 0.03 0.01 3 0.03 0.02 0.02 0.00 5 0.02 0.01 0.00 6 0.01 0.03 0.03 0.00 7 0.01 0.07 0.01 0.00 8 0.01 0.03 0.02 0.00 9 0.05 0.06 0.04 0.00 10 0.17 0.32 0.22 0.00 9 0.05 0.06 0.04 0.00 11 0.22 0.43 0.26 0.01 12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.01 16 0.15 0.80 0.62 0.01 17 0.32 2.51 1.13 0.07 18 0	1	0.03	0.04	0.03	0.00
3 0.03 0.04 0.03 0.01 4 0.03 0.02 0.02 0.00 5 0.02 0.02 0.01 0.00 6 0.01 0.03 0.03 0.00 7 0.01 0.07 0.01 0.00 9 0.05 0.06 0.04 0.00 10 0.17 0.32 0.22 0.00 11 0.22 0.43 0.26 0.01 12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.01 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 <	2	0.04	0.03	0.03	0.01
4 0.03 0.02 0.02 0.00 5 0.02 0.01 0.00 6 0.01 0.03 0.03 0.00 7 0.01 0.07 0.01 0.00 8 0.01 0.03 0.02 0.00 9 0.05 0.06 0.04 0.00 10 0.17 0.32 0.22 0.00 11 0.22 0.43 0.26 0.01 12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.01 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 <td< td=""><td>3</td><td>0.03</td><td>0.04</td><td>0.03</td><td>0.01</td></td<>	3	0.03	0.04	0.03	0.01
5 0.02 0.02 0.01 0.00 6 0.01 0.03 0.03 0.00 7 0.01 0.07 0.01 0.00 8 0.01 0.03 0.02 0.00 9 0.05 0.06 0.04 0.00 10 0.17 0.32 0.22 0.01 11 0.22 0.43 0.26 0.01 12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03	4	0.03	0.02	0.02	0.00
6 0.01 0.03 0.03 0.00 7 0.01 0.07 0.01 0.00 8 0.01 0.03 0.02 0.00 9 0.05 0.06 0.04 0.00 10 0.17 0.32 0.22 0.00 11 0.22 0.43 0.26 0.01 12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.01 17 0.32 2.15 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 22 0.28 0.46 0.39 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01	5	0.02	0.02	0.01	0.00
7 0.01 0.07 0.01 0.00 8 0.01 0.03 0.02 0.00 9 0.05 0.06 0.04 0.00 10 0.17 0.32 0.22 0.00 11 0.22 0.43 0.26 0.01 12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01	6	0.01	0.03	0.03	0.00
8 0.01 0.03 0.02 0.00 9 0.05 0.06 0.04 0.00 10 0.17 0.32 0.22 0.00 11 0.22 0.43 0.26 0.01 12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01	7	0.01	0.07	0.01	0.00
9 0.05 0.06 0.04 0.00 10 0.17 0.32 0.22 0.00 11 0.22 0.43 0.26 0.01 12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 0 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25<	8	0.01	0.03	0.02	0.00
0 0.17 0.32 0.02 0.01 11 0.22 0.43 0.26 0.01 12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.66 0.18 0.01 23 0.37 0.32 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01	9	0.05	0.06	0.04	0.00
10 0.12 0.43 0.12 0.01 11 0.12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.46 0.39 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00	10	0.17	0.32	0.22	0.00
11 0.12 0.48 0.53 0.42 0.01 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02	11	0.22	0.43	0.26	0.00
12 0.40 0.53 0.42 0.02 13 0.13 0.48 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00	12	0.22	0.53	0.42	0.01
13 0.13 0.43 0.65 0.02 14 0.18 0.42 0.57 0.02 15 0.87 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00	12	0.13	0.33	0.42	0.01
14 0.18 0.12 0.37 0.02 15 0.87 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 30 0.78 0.42 0.19 0.00	14	0.13	0.48	0.05	0.02
13 0.37 1.66 0.60 0.10 16 0.15 0.80 0.62 0.01 17 0.32 2.15 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.46 0.39 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 31 0.39 0.36 0.10 0.33	14	0.18	1.42	0.57	0.02
10 0.13 0.80 0.02 0.01 17 0.32 2.15 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 44 0.18 0.20 0.08 0.00 45 0.37 0.16 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 $0.$	15	0.87	1.00	0.60	0.10
17 0.32 2.13 0.97 0.03 18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 43 0.37 0.16 0.07 0.00 44 0.18 0.20 0.08 0.04 0.79 0.31 <	10	0.13	0.80	0.02	0.01
18 0.30 2.51 1.13 0.07 19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.18 0.00 39 0.45 0.37 0.16 0.00 41 0.35 0.28 0.11 0.00 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 44 0.18 0.20 0.00 45 0.33 0.21	17	0.32	2.15	0.97	0.03
19 0.14 0.50 0.79 0.03 20 0.36 0.57 0.42 0.00 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 $0.$	18	0.30	2.51	1.13	0.07
20 0.36 0.57 0.42 0.60 21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.03 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 41 0.35 0.28 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 44 0.18 0.20 0.00 45 0.33 0.21 0.06 0.00 44 0.14 0.12 0.06 0.00 45 0.33 0.21 0.06 0.00 45 0.33 0.21 0.06 0.00 <t< td=""><td>19</td><td>0.14</td><td>0.50</td><td>0.79</td><td>0.03</td></t<>	19	0.14	0.50	0.79	0.03
21 0.17 0.24 0.65 0.03 22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 41 0.35 0.28 0.11 0.00 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.00 45 0.33 0.21 0.06 0.00 44 0.14 0.12 0.00 45 0.33 0.21 0.06 0.00 44 0.14 0.12 0.06 0.00 45	20	0.36	0.57	0.42	0.00
22 0.28 0.68 0.18 0.01 23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00	21	0.17	0.24	0.65	0.03
23 0.37 0.39 0.51 0.01 24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 40 0.46 0.37 0.20 0.00	22	0.28	0.68	0.18	0.01
24 0.28 0.46 0.39 0.01 25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.46 0.37 0.20 0.00	23	0.37	0.39	0.51	0.01
25 0.48 0.37 0.28 0.01 26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.18 0.00 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00	24	0.28	0.46	0.39	0.01
26 0.33 0.34 0.09 0.00 27 1.11 0.40 0.12 0.02 28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.18 0.00 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02	25	0.48	0.37	0.28	0.01
271.110.400.120.02280.360.390.150.01290.580.430.180.00300.780.420.190.00310.390.360.100.03320.510.350.190.00330.520.540.160.00340.420.490.220.00350.560.530.230.00360.530.530.180.00370.590.530.180.00390.450.370.160.00410.350.280.110.00420.210.130.100.02430.370.190.110.00440.180.200.080.00450.330.210.060.00460.350.310.070.00470.280.160.070.00480.140.120.060.00500.090.080.040.00510.080.060.040.00520.040.040.020.006rand Total0.310.410.240.01	26	0.33	0.34	0.09	0.00
28 0.36 0.39 0.15 0.01 29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00	27	1.11	0.40	0.12	0.02
29 0.58 0.43 0.18 0.00 30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00	28	0.36	0.39	0.15	0.01
30 0.78 0.42 0.19 0.00 31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.45 0.37 0.16 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00	29	0.58	0.43	0.18	0.00
31 0.39 0.36 0.10 0.03 32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.45 0.37 0.16 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 48 0.14 0.12 0.06 0.00	30	0.78	0.42	0.19	0.00
32 0.51 0.35 0.19 0.00 33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00	31	0.39	0.36	0.10	0.03
33 0.52 0.54 0.16 0.00 34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.45 0.37 0.16 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 50 0.09 0.08 0.04 0.00	32	0.51	0.35	0.19	0.00
34 0.42 0.49 0.22 0.00 35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 40 0.45 0.37 0.16 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00	33	0.52	0.54	0.16	0.00
35 0.56 0.53 0.23 0.00 36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 39 0.45 0.37 0.16 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00	34	0.42	0.49	0.22	0.00
36 0.53 0.53 0.29 0.01 37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 39 0.45 0.37 0.16 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00	35	0.56	0.53	0.23	0.00
37 0.59 0.53 0.18 0.00 38 0.55 0.51 0.18 0.00 39 0.45 0.37 0.16 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 45 0.35 0.31 0.07 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.02 0.00 53 0.07 <td>36</td> <td>0.53</td> <td>0.53</td> <td>0.29</td> <td>0.01</td>	36	0.53	0.53	0.29	0.01
38 0.55 0.51 0.18 0.00 39 0.45 0.37 0.16 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.02 0.00 53 0.07 0.04 0.02 0.01	37	0.59	0.53	0.18	0.00
39 0.45 0.37 0.16 0.00 40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.02 0.00 53 0.07 0.04 0.02 0.01	38	0.55	0.51	0.18	0.00
40 0.46 0.37 0.20 0.00 41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00	39	0.45	0.37	0.16	0.00
41 0.35 0.28 0.11 0.00 42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.02 0.00 53 0.07 0.04 0.02 0.00	40	0.46	0.37	0.20	0.00
42 0.21 0.13 0.10 0.02 43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00	41	0.35	0.28	0.11	0.00
43 0.37 0.19 0.11 0.00 44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00	42	0.21	0.13	0.10	0.02
44 0.18 0.20 0.08 0.00 45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00	43	0.37	0.19	0.11	0.00
45 0.33 0.21 0.06 0.00 46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00	44	0.18	0.20	0.08	0.00
46 0.35 0.31 0.07 0.00 47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00	45	0.33	0.21	0.06	0.00
47 0.28 0.16 0.07 0.00 48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00	46	0.35	0.31	0.07	0.00
48 0.14 0.12 0.06 0.00 49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00	47	0.28	0.16	0.07	0.00
49 0.11 0.08 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.00 53 0.07 0.04 0.02 0.00	48	0.14	0.12	0.06	0.00
50 0.01 0.05 0.04 0.00 50 0.09 0.08 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00	10 49	0.14	0.02	0.00	0.00
50 0.05 0.06 0.04 0.00 51 0.08 0.06 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00		0.09	0.00	0.04	0.00
51 0.00 0.04 0.00 52 0.04 0.04 0.03 0.00 53 0.07 0.04 0.02 0.00 Grand Total 0.31 0.41 0.24 0.01	50	0.05	0.00	0.04	0.00
52 0.04 0.05 0.00 53 0.07 0.04 0.02 0.00 Grand Total 0.31 0.41 0.24 0.01	51	0.00	0.00	0.04	0.00
Grand Total 0.31 0.41 0.22 0.00	52	0.04	0.04	0.03	0.00
	Grand Total	0.31	0.41	0.24	0.01

YEAR

(All) F-MICROPHYTO PIGMENTS (%)

	Data			
WEEK	FMICRO_01m	FMICRO_05m	FMICRO_10m	FMICRO_60m
1	0.70	0.69	0.71	0.75
2	0.64	0.67	0.75	0.94
3	0.71	0.70	0.71	0.67
4	0.79	0.72	0.80	1.00
5	0.83	0.78	0.85	1.00
6	0.87	0.81	0.84	0.75
7	0.90	0.82	0.85	0.97
8	0.92	0.88	0.88	0.98
9	0.95	0.87	0.86	1.00
10	0.91	0.86	0.88	0.93
11	0.94	0.91	0.92	0.91
12	0.90	0.88	0.90	0.97
13	0.95	0.86	0.86	0.97
14	0.89	0.83	0.82	0.95
15	0.82	0.75	0.74	0.90
16	0.83	0.72	0.68	0.94
17	0.77	0.63	0.64	0.83
18	0.79	0.65	0.66	0.83
19	0.85	0.72	0.62	0.77
20	0.79	0.70	0.75	0.90
21	0.78	0.67	0.62	0.70
22	0.79	0.74	0.70	0.85
23	0.79	0.80	0.76	0.69
24	0.79	0.73	0.71	0.70
25	0.76	0.72	0.66	0.70
26	0.82	0.80	0.77	0.51
27	0.69	0.76	0.84	0.56
28	0.65	0.69	0.74	0.52
29	0.71	0.73	0.75	0.51
30	0.68	0.70	0.80	0.53
31	0.73	0.76	0.80	0.61
32	0.67	0.69	0.73	0.60
33	0.69	0.67	0.72	0.55
34	0.72	0.69	0.69	0.46
35	0.72	0.70	0.69	0.71
36	0.72	0.71	0.69	0.65
37	0.77	0.72	0.69	0.67
38	0.74	0.75	0.75	0.68
39	0.77	0.78	0.78	0.74
40	0.77	0.78	0.79	0.75
41	0.74	0.73	0.77	0.68
42	0.79	0.79	0.77	0.79
43	0.81	0.81	0.70	0.76
44	0.78	0.78	0.79	0.74
45	0.76	0.78	0.77	0.74
46	0.80	0.79	0.81	0.94
47	0.78	0.79	0.77	0.77
48	0.72	0.73	0.72	0.57
49	0.69	0.75	0.77	0.61
50	0.64	0.62	0.65	0.91
51	0.61	0.61	0.73	0.69
52	0.59	0.61	0.69	0.60
53	0.59	0.63	0.66	1.00
Grand Total	0.77	0.75	0.76	0.75

YEAR (AII) F-NANOPHYTO PIGMENTS (%)

	Data			
WEEK	FNANO_01m	FNANO_05m	FNANO_10m	FNANO_60m
1	0.17	0.21	0.15	0.00
2	0.21	0.23	0.14	0.00
3	0.17	0.18	0.12	0.00
4	0.11	0.19	0.14	0.00
5	0.11	0.17	0.11	0.00
6	0.09	0.14	0.10	0.25
7	0.06	0.12	0.11	0.03
8	0.06	0.09	0.09	0.01
9	0.02	0.10	0.11	0.00
10	0.06	0.09	0.08	0.07
11	0.02	0.04	0.03	0.07
12	0.02	0.03	0.03	0.02
13	0.02	0.05	0.05	0.02
14	0.01	0.05	0.04	0.02
15	0.03	0.07	0.05	0.02
15	0.04	0.08	0.09	0.04
17	0.05	0.08	0.10	0.01
10	0.07	0.08	0.09	0.02
10	0.05	0.08	0.10	0.04
19	0.05	0.11	0.13	0.10
20	0.07	0.12	0.11	0.02
21	0.09	0.19	0.23	0.11
22	0.08	0.12	0.21	0.10
23	0.09	0.08	0.14	0.23
24	0.07	0.11	0.16	0.24
25	0.09	0.14	0.19	0.26
26	0.08	0.10	0.17	0.49
27	0.15	0.13	0.10	0.43
28	0.14	0.14	0.16	0.37
29	0.11	0.13	0.16	0.38
30	0.10	0.14	0.13	0.41
31	0.10	0.13	0.14	0.34
32	0.14	0.16	0.16	0.40
33	0.14	0.16	0.15	0.44
34	0.14	0.17	0.19	0.54
35	0.13	0.16	0.19	0.25
36	0.14	0.15	0.16	0.32
37	0.11	0.14	0.18	0.12
38	0.12	0.12	0.13	0.23
39	0.12	0.12	0.13	0.26
40	0.12	0.12	0.12	0.25
41	0.16	0.16	0.15	0.32
42	0.12	0.16	0.14	0.20
43	0.09	0.11	0.17	0.21
44	0.11	0.11	0.12	0.26
45	0.13	0.13	0.13	0.26
46	0.11	0.14	0.13	0.05
47	0.10	0.13	0.16	0.23
48	0.17	0.16	0.19	0.30
49	0.17	0.15	0.14	0.39
50	0.22	0.23	0.24	0.09
51	0.20	0.24	0.14	0.31
52	0.28	0.27	0.19	0.20
53	0.24	0.22	0.15	0.00
Grand Total	0.11	0.13	0.13	0.20
YEAR (All)

F-PICOPHYTO PIGMENTS (%)

	Data			
WEEK	FPICO_01m	FPICO_05m	FPICO_10m	FPICO_60m
1	0.13	0.10	0.13	0.25
2	0.15	0.10	0.11	0.06
3	0.12	0.12	0.16	0.33
4	0.10	0.09	0.06	0.00
5	0.06	0.05	0.05	0.00
6	0.04	0.05	0.06	0.00
7	0.04	0.05	0.04	0.00
8	0.02	0.03	0.03	0.02
9	0.03	0.03	0.03	0.00
10	0.04	0.05	0.04	0.00
11	0.04	0.06	0.04	0.02
12	0.08	0.09	0.07	0.01
13	0.04	0.10	0.10	0.01
14	0.06	0.10	0.12	0.02
15	0.14	0.18	0.17	0.07
16	0.12	0.20	0.22	0.05
17	0.16	0.28	0.27	0.15
18	0.16	0.27	0.24	0.13
19	0.10	0.17	0.24	0.13
20	0.13	0.18	0.13	0.08
21	0.13	0.14	0.15	0.19
22	0.13	0.14	0.09	0.04
23	0.12	0.12	0.10	0.08
24	0.15	0.16	0.13	0.07
25	0.15	0.14	0.15	0.04
26	0.11	0.10	0.06	0.00
27	0.16	0.11	0.06	0.01
28	0.20	0.17	0.10	0.10
29	0.18	0.14	0.09	0.11
30	0.22	0.16	0.08	0.06
31	0.17	0.11	0.06	0.04
32	0.19	0.15	0.11	0.01
33	0.18	0.17	0.12	0.02
34	0.14	0.14	0.12	0.00
35	0.15	0.14	0.12	0.04
36	0.15	0.14	0.15	0.03
37	0.13	0.14	0.14	0.21
38	0.14	0.12	0.11	0.09
39	0.12	0.10	0.09	0.00
40	0.11	0.10	0.09	0.01
41	0.11	0.10	0.09	0.00
42	0.09	0.05	0.09	0.02
43	0.10	0.08	0.14	0.04
44	0.12	0.11	0.09	0.00
45	0.10	0.09	0.09	0.00
46	0.09	0.07	0.06	0.00
47	0.12	0.08	0.06	0.00
48	0.12	0.11	0.09	0.13
49	0.14	0.10	0.09	0.00
50	0.14	0.15	0.12	0.00
51	0.19	0.15	0.13	0.00
52	0.13	0.12	0.11	0.20
53	0.17	0.15	0.18	0.00
Grand Total	0.12	0.12	0.11	0.05

YEAR

(All) Phytoplankton absorption coefficients

	Data			
WEEK	a443ph_1m	a555ph_1m	a676ph_1m	a555ph/a443ph
1	0.032	0.010	0.019	0.268
2	0.029	0.010	0.021	0.275
3	0.027	0.009	0.017	0.263
4	0.031	0.009	0.014	0.267
5	0.034	0.011	0.020	0.261
6	0.030	0.011	0.020	0.306
7	0.028	0.009	0.021	0.260
8	0.046	0.015	0.029	0.326
9	0.054	0.015	0.039	0.252
10	0.096	0.026	0.064	0.256
11	0.133	0.036	0.108	0.261
12	0.114	0.027	0.090	0.213
13	0.154	0.035	0.118	0.197
14	0.255	0.034	0.138	0.173
15	0.213	0.037	0.128	0.167
16	0.119	0.019	0.068	0.151
17	0.129	0.021	0.080	0 151
18	0.108	0.017	0.069	0.143
10	0.106	0.019	0.063	0.143
20	0.109	0.021	0.076	0.160
20	0.104	0.022	0.082	0.170
21	0.121	0.022	0.002	0.195
22	0.121	0.042	0.134	0.195
23	0.140	0.022	0.134	0.146
25	0.173	0.036	0.120	0.175
26	0.254	0.057	0.153	0.189
27	0.242	0.047	0.143	0.178
28	0.161	0.028	0.099	0.151
29	0.180	0.031	0.127	0.145
30	0.210	0.033	0.128	0.141
31	0.175	0.028	0.099	0.151
32	0.191	0.034	0.123	0.158
33	0.183	0.037	0.143	0.163
34	0.189	0.034	0.126	0.154
35	0.235	0.049	0.168	0.170
36	0.272	0.057	0.174	0.186
37	0.236	0.046	0.144	0.175
38	0.221	0.045	0.140	0.185
39	0.224	0.055	0.173	0.210
40	0.234	0.048	0.130	0.199
41	0.204	0.052	0.121	0.247
42	0.143	0.038	0.079	0.276
43	0.136	0.035	0.084	0.230
44	0.114	0.029	0.066	0.246
45	0.180	0.049	0.108	0.264
46	0.130	0.038	0.111	0.265
47	0.098	0.033	0.072	0.302
48	0.084	0.024	0.049	0.287
49	0.057	0.021	0.039	0.333
50	0.050	0.016	0.033	0.286
51	0.042	0.015	0.026	0.292
52	0.026	0.010	0.020	0.296
53	0.018	0.004	0.006	0.208
Grand Total	0.139	0.030	0.091	0.215













Year

Year











Year

Monthly data distribution and Means







3 2-1-















1-























Year















Figure 24



















1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 **Year**







Figure 33

Year





Year

Figure 34














Figure 40











Figure 45

4-







Year















Figure 52





Figure 53











Figure 57







WEEK NUMBER

	TMPR	SALI	STRA	NITR	АММО	CHLa	FUCO	PERI	NANO	CRYP	PEUK	SYNE	I
TMPR													
SALI	80 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												
STRA	and a second												
NITR													
АММО		00000	00000										
CHLa				\$°									
FUCO						S COROS							
PERI			800-0 W										
NANO	000000			and a solution		000000		and a second					
CRYP	000 0 000 000	Jacob Barrow			8 0 000				8+8 ²⁻⁶ /8 ³				
PEUK	00000	800	000000				80000		800 00	and a second			
SYNE		Social Sector				00000			6 0000				
DAOT	/°\$	100	/°~	8	-	e e e e e e e e e e e e e e e e e e e	1 Prop	*	100	1111111111111	200	Po	

Figure 60



Year







Picoeukaryotes (log cells ml⁻¹)

