


PACIFIC REGION

**INTEGRATED FISHERIES
MANAGEMENT PLAN**

**PRAWN AND SHRIMP
BY TRAP**

**MAY 1, 2019 TO
APRIL 30, 2020**



Pandalus platyceros



Fisheries and Oceans
Canada

Pêches et Océans
Canada

Canada

This Integrated Fisheries Management Plan is intended for general purposes only. Where there is a discrepancy between the Plan and the regulations, the regulations are the final authority. A description of Areas and Subareas referenced in this Plan can be found in the Pacific Fishery Management Area Regulations.

FOREWORD

The purpose of this Integrated Fisheries Management Plan (IFMP) is to identify the main objectives and requirements for the Prawn and Shrimp by Trap fishery in the Pacific Region, as well as the management measures that will be used to achieve these objectives. This document also serves to communicate the basic information on the fishery and its management to Fisheries & Oceans Canada (DFO) staff, legislated co-management boards and other stakeholders. This IFMP provides a common understanding of the basic “rules” for the sustainable management of the fisheries resource.

This IFMP is not a legally binding instrument which can form the basis of a legal challenge. The IFMP can be modified at any time and does not fetter the Minister’s discretionary powers set out in the *Fisheries Act*. The Minister can, for reasons of conservation or for any other valid reasons, modify any provision of the IFMP in accordance with the powers granted pursuant to the *Fisheries Act*.

Where DFO is responsible for implementing obligations under land claims agreements, the IFMP will be implemented in a manner consistent with these obligations. In the event that an IFMP is inconsistent with obligations under land claims agreements, the provisions of the land claims agreements will prevail to the extent of the inconsistency.

TABLE OF CONTENTS

1.	OVERVIEW.....	4
1.1.	Introduction.....	4
1.2.	History.....	4
1.3.	Type of Fishery and Participants	5
1.4.	Location of Fishery.....	6
1.5.	Fishery Characteristics.....	7
1.6.	Governance	8
1.7.	Approval Process	9
2.	STOCK ASSESSMENT, SCIENCE AND TRADITIONAL KNOWLEDGE	9
2.3.	Biological Synopsis	9
2.4.	Ecosystem Interactions	10
2.5.	Aboriginal Traditional Knowledge/Traditional Ecological Knowledge.....	10
2.6.	Stock Assessment.....	11
2.7.	Stock Scenarios.....	11
2.8.	Precautionary Approach.....	11
2.9.	Research.....	11
3.	ECONOMIC PROFILE OF THE FISHERY	12
3.1.	Commercial.....	12
3.2.	Recreational	14
3.3.	First Nations.....	16
4.	MANAGEMENT ISSUES.....	16
4.1.	Conservation and Sustainability	16
4.2.	Social, Cultural and Economic	17
4.3.	Compliance	20
4.4.	Ecosystem	20
5.	OBJECTIVES	27
5.1.	National.....	27
5.2.	Pacific Region.....	28
5.3.	Invertebrate Resource Management	28
5.4.	Prawn and Shrimp by Trap	29
6.	ACCESS AND ALLOCATION	31
6.1.	Commercial.....	31
6.2.	Recreational	31
6.3.	First Nations.....	31
6.4.	Aquaculture.....	31
6.5.	Experimental, Scientific, Educational or Public Display.....	31
6.6.	Requests for Access	31
7.	MANAGEMENT MEASURES FOR THE DURATION OF THE PLAN	32
8.	SHARED STEWARDSHIP ARRANGEMENTS	32
8.1.	Commercial Fishery.....	32
8.2.	Fisheries & Oceans Canada	32
9.	COMPLIANCE PLAN	33
9.1.	Priorities.....	33
10.	PERFORMANCE REVIEW.....	33

10.1.	Stock Assessment.....	33
10.2.	Commercial Fishery.....	33
10.3.	Recreational Fishery	34
10.4.	First Nations Fishery.....	34
10.5.	Compliance	34
10.6.	Ecosystem	34
11.	REFERENCES.....	34
12.	INTERNET SITES.....	36
13.	GLOSSARY	37
14.	CONTACTS.....	41
15.	CONSULTATION	43
16.	POST-SEASON REVIEW.....	45
16.1.	Stock Assessment.....	45
16.2.	Commercial Fishery.....	46
16.3.	Recreational Fishery	50
16.4.	First Nations Fishery.....	51
16.5.	Compliance	51
16.6.	Ecosystem	53

LIST OF ATTACHMENTS:

- Appendix 1: Commercial Harvest Plan
- Appendix 2: Recreational Harvest Plan
- Appendix 3: First Nations Harvest Plan
- Appendix 4: Diagrams - Prawn Size Limits and Commercial Trap Requirements
- Appendix 5: Prawn and Shrimp Trap Commercial Harvest Log Example
- Appendix 6: Marine Mammal Interaction Form
- Appendix 7: Fishing Vessel Safety
- Appendix 8: Canadian Food Inspection Agency - Prawn and Shrimp Sanitary Guidelines
- Appendix 9: Prawn Life Cycle
- Appendix 10: Map of Fishing Areas (Pacific Fishery Management Areas)
- Appendix 11: Map of Strait of Georgia and Howe Sound Glass Sponge Reef Closures
- Appendix 12: Map of Hecate Strait/Queen Charlotte Sound Glass Sponge Marine Protected Area
- Appendix 13: Map of Gwaii Haanas National Marine Conservation Area
- Appendix 14: Fishery Monitoring and Catch Reporting Risk Assessments Tool

1. OVERVIEW

1.1. Introduction

This Integrated Fisheries Management Plan (IFMP) for Prawn and Shrimp by Trap covers the period May 1, 2019 to April 30, 2020.

This IFMP provides a broad context to the management and interrelationships of all fishing sectors of the prawn (*Pandalus platyceros*) and shrimp (Humpback, Coonstripe, and pink shrimp) trap fishery in the Pacific Region (British Columbia [BC], Canada). Section 1 provides an overview of the commercial, recreational and First Nations fisheries. Section 2 presents a biological synopsis and stock assessment. Section 3 provides a socio-economic profile. Section 4 describes the emerging management issues that may impact on management measures in the fishery. Section 5 describes objectives for the fishery, reflecting stock status presented in Section 2 and to address the issues identified in Section 4. Section 6 discusses access and allocation. Section 7 directs to the Appendices for the fishery management measures and procedures that will be employed during the year to meet the objectives. Section 8 describes shared stewardship arrangements to achieve objectives. Section 9 describes the enforcement measures to achieve the objectives. Section 10 describes the ways and means by which the achievement of the objectives will be assessed in the following year. Sections 11, 12 and 13 provide references, internet sites and a glossary to define terms. Sections 14 and 15 provide contacts and information on the Prawn Advisory Board, the multi-sector consultation process for the fisheries. Section 16 provides an annual review of the fisheries in the previous year based on the performance indicators provided in Section 10.

The Commercial Harvest Plan for Prawn and Shrimp by Trap is attached to this IFMP as Appendix 1. Appendix 2 is the Recreational Harvest Plan. Appendix 3 is the First Nations Harvest Plan. Appendix 4 has diagrams of commercial prawn size limits and traps. Appendix 5 is an example of a prawn and shrimp trap commercial harvest log. Appendix 6 provides a marine mammal interaction reporting form. Appendix 7 discusses vessel safety. Appendix 8 includes information from the Canadian Food Inspection Agency (CFIA) regarding commercial vessel sanitation procedures. Appendix 9 provides a diagram of prawn life stages. Appendix 10 provides a map of Pacific Fishery Management Areas (PFMA). Appendix 11 provides overview maps of the Strait of Georgia and Howe Sound Glass Sponge Reef Conservation Areas. Appendix 12 provides an overview map of the Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area. Appendix 13 provides an overview map of the Gwaii Haanas National Marine Conservation Area. Appendix 14 provides draft risk assessments for fishery monitoring and catch reporting for further review, comment and revision in 2019.

1.2. History

The commercial prawn and shrimp by trap fishery began around 1914 in Howe Sound and reached prominence in the mid 1970s. Trapping began in Knight and Kingcome Inlets in the early 1950s and these inlets led BC's prawn production until about 1970. The fishery experienced a period of growth between 1979 and 1989 following a series of exploratory prawn surveys (1976-1979) to assist development of the fishery in the north and central coasts of BC, with the number of vessels reporting landings increasing from approximately 50 to 305 vessels

out of an eligible 900 licences issued in 1989. In 1990, licence limitation was implemented and there are currently 246 commercial licence eligibilities. The recent history of the management of the commercial fishery is one of incremental steps to improve conservation of prawns and sustainability of the associated fisheries. Collectively these changes represent a significant and sustained effort to improve management and stock assessment in the last two decades. The Pacific Region's commercial trap caught prawns are recognized by the Vancouver Aquarium's OceanWise program as a "Recommended" choice.

The recreational and First Nations fisheries are more recently developed. Recreational effort was low until the mid-1990s. Recreational interest grew with increased prawn abundances in the south coast and with declines in salmon and rockfish stocks. First Nations' interest in prawns for food, social and ceremonial (FSC) purposes is also increasing as gear has become more readily available and with declines in other species, such as salmon.

The target species is prawns (Spot Prawn, *Pandalus platyceros*), with a small incidental catch of other shrimp species and small commercial fisheries directed at Coonstripe Shrimp (*P. danae*) and Humpback Shrimp (*P. hypsinotus*). A fixed escapement model, the prawn 'spawner index', was first introduced in 1979 as the assessment and management framework to provide for sustainability of the fisheries and conservation of prawn stocks.

Information in addition to that presented here is available in the Canadian Manuscript Report of Fisheries and Aquatic Sciences series (Harbo and Wylie 2006).

1.3. Type of Fishery and Participants

The Pacific Region prawn and shrimp by trap fisheries include commercial, recreational and First Nations fisheries.

The commercial fishery is a limited entry fishery with 246 licence eligibilities. Of these, four are non-transferable (i.e. the eligibility expires when the licence eligibility holder leaves the fishery), five are held by First Nations organizations and 61 are designated communal commercial licences for First Nations participation in the commercial fishery. Vessel sizes in the commercial fishery range from 6.1 m to 20.68 m. The number of crew varies with the size of the vessel. A single person may operate smaller vessels while larger vessels may operate with a captain and three or four crewmembers. The number of vessels actively fishing on an annual basis is reduced from 246 by allowing the seasonal transfer of a trap allotment to another licenced vessel.

Five Nuu-chah-nulth First Nations located on the West Coast of Vancouver Island - Ahousaht, Ehattsaht, Hesquiaht, Mowachaht/Muchalaht, and Tla-o-qui-aht (the Five Nations) - have aboriginal rights to fish for any species of fish within their Fishing Territories and to sell that fish, with the exception of Geoduck. DFO is working with the Five Nations to implement a Fishery Management Plan (FMP) for salmon, groundfish, crab and prawn by April 1, 2019. The FMP includes specific details about the fishery, such as allocation/access, licensing and designations, fishing area, harvesting opportunities, and fishery monitoring and catch reporting.

A BC Tidal Waters Sport Fishing Licence is required for the recreational harvest of all species of fish, including shellfish. There were 346,396 anglers participating in BC's tidal waters recreational fishery in 2017/18 (Section 3.2). Most (83%) were BC residents, with the remainder divided between Canadians from outside BC and visitors to Canada. Crabs, prawns and shrimp, clams and oysters are the main species of shellfish harvested. Prawn and shrimp fishing was

estimated to occur on 14.5% (or 297,780 days) of total angler days¹ in 2010. BC residents account for most (93% in 2010) of the recreational fishing effort directed at prawns and shrimp (Fisheries & Oceans Canada 2012; surveys conducted every five years).

First Nations' harvest for FSC purposes may occur where authorized by an Aboriginal communal licence or, under treaty, a harvest document for domestic purposes. Fifty-four communal licences and 4 harvest documents may be issued annually in the Pacific Region including harvest for a number of shellfish species. Except where designation is made by the First Nation or First Nation organization to fish under a communal licence or harvest document, the number of individuals that this represents is unknown. At least 26 First Nations or First Nations organizations have identified that they harvest prawns for FSC/domestic purposes. A number of other communities have relayed to DFO that they do not have the capacity, in terms of vessels, harvesters and fuel, to harvest prawns.

1.4. Location of Fishery

The Pacific Region prawn and shrimp trap fishery takes place along the BC coastline in near-shore areas in depths of 40 to 100 m. The majority of commercial landings have historically come from the fishing areas inside of Vancouver Island (>60%), with the remainder from the West Coast of Vancouver Island (WCVI) (<10%) and north and central coasts (25%). The presence of prawns in areas offshore (PFMAs 101 to 111, and 121 to 143) is known from shrimp trawl and groundfish trawl fisheries, however, the short commercial fishing season provides insufficient time and incentive for the prawn fleet to search for additional fishing opportunity in these areas. While there have been a number of proposals for surveys of offshore areas, these surveys did not find any concentrations of prawns of particular note.

A small directed trap fishery for Humpback Shrimp occurs in Prince Rupert Harbour (PFMA Subareas 4-10 and 4-11) and, rarely, Masset Inlet (PFMA Subarea 1-6). A small directed trap fishery for Coonstripe Shrimp may occur in Sooke Harbour and Basin (PFMA Subareas 20-6 and 20-7).

Most of the recreational prawn catch comes from the south coast in the Strait of Georgia (66%) and the WCVI (20%) (Fisheries & Oceans Canada 2012). The highest recreational prawn fishing effort is in Saanich Inlet, Stuart Channel, and Alberni Inlet and includes also the waters around Howe Sound, Quadra / Cortes Islands, Powell River and Sechelt, Nanaimo, Barkley Sound, and Gold River / Tahsis.

First Nations' communal licences and harvest documents identify the area where First Nations may fish for FSC harvest.

Permanent area closures are listed in Appendix 1 for the commercial fishery. Permanent area closures for the recreational fishery are listed in Appendix 2 and in the BC Tidal Waters Sport Fishing Guide available on the internet at:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/rec/index-eng.html>

Permanent area closures in the First Nations fishery under communal (FSC) licences or, under treaty, harvest documents for domestic purposes are listed in Appendix 3.

¹ Recreational fishing effort is measured in angler days. More than one species may be fished per angler day.

1.5. Fishery Characteristics

1.5.1. Commercial

The commercial fishery is a limited entry, competitive fishery with seasonal closures, in-season area closures, gear limits, gear marking requirements, trap mesh size requirements, minimum size limits, non-retention of prawns with eggs, daily fishing time restrictions and a daily single haul limit. Over 97% of the catch is prawns, with a small incidental catch of Humpback Shrimp, Coonstripe Shrimp and Pink Shrimp (Northern and Smooth).

An escapement-based model, referred to as the Spawner Index Model (Boutillier and Bond 2000), is the primary tool used to assess prawn stocks and manage the commercial fishery season. This is a standardized catch per unit effort (CPUE) model based on ensuring a minimum number of female spawners are available at time of egg hatch, which normally occurs around the end of March. Seasonal closures are implemented as fishing effort approaches the monthly index. Once implemented, the area remains closed to commercial fishing to the end of the spawning cycle and the opening date of the commercial season the following year. The closure protects the remaining egg bearing females from commercial fishing mortality through to the end of the larval hatching period. The commercial fishery opens no earlier than May 1 to allow for the spawning cycle to complete and for increased growth of the prawns prior to harvest, improving catch weight and value. The commercial season generally closes by the end of June.

Small directed commercial fisheries occur in the fall to the end of December for Humpback Shrimp in Prince Rupert Harbour (five vessels in 2018) and, rarely, Masset Inlet and for Coonstripe Shrimp in Sooke Harbour and Basin.

1.5.2. Recreational

The recreational fishery is an open entry fishery with a daily limit, two-day possession limit, gear limits and gear marking requirements. The main target species is prawns. As of April 2018, prawns with eggs cannot be retained. There is no size limit. Humpback Shrimp and Coonstripe (or Dock) Shrimp may also be caught in localized areas. Pink Shrimp (Northern and Smooth) may also be caught incidentally.

The recreational fishery is open for most of the coast throughout the year. Sampling conducted in the fall prior to spawning helps to determine whether winter recreational harvest is permissible in selected areas where most recreational prawn effort occurs (Section 1.4). Based on the Spawner Index Model, seasonal closures are implemented to protect egg bearing female prawns from recreational fishing mortality during the critical winter spawning period, January 1 to March 31, through to the end of the larval hatching period (which normally occurs around the end of March).

Special measures are in place in three high use recreational fishing areas; Saanich Inlet and Stuart Channel since 2006 and Alberni Inlet since 2007. At these locations, additional management measures include higher spawner index targets, a one-week closure in May, and “pulse fishing” (two weeks closed, two weeks open) beginning in September. These measures were developed collaboratively by the commercial and recreational sectors and with agreement of local First Nations in an effort to leave more female prawns carrying eggs on the spawning grounds, with an anticipated benefit of more prawns for all harvest sectors beginning two years later and a reduction in the need for winter recreational fishing closures.

BC Tidal Waters Sport Fishing Licences are available for purchase online and through point-of-sale retailers, such as tackle stores and marinas. Information is available at:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/rec/licence-permis/index-eng.html>

1.5.3. First Nations

Pre-season, DFO engages in a variety of consultation and collaborative harvest planning processes with First Nations at the community level, or at broader tribal or watershed (for salmon) levels. Fisheries are then authorized via a communal licence or, under treaty, a harvest document issued by DFO under the *Aboriginal Communal Fishing Licences Regulations*. These licences are typically issued to individual bands or tribal groupings, and describe the details of authorized fisheries including date, times, methods and locations of fishing. Communal licences, or harvest documents under treaty, and Aboriginal Fisheries Strategy (AFS) agreements (where applicable) include provisions that allow First Nations' designation of individuals to fish for the group and, in some cases, vessels that will participate in fisheries.

First Nations' fishing for FSC is the first priority after conservation and is currently open coast-wide throughout the year. First Nations fishing effort for FSC purposes is currently not limited by catch quantity, except in those First Nations where the Council or fisheries program has established their own catch limits for band members, or where allocated for domestic purposes under treaty. Gear marking is required. The main target species is prawns. Humpback Shrimp and Coonstripe (or Dock) Shrimp may also be caught in localized areas.

While prawns and shrimp were not allocated under the Maa-nulth, Tsawwassen or Nisga'a treaties, harvesting for domestic (FSC) purposes is permitted. The Tla'amin fishery for domestic purposes under the Tla'amin Final Agreement (Treaty) includes an allocation of prawns.

1.5.4. Aquaculture

There are currently limited culture projects for prawns or shrimp (Pandalidae). Two land-based hatchery facilities are licensed to culture prawns but are currently inactive.

1.6. Governance

The prawn and shrimp by trap fisheries are governed by the *Fisheries Act* (R.S., 1985, c. F-14) and regulations made thereunder, including the *Fishery (General) Regulations* (e.g. conditions of licence), the *Pacific Fishery Regulations* (e.g. open times), the *British Columbia Sport Fishing Regulations* (1996), the *Aboriginal Communal Fishing Licences Regulations* and the *Pacific Aquaculture Regulations*. Areas and Subareas are described in the *Pacific Fishery Management Area Regulations*.

Marine Protected Areas (MPAs) may be established under the *Oceans Act* (1996, c. 31). National marine conservation areas may be established under the *Canada National Marine Conservation Areas Act* (2002, c. 18).

Species listed as extirpated, endangered, threatened or special concern are governed by the *Species At Risk Act* (2002, c. 29) (*SARA*) which has implications for the management of fisheries that impact listed species. In addition to existing prohibitions under the *Fisheries Act*, it is illegal under the *SARA* to kill, harm, harass, capture, take, possess, collect, buy, sell or trade any listed endangered or threatened animal or any part or derivative of an individual.

These documents are available on the internet at:

<http://www.dfo-mpo.gc.ca/acts-lois/index-eng.htm>

More information on the *SARA* is available at:

<https://www.canada.ca/en/environment-climate-change/services/species-risk-public-registry.html>

In addition, the Sustainable Fisheries Framework is a toolbox of policies for DFO to sustainably manage Canadian fisheries by conserving fish stocks while supporting the industries that rely on healthy fish populations. It provides planning and operational tools that allow these goals to be achieved in a clear, predictable, transparent, inclusive manner, and provides the foundation for conservation policies to implement the ecosystem and precautionary approaches to fisheries management. These policies include: A Fishery Decision-Making Framework Incorporating the Precautionary Approach, Policy for Managing the Impacts of Fishing on Sensitive Benthic Areas, Ecological Risk Assessment Framework for Coldwater Corals and Sponge Dominated Communities, Policy on New Fisheries for Forage Species, Policy on Managing Bycatch, Guidance on Implementation of the Policy on Managing Bycatch, and Guidance for the Development of Rebuilding Plans under the Precautionary Approach Framework: Growing Stocks out of the Critical Zone. Along with other economic and shared stewardship policies, these will help DFO meet objectives for long-term sustainability, economic prosperity, and improved governance.

The Sustainable Fisheries Framework is available on the internet at:

<http://www.dfo-mpo.gc.ca/reports-rapports/regs/sff-cpd/overview-cadre-eng.htm>

Scientific advice for this fishery is peer-reviewed primarily through a committee called the Canadian Science Advisory Secretariat (CSAS).

Information about the CSAS and publications are available on the internet at:

<http://www.dfo-mpo.gc.ca/csas-sccs/index-eng.htm>

1.7. Approval Process

The Regional Director General for the Pacific Region approves this plan.

2. STOCK ASSESSMENT, SCIENCE AND TRADITIONAL KNOWLEDGE

2.3. Biological Synopsis

Seven species of shrimp are harvested in BC in commercial, recreational and First Nations fisheries: *Pandalus platyceros* (Spot Prawn), *P. hypsinotus* (Humpback Shrimp), *P. danae* (Coonstripe or Dock Shrimp), *P. jordani* (Smooth Pink Shrimp), *P. borealis eous* (Northern or Spiny Pink Shrimp), *P. goniurus* (Flexed Shrimp), and *Pandalopsis dispar* (Sidestripe Shrimp). All are members of the family Pandalidae.

The trap fishery primarily targets Spot Prawns with limited effort directed towards Humpback and Coonstripe Shrimp. Spot Prawns are the largest of the Pacific coast shrimp species and are generally found on rocky or hard bottom. The global distribution of *P. platyceros* ranges from Unalaska Island AK in the north to San Diego CA in the south, and westward to Vladivostok, the

Sea of Japan and the Korea Strait. Most commercial fishing in BC waters occurs in depths of 40 to 100 m in near-shore waters.

All pandalid shrimp species undergo a change of sex in midlife. They mature first as males and mate. Their sexual characteristics change during a transition phase and they become females in the final year or two of their lives. The biological term for this sex change is protandric hermaphroditism.

Spawning typically occurs in late autumn or early winter and the females externally carry the developing eggs until the eggs hatch in spring. Larvae are then released into the water column and are thought to have a three month pelagic phase prior to settlement.

Spot Prawns live to four years of age in BC (Butler 1980 and Boutillier and Bond 2000). Following release of the larvae, spent female mortality is rapid, usually within several weeks. Few if any prawns survive past the fourth year. Most prawns are harvested at age 2+ and 3+.

2.4. Ecosystem Interactions

Spot Prawns, like all other organisms, play a role in ecosystem interactions. Species-specific ecosystem linkages are difficult to identify owing to the multivariate nature of ecosystem function. Once prawns have settled to the bottom and have found suitable protective habitat, mortality is likely reduced (Butler 1980; Marliave and Roth 1995). At this stage they are preyed upon by bottom fish and octopus (Bergstrom 2000).

Spot Prawns are opportunistic foragers, consuming fresh, moribund or dead organic material. Stomach contents of Spot Prawns near Vancouver held remains of polychaete worms and unidentified crustaceans (Butler 1980).

2.5. Aboriginal Traditional Knowledge/Traditional Ecological Knowledge

Both Aboriginal Traditional Knowledge (ATK) and Traditional Ecological Knowledge (TEK) are cumulative knowledge gathered over generations and encompass regional, local and spiritual connections to ecosystems and all forms of plant and animal life. ATK is knowledge held by Aboriginal peoples and communities, while TEK is local knowledge held by non-Aboriginal communities, including industry, academia, and public sectors. While qualitatively different, both are cumulative knowledge that may be gathered over generations and are regionally and locally specific and can often be utilized to improve the management process. The growing awareness of the value of ATK and TEK is reflected in the increasing requirements to be included in environmental assessments, co-management arrangements, species at risk recovery plans, and coastal management decision-making processes. ATK and TEK may inform and fill knowledge gaps to aid decision making related to development and resource use. Government and the scientific community acknowledge the need to access and consider ATK and TEK in meaningful and respectful ways. However, the challenge for resource managers is how to engage knowledge holders and how to ensure that the information can be accessed and considered in a mutually acceptable manner, by both knowledge holders, and the broader community of First Nations, stakeholders, resource managers, and policy makers involved in fisheries.

For Spot Prawns and other shrimp species, ATK is not generally available.

2.6. Stock Assessment

Spot Prawn stocks are managed and assessed based on an escapement-based model (Boutillier and Bond 2000) (Section 1.5). Growth and mortality parameters for the model are obtained through semi-annual fishery independent surveys. Fishery independent index surveys are also conducted in the fall to monitor stock status prior to spawning. During the commercial fishing season, a sub-set of the commercial traps hauled are sampled by independent observers to monitor stock status relative to the in-season management targets.

2.7. Stock Scenarios

Annual commercial fishery landings are considered a reasonable proxy of overall stock abundance. Annual landings generally showed an increasing trend from the development of the fishery up to 2009 (Section 3.1). Since 2009, annual catches have been variable. A large decrease in catch was observed in 2010 followed by a high annual catch in 2011. From 2012 to 2015, prawn landings remained relatively consistent ranging from approximately 1,648 t to 1,842 t. In 2016 and 2017, commercial landings declined to approximately 1,219 t and 1,178 t, respectively. The preliminary commercial catch estimates for 2018 is approximately 1,632 t (all logbooks not available at time of publication). This coincides with abundance patterns seen in other shrimp populations such as pink and sidestripe shrimp throughout BC (DFO, 2018/19 IFMP for Shrimp by Trawl). The primary indicator of stock status for 2019 will be the sample results obtained at the start of the 2019 commercial prawn season.

2.8. Precautionary Approach

Provisional Harvest Control Rules (HCR) compliant with the Precautionary Approach (PA) have been developed. The limit reference point is expressed as the base spawner index value and removal reference is accomplished through sequential Subarea closures. A detailed description of the PA for Spot Prawns is available in Proceedings of the PA workshop on Canadian shrimp and prawn stocks and fisheries, CSAS Proceedings Series 2008/031 available on the internet at:

<http://www.isdm-gdsi.gc.ca/csas-sccs/applications/Publications/index-eng.asp>

Amendments are proposed to the *Fisheries Act* (Bill C-68) that include new authorities to amend the *Fishery (General) Regulations* and requirements to maintain major fish stocks at sustainable levels, and develop and implement rebuilding plans for stocks that have declined to their critical zone. The proposed regulatory amendments draw upon the 2013 Guidance for Developing Rebuilding Plans Under the Precautionary Approach (Section 1.6). In anticipation of these amendments, re-evaluating previous work by Smith (2013) on the performance of the current management procedures against conservation objectives is a priority.

Information on the regulatory proposal regarding fish stocks and rebuilding plans is available at:

<http://www.dfo-mpo.gc.ca/fm-gp/peches-fisheries/comm/consult-reg-eng.htm>

2.9. Research

Several research projects are ongoing that include: improving understanding of Spot Prawn population dynamics, addressing juvenile rockfish by-catch issues (Rutherford et al. 2009), and gear standardization studies (Rutherford et al. 2004; Rutherford et al. 2010). Release of National

policies may prompt new research into understanding ecosystem function and evaluating benthic impacts as they relate to prawns and prawn harvest.

3. ECONOMIC PROFILE OF THE FISHERY

The intent of this section is illustrative, and it provides a socio-economic context of the prawn and shrimp by trap fisheries in BC. Overviews of commercial, recreational, and Aboriginal sectors of the fishery are included.

3.1. Commercial


Historically, the commercial prawn and shrimp by trap fishery has been one of the most valuable fisheries in the Pacific Region with a total landed value in the range of \$33.5 - \$39 million in 2013-2015. This changed in 2016 when the estimated landed value of the fishery sharply dropped due to a drop in both landings and price. Prices seem to have rebounded somewhat in 2017 according to preliminary price data, though landings continued to stay low. The landed value in 2017 is currently preliminary in wait for additional information to account for potential bonus payments (these tend to be realized with a delay of 1-2 years).

Landings from commercial logbooks and their estimated value are provided in the following graph. Landed values have been adjusted for inflation and are measured in 2017 constant dollars. Landed value in 2011 was the highest of the past decade due to the combination of high price and volume. While the 2011-2015 landed value shows a high level of variability, prawn prices remained strong (average \$20.3/kg (2017\$)) until 2016. In 2014 prices peaked at just over \$24/kg (2017\$), which is the highest price since 2005. The total landed value of the fishery dropped by approximately 50% due to falling prices and landings. Landings in 2016 and 2017 are the lowest in the last twenty years.

However, the commercial harvest does not reflect the total contribution of the prawn and shrimp fishery to the provincial economy; the processing of prawns and shrimps landed in the province is another source of economic value. In 2016, the wholesale value of prawns processed in BC was about \$38.1 million (BC Ministry of Agriculture, 2017 *in prep*), which was about 20% lower than in 2015. It is unclear whether this is 100% BC product or if it includes prawns that are imported for further processing.

A 2017 report on linkages between seafood harvesting and estimated that wages stemming from the processing of prawns is ~\$2,400 (or 133 hours) per metric tonne. In 2017, direct prawn labour processing costs (i.e. wages paid to employees working in the prawn processing sector) were about \$2.83 million. These estimates show the importance of economic impacts that this fishery has on the BC economy as a whole (spillover effect). The same report also states that prawns landings and processing occur mainly on Vancouver Island and in the Lower Mainland of BC. Only about 9% of landings and processing happens on the North Coast of BC.

Almost 87% of W-licenced vessels engage in the prawn fishery, on average over the past five years (2013-2017). Updated reports estimate the value of prawn licences (W) held by the commercial sector in 2017 with the value of a typical licence (on 36.7' vessel) at about \$697,300 (2017\$). Most licence eligibility holders live around Vancouver Island or the Sunshine Coast and Lower Mainland, with a few from the North Coast and interior of BC.



Source: Landings from logbooks; value 1998-2016 from BC Ministry of Agriculture, value for 2017 is preliminary and is based on prices from fish slips and does not include post-season price adjustments


3.1.1. Viability and Market Trends

Once almost totally reliant on the Japanese market, the prawn sector has diversified its market channels and enjoys high profile in local, domestic, and other export markets (Nelson 2011). Live and fresh prawns are sold to local markets, local restaurants, or through dock sales. Fresh prawns and some frozen prawns may be sold as whole or tailed product. BC Spot Prawns have been recognized by the Vancouver Aquarium’s OceanWise program as a “Recommended” choice, and as a “Good Alternative” by the Monterey Bay Aquarium’s Seafood Watch program. Such recommendations create marketing opportunities and raise the profile of Spot Prawns in local, domestic, and growing export markets such as China, Hong Kong, and Taiwan. However, participation in the export market means that BC’s commercial fisheries are influenced by foreign price fluctuations, currency exchange rates, and market competition.

In this section prawn and shrimp exports are reported together as the harmonized system codes, which record and categorize exports, do not disaggregate exports of prawn and shrimp. The average annual value of prawn and shrimp exports from BC between 2013 and 2017 was \$46.6 million in 2017 constant dollars. Of the prawn and shrimp exported from 2013-2017, 75% of it was frozen in shell and only 21% was exported fresh. Average value per kilogram from prawn and shrimp exports over the past five years (2013-2017) has been fairly low at \$13.78/kg (2017 \$) due to depressed export prices in 2015 and 2016; but in 2017 average export prices climbed to \$23.36/kg (2017\$), topping the 2012 price of \$21.84/kg (2017\$). In 2015 there was a major shift in the export profile for the combined product group, which appears to be a result of changes in the shrimp trawl fishery. Between 2014 and 2015, export volume of shrimp and prawns to the United States of America (USA) increased about ten-fold, while the average export price for the USA declined from about \$34.73/kg (2017\$) to around \$6/kg (2017\$). By contrast, the volume of exports to Japan dropped by about 50%, while the price increased by 44%. Over this same period, value to China doubled from 2014-2015; and while it dropped in subsequent years it has remained 50% higher than 2014 for 2016 and 2017. Preliminary export values for 2017 show

that export volumes overall are lower. One of the reasons for this situation can be associated with the continued lower volume of landings observed in 2017.

Japan was historically one of the major markets for BC prawn and shrimp, though it has been on a steady decline since 2011 and now only accounts for 24% of prawn and shrimp export volume, with a shift towards the USA and China, losing its position as the top market for BC shrimp and prawn in 2015.



Source: Statistics Canada (EXIM), Accessed on November 30, 2017

3.2. Recreational

The National Recreational Fishing Survey provides estimates of trip-related expenditures and major purchases for recreational fishing. It is conducted every five years, though due to issues with the 2015 survey, the latest available data is from 2010². Typically, BC's tidal water recreational fishery has been the third largest recreational fishery in Canada in terms of expenditures and major purchases³. Readers should note, however, that expenditures are not a measure of economic value, and cannot be compared across sectors⁴.


The survey data show that expenditures by resident anglers, which increased 18% in real terms from 2005 to 2010, buoyed overall recreational spending, which increased by 2% over that same

² DFO. National Recreational Fishing Survey in Canada. 2010 information online at: <http://www.dfo-mpo.gc.ca/stats/rec/can/2010/index-eng.htm> and 2005 information online at: <http://www.dfo-mpo.gc.ca/stats/rec/can/2005/index-eng.htm> (accessed November 1, 2012).

³ Based on the Survey of Recreational Fishing in Canada, multiple years.

⁴ Recreational fishing expenditures are not measures of economic value because they represent the value of final goods and services produced in other industries, rather than the value added to the economy as a result of recreational fishing.

period⁵. The 2010 expenditures attributable to recreational fishing in BC tidal waters are estimated at \$696.5M, with \$36.4M attributable to recreational fishing for prawn and shrimp⁶. Between 2005 and 2010, estimated expenditures attributed to prawn and shrimp increased by \$4.9M, after adjusting for inflation. The percentage of recreational expenditures attributable to prawn and shrimp also increased slightly, from 4% in 2005 to 5% in 2010 (Fisheries & Oceans Canada 2012).



Source: DFO Fisheries Management Data Unit
 Available at: www.pac.dfo-mpo.gc.ca/fm-gp/rec/licence-permis/Stats/99tocurrent-eng.html

The recreational harvesting of prawns and shrimp has grown, though salmon and halibut continue to account for most recreational fishing effort. In 2005, prawn and shrimp fishing occurred on 10% of angler days, or 219,939 days, while in 2010, prawn and shrimp fishing occurred on 14.5% of angler days (297,780 days of a total 2,052,957 days). Two-thirds of prawn and shrimp fishing effort in 2010 was undertaken in the Strait of Georgia, with another 12.5% in Barkley Sound. Despite this increase in fishing effort, when asked their top three preferred species, anglers continue to indicate halibut and three of the five salmon species. Nine percent of resident anglers, who accounted for over 93% of recreational fishing effort⁷ directed at prawn and shrimp in 2010, identified prawns as a top-three species in the survey (Fisheries & Oceans Canada 2012). As shown in the graph above, there has been an increase in the number of resident anglers in the last few years, though the number of non-resident (including international) anglers has been stable after a large drop in 2007/08.

National and provincial summary information from the Survey of Recreational Fishing in Canada 2010 is available on the internet at:

<http://www.dfo-mpo.gc.ca/stats/rec/canada-rec-eng.htm>

⁵ Growth rates in this section are based on expenditures that have been adjusted to account for inflation.

⁶ A special run of the survey data generated species-level estimates of expenditures, based on reported recreational fishing effort.

⁷ All recreational fishing effort is measured in terms of angler days. More than one species may be fished per angler day, and the actual amount of time spent harvesting each species on a given day is undetermined.

3.3. First Nations

The Allocation Transfer Program (ATP) and Pacific Integrated Commercial Fishery Initiative (PICFI) have relinquished existing commercial licence eligibilities from fish harvesters on a voluntary basis and re-issued these to eligible First Nation organizations as communal commercial licences. The PICFI, announced in 2007, is aimed at achieving environmentally sustainable and economically viable commercial fisheries, where conservation is the first priority and First Nations' aspirations to be more involved are supported. The Government of Canada committed \$175 million over the first five years (2007-2012) to implement the initiative. The program was renewed on a temporary basis until Budget 2017 when it was announced that PICFI is to receive permanent long term funding of \$22.05 million annually.

As a result of these programs, an average of 25% of commercial prawn and shrimp by trap licence eligibilities are held by First Nations for participation in the commercial fishery (2013-2017).

For more information on the ATP, contact a resource manager listed in Section 14 or see the internet at:

<http://www.pac.dfo-mpo.gc.ca/abor-autoc/atp-ptaa-eng.html>

More information on the PICFI is available on the internet at:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/picfi-ipcip/index-eng.html>

4. MANAGEMENT ISSUES

The following emerging issues may impact the management measures in place for the prawn and shrimp by trap fisheries.

4.1. Conservation and Sustainability

4.1.1. Biological and Environmental Variability

Every season marks a new prawn life stage with environmental conditions that influence prawn abundance. Ocean currents, larval distribution and changes in water temperature and salinity all have an impact on prawn survival and population strength. This means that recruitment and catch success is highly variable, from season to season, area to area, year over year.

A lack of shared understanding about this variability has made conversation difficult between harvest sectors, particularly in the south coast of BC where record high prawn catches per trap were enjoyed in the Strait of Georgia between 2006 to 2009 and off the west coast of Vancouver Island between 2009 to 2011.

DFO continues to use scientific evidence and the PA Framework policy when making decisions affecting fish stocks and ecosystem management and to incorporate new science work as it becomes available. The Prawn Advisory Board (Section 15) supports working together and shared responsibility among all harvest sectors for conservation and improved monitoring of the fisheries.

4.1.2. Fishery Monitoring and Catch Reporting

DFO finalized the “Strategic Framework for Fisheries Monitoring and Catch Reporting in the Pacific Fisheries” (the Framework) in 2012. The Framework directs that an ecological risk assessment be undertaken for all fisheries to determine the level of monitoring required to provide information necessary to manage for the ecosystem risks posed by a fishery, while allowing for final monitoring and reporting programs to reflect the fishery’s unique characteristics.

Risk assessments are performed using an excel-based tool that provides for a consistent approach to a structured conversation regarding ecological risk and other resource management considerations. Draft risk assessments will be initially completed by DFO, then presented to harvesters for review, comment, and revision through existing advisory processes established for fisheries management purposes (Section 15). Where no advisory process exists, engagement will occur through alternative means.

Should the risk assessment indicate a gap between the current level and target level of monitoring identified through the risk assessment, options to address the monitoring gap are to be identified through discussion between DFO and harvesters. The feasibility of these options (e.g. cost, technical considerations, etc.) is also to be considered through these discussions. The Framework directs that monitoring and reporting programs be both cost-effective and tailor-made for a fishery. As such, a collaborative approach is required.

Where monitoring options are determined to be feasible, the current monitoring and reporting program is to be revised to incorporate these options so the program provides sufficient information to fishery managers to manage the ecological risk of the fishery effectively. Where monitoring options are not feasible, alternative management approaches are required to reduce the ecological risk posed by the fishery. If there is no gap between the current and target level of monitoring, then the management approach would not require any change.

As of November 2018, DFO is in the process of gathering feedback on and will subsequently be finalizing a draft national Fishery Monitoring Policy. This national Policy - an evolution of the existing Framework in the Pacific Region - looks to bring consistency in the development, delivery and evaluation of monitoring programs for all federally-managed wild fisheries in Canada, and will ultimately supersede the existing Pacific Framework.

Appendix 14 provides initial draft risk assessments for the recreational and FSC/domestic prawn and shrimp trap fisheries completed by DFO for further review, comment and revision in 2019 with the Sport Fishing Advisory Board (SFAB) (recreational) and First Nations (FSC/domestic).

More information on the Framework and risk assessment is available on the internet at:

http://www.pac.dfo-mpo.gc.ca/fm-gp/docs/framework_monitoring-cadre_surveillance/page-1-eng.html

4.2. Social, Cultural and Economic

4.2.1. Commercial

The commercial prawn fishery has become increasingly professionalized. Catch is more evenly distributed among the commercial prawn fleet compared to some other fisheries where only a few full-time professional fishermen dedicate effort. A number of vessels participate only in the

prawn fishery and are not active in other fisheries (Nelson 2011). High-speed live delivery vessels and efficient-freezing vessels, specifically built to participate in the prawn fishery, are common. Forty percent (40%) of the commercial catch is taken in the first two weeks of the season. Hydraulic haulers are standard and a single haul limit applies. Improvements in the traps and bait used are factored (corrected) in spawner index sampling analysis. GPS systems and bottom-typing allow precise plotting of the bottom and an electronic vessel monitoring system has been implemented by DFO to monitor the fishery, achieve sampling and factor effort into closure decisions and timing. With improved electronics technology, electronic vessel monitoring, and increased mobility of the fleet, short (3 days) notification of closures was fully implemented coastwide in 2017. DFO continues to review and identify other new management measures. Changes to trap limits have been brought forward for further discussion. Commercial prawn industry representatives continue to support improvements for conservation and ways to reduce conflicts and mitigate issues in lockstep with changes in other sectors.

In 2016, the US published new regulations implementing import provisions pertaining to the reduction of marine mammal bycatch in foreign commercial fishing operations. DFO will be working closely with the commercial fishing industry and other stakeholders to facilitate the process under the new regulatory requirements in the USA (Section 4.4.3).

The Transportation Safety Board (TSB) has investigated several fishing vessel accidents since 2002 and found that vessel modifications and loading of traps have been contributing factors in the capsizing of prawn vessels, F/V *Fritzi-Ann* ([M02W0102](#)) in 2002, F/V *Morning Sunrise* ([M05W0110](#)) in 2005, and F/V *Jesse G* ([M12W0054](#)) and F/V *Pacific Siren* ([M12W0062](#)) in 2012. The TSB expressed concern about the DFO maximum vessel length policy based on length of the buoyant hull and felt that it put constraints on vessel replacements and influenced fish harvester's decisions to make vessel bow alterations and stern extensions to meet maximum length constraints that may negatively impact on their vessel's stability. A code of best practices for the prawn fishery was developed in 2013 and is intended to address unsafe work practices that continue to put fishermen, their crew, and vessels at risk (contact Pacific Prawn Fishermen's Association, Section 15). Fishing vessel safety considerations are provided in Appendix 7. DFO has modified licence length restrictions in a number of fisheries and will look at removing restrictions in the prawn fishery given that trap limits and seasonal closures (based on assessment of the spawner index) are in place for management of the fishery. Following the capsizing of the trawl vessel F/V *Caledonian* ([M15P0286](#)) in 2016 and subsequent fatalities, the TSB issued recommendations aimed at ensuring all crews have access to adequate stability information that meets their needs.

In BC, roughly 70% of all fishing-related fatalities in the past decade came while not wearing a personal flotation device (PFD). Wearing a PFD was recommended also following drownings in 2014 in the prawn, F/V *Diane Louise* ([M14P0110](#)), and crab, F/V *Five Star* ([M14P0121](#)), fisheries.

TSB marine investigation reports are available on the internet at:

<http://www.tsb.gc.ca/eng/rapports-reports/marine/index.asp>

4.2.2. Recreational

Recreational prawn fishing occurs year-round with trap limits and catch limits in effect. With the development of the recreational fishery in the mid-1990s, active management through winter

area closures was introduced in 2000 and remains a key component of the recreational management strategy. Participation and popularity in recreational prawn harvesting has since grown. Use of electric trap haulers, specifically designed and developed for the recreational 4-trap limit, are now common after a restriction to hand-hauling was removed in 1995. Improvements in traps and bait have also been adopted from the commercial fishery. GPS systems and depth sounders enable traps to be set and reset in the best locations. The improved technology, gear and bait, and increased participation prompted DFO to begin discussions with the SFAB on revising the daily recreational catch limit. Following several years of discussions, a revised limit was introduced in 2019. DFO continues to review and discuss new measures with the SFAB.

The SFAB and the recreational fishing sector strongly support effective fishery monitoring and catch reporting programs in recreational fisheries and have been working with DFO on initiatives to strengthen fishing monitoring and catch reporting in the recreational fishery for a number of years (Section 4.1.2). Non-response bias was identified as the most significant among several potential biases in the internet recreational fishing effort and catch (iREC) survey and it was recommended that work continue to evaluate and, where possible, improve the iREC survey to address biases.

In 2016, the Prawn Advisory Board Members (Section 15) recommended the adoption of standardized buoys to differentiate prawn and crab fishing. This will eliminate the use of household plastic containers or blocks of Styrofoam that can often deteriorate in sunlight or waves and sink which contributes to garbage washing up on the shoreline and loss of trap(s) which will continue to “ghost fish” for years to come. Further work is being done with the SFAB in 2019 to specify what the standardized buoys will be for the recreational fishery.

The evaluation of the iREC survey methods is available from the CSAS Science Advisory Report (2015/059) on the internet at:

<http://www.isdm-gdsi.gc.ca/csas-sccs/applications/Publications/index-eng.asp>

4.2.3. First Nations

Since 2012, DFO has been consulting with First Nations and seeking First Nations input on management measures for the FSC fishery to address the harvesting capacity of commercial vessels and gear. DFO is very concerned about the increasing number of commercial vessels harvesting prawns for FSC purposes with commercial gear and the impact this will have on the conservation and sustainability of the resource. In the past, effort was small enough that DFO did not specify gear or catch limits in communal licences for FSC harvest. Starting March 2016, for those First Nations that have an interest in using commercial vessels or gear for harvesting prawns for FSC purposes, DFO is requesting details about how this will occur (Appendix 3). These details are requested so that there can be a common understanding of the size, scope and timing of the fishery. DFO is implementing this approach while discussions with First Nations continue on longer-term management measures to ensure an orderly and manageable FSC prawn fishery and conservation and sustainability of the resource. Ongoing work is focused on a range of management measures for the FSC prawn fishery and building on a common goal of fisheries sustainability to develop FSC fishing plans that First Nations support. At least 26 First Nations or their organizations have identified to DFO that they are using commercial vessels or gear to harvest prawns for FSC purposes.

Catch monitoring programs are being developed in collaboration with some First Nations organizations and standards for all fishery monitoring and catch reporting programs are being developed through a number of recent workshops held in Pacific Region (Section 4.1.2).

Further work may be anticipated with those First Nations who are interested in adopting standardized buoys in their FSC/domestic fisheries to differentiate prawn and crab fishing and eliminate the use of household plastic containers or blocks of Styrofoam that can often deteriorate in sunlight or waves and sink which contributes to garbage washing up on the shoreline and loss of trap(s) which will continue to “ghost fish” for years to come.

First Nations seek more stability in FSC fisheries and a greater role in the aquatic resource and oceans management decisions that affect them. First Nations have stressed the importance of maintaining sufficient spawners to meet First Nations food needs looking seven generations ahead.

Information on the Integrated Aboriginal Policy Framework and programs is available at:

<http://www.dfo-mpo.gc.ca/fm-gp/aboriginal-autochtones/iapf-cipa-eng.htm>

4.3. Compliance

DFO is concerned about the increasing use of commercial vessels and gear outside the commercial fishing season. The investigation of illegal sales of prawns is an important enforcement priority.

There are no other emerging issues for enforcement other than those already highlighted in the Compliance Plan (Section 9).

4.4. Ecosystem

4.4.1. Depleted Species Concerns

By-catch of most non-target species has not been a concern in the prawn and shrimp by trap fisheries due to the nature of trap fishing and the minimal diversity of by-catch. Non-target species are easily sorted and quickly returned to the water with presumed low mortality. However, juvenile rockfish (*Sebastes* spp.) that are small enough to be able to enter trap tunnels and that do not leave before being brought to the surface are presumed not to survive release due to their inability to equilibrate air bladders to rapid changes in depth (Rutherford et al. 2009).

A rockfish conservation strategy was first proposed in 1998, and measures were implemented in 2002 to protect inshore rockfish populations. These measures included catch restrictions, fishery monitoring, assessment programs and establishment of areas closed to certain fishing activities. Rockfish encounters in the commercial prawn and shrimp by trap fishery are a rare event (0.000 to 0.045 rockfish/trap) and the prawn and shrimp by trap fisheries were allowed to continue in the Rockfish Conservation Areas (RCAs) with the collection of by-catch information. The sampling program estimates total rockfish by-catch in the commercial fishery (Rutherford et al. 2009).

The prawn fishery has been permitted to continue under the existing management measures based on the recovery potential assessment conducted for Quillback Rockfish (*S. maliger*), which was assessed as “Threatened” by the Committee on the Status of Endangered Wildlife in Canada

(CSAS Science Advisory Report 2011/072). Quillback Rockfish is the most frequent rockfish species encountered in the prawn fishery (Rutherford et al. 2009).

RCAs have been prioritized for review as potential “other measures” that may contribute to Canada’s Marine Conservation Target 2020 (Section 4.4.2). The review includes an assessment by the CSAS of the ecological attributes of the RCAs and of the risk from activities that are permitted, including prawn and shrimp trap fishing.

SARA-listed rockfish species in Pacific Region is available at:

<http://www.dfo-mpo.gc.ca/species-especies/sara-lep/identify-eng.html>

Maps of Rockfish Conservation Areas are available at:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/maps-cartes/rca-acr/index-eng.html>

4.4.2. Canada’s Marine and Coastal Areas Conservation Mandate

In October 2017, the Government of Canada announced that it had reached its first milestone of protecting 5% of Canada’s marine and coastal areas. The federal government remains committed to protecting 10% of Canada’s marine and coastal areas by 2020. The 2020 target is both a domestic target (Canada’s Biodiversity Target 1) and an international target as reflected in the Convention on Biological Diversity’s Aichi Target 11 and the United Nations General Assembly’s 2030 Agenda for Sustainable Development under Goal 14. The 2017 and 2020 targets are collectively referred to as Canada’s marine conservation targets.

To meet these targets, Canada is establishing Marine Protected Areas (MPAs), National Marine Conservation Areas, marine National Wildlife Areas and “other effective area-based conservation measures” (“other measures”) in consultation with industry, non-governmental organizations, and other interested parties.

More information on the background and drivers for Canada’s marine conservation targets is available at:

<http://www.dfo-mpo.gc.ca/oceans/conservation/index-eng.html>

4.4.2.1. Northern Shelf Bioregion Marine Protected Area Network

The *Oceans Act* mandates the Minister of Fisheries and Oceans with leading and coordinating the development and implementation of a national system (network) of MPAs. The National Framework for Canada’s Network of MPAs provides strategic direction for the design of a national network of MPAs that will be composed of a number of bioregional networks. This is an important step towards meeting Canada’s domestic and international commitments to establish a national network of MPAs. Regionally, the Canada-British Columbia MPA Network Strategy has been developed jointly by federal and provincial agencies and reflects the need for governments to work together to achieve common marine protection and conservation goals. Bioregional MPA network planning will identify new areas of interest for protection by DFO, Parks Canada, Environment and Climate Change Canada (ECCC), the Province of BC, and any other agencies with a mandate for protecting marine spaces.

The Province of BC, the Government of Canada and 17 First Nations are working together to implement the Strategy in the Northern Shelf Bioregion, which extends from the top of Vancouver Island (Quadra Island/Bute Inlet) and reaches north to the Canada - Alaska border.

This bioregion has the same footprint as the Pacific North Coast Integrated Management Area (Section 4.4.2.7). Ocean Advisory Committees have been established to provide input and advice on key elements of the planning process. The committees include broad representation from interested stakeholders, supporting dialogue and building shared understanding on MPA network planning. Sites identified for marine conservation through the network planning process will contribute to the Government of Canada's commitment to protecting 10% of marine and coastal areas by 2020. Future MPAs in this network may overlap or include prawn and shrimp fishing areas, depending on the type and nature of the MPA.

More information on MPA Network Planning is available at:

<http://mpanetwork.ca/bcnorthernshelf/whats-happening/>

4.4.2.2. Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area

The Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs MPA is located in the Northern Shelf Bioregion of the Pacific Region, southeast of Haida Gwaii, north and south of the entrance to Douglas Channel. The reefs are made up of large colonies of glass sponges and are estimated to be 9,000 years old. They are located at depths of 140 m to 240 m below the surface. The Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs MPA is comprised of three individual areas known as the Northern Reef, the two Central Reefs, and the Southern Reef. Together these three areas cover approximately 2,410 km².

Management measures under the *Fisheries Act* restrict all bottom contact and mid water trawl fishing activity, including prawn and shrimp trap fishing (Appendices 1 - 3). The Core Protection Zone is closed to all fishing activities and anchoring is also prohibited; the Adaptive Management Zone is closed to all commercial and recreational bottom contact gear and midwater trawl; and the Vertical Adaptive Management Zone allows for specified gear types only (i.e. midwater hook and line, seine and gillnet).

A management plan will be developed for the MPA and will seek to align with the relevant IFMPs. The management plan will be developed in collaboration with First Nations and in consideration of advice from an advisory committee, stakeholders through existing processes, and the public. This management plan will elaborate on the regulations to implement the conservation and management objectives for the MPA and will address matters such as monitoring, enforcement and compliance.

Work is ongoing to consider MPA designation for the Race Rocks area off Rocky Point south of Victoria currently designated as a Provincial Ecological Reserve.

An overview map of the Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs MPA is provided in Appendix 12. Detailed descriptions (coordinates) of individual closure areas and maps are available at:

<http://www.dfo-mpo.gc.ca/oceans/mpa-zpm/hecate-eng.html>

Information about integrated management planning, Pacific Region MPAs and planning under Canada's *Oceans Act* is available at:

<http://www.pac.dfo-mpo.gc.ca/oceans/index-eng.html>

The Cold-water Coral and Sponge Conservation Strategy is available at:

<http://www.dfo-mpo.gc.ca/oceans/ceccsr-cerceef/conservation-eng.html>

4.4.2.3. Gwaii Haanas and Southern Strait of Georgia National Marine Conservation Area Reserve

Gwaii Haanas National Park Reserve, National Marine Conservation Area Reserve, and Haida Heritage Site is a 5,000 km² land-and-sea protected area in the southern portion of Haida Gwaii, approximately 100 kilometres off the north coast of BC. The Haida Nation declared the area a Haida Heritage Site in 1985. The terrestrial part of Gwaii Haanas was designated a National Park Reserve by the Government of Canada soon after, and the two parties have been managing the area cooperatively since 1993. In 2010, following an extensive public consultation process, the marine area of Gwaii Haanas was given the designation of National Marine Conservation Area Reserve.

Gwaii Haanas is managed by the Archipelago Management Board, a cooperative body made up of representatives of the Council of the Haida Nation and the Government of Canada (DFO and Parks Canada). The Archipelago Management Board is guided by the *Gwaii Haanas Agreement* and the *Gwaii Haanas Marine Agreement*, which describes how Canada and the Haida Nation will manage Gwaii Haanas cooperatively.

In November 2018, following an extensive consultation process, a new management plan for Gwaii Haanas was approved by Canada and the Haida Nation. The Gina 'Waadluxan KilGuhlGa Land-Sea-People plan includes a shared vision, guiding principles based on Haida cultural values, goals and objectives, and zoning for the land and the sea. The plan will be in place for the next decade. The final zoning plan includes several areas of strict protection, where commercial and recreational fishing is prohibited, including prawn and shrimp fishing (Appendices 1 and 2). An overview map is provided in Appendix 13. A monitoring plan will be developed to assess the effectiveness of zoning in achieving ecological and cultural objectives. Regular monitoring within and outside of the strict protection zones will illustrate ecosystem responses and facilitate adaptive management of the Gwaii Haanas marine area. Implementation of the Land-Sea-People plan will also involve cooperative management of fisheries using an ecosystem-based management framework and monitoring activities will be supported through partnerships.

Parks Canada, in partnership with the Government of BC, launched a feasibility assessment for a National Marine Conservation Area Reserve in the southern Strait of Georgia in 2004. Since then, consultations with First Nations, key stakeholders, communities and the public have occurred. Informed by those discussions, a proposed boundary for consultation was announced by the provincial and federal Ministers of Environment in 2011. Since 2011, the two governments have been consulting with First Nations, local governments and industry. A preliminary concept is currently being developed to help advance consultations on the feasibility assessment. If the results of the feasibility assessment indicate that establishment of a National Marine Conservation Area Reserve is practical and feasible, an establishment agreement between the Governments of Canada and BC will be negotiated and an interim management plan developed. If the National Marine Conservation Area Reserve is determined to be feasible, further consultations related to establishment agreements and Indigenous rights will also take place with First Nations. Commercial and recreational fishing sectors, communities, landowners,

recreation and environmental organizations and other stakeholders will also have opportunities to provide input to the development of the interim management plan.

The Land-Sea-People plan is available at:

<https://www.pc.gc.ca/en/pn-np/bc/gwaiihaanas/info/consultations/gestion-management-2018>

More information on Gwaii Haanas and the Archipelago Management Board is available at:

<https://www.pc.gc.ca/en/pn-np/bc/gwaiihaanas/index>

More information on National Marine Conservation Areas is available at:

<https://www.pc.gc.ca/en/amnc-nmca/cnamnc-cnmca>

4.4.2.4. Scott Islands Marine National Wildlife Area

The Scott Islands Marine National Wildlife Area is the first protected marine area established by ECCC under the *Canada Wildlife Act*. Established in 2018, it covers 11,546 km² around the Scott Islands located off the northwestern tip of Vancouver Island. The Scott Islands, protected by the Province of BC, and surrounding marine environment make up one of the most productive and biologically diverse ecosystems on the Canadian Pacific coast, particularly for seabirds. The conservation objective of the area is to conserve migratory seabirds and species at risk as well as the habitats, ecosystems, and marine resources that support them.

ECCC leads the Scott Islands Marine National Wildlife Area planning and management, and works with other federal departments with responsibilities in the marine environment including DFO, Transport Canada and Natural Resources Canada. Fishing and shipping within the area will continue to be managed by DFO and Transport Canada, respectively. The *Scott Islands Protected Marine Area Regulations*, in conjunction with additional measures by DFO and Transport Canada to address fishing and shipping related concerns in the area, will provide the regulatory framework for the management of human activities. The Quatsino First Nation, the Tlatlasikwala First Nation, and the Province of BC have expressed interest in participating also in the collaborative management, and discussions are ongoing to develop a management agreement for the area.

ECCC and management partners will collaboratively develop a management plan for the area. A final management plan is expected in 2019, which will consider advice and input from an advisory committee with technical and scientific working groups, stakeholders, through existing processes, and the public. ECCC will continue to work collaboratively with DFO to implement voluntary and regulatory measures under the management plan, as well as the IFMPs, to mitigate fishing impacts. This will include measures to improve information on seabird prey habitat impacts and measures to mitigate seabird by-catch, as well as initiatives by the existing ECCC-DFO Pacific Seabird By-catch Working Group.

In support of the conservation objectives, DFO is consulting on new regulations under the *Fisheries Act* to restrict certain fisheries that pose a risk to seabirds. The proposed regulations would prohibit fishing for three key forage fish species that serve as a key food source for seabirds - Pacific sand lance, Pacific saury, and North Pacific krill - as well as prohibit groundfish bottom trawling in portions of the area consistent with existing fisheries closures. The regulations could also restrict fishing activities, such as salmon gill net and seine, that may be

deemed to pose a risk to the conservation objectives of the area based on the best available science.

More information on the Scott Islands marine National Wildlife Area is available at:

<https://www.canada.ca/en/environment-climate-change/services/national-wildlife-areas/locations/scott-islands-marine.html>

4.4.2.5. *Strait of Georgia and Howe Sound Glass Sponge Reef Conservation Areas*

Effective April 1st, 2019 all commercial, recreational and FSC bottom-contact fishing activities for prawn, shrimp, crab and groundfish, as well as the use of downrigger gear for recreational salmon trolling (restricted via condition of license) are prohibited within portions of Subareas 28-2 and 28-4 to protect nine Howe Sound glass sponge reefs, as marine refuges.

These eight new closures are in addition to the nine areas closed to all commercial, recreational and FSC bottom-contact fishing activities in the Strait of Georgia and Howe Sound in 2015 (2016 for FSC) (Appendices 1 – 3). Nine remaining areas in Howe Sound require ground-truthing to assess their ecological significance and may be closed in the future.

Glass sponge reefs protected under the Strait of Georgia and Howe Sound Glass Sponge Reef Conservation Initiative are included as an “other measure” under Canada’s marine conservation target; contributing <0.01% to the target or approximately 32.5 km² of sensitive benthic areas.

Overview maps of the Strait of Georgia and Howe Sound Glass Sponge Reefs are provided in Appendix 11.

More information is available at:

<http://www.dfo-mpo.gc.ca/oceans/ceccsr-cerceef/closures-fermetures-eng.html>

4.4.2.6. *Rockfish Conservation Areas*

Between 2003 and 2007, DFO established 164 RCAs in the Pacific Region for the long-term protection and conservation of a portion of inshore rockfish populations and their habitat. DFO is currently undertaking a multi-year review of the conservation effectiveness of these areas. A review is timely as it has been more than ten years since these areas were established. In addition, some of these areas potentially could qualify as “other measures” to contribute to Canada’s marine conservation target 2020. The review has three components: an assessment of ecological attributes in the RCAs to help prioritize those RCAs that may have higher conservation benefit to rockfish; a risk assessment of human activities permitted in the RCAs; and engagement with First Nations and stakeholders. The assessments of ecological attributes and permitted human activities will be published through the CSAS and, subsequently, inform the review.

Through these components of the review, the conservation effectiveness of the RCAs might be improved by adjusting boundaries or through relocation, changing management measures, conducting more research, and increasing monitoring and compliance. RCAs in the Northern Shelf Bioregion have been selected for the first phase of engagement starting in the fall 2018. Engagement in other bioregions will occur in subsequent years.

A description of the role of fisheries management measures that qualify as other measures is available at:

<http://www.dfo-mpo.gc.ca/oceans/mpa-zpm-aoi-si-eng.html>

More information about RCAs is available at:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/maps-cartes/rca-acis/index-eng.html>

4.4.2.7. *Pacific North Coast Integrated Management Area*

Endorsed in February 2017, the Pacific North Coast Integrated Management Area (PNCIMA) Plan was developed, in collaboration with the Province of BC, First Nations and stakeholders to help coordinate various ocean management processes and to complement existing processes and tools, including IFMPs. High level and strategic, the plan provides direction on integrated, ecosystem-based and adaptive management of marine activities and resources in the planning area as opposed to detailed operational direction for management. The plan outlines an ecosystem-based management framework for PNCIMA that has been developed to be broadly applicable to decision-makers, regulators, community members and resource users alike, as federal, provincial and First Nations governments, along with stakeholders, move together towards a more holistic and integrated approach to ocean use in the planning area.

The endorsement of the PNCIMA plan supports the Government of Canada's commitment to collaborative oceans management for the Pacific North Coast and provides a joint federal-provincial-First Nations planning framework for conservation and the management of human activities in the Pacific North Coast. The plan includes MPA network development as a planning priority (Section 4.4.2.2).

The PNCIMA Plan is available online at:

<http://www.pncima.org/>

4.4.3. **Gear Impacts**

There are over 80 species of cold-water corals and some 250 species of sponges (Gardner 2009) that exist on Canada's Pacific Coast. Cold-water corals and sponges occur in both shallow coastal and deep offshore waters. Traps can impact biogenic structures, including corals and sponges, through crushing, entanglement or scouring. The potential impact of traps on marine habitats is dependent on a variety of factors, including characteristics of the bottom where they are set, weight, size and construction of traps, retrieval methods, sea state, weather, tides and currents, and ground line length. An evaluation of the nature and scale of impacts is an important step in identifying appropriate mitigation measures.

A scientific review of the potential impacts of fishing gears, excluding mobile bottom-contacting gears but including traps, on marine habitats and communities (CSAS Proceeding Series 2010/002 and CSAS Science Advisory Report 2010/003) is available on the internet at:

<http://www.isdm-gdsi.gc.ca/csas-sccs/applications/publications/index-eng.asp>

Whales have entangled in trap ground lines and buoy lines. Sea turtles and Basking Sharks may also entangle in trap lines but sightings of sea turtles and Basking Sharks are infrequent in Pacific Canadian waters. Prohibitions under the *SARA* make it illegal to kill, harm, harass or

capture Leatherback Sea Turtles or Basking Sharks and measures must be taken to avoid incidental capture and entanglement of these species.

DFO coordinates a network of government and non-government experts in disentangling and to assist in response to sick, injured, distressed, or dead animals (Section 14). Encounter protocols to reduce the risk of entanglement and assist in response have been adopted by the commercial fishery (Appendix 1). Modification of fishing gear has been successful in mitigating entanglement rates for whales elsewhere (i.e. USA and Atlantic Canada) and recommendations to enact cost-effective modifications to gear may be considered in the future.

In 2016, the USA published new regulations (80 FR 54390) implementing the USA's *Marine Mammal Protection Act* (MMPA) import provisions pertaining to the reduction of marine mammal bycatch in foreign commercial fishing operations. Every four years, the USA publishes information on all fisheries that export to the USA in the List of Foreign Fisheries. A harvesting nation intending to export fish and fish products to the USA after January 1, 2022, must apply to the USA National Oceanic and Atmospheric Administration (NOAA) for a comparability finding for each of its commercial fisheries listed in the List. To receive a comparability finding for a fishery, the import provisions mandate that the harvesting nation demonstrate: 1) the prohibition of intentional mortality or serious injury of marine mammals in the course of commercial fishing operations; and 2) the implementation of a regulatory program comparable in effectiveness to the USA, including bycatch estimates from at-sea observer programs and management/mitigation measures. DFO will be working closely with the commercial fishing industry and other stakeholders to facilitate the process under these new regulatory requirements in the USA. A five-year exemption period has been given for implementation in 2021.

DFO welcomes assistance in the reporting of any whale, Leatherback Sea Turtle or Basking Shark entanglement or sighting. While there are many whale species found in Pacific Canadian waters, sightings of Basking Shark and Leatherback Sea Turtles are infrequent. The collection of sighting data is useful to scientists in determining population size and species distribution and aids in recovery efforts under the *SARA* (see Section 14 to report sightings).

Assessment by the Monterey Bay Aquarium Seafood Watch of BC commercial trap-caught prawns as “good alternative” is available on the internet at:

<https://www.seafoodwatch.org/>

5. OBJECTIVES

Sections 5.1 to 5.3 and 5.5 outline the “longer term” objectives for this and other invertebrate fisheries in the Pacific Region. Section 5.4 describes the species-specific “shorter-term” objectives for the prawn and shrimp by trap fisheries.

5.1. National

DFO aims to:

- Meet conservation objectives and ensure healthy and productive fisheries and ecosystems;
- Manage fisheries to provide opportunities for economic prosperity;

- Provide stability, transparency, and predictability in fisheries management and improved governance.

5.2. Pacific Region

In 1994, the Biological Objective Working Group of the Pacific Scientific Advice Review Committee (PSARC) identified three biological objectives for management of Pacific Region fish and invertebrate stocks (Rice et al. 1995):

- Ensure that subpopulations over as broad a geographical and ecological range as possible do not become biologically threatened (in the Committee on the Status of Endangered Wildlife in Canada [COSEWIC] sense of “Threatened”);
- Operationally, the above objective requires at least that management allow enough spawners to survive, after accounting for all sources of mortality (including all fisheries and natural mortality), to ensure production of enough progeny that they will, themselves, be able to replace themselves when mature;
- Fisheries may have collateral effects on other species, mediated by the ecological relationships of the target species. Fisheries should be managed in ways that do not violate the above objectives for ecologically related species, as well as target species.

The objectives remain relevant today, particularly in light of national objectives for sustainable fisheries.

5.3. Invertebrate Resource Management

Management goals and objectives have been defined for invertebrate fisheries in annual management plans produced by DFO since 1990. The management goals and objectives, as written by Invertebrate Fisheries Management and revised in 1997, are:

- To ensure conservation and protection of invertebrate stocks and their habitat through the application of scientific management principles applied in a risk averse and precautionary manner based on the best scientific advice available;
- To meet the federal Crown’s obligations regarding Aboriginal fisheries for FSC purposes;
- To develop sustainable fisheries through partnership and co-management arrangements with client groups and stakeholders to share in decision making, responsibilities, costs, and benefits;
- To develop fishing plans and co-operative research programs which will contribute to improving the knowledge base and understanding of the resource;
- To consider the goals of stakeholders with respect to social, cultural and economic value of the fishery;
- To consider health and safety in the development and implementation of management plans, fishery openings and closures;
- To consider opportunity for the development of the aquaculture industry;
- To provide opportunities for a recreational fishery.

5.4. Prawn and Shrimp by Trap

5.4.1. Conservation and Sustainability

DFO's species-specific objectives for the conservation and sustainability of prawn and shrimp stocks are:

To ensure a minimum number of female spawners are available at the time of egg hatch by using a fixed escapement model, the prawn spawner index. The spawner index model meets DFO's objective to adopt harvest control rules that are compliant with the PA.

To limit directed fisheries for Humpback and Coonstripe Shrimp to the existing fisheries in Prince Rupert / Masset Inlet and Sooke, respectively, until basic biological parameters to develop a biologically-based management strategy are determined. Any directed fishery for Humpback or Coonstripe Shrimp in non-historical areas, or with new or modified trawl or trap gear, is subject to the New Emerging Fisheries Policy (Section 1.6).

To develop standards for fishery monitoring and catch reporting for all fisheries, including commercial, recreational and First Nations (Section 4.1.2).

Information on the New Emerging Fisheries Policy is available at:

<http://www.dfo-mpo.gc.ca/reports-rapports/regs/efp-ppn-eng.htm>

5.4.2. Social, Cultural and Economic

DFO's objective is to continue to work collaboratively with the Prawn Advisory Board (Section 15) to ensure sustainable fisheries and to collect input from First Nations and the commercial and recreational fishing sectors in the annual development of the IFMP.

Commercial Fishery: DFO's objective is to continue to work collaboratively with the commercial industry on sustainable resource use and long-term economic viability of the prawn seafood industry recognizing that commercial fisheries play a vital role in Canada's economy. This will include adapting to changing resource and market conditions and extracting optimal value from world markets.

Vessel safety is an objective shared between DFO, Transport Canada, TSB, and WorkSafeBC (Appendix 7). All parties acknowledge the role of vessel masters and crew in responsibility for their own decisions regarding fishing vessel operations. DFO's objective, in conjunction with other responsible agencies, is to adopt an affirmative action profile in respect of vessel safety considerations.

First Nations involvement in the commercial fishery is a shared goal between DFO and Aboriginal people. First Nation participation in the commercial fisheries is being addressed through the ATP and PICFI (Section 3.3).

Recreational Fishery: DFO's objective is to affirm the social and economic importance of the recreational fishery, provide sustainable recreational harvesting opportunities as part of integrated management plans consistent with DFO's policies, and to establish working mechanisms in conjunction with the other fishing sectors to reduce conflict and mitigate issues.

"Recreational Fisheries in Canada, An Operational Policy Framework" is available at:

<http://www.dfo-mpo.gc.ca/reports-rapports/regs/op-pc-eng.htm>

Recreational fisheries in the Pacific Region are also guided by “A Vision for Recreational Fisheries in British Columbia 2009-2013” developed cooperatively by DFO, the Province of BC and the SFAB for “a vibrant and sustainable recreational fishery in British Columbia, providing broad social and economic benefits through diverse opportunities that recognize and respect other users of the resource”.

First Nations Fishery: DFO’s objective is to continue to provide opportunities for First Nations to harvest fish for FSC purposes, in a manner consistent with the decision of the Supreme Court of Canada in *R. vs. Sparrow* and subsequent court decisions.

The Integrated Aboriginal Policy Framework provides guidance in helping to achieve success in building on DFO relations with Aboriginal groups by fostering a respectful and mutually beneficial relationship with Aboriginal groups who are seeking a greater share of the fisheries resource, on contributing to the growth and well-being of their communities, and on providing them with a greater role in integrated aquatic resource and oceans management.

Information is available at:

<http://www.pac.dfo-mpo.gc.ca/abor-autoc/index-eng.html>

<http://www.dfo-mpo.gc.ca/fm-gp/aboriginal-autochtones/iapf-cipa-eng.htm>

5.4.3. Compliance

DFO’s objective is to pursue opportunities to monitor and enforce these fisheries, in conjunction with the monitoring and enforcement priorities in the Pacific Region.

5.4.4. Ecosystem

DFO’s objective is to support, in conjunction with ECCC and Parks Canada, the Government of Canada’s strategy for reaching its domestic and international marine conservation targets of protecting 10% of Canada’s marine and coastal areas by 2020 (Section 4.4).

DFO’s objective is to use the Ecological Risk Assessment Framework for Coldwater Corals and Sponge Dominated Communities, guided by the Policy for Managing the Impacts of Fishing on Sensitive Benthic Areas (Section 1.6), to determine the level of risk in these fisheries and whether mitigation measures are required in any areas.

DFO’s objectives with respect to rockfish were identified through the rockfish/lingcod conservation strategy (May 2002). The guidelines established for potential other measures that may contribute to Canada’s marine conservation target in 2020 may apply in Rockfish Conservation Areas (Section 4.4.2). Objectives may also be defined in a recovery strategy, action plan, or management plan with *SARA*-listing.

DFO’s objectives with respect to managing by-catch is to ensure that all Canadian fisheries are managed in a manner that supports the sustainable harvesting of aquatic species, that minimizes the risk of fisheries causing serious or irreversible harm to by-catch species and to account for total catch, including retained and non-retained by-catch.

6. ACCESS AND ALLOCATION

The Minister can, for reasons of conservation or for any other valid reasons, modify access, allocations, and sharing arrangements outlined in this IFMP in accordance with the powers granted pursuant to the *Fisheries Act*.

6.1. Commercial

The commercial fishery is limited entry, with seasonal and area closures, gear limits, minimum size limits, non-retention of prawns with eggs, daily fishing time restrictions, and a single haul limit.

6.2. Recreational

The recreational fishery has a daily limit for prawns and shrimp species combined. The possession limit is two-times the daily limit. Gear limits, non-retention of prawns with eggs, and seasonal area closures apply.

6.3. First Nations

To date, DFO has not specified gear or catch limits in communal licences for FSC harvest. Discussions with First Nations continue on management measures to ensure an orderly and manageable FSC fishery and conservation and sustainability of the resource (Section 4.2.3).

Prawns and shrimp may be allocated under treaty, but were unallocated under the Maa-nulth, Tsawassen and Nisga'a Treaties. The Tla'amin fishery for domestic (FSC) purposes under the Tla'amin Final Agreement (Treaty) includes a domestic allocation for prawns.

6.4. Aquaculture

Consideration is given for aquaculturist access to relatively low numbers of wild juvenile or adult prawns and shrimp (e.g. for broodstock development) for limited time periods where populations would face insignificant to low risk from the additional harvest pressure (DFO 2004).

6.5. Experimental, Scientific, Educational or Public Display

DFO supports and facilitates scientific investigations related to prawns and shrimp. Scientific licence requests received from scientific, educational, and public display institutions, including biological collecting firms, are considered. Policies with respect to scientific licences and the use-of-fish apply.

Co-operative scientific assessment programs of mutual interest and agreement between DFO and industry may be established with the Pacific Prawn Fishermen's Association (PPFA) named as the scientific licence holder. The Association undertakes vessel selection and provides advice to DFO on aspects of the assessment program.

6.6. Requests for Access

Through the AFS Program, DFO provides FSC fishery access to aggregate groups or individual First Nations through fisheries agreements and communal licences or, under Treaty, harvest documents for domestic purposes. Where requests are put forward by First Nations for changes

in FSC access arrangements, these are evaluated against a common set of criteria. FSC access should reflect some balance between the diversity and abundance of resources that are locally available, community needs and preferences, and operational management considerations. First Nations interested in bilateral discussion with DFO regarding FSC access should contact the Resource Manager for their area (Section 14 Contacts).

Information on the approach to the management of Aboriginal fishing in Pacific Region is available at:

<http://www.pac.dfo-mpo.gc.ca/consultation/fn-pn/fnfc-2014/aboriginal-fishing-peches-autochtones-eng.html>

7. MANAGEMENT MEASURES FOR THE DURATION OF THE PLAN

See the Commercial, Recreational and First Nations Harvest Plans, Appendices 1 to 3, for detail on the following:

- Fishing Seasons/Areas;
- Control and Monitoring of Removals;
- Decision Rules; and
- Licensing.

8. SHARED STEWARDSHIP ARRANGEMENTS

8.1. Commercial Fishery

A collaborative agreement is negotiated annually between DFO and the PPFA for delivery of co-management programs supportive of the commercial fishery. The PPFA contributed \$31.9K for in-season support by fisheries management personnel, \$39.76K for enhanced in-season support by science personnel, and \$29K for in-season Fishery Officer activities throughout the coast, including plant, restaurant and retail inspections, in 2018. Unused funds are returned to the PPFA annually.

An agreement is negotiated annually between DFO and the PPFA for delivery of the fall sampling program through in-kind contributions (previously, use-of-fish).

Vessel owners/licence eligibility holders are required to make arrangements with an approved industry service provider for the delivery of in-season information to DFO as required by conditions of licence regarding trap tags, vessel fishing and gear locations, vessel and gear characteristics, and spawner index information. The cost of this service to licence eligibility holders is established by the service company and is negotiated by the PPFA on behalf of licence eligibility holders. Harvest logbook costs may be included or provided separately. The PPFA distributed a Request for Proposals in November 2011 to private sector companies interested in providing in-season management services for licence eligibility holders. The industry service provider for 2019 is J.O. Thomas and Associates, Ltd. of Vancouver, BC.

8.2. Fisheries & Oceans Canada

Three Science (Aquatic Resources Research and Assessment Division) and five Fisheries Management personnel are directly involved in this fishery for some part of their activities.

Contributions to the IFMP are provided by Fisheries Management in the areas and at Regional Headquarters, the Science Branch and its Shellfish Data Unit, Conservation & Enforcement, the Pacific Fishery Licence Unit, and numerous administrative personnel. Generally, all personnel are multi-tasked.

9. COMPLIANCE PLAN

General information about the Conservation and Enforcement program is available at:

<http://www.dfo-mpo.gc.ca/fm-gp/enf-loi/index-eng.htm>

Fishery officers pursue opportunities to monitor and enforce this fishery, in conjunction with the monitoring and enforcement priorities directed by senior managers in the Pacific Region.

On-grounds monitors continue to provide an “observe, record and report” capability.

9.1. Priorities

The investigation of illegal sales of prawns is an important enforcement priority.

Other enforcement effort may be directed to monitoring for early setting before the season opening, patrolling for fishing in local closures announced in-season, protection of glass sponge reefs (closed areas), undersize prawns and follow up on delinquent logbook reporting.

Funding for enforcement of the single haul management program provided to DFO from industry within the terms of the collaborative agreement is negotiated annually (Section 8.1).

10. PERFORMANCE REVIEW

Performance indicators are reported in the Post-season Review (Section 16).

10.1. Stock Assessment

The number of spawner index samples will be compared to previous years and DFO Science research projects will be reported.

10.2. Commercial Fishery

DFO tracks the performance of the fisheries that it manages through the Sustainability Survey for Fisheries. The fish stocks in the survey are selected for their economic, ecological and/or cultural importance. The survey reports on DFO’s progress to implement its Sustainable Fisheries Framework policies (Section 1.6), which guide the management of Canada’s fisheries and provides other information about these fish stocks.

The Sustainability Survey for Fisheries is available at:

<http://www.dfo-mpo.gc.ca/reports-rapports/regs/sff-cpd/survey-sondage/index-en.html>

The delivery of the commercial fishery will be reviewed annually through the timing of closures, catch and value compared to previous years, problems encountered with management or enforcement of the fishery that may necessitate changes, and for timely and accurate catch and

effort data to monitor and enforce the fishery. This will include monitoring the directed fisheries for Humpback Shrimp and Coonstripe Shrimp for changes in fishing effort.

10.3. Recreational Fishery

The delivery of the recreational fishery will be reviewed annually through the timing of closures, problems encountered with management of the fishery that may necessitate changes, and for improvements to collect annual catch and effort data to monitor the fishery.

10.4. First Nations Fishery

The delivery of the First Nations fishery will be reviewed for improvements to the collection of annual catch and effort data to monitor the fishery and for improvements to management of the fishery reflecting its priority.

10.5. Compliance

Evaluation will include time spent attending to enforcement of the fishery, counts of infractions by type, and counts of prosecutions initiated. Patrol hours will measure effort to achieve compliance, for monitoring of fishing activity outside of daily fishing time limits and for assessing closure compliance. It should be noted that low numbers of violations may be indicative of a successful proactive program, establishing a visible presence of enforcement authority as a deterrent to non-compliance.

10.6. Ecosystem

Progress on initiatives related to the Government of Canada's goal to reach its marine conservation target of 10% by 2020 will be summarized where they may relate to the prawn and shrimp fisheries. This includes changes arising as a result of initiatives under the *Oceans Act* or the Ecological Risk Assessment Framework for Coldwater Coral and Sponge Dominated Communities under the Policy for Managing the Impacts of Fishing on Sensitive Benthic Areas. The results of the rockfish by-catch program will also be described.

11. REFERENCES

Bergstrom, B.I. 2000. The Biology of *Pandalus*. *Adv Marine Biol.* 38:55-245.

Boutillier, J.A. 1994. Review of experimental prawn fishing in Howe Sound, 1993. *In Hand.* C.M., and J. Waddell (editors). 1996. Invertebrate working papers reviewed by the Pacific Stock Assessment Review Committee (PSARC) in 1993 and 1994. *Can. Tech. Rep. Fish. Aquat. Sci.* 2089.

Boutillier, J.A., and J.A. Bond. 2000. Using a fixed escapement strategy to control recruitment overfishing in the shrimp trap fishery in British Columbia. *J. Northw. Atl. Fish. Sci.*, Vol 27:261-271.

BC Ministry of Agriculture. Various years. British Columbia Seafood Industry Year in Review. Available at: <https://www2.gov.bc.ca/gov/content/industry/agriculture-seafood/statistics/industry-and-sector-profiles>. Last accessed: December 1, 2017.

- BC Stats. 2013. British Columbia's Fisheries and Aquaculture Sector, 2012 Edition. Prepared for Department of Fisheries and Oceans. Available online at: <https://www2.gov.bc.ca/gov/content/data/statistics>. Last accessed December 18, 2014.
- Butler, T.H. 1980. Shrimps of the Pacific Coast of Canada. Can. Bull. Fish. Aquat. Sci. 202. 280 p.
- DFO. 2004. National Policy on Access to Wild Aquatic Resources As it Applies to Aquaculture (http://www.dfo-mpo.gc.ca/Aquaculture/ref/AWAR_e.pdf).
- DFO. 2009. Proceedings of the Precautionary Approach Workshop on Shrimp and Prawn Stocks and Fisheries. November 26-27, 2008. Can. Sci. Advis. Sec. Proceed Ser. 2008/031.
- DFO. 2012. Probability of spot prawn (*Pandalus platyceros*) stocks in fall survey areas in British Columbia being below spawner index reference points during the spawning period. DFO Can. Sci. Advis. Sec. Sci. Resp. 2012/041.
- DFO. 2017. Integrated Fisheries Management Plan for Shrimp by Trawl+- fish processing sectors in British Columbia: Final phase I report. Prepared for Fisheries and Oceans Canada. December. 69pp.
- Favaro, B., D.T. Rutherford, S.D. Duff, and I.M. Cote. 2010. By-catch of rockfish and other species in British Columbia spot prawn traps: Preliminary assessment using research traps. Fisheries Research 102 (2010): 199-206.
- Fisheries & Oceans Canada. 2012. Survey of Recreational Fishing in Canada 2010. Economic Analysis and Statistics, Strategic Policy, Ecosystem and Fisheries Management, Fisheries and Oceans Canada, Ottawa, Ontario K1A 0E6. DFO/2012-1804. Report available online at: <http://www.dfo-mpo.gc.ca/stats/rec/can/2010/index-eng.htm>. Last accessed February 6, 2013.
- Fong, K., B. Waddell, H. Nguyen, and D. Rutherford. *In prep*. Using Fisheries Observer Data for Estimating Rockfish Bycatch in the British Columbia Commercial Prawn Trap Fishery.
- GS Gislason and Associates. 2004. British Columbia Seafood Sector and Tidal Water Recreational Fishing: A Strengths, Weaknesses, Opportunities, and Threats Assessment. Final Report *Prepared for*: BC Ministry of Agriculture, Food and Fisheries by: GS Gislason & Associates Ltd. in association with Kingzett Professional Services Ltd., Archipelago Marine Research Ltd., Edna Lam Consulting, Ellen F. Battle Consulting Ltd., G. Jones Consulting Ltd., Dr. James L. Anderson, Dr. Gunnar P. Knapp, February 2004.
- GS Gislason and Associates. 2017. Linkages Between Seafood Harvesting and Processing. pp.1-7.
- Harbo, R.M. and E.S. Wylie. 2006. Pacific Commercial Fishery Updates for Invertebrate Resources (2000). Can. Man. Rpt. Fish. and Aquat. Sci. 2735. pp. 235-273.
- Marliave, J.B., and M. Roth. 1995. *Agarum* kelp beds as nursery habitat of spot prawns, *Pandalus platyceros*, Brandt, 1851 (Decapoda, Caridea). Crustaceana 68(1).
- Monterey Bay Aquarium Seafood Watch <https://www.seafoodwatch.org/>.

- Nelson, S. 2011. Pacific commercial fishing fleet: Financial profiles for 2009: estimated revenues, expenses, and earnings using a financial modeling approach. Fisheries and Oceans Canada WAVES Catalogue No. 343762.
- Nelson, S. 2016. West coast fishing fleet: analysis of commercial fishing licence, quota, and vessel values as at March 31, 2015. Fisheries and Oceans Canada WAVES Catalogue No. 364124.
- Parsons, D.G. 2005. Predators of the northern shrimp, *Pandalus borealis* (Pandalidae), throughout the North Atlantic. Mar. Biol. Res. 1:48-58. Prepared for Fisheries & Oceans Canada by Nelson Bros Fisheries Ltd, October 2010.
- Rice, J., R.D. Humphreys, L. Richards, R. Kadowaki, D. Welch, M. Stocker, B. Turris, G.A. McFarlane, F. Dickson and D. Ware (eds). 1995. Pacific Stock Assessment Review Committee (PSARC) Annual Report for 1994. Can. Man. Rpt. Fish. and Aquat. Sci. 2318.
- Rutherford, D.T., H. Nguyen, and J. Boutillier. 2004a. Assessment and management of spot prawn *Pandalus platyceros* along the British Columbia coast. Journal of Shellfish Research 23, 658-659.
- Rutherford, D.T., H. Nguyen, and G.E. Gillespie. 2004b. Update on effort standardization for the in-season monitoring of the prawn by trap fishery. DFO Can Sci. Advis. Sci. Sec. Res. Doc. 2004/015.
- Rutherford, D.T., K.H. Fong, and A.R. Kronlund. 2008. Description of the situation for Pacific prawn (biological information, context of the fishery and elements of a potential Precautionary Approach framework). In Proceedings of the Precautionary Approach Workshop on Canadian Shrimp and Prawn Stocks and Fisheries; November 26-27, 2008. DFO Can. Sci. Adv. Sec. Proceed. Ser. 2008/031.
- Rutherford, D.T., K.H. Fong, and H. Nguyen. 2009. Rockfish Bycatch in the British Columbia Commercial Prawn Trap Fishery. DFO Can Sci. Advis. Sci. Sec. Res. Doc. 2009/109.
- Simpson, I. 2016. Analysis of Commercial Fishing Licence, and Quota Values. Castlemain, 77p.
- Smith, M. 2013. Trapped by Uncertainty? A Decision Framework for Evaluating Escapement-based Management Procedures for the Spot Prawn (*Pandalus platyceros*) Fishery in Howe Sound, B.C. Master of Resource Management Thesis. Simon Fraser University.

12. INTERNET SITES

Fisheries & Oceans Canada Pacific Region Prawn page:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/commercial/shellfish-mollusques/prawn-gcrevette/index-eng.html>

Federal Science Library, Fisheries & Oceans Canada Library of Integrated Fisheries Management Plans:

<https://science-libraries.canada.ca/eng/fisheries-oceans/>

Pacific Region Fishery Management Area and Subarea maps:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/maps-cartes/areas-secteurs/index-eng.html>

Pacific Region, Fisheries Management, Fishery Openings and Closures:

<http://www.dfo-mpo.gc.ca/fm-gp/peches-fisheries/comm/oc-of-eng.htm>

BC Tidal Waters Sport Fishing Guide:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/rec/index-eng.html>

Centre for Scientific Advice, Pacific, research documents, proceedings and Invertebrate stock status reports, including prawn and shrimp:

<http://www.isdm-gdsi.gc.ca/csas-sccs/applications/publications/index-eng.asp>

13. GLOSSARY

AAROM	Aboriginal Aquatic Resources and Oceans Management (AAROM) program - DFO's AAROM funds aggregations of First Nation groups to build the capacity required to coordinate fishery planning and program initiatives and is focused on developing affiliations between First Nations to work together at a broad watershed or ecosystem level where there are common interests and where decisions and solutions can be based on integrated knowledge of several Aboriginal communities.
Aboriginal Traditional Knowledge (ATK)	Knowledge that is held by, and unique to Aboriginal peoples. It is a living body of knowledge that is cumulative and dynamic and adapted over time to reflect changes in the social, economic, environmental, spiritual, and political spheres of the Aboriginal knowledge holders. It often includes knowledge about the land and its resources, spiritual beliefs, language, mythology, culture, laws, customs and medicines.
AFS	Aboriginal Fisheries Strategy - DFO's AFS was implemented in 1992 to address several objectives related to First Nations and their access to the resource and continues to be the principal mechanism that supports the development of relationships with First Nations including consultation, planning and implementation of fisheries, and development of capacity to undertake fisheries management, stock assessment, enhancement and habitat protection programs.
abundance	Number of individuals in a stock or a population.
aquaculture	As defined by the United Nations Food and Agriculture Organization (FAO), aquaculture is the culture of aquatic organisms, including fish, molluscs, crustaceans and aquatic plants. Aquaculture implies some form of intervention in the rearing process to increase production, such as regular stocking, feeding, protection from predators, etc. It also implies individual or corporate ownership of the cultivated stock.

Area and Subarea	Defined in Section 2 of the <i>Pacific Fishery Management Area Regulations</i> . A map of Pacific Fishery Management Areas is available on the DFO internet site at: www.pac.dfo-mpo.gc.ca/fm-gp/maps-cartes/areas-secteurs/index-eng.htm
ATP	Allocation Transfer Program - DFO's ATP facilitates the voluntary relinquishment of commercial licence eligibilities and the designation of the equivalent commercial fishing capacity to eligible Aboriginal groups as communal commercial licence eligibilities.
berried prawns	Refers to adult females carrying eggs under their tail (ovigerous). The eggs are visible and appear like a cluster of tiny red "berries" each about 1 mm in size. A female prawn will carry 2,000 to 4,000 eggs.
by-catch	The unintentional catch of one species when the target is another.
C&P	Fisheries & Oceans Canada, Conservation and Protection Branch.
carapace	The exoskeleton that covers the head and thorax, upon which commercial fishing size limits are based.
Caucus	Elected industry representatives of the Prawn Sectoral Committee. Elections are held every 2 years.
communal commercial licence	Issued to First Nation organizations pursuant to the <i>Aboriginal Communal Fishing Licences Regulations</i> for participation in the commercial fishery.
communal licence	Issued to First Nation's organizations pursuant to the <i>Aboriginal Communal Fishing Licences Regulations</i> to carry on fishing and related activities for food, social and ceremonial (FSC) purposes.
COSEWIC	The Committee on the Status of Endangered Wildlife in Canada.
crustaceans	A biologically related group of the class Crustacea that includes crabs, lobsters and shrimps.
Centre for Scientific Advice - Pacific (CSAP)	Centre for Scientific Advice - Pacific (formerly, Pacific Scientific Advice Review Committee), chaired by DFO and including other federal and provincial government agency representatives and external participants.
Canadian Science Advisory Secretariat (CSAS)	Canadian Science Advisory Secretariat - coordinates the peer review of scientific issues for Fisheries & Oceans Canada. The different Regions of Canada conduct their resource assessment reviews independently, tailored to regional characteristics and stakeholder needs. CSAS facilitates these regional processes, fostering national standards of excellence, and exchange and innovation in methodology, interpretation, and insight.

DFO	Fisheries & Oceans Canada. On behalf of the Government of Canada, DFO is responsible for developing and implementing policies and programs in support of Canada's scientific, ecological, social and economic interests in oceans and fresh waters.
escapement	The number of fish escaping the fishery and reaching the spawning grounds.
FAS	Frozen at sea.
fishing mortality	Death caused by fishing, often symbolized by the mathematical symbol <i>F</i> .
Food, Social and Ceremonial (FSC)	A fishery conducted by First Nations for food, social and ceremonial purposes.
forager	An animal searching (foraging) for food.
Harvest document	Issued to a First Nation pursuant to the <i>Aboriginal Communal Fishing Licences Regulations</i> in respect of a First Nation's fishing right defined under treaty to carry on fishing and related activities for food, social and ceremonial (FSC) purposes.
IFMP	Integrated Fisheries Management Plan.
inshore	Coastal waters landward of the "surflines".
invertebrate	An animal without a backbone.
iREC	The Internet Recreational Effort and Catch Survey used to estimate monthly and total recreational catch and effort statistics, by area, type of fishing, and species.
landed value	Value of the product when landed by a licensed commercial fishing vessel.
landings	Quantity of a species caught and landed.
larvae	The stage of development between egg and juvenile; in prawns this is the planktonic stage.
moribund	The state of being dead; dead.
mortality	Relating to cause of dying; death.
natural mortality	Mortality due to natural causes, symbolized by the mathematical symbol <i>M</i> .
Observer	An individual who has been designated as an Observer by the Regional Director General for the Pacific Region of Fisheries & Oceans Canada pursuant to Section 39 of the <i>Fishery (General) Regulations</i> .
offshore	Coastal waters seaward of the "surflines".
pelagic	Belonging to the upper layers of the open sea.
PICFI	Pacific Integrated Commercial Fisheries Initiative - DFO's PICFI is an initiative aimed at achieving environmentally sustainable and economically viable commercial fisheries, where conservation is the first priority and First Nations' aspirations to be more involved are supported.
plankton / planktonic	The chiefly microscopic organisms drifting or floating in the sea.

polychaete worms	An aquatic worm of the class Polychaeta.
population	Group of individuals of the same species, forming a breeding unit, and sharing a habitat.
PPFA	Pacific Prawn Fishermen’s Association, registered in 2000, which enters into joint project agreements with DFO for delivery of the commercial fishery.
prawn and shrimp	<i>Pandalus</i> and <i>Pandalopsis</i> species: In this plan, the term prawn refers solely to Spot Prawn, <i>Pandalus platyceros</i> , while the generic term shrimp refers to the other species of <i>Pandalus</i> and <i>Pandalopsis</i> . Prawns are the largest shrimp harvested on Canada’s Pacific coast.
Precautionary Approach (PA)	In resource management, the precautionary approach is, in general, about being cautious when scientific information is uncertain, unreliable or inadequate and not using the absence of adequate scientific information as a reason to postpone or fail to take action to avoid serious harm to the resource. Information on the Fishery Decision-Making Framework Incorporating the Precautionary Approach for fisheries in Canada (PA) is available at: http://www.dfo-mpo.gc.ca/reports-rapports/regs/sff-cpd/precaution-back-fiche-eng.htm
protandric hermaphroditism	All pandalid shrimp species undergo a change of sex in midlife. They mature first as males and mate. Their sexual characteristics change during a transition phase and they become females in the final year or two of their lives. The biological term for this sex change is protandric hermaphroditism.
PAB	Prawn Advisory Board, formerly Prawn Sectoral Committee, the primary advisory body to DFO on issues pertaining to the management of all prawn and shrimp trap fisheries.
“pulse” fishing	Fishing closures for the first half of a month and openings for the remainder of the month.
quota	Portion of the total allowable catch that a fishing licence eligibility is permitted to take from a stock in a given period of time.
recruitment	The process whereby young animals are added to a fishable stock or population.
sampling program	A program in which representative samples of animals are collected for the calculation of parameter estimates that describe such things as weight, length or age within the general population.
SFAB	Sport Fishing Advisory Board, which provides advice to DFO on matters of recreational (sport) fishing.
shellfish	Any species of invertebrate that may be harvested in commercial, recreational or First Nations fisheries.
SMA	Special Management Areas include Saanich Inlet, Alberni Canal, Howe Sound and Indian Arm, and Salmon and Sechelt Inlets. They have reduced trap limits.

spawner	Sexually mature individual. For prawns, this refers to females.
spawner index	The biological reference point to which the prawn fishery is managed. It is a measure of the average number of females or transitions (pre-females) caught per standard trap with standard bait fished for a 24-hour period (soak).
Spawning Stock	The sexually mature individuals in a stock. For prawns, this refers to females.
<i>Species at Risk Act (SARA)</i>	A federal Act to prevent wildlife species from being extirpated or becoming extinct and to provide for their recovery. It provides the legal protection of wildlife species and the conservation of their biological diversity.
stakeholders	Individuals or groups with an interest in a particular fishery or activity.
stock	Describes a population of individuals of one species found in a particular area, and is used as a unit for fisheries management.
stock assessments	Results of analyses of fisheries and research data used to evaluate the effects of fishing on a stock or population and to predict the reactions of populations to alternative management choices.
Subarea	A subdivision of an Area, as described in the Pacific Fishery Management Area Regulations. (See maps at Area or Subarea internet link above).
substrate	The ground (often the ocean bottom) and its composition, in or on which animals live.
tailed prawn	Prawns that have had the head and thorax removed which is the part covered by the carapace (shell). A minimum telson length is specified for tailed prawns.
telson	Middle segment of the prawn tail fan, at the most posterior portion of the tail.
tonne (t)	Metric tonne, which is 1000 kg or 2204.6 lbs.
Traditional Ecological Knowledge (TEK)	A cumulative body of knowledge and beliefs, handed down through generations by cultural transmission, about the relationship of living beings (including humans) with one another and with their environment.

14. CONTACTS

Observe, Record, and Report	1 800 465 4336
Fisheries Information and Shellfish Contamination Closure Update (24 Hours):	
Toll free	1 866 431 3474
Lower Mainland	(604) 666 2828
Commercial Fishery Hail Line	1 866 930 4000
Marine Mammal and Sea Turtle Incident Reporting Hotline	1 800 465 4336

Fisheries Management

Regional Shellfish Co-ordinator	Jeff Johansen	(604) 666 3869
Regional Fisheries Management Officer	Karen Vaudry	(604) 666-7089
A/Regional Recreational Fisheries Co-ordinator	Jason Knight	(250) 850-9370

Resource Management Biologist	Laurie Convey	(250) 756 7233
3225 Stephenson Point Road, Nanaimo, B.C. V9T 1K3	Fax	(250) 756 7162

North Coast Area	General Inquiries	(250) 627 3499
417 2nd Avenue West, Prince Rupert, B.C. V8J 1G8	Fax	(250) 627 3427
Resource Manager - Shellfish, Prince Rupert	Coral Keehn	(250) 627 3021
Aboriginal Affairs Advisor - First Nations Fisheries	Amy Wakelin	(250) 627 3492
Resource Manager - Recreational Fisheries	Darren Chow	(250) 627 3441

South Coast Area	General Inquiries	(250) 756 7270
3225 Stephenson Point Road, Nanaimo, B.C. V9T 1K3	Fax	(250) 756 7162
Resource Manager - Shellfish, Georgia Basin	Mike Kattilakoski	(250) 756 7315
Resource Manager - Shellfish, WCVI	David Fogtmann	(250) 339 3799
Resource Manager - First Nations Fisheries (North Is.)	Rachel Saraga	(250) 286 5807
Resource Manager - First Nations Fisheries (G. Basin)	Jonathan Joe	(250) 756 7243
Resource Manager - First Nations Fisheries (WCVI)	Mike Ballard	(250) 286 5881
Resource Manager - Recreational Fisheries	Brad Beath	(250) 756 7190

Lower Fraser Area	General Inquiries	(604) 666 8266
Unit 3, 100 Annacis Parkway, Delta, B.C. V3M 6A2	Fax	(604) 666 7112
Resource Manager – Shellfish, Howe Sound / Area 16	Marissa Keefe	(604) 666 6390
Resource Manager - First Nations Fisheries	Brian Matts	(604) 666 2096
Resource Manager - Recreational Fisheries	Barb Mueller	(604) 666 2370

Science

Pacific Biological Station	Ken Fong	(250) 756 7368
Hammond Bay Road		
Nanaimo, B.C. V9T 6N7		

Conservation and Protection

4250 Commerce Circle	Mya Cormie	(250) 363 3252
Victoria, B.C.		

Licensing

Pacific Fishery Licence Unit	Phone	1 877 535 7307
401 Burrard Street, Vancouver, B.C. V6C 3S4	E-Mail:	fishing-peche@dfo-mpo.gc.ca

Aquaculture

Shellfish Advisor, Aquaculture Division Gabrielle Kosmider (250) 754 0394

Canadian Food Inspection Agency

150-3001 Wayburne Drive, Burnaby B.C. (604) 666 9904
103 – 4475 Viewmont Avenue, Victoria, B.C (250) 363 3618
457 E. Stanford Avenue, Parksville, B.C. (250) 248 4772

BC Ministry of Agriculture

Industry Specialist, Marine Fisheries & Seafood Darah Gibson (604) 893 0260

WorkSafeBC

Manager, Prevention Field Services, Courtenay Pat Olsen (250) 334 8777
Occupational Safety Officer, Courtenay Mark Lunny (250) 334 8732
Occupational Safety Officer, Courtenay Greg Matthews (250) 334 8734
Occupational Safety Officer, Courtenay Cody King (250) 334 8733
Occupational Safety Officer, Victoria Jessie Kunce (250) 881 3461
Occupational Safety Officer, Lower Mainland Bruce Logan (604) 244 6477

Manager of Interest for Marine Pat Olsen (250) 334 8777
toll free 1 888 621 7233 (ext. 8777)

Projects related to commercial fishing Bruce Logan (604) 244 6477
toll free 1 888 621 7233 (ext. 6477)

Sighting Networks

BC Cetacean and Sea Turtle Sighting Network (866) 472 9663
Email: sightings@vanaqua.org or turtles@vanaqua.org
On the internet at:
<http://wildwhales.org/sightings/>
<https://www.bcreptiles.ca/reportsightings.htm#1>

Basking Shark Sighting Network 1 (877) 50 SHARK
Email: BaskingShark@dfo-mpo.gc.ca
On the internet at:
<http://dfo-mpo.gc.ca/species-especies/sharks/report-eng.html>

15. CONSULTATION

DFO undertakes consultations in order to improve decision-making processes, promote understanding of fisheries, oceans and marine transport issues, and strengthen relationships. Policy guidance and strategic direction for DFO’s consultation activities is provided by the DFO Consultation Secretariat in the Policy Branch.

A consultation process exists for the prawn and shrimp by trap fisheries and is a major part of the planning for these fisheries. The multi-sector consultation body, the Prawn Advisory Board

(formerly the Prawn Sectoral Committee), includes participant members from First Nations, commercial licence eligibility holders, processors, SFAB, and the Province of BC.

The Prawn Advisory Board addresses issues that affect multiple interests and is not intended to interfere with bilateral processes related to Aboriginal and treaty rights. DFO engages in a variety of consultation and collaborative harvest planning processes with First Nations at the community level, or at broader tribal or watershed (for salmon) level in authorizing FSC fisheries under a communal licence or, under treaty, a harvest document for domestic purposes. Information from bilateral and local consultations with First Nations is brought forward to the Prawn Advisory Board’s attention. First Nations interested in bilateral discussions with DFO should contact the Resource Manager for their area (Section 14 Contacts).

Improvements to manage the recreational and commercial fisheries are brought forward to the Prawn Advisory Board’s attention, respectively, through the SFAB and commercial industry representatives.

Prawn Advisory Board meetings are held twice annually to provide advice to DFO regarding management issues pertaining to the fishery and on the proposed IFMP. Meetings are usually held in September (post-season review) and November (pre-season planning). Consensus recommendations on changes being considered to improve management and address emerging issues identified in the post-season review are the focus of pre-season planning. Following the pre-season planning meeting, the draft IFMP is prepared by DFO incorporating any new science advice and advice received through the advisory and bilateral process, and is made available to all interested parties for review and comment. The IFMP then progresses through an internal DFO approval process considering all advice received.

The Board’s terms of reference is available from DFO’s consultation internet site at:

<http://www.pac.dfo-mpo.gc.ca/consultation/index-eng.html>

Fisheries & Oceans Canada

	<u>Name</u>	<u>Phone</u>
Chairperson, Resource Management Biologist	Laurie Convey	(250) 756 7233
North Coast Area	Coral Keehn	(250) 627 3021
South Coast Area, WCVI	David Fogtmann	(250) 339 3799
South Coast Area, ECVI	Mike Kattilakoski	(250) 756 7315
Fraser River Area	Marissa Keefe	(604) 666-6390
Science	Ken Fong	(250) 756 7368
Conservation & Protection	Mya Cormie	(250) 363 3252
South Coast Area, Recreational Coordinator	Brad Beath	(250) 756 7190

Province of BC

Marine Fisheries & Seafood	Darah Gibson	(604) 893 0260
WorksafeBC	Jesse Kunce	(250) 881 3461

Participant Members

	<u>Name</u>	<u>Phone</u>
Ahousaht Fisheries Corporation	Marion Campbell	(250) 670 2338
A-Tlegay Fisheries Society	Christa Rusel	(250) 203 4719
Haida Fisheries / Council of Haida Nation	Vanessa Bellis	(250) 626 3302
Ka:’yu:’k’t’h’/Chek’tles7et’h’ First Nations	Ron Frank	(250) 334 7997
Ka:’yu:’k’t’h’/Chek’tles7et’h’ First Nations	Anna Horel (alternate)	

Maa-nulth Fisheries Committee	Larry Johnston	(250) 927 3331
'Namgis First Nation	Nic Dedeluk	(250) 974 5556
'Namgis First Nation	Mona Madill (alternate)	(250) 974 5556
Nisga'a Lisims Government	Blair Stewart	(250) 641 2865
North Island Prawn Group	Emily Orr	(250) 857 4606
North Island Prawn Group	Guy Johnston	(250) 715 6647
North Island Prawn Group	Kelly Loxton (alternate)	(250) 203 0796
Nuu-chah-nulth Tribal Council	Andy Olson	(250) 724 1225
Pacific Prawn Fishermen's Association	Steve Richards	(604) 506 1721
Q'ul-Ihanumtsun Aquatic Resources Society	Chad Ormond	(250) 210 2255
Sea Plus Foods Ltd.	Ian Leitch	(604) 273 6686
Sport Fishing Advisory Board	Chuck Ashcroft	(250) 338 9935
Sport Fishing Advisory Board	Ted Brookman	(250) 246 9704
Sport Fishing Advisory Board	Wayne Harling	(250) 753 1864
Tla'amin Nation	Cathy Galligos	(604) 483 9646

DFO appreciates First Nations, recreational and commercial fishing representatives' participation in the advisory board meetings. Their commitment to the resource is acknowledged.

More information about First Nations consultation and other DFO consultative processes is available at:

<http://www.pac.dfo-mpo.gc.ca/consultation/index-eng.html>

16. POST-SEASON REVIEW

16.1. Stock Assessment

16.1.1. In-season Spawner Index Sample Analysis

During the 2018 commercial fishing season, the Stock Assessment and Research Division (StAR) of DFO received a total of 2,177 spawner index samples for processing which was up from 1,550 spawner index samples in 2017. The average number of samples per week was 363 which was higher than the most recent years. The spawner index sample data were processed and analyzed by StAR and in-season advice on stock strength was provided to prawn fishery managers based on sample results.

These data are available from the Government of Canada's Open Data Portal on the internet at:

<https://open.canada.ca/en/open-data>

16.1.2. Post-season Spawner Index Surveys

Fall spawner index surveys were carried out in ten selected areas of the coast. Surveys in nine of the areas were jointly coordinated by the PPFA and DFO and conducted by commercial vessels (Section 8). These areas included Saanich Inlet, Stuart Channel, Alberni Inlet / Barkley Sound, Quadra / Cortes Islands area, Powell River, Madeira Park, Salmon / Sechelt Inlets, Gold River / Muchalat Inlet, and Nanaimo area. DFO conducted the survey in Howe Sound. DFO and the PPFA coordinated the industry-conducted surveys and funding was provided by the PPFA.

These fishery-independent surveys have been conducted since 2001 to monitor stocks prior to spawning season relative to their spawner index reference points. A review of the 2001 to 2011

sampling results in relation to spawner index reference points found that, based on past sampling results, the probability of prawn stocks in the fall survey areas being below the base spawner index reference point was 32%.

The results of this review can be found in the CSAS Science Response 2012/041, available at:

<http://www.meds-sdmm.dfo-mpo.gc.ca/csas-sccs/applications/publications/index-eng.asp>

For 2018, DFO received and reviewed a total of 370 spawner index samples, which was the same in 2017. Advice on stock strength was provided to prawn fishery managers based on sample results.

These data are available from the Government of Canada's Open Data Portal on the internet at:

<https://open.canada.ca/en/open-data>

16.1.3. Rockfish By-catch

The rockfish by-catch monitoring program continued for the 2018 commercial fishery. The program has been in place since 2002 (Rutherford et al. 2009). The data collection for this program is funded by industry. On-grounds monitors are responsible for the collection of rockfish by-catch data as part of the in-season spawner index sampling program.

The annual number (point estimate) of juvenile rockfish incidentally caught between 2002 to 2017 ranged from a low of 13,564 in 2014 to a high of 32,011 in 2011. The 2017 mean estimate of juvenile rockfish by-catch is 15,380 pieces, which is down from 17,346 pieces estimated in 2016 (DFO, unpublished data 2018). The 2018 data are not available as not all logbooks are available at the time of IFMP publication.


16.1.4. Howe Sound Study Area

DFO StAR continued its semi-annual survey of Howe Sound prawn stocks with surveys in February and November, 2018. Established in 1985, this represents a unique and invaluable time series data set for understanding prawn recruitment and productivity parameters.

16.2. Commercial Fishery

A post-season review of the 2018 commercial prawn fishing season was undertaken at the Prawn Advisory Board meeting September 26, 2018. The commercial season commenced May 10, 2018 and closed June 18, 2018 (40 days). The commercial season opening was delayed from May 1 to allow additional time to complete the prawn spawning cycle. The preliminary commercial prawn catch for 2018 is 1,601 t (all logbooks not available at time of publication).

Prawn Fishery Season Length
1990 to 2018




A summary of commercial prawn landings (from logbooks), price (average from fish slips) and landed value from 2001 to 2017 is provided in the following table. Section 3.1 provides a graph of annual landings and value adjusted for inflation to compare trends and is presented in 2017 constant dollars (2017\$).

Year	Landings (t)	Price (\$/kg)	Landed Value
2017	1,178	\$19.76	\$23.2 M
2016	1,227	\$14.76	\$18.1 M
2015	1,842	\$18.28	\$33.6 M
2014	1,648	\$24.33	\$40.1 M
2013	1,706	\$21.12	\$36.0 M
2012	1,827	\$19.13	\$34.9 M
2011	2,804	\$17.31	\$48.6 M
2010	2,198	\$11.26	\$24.7 M
2009	3,446	\$10.64	\$36.7 M
2008	2,376	\$12.04	\$28.6 M
2007	2,801	\$11.57	\$32.4 M
2006	2,422	\$19.61	\$47.9 M
2005	2,218	\$24.61	\$55.0 M
2004	2,000	\$18.53	\$37.1 M
2003	2,402	\$15.88	\$38.1 M
2002	1,878	\$13.27	\$24.9 M
2001	2,101	\$20.14	\$42.3 M

Note: Landed values as reported in the BC Agriculture publication, BC Seafood Industry Year in Review. 2017 landed value and price are preliminary values.

Landings by Region
1990 to 2018



Source: DFO commercial logbooks (2018 preliminary).


J.O. Thomas and Associates Ltd. (JOT) delivered at-sea monitoring components of the fishery in 2018. JOT issued trap tags to 205 active vessels, of which 170 were licenced for a single trap allotment and 35 were licenced with the additional trap allotment transferred from another licence.

Eighteen at-sea observers were deployed coast-wide. This included five north and central coast assignments and ten south coast assignments. Some observers have participated annually since monitors have been an integral component of the commercial fishery. Their experience and contribution to delivery of the fishery and on-board training of new observers has been invaluable.

Vessel position and set and haul position reports were received near real time and used to direct at-sea observers for spawner index sampling. A total of 763,000 position reports (682,000 vessel position reports and 81,000 set and haul position reports) were received during the May 10 to June 18 season. This position information is used in-season for decision-making related to vessel and fishing effort, sampling planning and in-season closures. It also provides location information to direct enforcement effort.

In 2018, 2,177 strings were sampled for spawner index data. On average, 54.4 strings/fishery day were sampled. The following graph compares the number of samples collected per day compared to previous years (2000-2018). 186 of the 205 active fishing vessels were sampled. A total of 468 person-days of on-grounds monitoring occurred for this year's 40-day fishery. Sampling commences early in priority interest areas in Saanich Inlet, Stuart Channel, Alberni Canal, and

Howe Sound. Samples collected by DFO personnel are integrated in-season, providing supplemental data for closure decisions. In-season closures of Subareas are implemented on 3 days notice.



Source: J.O. Thomas and Associates Ltd.

At-sea observers also provided vessel gear inspections of 80% (165) of the 205 active vessels. Inspections provide an “observe, record and report” function for assessment of each vessel’s compliance with basic licence requirements for trap tagging, trap mesh size, buoy identification and logbook completion. At-sea observers continued to collect information about rockfish by-catch (since 2002).

The 2018/19 season was the 17th year in which delivery of the commercial fishery was supported by industry funding arrangements between DFO and the PPFA (Section 8).

There is a limited trap fishery for Humpback Shrimp in Prince Rupert Harbour open from September 1 to December 31, annually, upon application. Prawns may not be retained in this fishery. Five vessels opted to fish in 2018. Masset Inlet in Haida Gwaii may open on request for Humpback Shrimp but fishing in this area is rare.

Sooke Harbour and Basin is open for Coonstripe Shrimp in the fall but has received little to no effort since 2007.

Incidental octopus retention is permitted in the prawn and shrimp trap fishery. The industry Caucus and the PPFA encourages all prawn and shrimp trap harvesters to accurately record octopus catch so that this privilege may be retained.

The 2017 Sustainability Survey for Pacific Prawn is available at:

<http://dfo-mpo.gc.ca/reports-rapports/regs/sff-cpd/survey-sondage/index-en.html>

16.3. Recreational Fishery

A Survey of Recreational Fishing in Canada is conducted every five years and shows trends over the survey period but is not considered to provide official catch figures due to one year memory recall. The estimated recreational catch of prawns and shrimp was 326 t in 2010, which was 13% of the combined recreational and commercial catch of prawns and shrimp (Fisheries and Oceans Canada 2012). Results from the 2015 survey are not available.

Closures in place during the critical winter spawning period allow berried female prawns to complete egg incubation and release larvae with reduced fishing disturbance and handling mortality and are an important component of the recreational management strategy. The release by recreational harvesters of berried prawns carrying eggs at all other times and areas became mandatory in 2018 with support from the SFAB (Appendix 2).

A number of changes to the *BC Sport Fishing Regulations* are under review. Some of these changes pertaining to the recreational fishery have been outstanding for a number of years. Specifically as it relates to recreational prawn and shrimp trap fishing, the proposed amendment in an omnibus bill will eliminate line floating at the surface and require mandatory phone numbers (or Unique Fisher Identification #'s) on floats and rot cord in all traps.

A Recreational and First Nation prawn and crab buoy survey program was conducted from 2009-2012 to provide DFO with improved knowledge of recreational and First Nations FSC fishing effort in key prawn and crab fishing areas on the South Coast. The program was conducted by working collaboratively between DFO, First Nations, and volunteers from the recreational fishing sector who had offered to conduct buoy counts and carry out the data collection. The objectives of the buoy count program were:

- To produce maps of the geographical distribution of recreational and FSC fishing effort in key prawn and crab fishing areas in the south coast of BC; and
- To provide an index of recreational and FSC fishing effort in key prawn and crab fishing areas in the south coast of BC.

The following table provides a summary of the relative crab and prawn recreational fishing effort by Area (PFMA) and month based on an estimated number of traps (i.e. per buoy) from the peak recreational buoy counts conducted (2009- 2012).

Area Name	Area	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Quadra / Cortes Islands	13							83					
Comox / Baynes Sound	14	12	15	24		26	41	64	65	59	30	14	12
Powell River / Lund	15								328				
Malaspina Strait / lower Jervis & Sechelt Inlets	16								330				
Stuart Channel	17	16	49	19	556	195	113	198	177	207	105	76	173
Nanaimo Harbour	17	29	20	24		21	37	47	53	42	33	11	18
Cowichan Bay	18	33	41	57		51	81	80	77	91	103	36	22
Fulford & Ganges Harbours	18							54					
Saanich Inlet	19	29		238		206	284	618	512	473	382	229	124
Becher Bay	20		43	47				93	131	63		40	45
Pedder Bay	20	10	13	15		17	23	50	58	40	29	20	7
Port Renfrew	20	5	6	11	12	81	207	299	202	95	60	4	
Barkley Sound	23							167					
Alberni Inlet	23	15	10	35	252	368	174	176	224	179	75	52	57
Gold River / Tahsis & Tlupana Inlets	25							142					
Neurotsos & Holberg Inlets	27								168				
Howe Sound	28							165					

16.4. First Nations Fishery

DFO has consulted with First Nations since 2012 about measures for the FSC/domestic prawn fishery to manage the harvesting capacity of commercial vessels and gear (Section 4.2.3). Work is focused on bilateral discussions between DFO and individual First Nations or organizations focusing on FSC/domestic needs, current practices, and management measures that may work for First Nations and DFO. Discussions also continued through the Island Marine Aquatic Working

Group and at Prawn Advisory Board meetings. Island Marine Aquatic Working Group Members have supported mandatory release of berried female prawns and winter closures to allow berried female prawns to complete egg incubation and release larvae with reduced fishing disturbance and handling mortality.

Catch information is collected by some First Nations, by fisheries program personnel or by Band administration offices. Some catch data have been collected under AFS agreements. Prawns constitute roughly 12% of the reported catch by weight of any shellfish species (2009-2012). Based on the available reports, 12.8 t of prawns or shrimp caught were reported in 2012.

The First Nations Fishery Council and other area aggregate groups have assisted in engagement and workshops to communicate the requirements of the “Strategic Framework for Fishery Monitoring and Catch Reporting in the Pacific Fisheries” and importance of receiving catch information. In addition, a significant focus has been on the development of integrated and coordinated data management and data entry systems within DFO and First Nation band offices.

Areas previously identified as important by First Nations continue to be monitored with special attention. This included Saanich Inlet, Village Island area in Johnstone Strait, Uchucklesaht Inlet in Alberni Canal, Cumsheewa Inlet in Queen Charlotte Islands and Loughborough Inlet northeast of Campbell River.

16.5. Compliance

DFO Conservation & Protection is focused on building its capacity to conduct intelligence-led “major case” investigations and seeking higher success in prosecutions.

16.5.1. Conservation and Enforcement

Enforcement was provided \$29K of industry funding in 2018. This was mobilization funding, intended for vehicle and vessel fuel, operating expenses, overtime and travel expenses for Fishery Officers to become engaged in enforcement of the single haul management feature of the Commercial Harvest Plan (Appendix 1). This management control is intended to reduce handling mortality of undersize prawns. A summary of single haul violations is provided in the following table.

Year	Single Haul Violations
2002	2 convictions, 6 other associated charges 1 charge, 10 other associated charges stayed
2003	1 conviction, 2 other associated charges
2004	2 convictions, 7 other associated charges 2 charges not approved
2005	1 charge stayed
2007	1 conviction, 5 other associated charges
2010	1 conviction
2011	1 warning
2012	1 charge (court pending)
2013	0 charges
2014	0 charges
2015	0 charges, 1 early setting conviction
2016	0 charges
2017	0 charges
2018	0 charges

DFO Conservation & Enforcement fishery officers registered 109 dedicated prawn fishery patrols, 137 patrols overall where commercial prawn was included. Fishery Officers dedicated 1,803.5 hours to the 2018 commercial prawn fishery and conducted 723 vessel, 250 gear, 726

persons, and 17 vehicle checks. More than 39 restaurant/retail/plant inspections were also conducted for illegal sales. Fifty-one violations were encountered during the commercial fishery for fishing during closed area/time (9), registration/licence (no/fail to produce fisher registration card, fish without licence/conditions onboard)(19), reporting (logbooks)(9), gear used illegally (1) and against other legislation (1).

Fishery officers dedicated 1,266 hours to the recreational shellfish (non-bivalve) fisheries to date, which includes prawn and shrimp and crab by trap. Thirty-five prawn violations were encountered for fishing during closed time/area (10), gear conflict (1), gear illegal/used illegally (unmarked, exceeding limit)(14), registration/licence (no/fail to produce licence)(8), and quota/bag limit (over limit)(2).

Fishery officers dedicated 1,099 hours to the Aboriginal fishery to date. Two violations were encountered for gear-illegal/used illegally and registration/licence.

16.5.2. At-sea Observers

In 2018, JOT at-sea observers boarded 186 commercial vessels to collect biological samples. In so doing, they also provided an Observe, Record and Report (ORR) function, including 165 fishing gear and catch inspections specifically for trap mesh size, trap tags and logbooks. In all, 80% of the commercial fleet was checked for general compliance by at-sea observers on board during the season.

16.6. Ecosystem

An assessment of ecological attributes to help prioritize those RCAs that may have higher conservation benefit to rockfish was presented to the CSAS in 2018, and a Science Response is pending. A risk assessment of the activities permitted in the RCAs was also initiated by the CSAS in late 2018 (Section 4.4.2).

On-ground monitors continued to collect information about rockfish by-catch (since 2002).

Following request for voluntary avoidance and consultations held in 2018, eight new glass sponge reefs sites (representing nine reefs) in Howe Sound were closed as marine refuges April 1, 2019 (Section 4.4.2).

A new management plan for the Gwaii Haanas National Marine Conservation Area Reserve was approved by Canada and the Haida Nation in November 2018 and includes areas of strict protection where commercial and recreational fishing are prohibited (Section 4.4.2).

One transient killer whale entangled and was freed from commercial fishing gear in 2018. Reporting of all interactions, including collision and entanglement, with marine mammals is now mandatory during all commercial fishing trips (Appendices 1 and 6).

DFO State of the Pacific Ocean reports series are available at:

<http://dfo-mpo.gc.ca/oceans/publications/soto-rceo/2017/index-eng.html>

<http://dfo-mpo.gc.ca/oceans/publications/soto-rceo/2017/index-eng.html>

Appendix 1: 2019/20 Prawn and Shrimp by Trap Commercial Harvest Plan

TABLE OF CONTENTS

1.	COMMERCIAL HARVEST PLAN CHANGES FOR 2019	3
2.	OPEN TIMES	5
2.1.	Coast-wide	5
2.2.	Prince Rupert Harbour	5
2.3.	Masset Inlet.....	5
2.4.	Sooke Harbour and Basin	5
2.5.	Daily Fishing Hours.....	5
3.	CLOSURES	6
3.1.	In-season Closures	6
3.2.	Procedure for In-season Decision Making.....	6
3.3.	Area Closures, Octopus Closures and Advisories	7
3.4.	Rockfish Conservation Areas	18
3.5.	Closure Notifications and Announcements	18
4.	MANAGEMENT MEASURES – PRAWN FISHERY.....	18
4.1.	Species	18
4.2.	Size Limit.....	19
4.3.	Berried Females	20
4.4.	Catch Prohibited On Board While Fishing.....	20
4.5.	Gear.....	20
4.6.	Whale Encounter Protocols and Reporting Marine Mammal Interactions.....	25
4.7.	Basking Shark Entanglement Protocols.....	26
4.8.	Multi-licensed Vessels.....	26
5.	MANAGEMENT MEASURES - HUMPBAC AND COONSTRIPE FISHERIES.....	27
5.1.	Prince Rupert Harbour and Masset Inlet Humpback Shrimp Fisheries.....	27
5.2.	Sooke Harbour and Basin Coonstripe Shrimp Fishery.....	27
6.	LICENSING.....	28
6.1.	National Online Licensing System (NOLS) Client Support - Licensing Services.....	28
6.2.	Licence Category	29
6.3.	Licence Renewal Fee	28
6.4.	Licence Issuance	28
6.5.	Licence Documents.....	29
6.6.	Trap Re-allocation	29
6.7.	Designation of Harvesters to Fish a Communal Commercial Licence.....	29
6.8.	Vessel Replacement.....	30
6.9.	Fish Receiver Licence and Transporting Licence Requirements	31
7.	CONTROL AND MONITORING OF COMMERCIAL FISHING ACTIVITIES.....	31
7.1.	Requirement to hail out.....	31
7.2.	Information Reports from Sea (Spawner Index Sampling)	32
7.3.	Catch Reporting	33
8.	GENERAL INFORMATION	36
8.1.	Rockfish and Assistance to At-Sea Observers.....	36
8.2.	Sylon Parasites and Live Transport of Prawns	36
8.3.	On-Board Freezing.....	37

8.4. Glazed Prawn Sale Requirements37
8.5. Commercial Vessels Participation in First Nation’s FSC Fisheries38
8.6. Octopus Retention.....38
8.7. Groundfish Bait.....38
8.8. Canadian Shellfish Sanitation Program38

1. COMMERCIAL HARVEST PLAN CHANGES FOR 2019

- 1.1. The 2019 commercial season will open no earlier than noon, May 9, 2019. This is a delayed opening from May 1 to allow additional time for the spawning cycle (release of eggs) to complete (Section 2.1).
- 1.2. Five Nuu-chah-nulth First Nations located on the West Coast of Vancouver Island - Ahousaht, Ehattesaht, Hesquiaht, Mowachaht/Muchalaht, and Tla-o-qui-aht (the Five Nations) - have aboriginal rights to fish for any species of fish within their Fishing Territories and to sell that fish, with the exception of Geoduck. DFO is working with the Five Nations to implement a Fishery Management Plan (FMP) for salmon, groundfish, crab and prawn by April 1, 2019. This FMP includes specific details about the fishery, such as allocation/access, licensing and designations, fishing area, harvesting opportunities, and fishery monitoring and catch reporting.
- 1.3. A new management plan for the Gwaii Haanas National Park Reserve, National Marine Conservation Area Reserve, and Haida Heritage Site was approved by Canada and the Haida Nation in November 2018. The final zoning plan includes a number of new areas of strict protection, where commercial and recreational fishing are prohibited. An overview map is provided in Appendix 13. The implementation of these closures may take some time. However, steps are being taken to undertake this work and each closure will be communicated in-season via fishery notice as it is implemented (Section 3.3 and 3.5).
- 1.4. Following the request for voluntary avoidance and consultations held in 2018, eight new glass sponge reefs sites (representing nine reefs) in Howe Sound are closed effective April 1, 2019 to all bottom contact (and use of downrigger gear for recreational salmon troll) fishing, including prawn and shrimp fishing. The reefs are located in Subareas 28-2 and 28-4 by Lion's Bay, Anvil Island, Halkett Point on Gambier Island, Bowyer Island, Dorman Point on Bowen Island and the Defence Islands (Section 3.3.29 and 3.5).
- 1.5. Please see Section 4.4.2 of the Integrated Fisheries Management Plan for Prawn and Shrimp by Trap for additional initiatives under the Government of Canada's commitment to protecting 10% of Canada's marine and coastal areas by 2020.
- 1.6. DFO implemented a number of measures in 2018 for Southern Resident Killer Whales, including measures aimed at increasing prey availability and accessibility - particularly Chinook salmon - and reducing threats related to physical and acoustic disturbance in key foraging areas. DFO is reviewing the measures, in consultation First Nations and stakeholders, with a view to determining whether different and/or additional measures may be required in 2019. These measures may include fishery closures or other area-based measures implemented pre-season or (in some cases) in-season.
- 1.7. The USA will ban the importation of commercial fish products under new provisions of the *US Marine Mammal Protection Act* where activities result in the incidental killing or serious injury of marine mammals in excess of USA standards. A five-year exemption period has been given for implementation in 2021. Reporting all interactions with marine mammals, including entanglement with fishing gear and collision, to the Marine Mammal Incident Hotline 1-800-465-4336 is mandatory (Section 4.6).

- 1.8. Vessel masters are reminded that the vessel monitoring system must be turned on and operational all season (Section 7.1.1).
- 1.9. On January 15, 2019, the *Safe Food for Canadians Act* and *Safe Food for Canadians Regulations* will come into force. The new consolidated regulations will require those businesses that export or prepare food for export and/or inter-provincial trade to obtain a license and to document preventive controls that outline steps to address potential risks to food safety. Please contact the product exporter and the Canadian Food Inspection Agency licensed processor(s) of your catch to discuss these requirements before you fish (Section 8.3).

2. OPEN TIMES

2.1. Coast-wide

The commercial prawn and shrimp by trap fishing season will open no earlier than 12:00 hours (noon), May 9, 2019. This will include in-shore and offshore areas and the Special Management Areas (SMA). A fishery notice will announce the actual opening date and time.

All openings referred to in this plan are tentative until confirmed by issuance of a variation order accompanied by a fishery notice.

2.2. Prince Rupert Harbour

The Prince Rupert Harbour Humpback Shrimp fishery will open no earlier than 12:00 hours (noon), September 1, 2019 and will remain open until further notice or until 19:00 hours, December 31, 2019, whichever occurs first. The opening will be confirmed by a variation order accompanied by a fishery notice.

Fish harvesters are required to request and receive amended Conditions of Licence from the National Online Licensing System (NOLS). Amended Conditions of Licence are required once arrangements have been made to provide observer coverage and sampling for this fishery as described in Section 5.1. Standardized biological sampling information for Humpback Shrimp is being collected.

2.3. Masset Inlet

The Masset Inlet Humpback Shrimp fishery will open on request to the North Coast Area Resource Manager (see Contacts in Section 14 of the Integrated Fisheries Management Plan for Prawn and Shrimp by Trap) no earlier than 12:00 hours (noon), May 9, 2019 (Section 2.1) and will remain open until further notice or until 19:00 hours, December 31, 2019, whichever occurs first. The opening will be confirmed by a variation order accompanied by a fishery notice.

2.4. Sooke Harbour and Basin

Sooke Harbour and Basin (Subareas 20-6 and 20-7) will open at 12:00 hours (noon), November 1, 2019 for a Coonstripe Shrimp trap fishery and will remain open until further notice or until 19:00 hours, December 31, 2019, whichever occurs first. Alternative opening dates for a two month fishery will be considered if recommended by the industry representatives. The opening will be confirmed by a variation order accompanied by a fishery notice.

2.5. Daily Fishing Hours

Other than the first day of any opening, trap gear may only be set, hauled, handled, or re-set between 07:00 hours and 19:00 hours. On the first day of an opening, trap gear may only be set, hauled, handled, or re-set between 12:00 hours (noon) and 19:00 hours. Only one haul per day of each string is permitted.

3. CLOSURES

3.1. In-season Closures

There is no fixed date for the closure of the commercial fishery. In-season commercial fishery closures of local areas will be announced as spawner indices in those areas drops to a level 10% above the minimum monthly index. A level 25% above the minimum monthly index is applied in Howe Sound and Indian Arm (Subareas 28-1 to 28-7, 28-9, 28-11 to 28-14), Powell River (Subareas 15-1, 15-2, 15-3), Malaspina Strait / lower Jervis (Subareas 16-1, 16-2, 16-10, 16-16 to 16-18) and Nanaimo (Subareas 17-10 to 17-13, 17-15, 17-16, 17-18). A level that equates to 50% above the minimum monthly index is applied in Saanich Inlet (19-7 to 19-12), Stuart Channel (17-5, 17-6, 17-9) and Alberni Inlet (Subareas 23-1 to 23-3) under the adaptive management strategy developed collaboratively by recreational and commercial fishing representatives in 2006. Sampling coverage, time to next achievable sampling and fishing effort are also considered. Subareas adjacent to sampled areas may also close (Section 3.2).

Closure of the commercial fishery in all other areas occurs when the remaining open fishing grounds are considered by DFO fishery managers to be too limited in extent to support continued fishing by the remainder of the fleet. Based on recent seasons (2014-2018 average), the commercial fishery is anticipated to be about 39 days long in 2019.

All closures will take effect at 19:00 hours unless otherwise announced.

3.2. Procedure for In-season Decision Making

During the commercial fishery, there are twice weekly in-season conference calls at which time DFO fishery managers and Science (Stock Assessment and Research Division) personnel and a representative of the industry service provider co-ordinating at-sea observers review the available spawner index sample results and fishing effort (set/haul and vessel position reports). Comments that have been received from the at-sea observers, fish harvesters, and buyers are considered. Vessel movement patterns in the past week are summarized to assess changing distribution of effort. The ability to sample areas showing signs of fishing effort is determined. Decisions are made by DFO about areas for closure and sampling. Subareas close in-season as required on the basis of the following:

- a.) Approaching spawner index values;
- b.) Approaching spawner index values in an adjacent Subarea where prawn grounds are contiguous;
- c.) To provide a stock reservoir for adjacent areas having low spawner indices;
- d.) Adequacy of spawner index sampling and time to next achievable sampling by at-sea observers;
- e.) If DFO is of the opinion that there is too great a concentration of vessels such that the fishery in an area is considered to be unmanageable;
- f.) If non-compliance is occurring and enforcement cannot be achieved;
- g.) If there are insufficient funds to continue to manage and monitor the fishery, or to continue in a specific remote coastal area;
- h.) At the end of the season as determined by DFO.

The time from sampling to closure is usually four to six days. On occasion, closures may be put into effect within a week of sampling and in some cases within 48 hours.

As individual coastal areas close during the season, fleet mobility increases, and vessel effort is concentrated into the remaining open areas. The effect of fishing may be seen as more variable spawner index results. Manageability of the remaining fishing effort becomes increasingly challenging due to the concentration of gear contributing to the decision for a final coast-wide closure. A coast-wide closure decision is made when the remaining open coastal areas are showing signs of being fished to the target index. Fish harvesters' and buyers' comments from the fishing grounds may also be considered to direct sampling and inform the decision for final closure of the prawn fishing season.

Areas remain closed until the prawn spawning cycle completes and the fishery opens in the following year.

3.3. Area Closures, Octopus Closures and Advisories

Unless otherwise noted, the following areas are closed to prawn and shrimp trap fishing. In areas noted for octopus closures, all octopus must be released unharmed.

3.3.1. Area 1 Closure

3.3.1.1. Masset Inlet (Subarea 1-6): Closed to retention and possession of prawns at all times. Closed until 12:00, noon, May 9, 2019 (earliest) for Humpback Shrimp trap fishing. (Humpback Shrimp trap fishing area)

3.3.2. Area 2 Closures

Harvesting of all species is prohibited in the Gwaii Haanas National Marine Conservation Area Reserve and Haida Heritage Site in Burnaby Narrows, Louscoone Estuary, Flamingo Estuary, Gowgahi Estuary, Cape Saint James, and SGang Gwaay.

A new management plan was approved by Canada and the Haida Nation in November 2018. The final zoning plan includes a number of new areas of strict protection, where commercial and recreational fishing are prohibited (Appendix 13). The implementation of these closures may take some time. However, steps are being taken to undertake this work and each closure will be communicated in-season via fishery notice as it is implemented.

3.3.2.1. Gwaii Haanas National Marine Conservation Area Reserve and Haida Heritage Site, Burnaby Narrows: Those waters of Subareas 2-13 and 2-16 inside a line commencing at 52°23.049' N and 131°23.438' W east to 52°23.077' N and 131°22.908' W, following the southern shoreline of Kat island east to 52°23.107' N and 131°22.274' W, then east to 52°23.295' N and 131°21.34' W, following the western shoreline of Burnaby Island south to 52°20.951' N and 131°20.509' W, then west to 52°20.733' N and 131°21.072' W, and then north following the eastern shoreline of Moresby Island back to the point of commencement. (National Marine Conservation Area)

3.3.2.2. Gwaii Haanas National Marine Conservation Area Reserve and Haida Heritage Site, Louscoone Estuary: Those waters of Subareas 2-33 and 2-34 north of a line drawn from 52°11.836' N and 131°15.658' W east to 52°12.271' N and 131°14.594' W. (National Marine Conservation Area)

3.3.2.3. Gwaii Haanas National Marine Conservation Area Reserve and Haida Heritage Site, Flamingo Estuary: Those waters of Subarea 2-37 north of a line drawn from 52°14.456' N and 131°22.234' W southeast to 52°14.246' N and 131°21.489' W. (National Marine Conservation Area)

3.3.2.4. Gwaii Haanas National Marine Conservation Area Reserve and Haida Heritage Site, Gowgaia Estuary: Those waters of Subarea 2-41 east of a line drawn from 52°24.944' N and 131°32.138' W southeast to 52°24.238' N and 131°32.024' W. (National Marine Conservation Area)

3.3.2.5. Gwaii Haanas National Marine Conservation Area Reserve and Haida Heritage Site, Cape Saint James: Those waters of Subareas 2-19, 102-3, 130-3 and 142-1 inside a line commencing at 51°56.523' N and 131°01.522' W, southwest to 51°55.627' N and 131°02.574' W, then southeast to 51°52.5' N and 130°57.919' W, then south to 51°51.676' N and 130°57.805' W, then southeast to 51°50.349' N and 130°56.442' W, then northeast to 51°51.062' N and 130°54.717' W, then north to 51°53.888' N and 130°55.608' W, then northwest to 51°58.671' N and 130°59.464' W, then west to 51°58.743' N and 131°00.606' W, and then following the southern shore of Kunghit Island west to the point of commencement. (National Marine Conservation Area)

3.3.2.6. Gwaii Haanas National Marine Conservation Area Reserve and Haida Heritage Site, SGang Gwaay: Those waters of Subareas 2-31 and 142-1 inside a 3 km radius from the centre point on Anthony Island located at 52°05.655' N and 131°13.178' W. (National Marine Conservation Area)

3.3.3. Area 4 Closure

3.3.3.1. Prince Rupert Harbour (Subareas 4-10 and 4-11): Closed to retention and possession of prawns at all times. Closed until 12:00, noon, September 1, 2019 (earliest) for Humpback Shrimp trap fishing. (Humpback Shrimp trap fishing area)

3.3.4. Area 6 Octopus Closure

3.3.4.1. Subarea 6-2. (First Nations access for food, social and ceremonial [FSC] purposes)

3.3.5. Area 12 Closure

3.3.5.1. Robson Bight - Michael Bigg Ecological Reserve: Subarea 12-3 (portion). From a point on shore due north to a point at 50°30.33' N and 126°37.47' W then east to a point at 50°29.65' N and 126°30.23' W then due south to the shoreline. (Ecological Reserve).

3.3.5.2. Additional details and a map are available at:

http://www.env.gov.bc.ca/bcparks/eco_reserve/robsonb_er.html

3.3.6. Area 13 Octopus Closure

3.3.6.1. Discovery Passage: Subareas 13-3, 13-4, 13-5 and a portion of 13-6. Those waters of Discovery Passage bounded on the north by a straight line drawn true west from North Bluff on Quadra Island, across Seymour Narrows to a fishing boundary sign on

Vancouver Island, and on the south by a line from the Cape Mudge light true west to Vancouver Island. (Marine Reserve and Research Closure)

3.3.7. Area 14 Octopus Closures

3.3.7.1. Hornby Island: Those waters of Lambert Channel and the Strait of Georgia, Subarea 14-7, inside a line commencing at Shingle Spit on Hornby Island, thence 239° true for 0.5 nautical miles, thence 126° true for 3.5 nautical miles, thence 64° true for 4.9 nautical miles, thence 304° true for 2.9 nautical miles, thence 213° true for 0.5 nautical miles to Cape Gurney on Hornby Island. (Marine Reserve)

3.3.7.2. Mitlenatch Nature Park: As described in Area 15 Octopus Closures.

3.3.8. Area 14 Glass Sponge Reef Closures

3.3.8.1. Parksville: Those portions of Subareas 14-2 and 14-3 that lie inside a line that begins at 49°21.680'N and 124°19.762'W, then southeasterly to 49°21.514'N and 124°18.893'W, then to 49°21.191'N and 124°17.723'W, then to 49°21.064'N and 124°17.724'W, then to 49°20.725'N and 124°18.380'W, then to 49°21.432'N and 124°19.811'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.8.2. Achilles Bank: That portion of Subarea 14-6 that lies inside a line that begins at 49°33.490'N and 124°29.230'W, then southerly to 49°32.701'N and 124°28.760'W, then to 49°31.657'N and 124°29.434'W, then to 49°31.663'N and 124°29.896'W, then to 49°32.651'N and 124°29.752'W, then to 49°33.340'N and 124°29.935'W, then to 49°33.498'N and 124°29.773'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.9. Area 15 Octopus Closures

3.3.9.1. Vivian Island: All waters within 0.5 nautical miles of Vivian Island, located approximately 5.0 nautical miles west of Powell River in Subarea 15-2. (Marine Reserve)

3.3.9.2. Rebecca Rock: All waters within 0.25 nautical miles of Rebecca Rock, located 2.5 nautical miles west of Powell River in Subarea 15-2. (Marine Reserve)

3.3.9.3. Dinner Rock: All waters within 0.25 nautical miles of Dinner Rock, located 2.5 nautical miles south of Lund in Subarea 15-2. (Marine Reserve)

3.3.9.4. Emmonds Beach Reef: All waters within 0.5 nautical miles of the unnamed reef off Emmonds Beach, located approximately 4.0 nautical miles south of Lund in Subarea 15-2. (Marine Reserve)

3.3.9.5. Mitlenatch Nature Park: All waters within 1.0 nautical mile of Mitlenatch Island, located in the upper Strait of Georgia intersected by the Subareas 15-2, 13-1, 13-3 and 14-13. (Marine Reserve)

3.3.9.6. All waters within a 0.25 nautical mile radius of the southerly end of the Beach Gardens breakwater in Subarea 15-2. (Marine Reserve)

3.3.10. Area 16 Octopus Closure

3.3.10.1. Skookumchuck Narrows Provincial Park: Those waters of Skookumchuck Narrows and Sechelt Rapids in Subarea 16-9 bounded on the west by a line from a point on the foreshore at the westerly limit of Secret Bay on Sechelt Peninsula thence 50° true

to a point on the foreshore on the mainland; and the east by a line from Raland Point on Sechart Peninsula, thence 50° true to a point on the foreshore on the mainland. (Park)

3.3.11. Area 17 Glass Sponge Reef Closure

3.3.11.1. Gabriola (Entrance) Island: That portion of Subarea 17-11 that lies inside a line that begins at 49°13.672'N and 123°47.577'W, then southerly to 49°13.235'N and 123°47.429'W, then to 49°13.185'N and 123°47.882'W, then to 49°13.391'N and 123°48.119'W, then to 49°13.623'N and 123°48.166'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.12. Area 17 Department of National Defence Prohibited Area

3.3.12.1. Winchelsea Island: Fish harvesters are advised that due to the large number of submarine cables terminating at Winchelsea Island the Department of National Defence prohibits all trap and bottom contact fishing and anchoring in a zone bounded by the following coordinates within the Military Sea Area WG: 49°18.456' N and 124°06.156' W, 49°17.128' N and 124°02.081' W, 49°17.274' N and 124°04.346' W, and 49°17.438' N and 124°05.138' W. (Department of National Defence Prohibited Area)

3.3.13. Area 18 Closure

3.3.13.1. Satellite Channel: Closed year round in Subareas 18-6 and 18-7 starting at 48°42.472' N and 123°30.216' W, then to 48°42.815' N and 123°28.800' W, then to 48°41.883' N and 123°28.285' W, then to 48°41.540' N and 123°29.699' W, and then back to the point of origin. (British Columbia Provincial Ecological Reserve #67)

3.3.14. Area 18 Glass Sponge Reef Closures

3.3.14.1. Outer Gulf Islands #1: That portion of Subarea 18-1 that lies inside the following lines: begins at 48°52.588'N and 123°15.261'W, then easterly to 48°52.520'N and 123°14.537'W, then to 48°51.971'N and 123°13.768'W, then to 48°51.795'N and 123°13.947'W, then to 48°52.150'N and 123°14.444'W, then to 48°52.038'N and 123°14.678'W, then to 48°52.479'N and 123°15.521'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.14.2. Outer Gulf Islands #2: That portion of Subarea 18-1 that lies inside the following lines: begins at 48°51.602'N and 123°13.233'W, then southerly to 48°51.309'N and 123°12.751'W, then to 48°50.913'N and 123°12.938'W, then to 48°50.844'N and 123°13.059'W, then to 48°51.163'N and 123°13.662'W, then to 48°51.579'N and 123°13.378'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.14.3. Outer Gulf Islands #3: That portion of Subarea 18-1 that lies inside the following lines: begins at 48°50.999'N and 123°12.391'W, then southerly to 48°50.608'N and 123°11.603'W, then to 48°50.097'N and 123°10.956'W, then to 48°49.959'N and 123°11.182'W, then to 48°50.857'N and 123°12.654'W, then to 48°50.959'N and 123°12.566'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.15. Area 19 Sponge Reef Advisory

3.3.15.1. Saanich Inlet: It is recommended that gear should avoid cloud sponge areas in Saanich Inlet in waters less than 40 metres depth at Henderson Point, at the mooring buoy

northwest of Senanus Island, Willis Point, Repulse Rock, the point south of Misery Bay, Christmas Point, McCurdy Point and adjacent to the Bamberton cement plant.

3.3.16. Area 19 Saanich Inlet VENUS Advisory

3.3.16.1. Subarea 19-8, Pat Bay: Fish harvesters are advised to avoid setting gear within Pat Bay in Saanich Inlet at locations as described in a notice to mariners to avoid entanglement with sea bed oceanographic instruments deployed by the Oceans Network Canada VENUS project. Please note that there are also power and data cables from the location running to shore. GPX formatted files available for use with Electronic Navigational Systems and additional information are available at:

<http://www.oceannetworks.ca/observatories/notices/information-mariners>

In event of fishing gear entanglement or other emergency incident, please call their 24-hour emergency line: 250-721-7599.

3.3.17. Area 19 Octopus Closures

3.3.17.1. Ogden Point: Those waters of Subarea 19-3 inside a line from the navigation light at the western end of the Ogden Point Causeway thence to Brotchie Ledge Light, thence to Holland Point on Vancouver Island. (Marine Reserve)

3.3.17.2. 10 Mile Point: Those waters of Subareas 19-4 and 19-5 within 0.4 nautical miles of Cadboro Point navigation light. (Marine Reserve)

3.3.17.3. Race Rocks: Those waters of Subareas 19-3 and 20-5 within 0.5 nautical miles of Great Race Rocks. (Marine Reserve)

3.3.17.4. Saanich Inlet: Subareas 19-7 to 19-12 inclusive. (First Nations access for FSC purposes; recreational fishing permitted)

3.3.18. Area 20 Closure

3.3.18.1. Sooke Harbour and Basin (Subareas 20-6 and 20-7): Closed to retention and possession of prawns at all times. Closed until November 1, 2019 for coonstripe shrimp trap fishing. (Coonstripe shrimp trap fishing area)

3.3.19. Area 20 Mooring Buoy Advisory

3.3.19.1. Constance Bank: Mooring AS04 is deployed by the Institute of Ocean Sciences to help define the inflow of ocean water into the Georgia Basin along submarine depressions of Juan de Fuca Strait and Georgia Strait. The mooring is located at 48°18.00' N and 123°22.50' W in 117 metres depth. The mooring is entirely subsurface, standing only six metres tall above the bottom and consists of ocean current measuring devices, suspended from a three foot diameter yellow steel subsurface float and a cluster of one foot diameter orange plastic floats providing approximately 1/2 ton of buoyancy. It is held in place by a one ton anchor. If it is seen on the surface it will appear as a cluster of orange floats, closely attached to the large yellow float with a xenon flashing light active in the dark hours only at one flash per two seconds, and it will also transmit its location to satellite. A one kilometre clearance zone has been recommended by the Institute of Ocean Sciences.

3.3.20. Area 20 Octopus Closures

3.3.20.1. Botanical Beach Provincial Park: That portion of Subarea 20-3 between the lowest low water on record and the highest high water on record from San Juan Point thence following the Vancouver Island shoreline easterly to the mouth of Tom Baird Creek. (Marine Reserve)

3.3.20.2. Pacific Rim National Park, Juan de Fuca: That portion of Subarea 20-1 between the lowest low water on record and the highest high water on record from Bonilla Light thence following the shoreline of Vancouver Island easterly to Owen Point. (Park)

3.3.21. Area 21 Octopus Closure

3.3.21.1. Pacific Rim National Park: That portion of Area 21 between the lowest low water on record and the highest high water on record from Pachena Point thence following the Vancouver Island shoreline easterly to Bonilla Point. (Park)

3.3.22. Area 23 Closure

3.3.22.1. Pacific Rim National Park, Broken Group Islands. Those waters of the Broken Group Islands in Barkley Sound within park boundaries as shown, since 1989, on Canadian Hydrographic Service Chart 3671. All commercial resource extraction is prohibited by the Park Act. (Park)

3.3.23. Area 23 Octopus Closures

3.3.23.1. Pacific Rim National Park: That portion of Subarea 23 between the lowest low water on record and the highest high water on record from Whittlestone Point to Cape Beale. (Park)

3.3.23.2. Bamfield Marine Station Research Area Closure: Those waters of Subareas 23-4, 23-6 and 23-7 bounded by a line commencing at the light at Whittlestone Point and running directly to the southern tip of Haines Island; from the north-western tip of Haines Island to the southern tip of Seppings Island; from the north-western tip of Seppings Island to Kirby Point on Diana Island; from Kirby Point directly to the northwest tip of Fry Island; from the north-western tip of Fry Island to the nearest adjacent point on Tzartus Island; from Foucault Bluff on Tzartus Island to the northwest tip of Nanat Island; from the eastern tip of Nanat Island to the nearest adjacent point on Vancouver Island and thence along the coastline of Vancouver Island to the point of commencement. (Research Area)

3.3.24. Area 23 Neptune Project Advisory

3.3.24.1. Neptune Project Advisory: The Neptune project includes data and power cables departing the shoreline just north of Polly Pt., then following the centre line of Alberni Canal and Trevor Channel to Barkley Canyon, Endeavour Ridge, and Middle Valley in the offshore. Other than the offshore, there is one instrument cluster proposed for Folger Passage near Hornby Rock in 23-7. Alberni Canal and Barkley Sound fish harvesters are recommended to get additional up to date information and maps from the Neptune web site:

<http://www.oceannetworks.ca/>

3.3.25. Area 25 Sponge Reef Advisory

3.3.25.1. Tahsis Narrows: It is recommended that gear should avoid cloud sponges and corals in Tahsis Narrows around Mozino Point in waters less than 80 metres depth.

3.3.26. Area 26 Octopus Closures

3.3.26.1. Checleset Bay Fishery Closure Area: Those waters of Checleset Bay within Subareas 26-7, 26-8 and 26-10 and 126-1 on the northwest coast of Vancouver Island enclosed by a line drawn from a point on the Brooks Peninsula at 50°05.18' N and 127°49.58' W, then true south to the intersection with the parallel passing through 50°00.0' N, then easterly to Alert Point on Lookout Island, then northeasterly to 50°02.1' N and 127°25.03' W on Vancouver Island, then northwesterly following the shore of Vancouver Island to 50°05.53' N and 127°28.95' W at Malksope Point, then true west to a point midchannel on the southeast end of Gay Passage at 50°05.53' N and 127°30.1' W, then to 50°06.7' N and 127°31.8' W, then to 50°07.7' N and 127°32.8' W, near Theodore Point, then westerly following the Vancouver Island shore to 50°08.75' N and 127°38.6' W on the east side of Nasparti Inlet, then westerly across Nasparti Inlet to 50°08.7' N and 127°37.8' W on Vancouver Island, then following the shoreline of Vancouver Island to the beginning point. (Ecological Reserve)

3.3.26.2. Kyuquot Sound Marine Communities Study Area: Those waters consisting of: Kyuquot Bay: A portion of Subarea 26-6 inside or northerly of a line from White Cliff Head to Racoon Point; and

Entrance to Crowther Channel: From the western point of Union Island at 50°0.35' N and 127°19.29' W, northerly along the shoreline to 50°0.50' N and 127°19.25' W, then westerly to a point on an island at 50°0.52' N and 127°19.29' W, then along the western shoreline to 50°0.58' N and 127°19.35' W, then westerly to a point on an island at 50°0.58' N and 127°19.40' W, then along the western shoreline to 50°0.71' N and 127°19.60' W, then south-westerly to a drying rock at 50°0.45' N and 127°20.18' W, then south-easterly to the point of commencement. (Research Area)

3.3.27. Area 28 Closures

3.3.27.1. Whytecliff Park: That portion of Subarea 28-2 bounded by a line commencing from the most southerly point of Whytecliff Park; thence in a straight line to a point located 100 metres east of the most south-easterly point of Whyte It.; thence following the southern shoreline of Whyte It. at a distance of 100 metres to a point lying 100 metres from the most south-westerly point of Whyte It.; thence in a straight line to a point lying 100 metres west of Whytecliff Point; thence following the shoreline at a distance of 100 metres in a northerly direction to a point 100 metres north of Lookout Point; thence following the shoreline at a distance of 100 metres in an easterly direction to a point 100 metres perpendicular to the most northerly point of Whytecliff Park; thence to the most northerly point of Whytecliff Park on the mainland. (Marine Reserve)

3.3.27.2. Porteau Cove: That portion of Subarea 28-4, east of a line drawn from a white fishing boundary sign located on the south shore of Porteau Cove to a white fishing boundary sign located on the north shore of Porteau Cove. (Marine Reserve)

3.3.27.3. Point Atkinson Reef: That portion of Subarea 28-6 bounded by a line commencing at the southwest entrance to Starboat Cove thence seaward in a southwest direction for 85 metres, thence westerly following the shoreline for 100 metres, thence in a northeast direction to a point on land. (Conservation Closure)

3.3.27.4. False Creek (Subarea 28-8). (Navigation)

3.3.27.5. Burrard Inlet (Subarea 28-10). (Navigation)

3.3.28. Area 28 Glass Sponge Reef Closures

3.3.28.1. Lost Reef: That portion of Subarea 28-2 that lies inside a line that begins at 49° 29.799' N, 123° 18.203' W then northeast to 49° 29.935' N, 123° 18.007' W then southeast to 49° 29.882' N, 123° 17.832' W then southeast to 49° 29.591' N, 123° 17.519' W then southwest to 49° 29.547' N, 123° 17.941' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.2. Brunswick Point: That portion of Subarea 28-2 that lies inside a line that begins at 49° 28.577' N, 123° 14.965' W then southeast to 49° 28.434' N, 123° 14.732' W then southwest to 49° 28.177' N, 123° 15.031' W then northwest to 49° 28.397' N, 123° 15.377' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.3. Lions Bay and Kelvin Grove: That portion of Subarea 28-2 that lies inside a line that begins at 49° 27.629' N, 123° 15.761' W then southeast to 49° 27.315' N, 123° 14.516' W then southwest to 49° 26.950' N, 123° 14.595' W then northwest to 49° 26.952' N, 123° 15.046' W then northwest to 49° 27.195' N, 123° 15.655' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.4. Halkett Point: That portion of Subarea 28-2 that lies inside a line that begins at 49° 27.036' N, 123° 18.686' W then southeast to 49° 26.897' N, 123° 18.444' W then southwest to 49° 26.696' N, 123° 18.578' W then southwest to 49° 26.657' N, 123° 18.776' W then northwest to 49° 26.742' N, 123° 18.984' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.5. Bowyer Island: That portion of Subarea 28-2 that lies inside a line that begins at 49° 24.774' N, 123° 16.219' W then northeast to 49° 24.820' N, 123° 15.763' W then southwest to 49° 24.096' N, 123° 16.043' W then northwest to 49° 24.389' N, 123° 16.408' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.6. Dorman Point: That portion of Subarea 28-2 that lies inside a line that begins at 49° 22.577' N, 123° 19.379' W then southeast to 49° 22.543' N, 123° 19.051' W then southwest to 49° 22.287' N, 123° 19.152' W then northwest to 49° 22.351' N, 123° 19.454' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.7. Queen Charlotte Channel #1: That portion of Subarea 28-2 that lies inside the following lines: begins at 49°21.486'N and 123°17.254'W, then southerly to 49°20.528'N and 123°17.690'W, then to 49°20.401'N and 123°17.956'W, then to 49°20.765'N and 123°18.794'W, then to 49°20.982'N and 123°18.584'W, then to 49°21.098'N and 123°18.037'W, then to 49°21.501'N and 123°17.737'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.8. Queen Charlotte Channel #2: Those portions of Subareas 28-2 and 29-3 that lie inside the following lines: begins at 49°20.288'N and 123°17.693'W, then southeasterly to

49°20.2249'N and 123°17.501'W, then to 49°19.993'N and 123°17.377'W, then to 49°19.802'N and 123°17.444'W, then to 49°19.720'N and 123°17.840'W, then to 49°19.937'N and 123°18.107'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.9. Queen Charlotte Channel #3: Those portions of Subareas 28-2 and 29-3 that lie inside the following lines: begins at 49°19.296'N and 123°19.905'W, then southerly to 49°19.918'N and 123°19.847'W, then to 49°19.307'N and 123°20.344'W, then to 49°19.643'N and 123°20.421'W, then to 49°19.819'N and 123°20.361'W, then to 49°19.947'N and 123°20.097'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.10. Defence Islands: That portion of Subarea 28-4 that lies inside the following lines: begins at 49°34.102'N and 123°17.070'W, then southerly to 49°33.730'N and 123°16.562'W, then to 49°33.553'N and 123°16.462'W, then to 49°33.438'N and 123°16.750'W, then to 49°33.707'N and 123°17.201'W, then to 49°33.993'N and 123°17.391'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.11. East Defence Islands: That portion of Subarea 28-4 that lies inside a line that begins at 49° 34.731' N, 123° 16.555' W then northeast to 49° 34.848' N, 123° 16.357' W then northeast to 49° 34.854' N, 123° 16.120' W then southeast to 49° 34.580' N, 123° 16.084' W then southwest to 49° 34.535' N, 123° 16.539' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.28.12. Anvil Island: That portion of Subarea 28-4 that lies inside a line that begins at 49° 32.874' N, 123° 17.425'W then southeast to 49° 32.865' N, 123° 16.815' W then southwest to 49° 32.533' N, 123° 16.869' W then southwest to 49° 32.482', 123° 17.118' W then northwest to 49° 32.574' N, 123° 17.483' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.29. Area 29 Closures

3.3.29.1. Sechelt (McCall) Bank: That portion of Subarea 29-2 that lies inside a line that begins at 49°25.948'N 123°48.889'W, then easterly to 49°25.899'N 123°47.266'W, then to 49°25.373'N 123°46.494'W, then to 49°24.734'N 123°47.083'W, then to 49°24.910'N 123°47.951'W, then to 49°24.253'N 123°48.283'W, then to 49°24.845'N 123°49.914'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.29.2. Halibut Bank: That portion of Subarea 29-2 that lie inside a line that begins at 49°21.768'N and 123°41.501'W, then southerly to 49°21.174'N and 123°40.045'W, then to 49°20.961'N and 123°40.139'W, then to 49°20.803'N and 123°39.860'W, then to 49°20.565'N and 123°40.182'W, then to 49°21.610'N and 123°41.843'W, then to 49°21.673'N and 123°42.643'W, then to 49°21.895'N and 123°43.908'W, then to 49°22.174'N and 123°44.748'W, then to 49°22.555'N and 123°44.456'W, then to 49°22.188'N and 123°42.167'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.29.3. Passage Island, Queen's Sound: Those portions of Subareas 28-2 and 29-3 that lie inside the following lines: begins at 49°20.288'N and 123°17.693'W, then southeasterly to 49°20.2249'N and 123°17.501'W, then to 49°19.993'N and 123°17.377'W, then to 49°19.802'N and 123°17.444'W, then to 49°19.720'N and

123°17.840'W, then to 49°19.937'N and 123°18.107'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.29.4. Passage Island, Queen's Sound: Those portions of Subareas 28-2 and 29-3 that lie inside the following lines: begins at 49°19.296'N and 123°19.905'W, then southerly to 49°19.918'N and 123°19.847'W, then to 49°19.307'N and 123°20.344'W, then to 49°19.643'N and 123°20.421'W, then to 49°19.819'N and 123°20.361'W, then to 49°19.947'N and 123°20.097'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.29.5. Passage Island, Queen's Sound: That portion of Subarea 29-3 that lies inside the following lines: begins at 49°20.637'N and 123°19.162'W, then easterly to 49°20.577'N and 123°18.720'W, then to 49°20.441'N and 123°18.637'W, then to 49°20.068'N and 123°18.818'W, then to 49°20.076'N and 123°19.135'W, then to 49°19.718'N and 123°19.188'W, then to 49°19.726'N and 123°19.514'W, then to 49°20.259'N and 123°19.828'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.29.6. Foreslope Hills, Strait of Georgia: That portion of Subarea 29-3 that lies inside a line that begins at 49°09.634'N and 123°23.048'W, then southeasterly to 49°09.389'N and 123°22.622'W, then to 49°09.187'N and 123°22.587'W, then to 49°09.211'N and 123°23.567'W, then to 49°09.646'N and 123°23.543'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.29.7. Outer Gulf Islands - Galiano Island: That portion of Subarea 29-4 that lies inside the following lines: begins at 48°54.936'N and 123°19.589'W, then southerly to 48°54.283'N and 123°18.529'W, then to 48°54.114'N and 123°18.619'W, then to 48°54.065'N and 123°18.771'W, then to 48°54.787'N and 123°19.929'W, then to 48°54.902'N and 123°19.793'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

3.3.30. Areas 105, 106, 107, 110 Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Areas

3.3.30.1. Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Areas – Northern Reef: Those waters of Subareas 105-2 and 106-1 bounded by a series of rhumb lines drawn from a point 53°11'52.9" North latitude and 130°19'47.2" West longitude, to a point having coordinate values of 53°09'22.0" North latitude and 130°18'53.0" West longitude, then to a point having coordinate values of 53°02'54.5" North latitude and 130°25'16.2" West longitude, then to a point having coordinate values of 53°03'06.9" North latitude and 130°30'35.6" West longitude, then to a point having coordinate values of 53°07'17.8" North latitude and 130°42'03.2" West longitude, then to a point having coordinate values of 53°07'44.5" North latitude and 130°46'26.5" West longitude, then to a point having coordinate values of 53°13'28.7" North latitude and 130°47'28.7" West longitude, then to a point having coordinate values of 53°19'20.0" North latitude and 130°54'24.2" West longitude, then to a point having coordinate values of 53°24'05.4" North latitude and 130°48'37.8" West longitude then to a point having coordinate values of 53°23'40.7" North latitude and 130°42'52.2" West longitude then to a point having coordinate values of 53°18'42.5" North latitude and 130°38'09.3" West longitude, then to a point having coordinate values of 53°15'20.6" North latitude and

130°33'01.3" West longitude, then back to the point of commencement. (Marine Protected Area)

3.3.30.2. Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Areas – Central Reefs: Those waters of Subareas 106-2, 107-1, and 107-2 bounded by a series of rhumb lines drawn from a point 52°00'24.4" North latitude and 129°14'12.6" West longitude, to a point having coordinate values of 51°55'50.5" North latitude and 129°18'13.8" West longitude, then to a point having coordinate values of 51°51'32.5" North latitude and 129°36'37.4" West longitude, then to a point having coordinate values of 51°53'00.7" North latitude and 129°44'03.4" West longitude, then to a point having coordinate values of 52°05'14.1" North latitude and 129°36'14.1" West longitude, then to a point having coordinate values of 52°08'46.0" North latitude and 129°33'33.5" West longitude, then to a point having coordinate values of 52°15'42.6" North latitude and 129°44'12.3" West longitude, then to a point having coordinate values of 52°29'35.4" North latitude and 129°52'32.7" West longitude, then to a point having coordinate values of 52°32'05.4" North latitude and 129°53'06.2" West longitude, then to a point having coordinate values of 52°34'05.6" North latitude and 129°47'51.4" West longitude, then to a point having coordinate values of 52°25'42.7" North latitude and 129°35'12.2" West longitude, then to a point having coordinate values of 52°20'02.8" North latitude and 129°29'51.7" West longitude, then to a point having coordinate values of 52°09'52.3" North latitude and 129°25'29.5" West longitude, then back to the point of commencement. (Marine Protected Area)

3.3.30.3. Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area – Southern Reef: Those waters of Area 110 bounded by a series of rhumb lines drawn from a point 51°24'44.2" North latitude and 128°47'58.3" West longitude, to a point having coordinate values of 51°18'32.5" North latitude and 128°40'35.6" West longitude, then to a point having coordinate values of 51°14'57.6" North latitude and 128°47'01.2" West longitude, then to a point having coordinate values of 51°14'33.9" North latitude and 128°55'45.5" West longitude, then to a point having coordinate values of 51°17'42.3" North latitude and 129°00'29.0" West longitude, then to a point having coordinate values of 51°19'24.5" North latitude and 129°00'53.6" West longitude, then back to the point of commencement. (Marine Protected Area)

3.3.31. Areas 101 and 142 Closure

3.3.31.1. Bowie Seamount Marine Protected Area: Those waters of Subareas 101-1 and 142-2 inside a line commencing at 53°03'07.6" N and 135°50'25.9" W, to a point 53°16'20.9" N and 134°59'55.4" W, then to a point 53°39'49.2" N and 135°17'04.9" W, then to a point 53°39'18.0" N and 135°53'46.5" W, then to a point 53°52'16.7" N and 136°30'23.1" W on the EEZ Boundary, then following the EEZ Boundary to 53°49'19.6" N and 136°47'33.1" W on the EEZ Boundary, then to a point 53°40'02.5" N and 136°57'03.5" W, then to a point 53°13'59.2" N and 136°10'00.0" W, then back to the point of commencement. (Marine Protected Area)

3.3.32. Areas 123 to 127 and 130 Closure

3.3.32.1. Offshore Pacific Seamounts and Vents Fishery Closure: Those waters within Subareas 123-9, 124-1, 124-2, 125-6, 126-3, 126-4, 127-2, 127-4, and 130-1 described in Fishery Notice 1241 - Offshore Pacific Seamounts and Vents: Commercial and

Recreational Bottom Contact Fisheries Closure - Portions of Areas 123 to 127, and 130.
(Area of Interest)

3.4. Rockfish Conservation Areas

Rockfish Conservation Areas (RCAs) are in effect in inside waters as of February 2007. Hook and line fishing for Schedule II species is prohibited in RCAs. Maps and information on RCAs is available at:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/maps-cartes/rca-acis/index-eng.html>

3.5. Closure Notifications and Announcements

It is the fish harvesters' responsibility to ensure that an area is open before setting gear and to ensure that the area has not closed while their gear remains in the water.

3.5.1. Routine Notification Procedures

Fishery notices of variation orders that open and close fisheries are available at:

<https://notices.dfo-mpo.gc.ca/fns-sap/index-eng.cfm>

Information about closures is also available from a fishery manager (see Contacts Section 14 of the Integrated Fisheries Management Plan for Prawn and Shrimp by Trap), or from a local DFO office. DFO enforcement vessels and industry service provider vessels may also have information about impending closures.

3.5.2. Recorded Announcements

Telephone answering machine recordings are available after office hours and on weekends for North and Central Coast waters at (250) 627-3021 and for South Coast waters and Fraser River / Howe Sound at (250) 756-7233.

3.5.3. Canadian Coast Guard Announcements

Once a week, Canadian Coast Guard will announce current prawn fishery openings and closures. This announcement will only be made if time permits, following regular WX scheduled broadcasts. The announcement may be interrupted or delayed for Search and Rescue (SAR) priorities. Broadcast times are as follows:

Prince Rupert MCTS (south coast – west coast Vancouver Island)	Tuesdays	1915 UTC	1215 DST
Victoria MCTS (south coast – Nanaimo to Juan de Fuca)	Tuesdays	1510 UTC	0710 DST
Victoria MCTS (south coast – north of Nanaimo)	Tuesdays	1520 UTC	0720 DST
Prince Rupert MCTS (north coast)	Tuesdays	1915 UTC	1215 DST

4. MANAGEMENT MEASURES – PRAWN FISHERY

4.1. Species

Prawns and other shrimp species (*Pandalus* species and *Pandalopsis dispar* Sidestripe Shrimp). In this commercial harvest plan, the term prawn refers solely to the Spot Prawn *Pandalus platyceros*, while the term shrimp refers to the other species of shrimp other than prawns.

Fish harvesters are authorized to incidentally catch and retain Octopus *Enteroctopus dofleini* while prawn and shrimp trap fishing except in octopus closure areas (Section 3.3). Conditions of Licence require all fish harvesters to accurately complete octopus catch and retention information in the prawn and shrimp trap logbook.

Prawn and shrimp by trap licence eligibility holders are also permitted to fish for species described in Schedule II Part 2 of the *Pacific Fishery Regulations*. Conditions of Licence for these species are included with all W and FW prawn and shrimp by trap licences. Schedule II Conditions of Licence apply even if the catch is only intended for bait. For information regarding the harvest of Schedule II, Other Species please refer to the groundfish IFMP for Lingcod, Dogfish, Sole and Flounder, Skate and Pacific Cod. For information regarding transporting please refer to Part III of the Conditions of Licence.

4.2. Size Limit

The minimum legal size limit for prawns is 33 millimetres carapace length measured from the most posterior part of the eye orbit to the posterior mid-dorsal margin of the carapace (see Appendix 4 for a diagram). Catch shall be sorted and undersized prawns released immediately.

The minimum legal size limit for headed prawns is 22 millimetres telson length, measured along the mid-dorsal line of the telson from the anterior margin to the posterior margin. The telson is the central piece of the tail “fan.” This size limit applies **only** to product that has had the head and thorax removed including the carapace. The telson should be measured before “tailing” to ensure that the product will meet the size limit.

Do not assume that a prawn that met the carapace length requirement will also meet the telson length requirement once it is headed. Due to natural variability, some will not. If you will be tailing, measure the telson on the prawn tails before removing the head. Release prawns with undersize telsons, unharmed, immediately.

There is no minimum size for species of shrimp other than the prawn, *Pandalus platyceros*.

Undersized prawns shall be returned to the water immediately. Traps shall be pulled, emptied and undersized prawns sorted out for release, **on a trap by trap basis. Waiting until the entire string is pulled before sorting begins is illegal. Prawns may not be kept in a tank or bucket for later sorting and release.** All undersized prawns must be released in the area of capture and shall not be removed from the general location of capture, prior to release, for any reason. In no instance are prawns to be chemically treated or “dipped” prior to sorting and release of the undersized prawns.

Industry representatives have discussed various means of releasing undersized and berried prawns to increase their survival. In particular, those locations with fresh water runoff on the surface and increased water temperatures may increase mortality. Prawn vessels should have sorting tables to improve the speed with which undersized and berried prawns may be released. Survival may be increased if prawns are released into a bucket or tube on the side of the boat, which extends below the surface through the fresh water layer.

4.2.1. Warning, Undersize Prawns and Wastage of Medium Prawns

DFO is concerned about those fish harvesters who are not using accurate measuring devices or not measuring their prawns at all. Fish harvesters should measure small prawns with a set of inexpensive vernier callipers to ensure that no undersize are retained. DFO recommends that buyers also check product size upon delivery, that undersize prawns are sorted out and not boxed. Investigations by DFO to correct problems will prove disruptive to fish harvesters and buyers.

If reports of dumping small legal sized prawns following landing are received, it will be investigated.

4.3. Berried Females

All prawns carrying eggs externally on the underside of the tail shall be returned to the water immediately and in the manner that causes the least harm. Prawns carrying eggs may not be kept and eggs may not be removed from the underside of prawns carrying eggs. Catch must be sorted as it comes on board and the females released **on a trap by trap basis** and in the manner that causes the least harm. **Waiting until the entire string is pulled before sorting is illegal.** It is recommended that fish harvesters relocate to other grounds if they find that they are catching large numbers of berried females. High proportions of berried females may result in closure.

4.4. Catch Prohibited On Board While Fishing

No prawns or shrimp that are not permitted to be retained under the authority of the commercial licence shall be on board the licensed vessel.

4.5. Gear

4.5.1. Trap Limits and Groundlines

All traps must be tagged with numbered tags authorized by DFO. Tag numbers must correspond to numbers registered with DFO for that vessel. Registration is accomplished by entry of the information into a DFO database, by means of an internet page provided for this purpose. Vessel owners may make arrangements with the DFO approved service provider for tags and registration of trap tag numbers. The trap tag number shall be registered with DFO within 24 hours of issuance of a trap tag set by the industry service provider.

A single licence may fish a maximum of 300 traps on six groundlines. There is an allowance for an annual transfer of traps from one W / FW licence to another regardless of vessel length or licence configuration for the purpose of transferring trap allocations

(Section 6.4). Where a trap allocation has been transferred, 100 traps are relinquished, and the receiving vessel is permitted to fish a maximum of 500 traps on 10 groundlines. The transferring W / FW licence is issued with a trap allocation of zero for the licence year.

The Transportation Safety Board has investigated several fishing vessel accidents and found that loading of traps has been a contributing factor in the capsizing of prawn vessels. Vessel masters are advised to carefully consider stability when transporting gear (Appendix 7 Fishing Vessel Safety). Vessel masters are reminded that a second vessel or skiff may be used to transport gear, provided that all gear setting and hauling is done from the licensed vessel. A code of best practices for the prawn fishery was developed in 2013 and is intended to address unsafe work practices that continue to put fishermen, their crew, and vessels at risk. A copy is available from the Pacific Prawn Fishermen's Association or Fish Safe (see Section 14 Contacts of the Integrated Fisheries Management Plan for Prawn and Shrimp by Trap).

4.5.2. Trap and Groundline Limits in Special Management Areas

Trap limits are reduced in the following Special Management Areas (SMAs): Howe Sound and Indian Arm (Subareas 28-1 to 28-5 and Subareas 28-11 to 28-14), Salmon and Sechelt Inlets (Subareas 16-5 to 16-8), Alberni Inlet (Subareas 23-1 to 23-3), and Saanich Inlet (Subareas 19-7 to 19-12). Individual W and FW licences are permitted to fish 150 traps on three groundlines. Where a trap allocation has been transferred, the receiving vessel is permitted to fish 250 traps on five groundlines in these areas.

A vessel fishing in both an SMA and in an adjacent non-SMA area at the same time, shall not fish more than a combined total of 300 traps on six groundlines for a single licensed vessel or 500 traps on 10 groundlines for a vessel having received a trap allocation transfer.

4.5.3. Trap and Groundline Limits in Sooke Harbour

A vessel fishing in the Sooke Harbour and Basin coonstripe fishery in the fall may use a maximum of 50 traps. These may be set on groundlines buoyed at each end, or may be single buoyed traps.

4.5.4. Maximum Groundline Length

The maximum allowable length of groundline between each buoy line is two skates (1,100 metres or 3,600 feet).

4.5.5. Gear Hauling Limits

Trap gear may be hauled only once per day. This applies to all parts of the gear.

Holding cages may be hung on the same buoy and line as trap gear. However, the stipulation that the fishing gear may only be handled once daily also applies to the holding cages if they are on the same buoys and lines as trap gear.

4.5.6. Marking of Gear

Following the opening of the season, all prawn traps on board the fishing vessel, with the exception of replacement gear described in the subsequent paragraph, must be tagged with prawn trap tags. Tag numbers must correspond to numbers registered with DFO for

use by that vessel, by means of the DFO internet page and database established for that purpose. Tags must be securely fastened and attached to the frame or webbing of the trap such that it is visible from the outside, without opening the trap. New tags issued by the service provider will be required each year.

Trap tags are only available from the industry service provider. DFO does not issue tags and does not issue replacement tags in-season.

All previous trap tags shall be removed from the traps when new trap tags are attached. Once tag replacement begins, no trap may be returned to the water until the tag has been replaced and all previous tags removed. Once tag replacement begins, all tags are required to be replaced within 96 hours.

4.5.7. Replacement Traps on Board

Replacement traps may be carried provided that they are in a non-fishable condition as follows: no tags are to be attached and there must be no snaps on the bridles or any other means of immediately attaching the replacement trap to the groundline, until such time as it is needed for replacement purposes.

4.5.8. Buoys

Prawn and shrimp trap gear must be marked at both ends of the groundlines by 127 centimetre (50 inch) circumference or larger, red, or orange buoys or by 10 centimetre diameter x 122 centimetre (4 inch x 48 inch) white PVC pipe weighted at one end and painted orange at the other. The latter has been recommended by industry representatives for use in areas of frequent boat traffic.

The commercial fishing vessel registration number (VRN) and the letters PRN or PRNS, must be painted or otherwise affixed to each buoy such that it is visible at all times without raising the gear from the water. PRN will signify gear being fished from a vessel holding a W or FW licence with an allotment of 300 traps. PRNS is required to identify gear for those vessels fishing a W or FW licence with an allotment of 500 traps. The VRN shall be in solid black Arabic numerals, without ornamentation. Numbers and characters shall not be less than 75 millimetres in height. Improperly marked gear may be removed from the water.

The vessel name may also be displayed. The DOT licence number shall not be displayed on buoys or PVC pipes, in order to avoid confusion with the VRN.

Fish harvesters may add single identifying numbers, letters or symbols to pairs of buoys so that other vessels can better tell where groundlines are located if this may help to reduce oversetting. Any marking shall not obscure the VRN.

Buoys or PVC pipe labelled, as described above, with PRN or PRNS and the VRN shall only be attached to groundlines that have prawn and shrimp traps attached. At the request of the prawn industry and to reduce conflicts between harvesters, setting additional buoys to stake ground is not permitted.

Holding cages hung on separate buoys must be marked with vessel name, VRN, and the word "CAGE". The VRN shall be in solid black Arabic numerals, without ornamentation. Numbers and characters shall not be less than 75 millimetres in height.

4.5.9. Buoys – Sooke Coonstripe Fishery

Individual traps in the Sooke Coonstripe Shrimp trap fishery may be marked with individual bullet floats. The minimum bullet float size is 10L. The VRN and the letter W must be painted or otherwise affixed to each buoy such that it is visible at all times without raising the gear from the water. The VRN and the letter W shall be in solid black Arabic numerals, without ornamentation. Numbers and characters shall not be less than 75 millimetres in height. Improperly marked gear may be removed from the water.

4.5.10. Trap Mesh Size and Biodegradable Escape Mechanism

Traps shall include the following trap escapement modifications except in Subareas 20-6 and 20-7.

Other than the frame, trap mesh must be unobstructed. Trap mesh size requirements apply to the prawn trap fishery and to the Humpback Shrimp trap fishery. Minimum mesh sizes do not apply to the Coonstripe Shrimp trap fishery in Sooke Harbour and Basin, Subareas 20-6 and 20-7.

The trap escapement modifications described below will significantly reduce the capture of undersize prawns but will not totally eliminate them from the catch, particularly in areas when there are high concentrations of small prawns. Fish harvesters are required to sort their catch as each trap comes on board and to release undersized prawns immediately, before the next trap is recovered. Sorting must occur prior to any transfer of catch to live tanks, buckets or other holding devices.

4.5.10.1. Web or Soft Mesh Traps

Web or soft mesh traps shall be covered with a single layer of mesh. The mesh shall measure a minimum of 38.1 millimetres (1 1/2 inch). Mesh size is measured as described in the definition section of the *Pacific Fishery Regulations* as follows: “means the total length of twine measured along two contiguous sides of a single mesh, including the distance across the knot joining those sides but not including any other knots.” All mesh used in the trap including the tunnels must conform to this minimum size. Other than the trap frame, trap mesh must be unobstructed.

Industry representatives have recommended tools for fish harvesters to make a quick assessment of soft web mesh size. This is a “flat slat” made out of high-density nylon or other equivalent material 38 millimetres wide (1.5 inch), 3 millimetres thick (1/8 inch), and as long as may be convenient (6 inch), tapered at one end. If the flat slat cannot be pushed through the mesh, or if it is difficult to do so, then the mesh is likely too small. This is not a legal measuring device; however, fish harvesters can use the flat slat as a quick check. A ruler may also be used. Vernier callipers are the legal measuring tool for determination of legal mesh size. Fish harvesters are encouraged to check their gear in advance of the fishing season and to check the web when receiving new traps or re-webbed traps from suppliers. If the trap mesh appears to be undersize when checked by DFO personnel during the fishing season, traps may be collected for further testing and for legal procedures, or the fish harvester may be requested to remove all gear from the water for inspection.

DFO is concerned about fish harvesters using stretched and distorted web to reduce the sorting efficiency of web traps.

The sort area on these traps is considered to be the lower 15 centimetres of the side wall above the bottom ring. It is recommended that mesh on the trap be constructed, so that upon insertion, a high density round plastic peg that is 19 millimetres (3/4 inch) in diameter and 20.3 centimetres (8 inch) long, weighing no less than 50 grams and no more than 60 grams, will drop completely through the web by its own weight. The bottom of the trap may also be important for sorting. DFO will continue to assess this and additional measures will be introduced if sorting appears to be compromised by mesh stretching or bunching.

4.5.10.2. Wire Mesh Traps

These traps must have either/or:

Four opposing tunnels constructed of an unobstructed rigid square mesh material having a minimum dimension (after dip coating) that will allow the passage of a 22.2 millimetre (7/8 inch) square peg through the mesh without altering the shape of the mesh opening. The lower side of each tunnel must extend to the bottom edge of the trap and must be at least one-half the length of the trap side.

The bottom and two opposing sides must be constructed of an unobstructed square mesh material that will allow the passage of a 19 millimetre (3/4 inch) square peg through the mesh without altering the shape of the mesh opening.

The bottom and all sides must be constructed of an unobstructed square mesh material that will allow the passage of a 22.2 millimetre (7/8 inch) square peg through the mesh without altering the shape of the mesh opening.

4.5.11. Biodegradable (“Rot”) Cord

All prawn traps shall contain a biodegradable escape mechanism to allow bycatch to escape in the event traps are lost.

Web and soft mesh traps shall contain an opening equal to or exceeding 30 cm in length. The opening shall be within 15 cm of the bottom of the trap and parallel with the bottom frame. The opening shall be laced, sewn, or otherwise secured by a single strand of no greater than #30 untreated cotton twine. The cotton twine shall be knotted at each end only. The twine shall not be tied or looped around the frame of the trap.

Wire or hard mesh traps shall have a biodegradable (“rot”) panel. The rot panel shall consist of a section in a trap side wall that has been laced, sewn, or otherwise secured by a single strand of no greater than #30 untreated cotton twine, such that the entire panel remains under tension when the panel is intact but on deterioration or parting produces an unrestricted opening. The opening shall exceed a square 11 cm by 11 cm.

4.5.12. Maximum Allowable Trap Size

No web or soft mesh trap with a volume greater than 170 litres is permitted. No wire or hard mesh trap with a volume greater than 100 litres is permitted except those traps constructed with the bottom and all sides with a mesh that will pass a 22.2 millimetre square peg, which may have a volume no greater than 170 litres. All measures are determined from the outside dimensions of the trap. These measures include tunnel volumes.

Maximum volumes by trap type have been adopted to prevent the practice of “trap doubling,” which is the practice of tying two traps together to be fished as a single unit. This practice was deemed to circumvent the intent of the trap limitation management provisions in this fishery.

The Transportation Safety Board has expressed concern for large diameter heavier traps. The future use of traps with a wet weight greater than 7 kg (rigged, no bait) may be prohibited. Fish harvesters should make sure they have registered their number of “heavy traps” with the DFO Lead Fishery Manager (L. Convey at 250-756-7233).

4.5.13. Maximum Allowable Trap Size, Sooke Coonstripe Fishery

Cedar lathe traps may be used in the Sooke Coonstripe Shrimp trap fishery, with a maximum volume of 230L. Trap volumes are based on the overall outside dimension of the trap, inclusive of the frame and the tunnels.

4.5.14. Recovery of Lost Trap Gear

In-season, a W or FW licensed vessel may not carry, set or recover tagged traps for another W or FW licensed vessel.

If a fish harvester locates and recovers their own lost gear, all catch must be released. Recovered traps must be emptied and rendered non-fishable immediately as they come on board. Alternatively the fish harvester may attach a marker and line to the gear and advise a DFO manager or fishery officer of the location of the gear. Lost gear may not be recovered after the season has closed. Contact the local DFO fishery office.

4.5.15. Fishing Gear Conflicts

Commercial harvesters are required to exercise care when setting gear near recreational and First Nations’ FSC fishing gear. Fouled gear should be untangled without cutting and returned to the water intact. If a line must be cut, it should be the commercial harvester’s line.

Continued gear conflict with recreational and First Nations harvesters will lead to closure requests from that sector or First Nations. DFO’s preference is to provide a mutually satisfactory harvest experience for all user groups through respect of the other person’s gear and fishing practices, rather than invoking closures to separate fishing effort.

4.5.16. Extra and Replacement Sets of Trap Tags

4.5.16.1. Additional Tags

The licence holder or vessel master may receive additional tags with the main tag set. These additional tags are only to be used as required to replace tags on traps lost on the grounds. A fishery officer or guardian may request to see the unused tags. Vessels are permitted to fish only the maximum number of traps specified on the licence, and may not use the additional tags to increase gear in the water greater than the licence limits.

4.5.16.2. Full Replacement Sets

In-season full replacement tag sets are available from the industry service provider. They are not available from DFO. Once installation of the new tags has commenced, all tags

must be replaced and no traps can be returned to the water with old tags attached to them. All previously issued tags must be removed from the gear.

4.6. Whale Encounter Protocols and Reporting Marine Mammal Interactions

If a marine mammal becomes entangled in fishing gear, immediately log your coordinates and contact the Marine Mammal Incident Hotline 1-800-465-4336 providing as much information as possible regarding species and gear type and a DFO representative will contact you. If a whale is entangled in fishing gear you may be asked to track the animal to aid in relocating the animal as an attempt may be made to rescue both the animal and fishing gear.

Reporting all interactions with marine mammals to the Marine Mammal Incident Hotline 1-800-465-4336 is mandatory during all commercial fishing trips. Interactions refer to cases of incidental mortality and serious injury to marine mammals. This includes accidental drowning, bycatch, entanglements, collisions and fatalities.

A marine mammal interaction reporting form is available in Appendix 6 and at:

<http://www.dfo-mpo.gc.ca/species-especes/mammals-mammiferes/report-rapport/fish-harvester-pecheur-eng.asp>

4.7. Basking Shark Entanglement Protocols

Incidental entanglement of ‘endangered’ Pacific Basking Sharks (*Cetorhinus maximus*) in trap lines is rare but may occur. Pursuant to subsection 73(2) (c) through 73(6) of the *Species at Risk Act (SARA)*, the vessel master must ensure that every measure is taken to avoid the incidental entanglement of basking sharks while conducting prawn and shrimp fishing activities, that fishing gear is not set or hauled when a Basking Shark is within 10 m of the fishing vessel and/or visible at the water’s surface, and that any live Basking Shark entangled in fishing gear is released in a manner that causes the least harm to the shark.

Should a shark entangle in trap lines, assess whether the shark is alive or dead and in good (e.g. active swimming, minimal wounds) or poor (e.g. sluggish, visibly wounded) condition. Proceed accordingly, and with extreme caution. Always avoid the strong caudal (tail) fin, which can cause injury by thrashing.

If the shark is alive, attempt to disentangle the shark as quickly as possible, and in a manner that causes the least amount of harm to the animal.

- a.) Maneuver your boat as close to the shark as possible without causing further injury or entanglement. Turn off your engine, if possible, or switch it into neutral.
- b.) Grapple the line, and bring the shark as close to the side of the boat as possible.
- c.) Pull the line to restrict the shark’s movement. Hold the shark firmly against the side of the boat, preventing it from thrashing further. Avoid the use of restraining devices such as straps, tail ropes, gaffs, etc. Do not hold the shark by its gills. This may cause serious injury. Do not attempt to bring the shark onboard the vessel.

- d.) Try to unwind the line without cutting it. If you cannot untangle the line from the shark without cutting it, use a gaff to pull the line away from the shark before cutting the line free.

Document all entanglement encounters in the harvest logbook and notify DFO of the encounter through the Basking Shark Sightings Network (1-877-507-4275). Dead basking sharks cannot be retained and must be disentangled from the fishing gear and discarded at-sea.

4.8. Multi-licensed Vessels

Where a Prawn and Shrimp by Trap (category W or FW) licensed vessel also holds a Shrimp Trawl (Category S or FS) licence eligibility, all shrimp including prawns caught under the authority of the S or FS licence must be offloaded prior to that vessel fishing under the authority of the W or FW licence. Likewise, all prawns caught under the authority of the W or FW licence must be offloaded before fishing commences under the authority of the S or FS licence.

5. MANAGEMENT MEASURES - HUMPBACK AND COONSTRIPE FISHERIES

5.1. Prince Rupert Harbour and Masset Inlet Humpback Shrimp Fisheries

A directed fishery for Humpback Shrimp (*Pandalus hypsinotus*) occurs in Subareas 4-10 and 4-11 (Prince Rupert Harbour) and may occur in Subarea 1-6 (Masset Inlet) by request. Prawns may not be retained or possessed in these fisheries. Vessels must offload all prawns prior to fishing Humpback Shrimp in these areas. Trap limits, tag requirements, groundline limits, minimum mesh size, haul and set/haul location, and vessel location requirements are in effect (Section 4).

The Prince Rupert Harbour Commission and the Prince Rupert Harbour Humpback Shrimp harvesters requested a later opening date of September 1 for this fishery commencing in 2003. This was reviewed and unanimously agreed to by elected industry representatives. DFO supported this change as it allows for increased growth of the shrimp prior to harvest (reduces growth over fishing), improving catch weight and value.

The Minister wrote in 1997: “Any directed fishery for Humpback Shrimp in non-traditional areas, or with new or modified trawl or trap gear, will be subject to the Pacific Region Guidelines on New and Developing Invertebrate Fisheries.” It also includes: “industry is responsible for providing biological, management, and assessment information that will lead to the proper understanding of this fishery and of these stocks.” Accordingly, additional fishing effort on Humpback Shrimp will only be considered where there is a scientific plan established to collect stock assessment information, supported by funding from industry.

Humpback Shrimp samples are required from Prince Rupert Harbour, as discussed with local harvesters and industry representatives in 2003. Results from the pilot study in 2003 indicated that index sampling may be an effective management tool, however, base index levels need to be determined. Beginning in 2004, fish harvesters participating in the Prince Rupert Harbour Humpback Shrimp trap fishery have been required to make

arrangements for the collection of samples by observers. Each participating fish harvester is required to arrange for one day of observer sampling. The W or FW licence issued in April does not include fishing access to Prince Rupert Harbour. Prior to the September opening, fish harvesters must make arrangements for extra observer sampling, vessel monitoring system (VMS) coverage and request amended Conditions of Licence through NOLS to allow for fishing Humpback Shrimp by trap in Prince Rupert Harbour.

The use of small mesh in humpback shrimp trap fisheries was discontinued in 1999. Prior to this, catch per unit effort (CPUE) had plummeted. With the adoption of larger mesh, CPUE has improved. Total annual catches have stabilized at approximately 22,680 kg (50,000 lbs), comparable to or greater than historic landings. DFO received a request for a return to small mesh in this fishery for 2006. This request was refused on the basis of risk to sustainability of the fishery. Humpback Shrimp data was reviewed in a research paper by DFO Science in 2006.

5.2. Sooke Harbour and Basin Coonstripe Shrimp Fishery

A directed fishery for Coonstripe (or Dock) Shrimp (*Pandalus danae*) occurs in Subareas 20-6 and 20-7. The fishery has occurred from November 1 to December 31. Prawns may not be retained or possessed in this fishery. Tag requirements and hail requirements are in effect (Section 4). A maximum of 50 traps per vessel may be fished. Traps may be set on groundlines or individually buoyed. There is no minimum mesh size requirement for traps used in this fishery.

Industry representatives have expressed interest in the past in varying fishing times in this fishery. The commencement date may be varied but there is insufficient biological information to extend the length of the fishing period beyond 2 months. Fish harvesters who want to contribute through the collection of on-board samples with DFO or observers are invited to contact DFO prior to the fishery opening.

6. LICENSING

6.1. National Online Licensing System (NOLS) Client Support - Licensing Services

All fish harvesters/licence holders/vessel owners are now required to use NOLS to view, pay for and print their commercial fishing licences, licence conditions and/or receipts.

Training materials, including step-by-step guides and a detailed user training manual, are available online (<http://www.dfo-mpo.gc.ca/FM-GP/SDC-CPS/licence-permis-eng.htm>) to guide users of the system in completing their licensing transactions. DFO also provides client support and assistance on how to use the system via e-mail at fishing-peche@dfo-mpo.gc.ca or by calling toll-free at 1-877-535-7307 (7:00 AM to 8:00 PM Eastern, Monday to Friday).

For more information on how to register and use the system, visit the website address above, or contact client support.

6.2. Licence Category

A prawn and shrimp by trap (category W) or communal commercial (category FW) licence is required to commercially harvest prawn and shrimp by trap gear.

Category W licence eligibilities are limited entry and vessel-based. Category FW licence eligibilities are limited entry and party-based; a First Nations group is the licence eligibility holder and the eligibility must be designated to a commercially registered fishing vessel that meets established length restrictions.

6.3. Licence Renewal Fee

The annual licence application fee for a commercial, category W, licence is \$320.00. There is no annual licence fee for a communal commercial category FW licence.

6.4. Licence Issuance

Renewal of a category W licence and payment of the fees must be done on an annual basis to retain the privilege to be issued the licence in the future, regardless of whether or not fishing is carried out. Those category W licences not renewed by December 31, 2019 will cease and licence issuance requests will be unable to be considered in future.

Prior to annual licence issuance of a communal commercial (FW) licence, licence eligibility holders are required to annually designate the fishing vessel to hold the licence. This must be done by navigating to the 'Submit a Request' menu selection within the National Online Licensing System (NOLS). Full instructions are available at: <http://www.dfo-mpo.gc.ca/fm-gp/sdc-cps/products-produits/request-demande-eng.htm>

Prior to annual licence issuance, vessel owners/licence eligibility holders are required to:

- a) Meet any Ministerial conditions placed on the licence eligibility;
- b) Ensure any conditions of the previous year's licence, such as submission and approval of logbooks have been met;
- c) Ensure that the designated vessel's overall length does not exceed the maximum vessel length of the category FW licence eligibility; and
- d) Any application for transfer of trap allocation has been submitted by **April 30, 2019**.

To avoid delays, please ensure the payment and vessel designation information is submitted all at the same time through the Submit a Request menu selection within the NOLS, when renewing a communal commercial licence.

6.5. Licence Documents

Prawn and Shrimp by Trap licence documents are valid from the date of issue to December 31, 2019. Replacements for lost or destroyed licence documents may be obtained by reprinting the licence documents through the NOLS.

6.6. Trap Re-allocation

Temporary transfer or trap re-allocation is permitted on an annual basis. Where a trap allocation is transferred to another vessel, 100 traps are relinquished and the receiving vessel may fish a maximum of 500 traps. The transferring W / FW licence is issued with

a trap allocation of zero for the licence year. Application for transfer of a trap allocation will only be accepted prior to payment for licence renewal. This applies to both vessels.

For 2019, application for transfer of a trap allocation must be submitted using NOLS by **April 30, 2019**, without exception. Applications submitted after April 30, 2019 will not be accepted.

6.7. Designation of Harvesters to Fish a Communal Commercial Licence

Under the *Aboriginal Communal Fishing Licence Regulations*, every person working on a vessel that is fishing under authority of a communal commercial licence must be designated by the First Nation that holds the licence. The designation must be made in writing and include the person's name and reference the communal commercial licence. The designation must be carried on-board and be produced on request of any Fishery Officer.

First Nations licence holders interested in obtaining an example template to use to designate their fish harvesters may contact a DFO Resource Manager (see Contacts in Section 14 of the Integrated Fisheries Management Plan for Prawn and Shrimp by Trap).

6.8. Vessel Replacement

The owner(s) of a category W-licensed Prawn and Shrimp by trap vessel may make an application to replace the commercial fishing vessel. Both the replacement vessel and the vessel being replaced must have a survey on file with the Pacific Fishery Licence Unit (PFLU) or submitted with the vessel replacement application. The vessel must be surveyed according to the DFO guidelines.

Only one Prawn and Shrimp by trap licence is allowed on a vessel at a time.

The replacement vessel may not exceed the overall length of the vessel being replaced.

Prawn and Shrimp by trap licence eligibilities become married to other vessel-based licence eligibilities when combined on a vessel.

Communal commercial licences are not eligible for vessel replacement as the licence eligibility is party-based.

Temporary vessel replacement is allowed if the vessel has been declared a loss or the vessel is out of service due to an accident or unforeseen damage. Vessels that are in disrepair at the time of purchase, have engine problems, or have encountered delays in annual maintenance or rebuilding do not qualify for a temporary replacement. Written confirmation from an insurance company, shipyard, or marine engineer explaining why the vessel is inoperative must be submitted to a Pacific Fishery Licence Unit when declaring the vessel a total loss. The temporary replacement vessel may not exceed the overall vessel length plus 10 per cent of the Prawn and Shrimp by trap vessel.

Should the Prawn and Shrimp by trap licence eligibility be temporarily split from other licence eligibilities, the remaining eligibilities may not be placed on a third vessel.

For further information on vessel replacement policies, please contact DFO by telephone at 1-877-535-7307 or email at fishing-peche@dfo-mpo.gc.ca.

6.9. Fish Receiver Licence and Transporting Licence Requirements

When product is transferred from one vessel to another vessel or a vehicle, that vessel or vehicle requires a provincial Fish Receiver licence. This licence is required for all types of vessels and vehicles, including aircraft. The licence may also be required for personal vehicles in some instances, when a vehicle is carrying the catch from more than one vessel, even if the licence holder owns both vessels. Fish harvesters should contact the BC Ministry of Agriculture and Lands, Courtenay Access Centre (250) 897-7540, for additional information.

Information is available on the internet at:

<https://www2.gov.bc.ca/gov/content/industry/agriculture-seafood/fisheries-and-aquaculture/seafood-industry-licensing>

If catch is transferred from a category W or FW licensed vessel to another vessel, the receiving vessel must have a commercial fishing licence or a transporting, category D, licence issued under *Pacific Fishery Regulations*, Part II, Section 24.

A category W or FW licensed vessel may not transport prawns and shrimps for another W or FW licensed vessel (Section 4.4).

7. CONTROL AND MONITORING OF COMMERCIAL FISHING ACTIVITIES

7.1. Requirement to hail out

Vessel masters must arrange for fishing commencement information, or hail out, to be provided by the industry service provider, Monday to Friday 8:00 a.m. to 4:00 p.m. to DFO by means of an internet reporting system established for this purpose.

The vessel master shall have the industry service provider notify DFO prior to commencement of fishing of the following:

- a) Vessel name, vessel master's name, and VRN;
- b) The time and date the report was made;
- c) The name of the person supplying the information from the vessel;
- d) The name of the person who entered the information into DFO's Internet Access database on the vessel master's behalf;
- e) The date for which the report is effective;
- f) Management Subareas (as defined in the *Pacific Fishery Management Area Regulations, 2007*) to be fished;
- g) Time and date that fishing will commence;
- h) Set and haul validation number; and
- i) The hail verification number issued by the industry service provider to the vessel master.

Fishing may not commence until a hail has been made and a hail verification number received.

Vessel masters must provide set and haul information for in-season assessment of effort and for the deployment of industry service provider observers (Section 7.2). Prior to

fishing, vessel masters must acquire a set and haul validation number from the industry service provider.

Vessel masters using a DFO-approved VMS which integrates the set and haul programming will obtain a set and haul validation number from the industry service provider.

Vessel masters using a DFO-approved VMS which does not integrate the set and haul programming, must contact their industry service provider to obtain a set and haul validation number by phoning 1-866-930-4000 and arrange for set and haul information to be transmitted to the industry service provider within five minutes of each set and haul throughout the fishing season.

7.1.1. Fishing Activity Location Reports

All vessels are required to have a fully operational DFO-approved VMS and to report the geographic position (latitude and longitude) of the vessel, date and time corresponding to this position, and Communication Service Provider identifier for the VMS unit. This information shall be reported automatically to the DFO Vessel Monitoring Operations Centre (Newfoundland) every 15 minutes throughout the season, from the time the vessel leaves port for the first fishing trip until it returns to port and all catch on board the vessel is offloaded after its last fishing trip.

A list of DFO-approved VMS units can be found at: <http://www.nfl.dfo-mpo.gc.ca/e0011108> or by contacting DFO by telephone at 1 (709) 772-5789 or Toll Free at 1 (888) 772-8225.

A completed DFO National VMS Form shall be faxed to DFO at 1 (709) 772-5787 **not less than two business days** before commencing fishing for each VMS unit installation, replacement, transfer, or change to the licence holder.

The DFO National VMS Form is available on the internet at:

<http://www.nfl.dfo-mpo.gc.ca/e0010178>

In event the VMS unit or equipment becomes inoperative, is turned off, or malfunctions, the industry service provider must be notified immediately by telephone at 1-866-930-4000 Monday to Friday 8:00 a.m. to 4:00 p.m. and provide the following information:

- a) Vessel name, vessel master's name, and VRN;
- b) The date and time of sailing;
- c) The port of landing; and
- d) The telephone number where the vessel master can be reached.

A back-up VMS unit must be activated within 72 hours of the malfunction. A back-up VMS unit may be obtained by phoning 1-866-930-4000 and provide the following information:

- a) Vessel name, vessel master's name, and VRN;
- b) The telephone number where the vessel master can be reached.

Once 72 hours from the malfunction has elapsed, fishing may only resume once the VMS unit is turned on and fully operational or when the vessel master has received approval from DFO.

In the event of a VMS unit failure where a vessel carries two or more approved VMS units on board, it is the responsibility of the vessel master to immediately notify DFO that a secondary unit is being activated and subsequently ensure it is fully operational, turned on and in use before resuming fishing activity.

7.2. Information Reports from Sea (Spawner Index Sampling)

Vessel masters shall arrange to have information about fishing operations and spawner index information reported to DFO or the industry service provider as required.

During the course of the season, each vessel must provide a Fishing Operations At-sea Report and data from spawner index samples collected by the industry service provider observers during fishing operations. Each spawner index sample consists of a sample of one complete string of gear which has been set for a minimum of 12 hours, with a minimum of every fourth trap contributing to the sample. A minimum of 12 traps is sampled from each string of gear. Species, number and weight of all rockfish bycatch caught in the string that is sampled for spawner index data must also be provided. A minimum of 45 traps shall be hauled from the water and examined for the purposes of completing the Fishing Operations At-sea Report.

Set and haul data must be provided to the industry service provider during fishing operations. The set and haul data must include:

- a) Vessel name;
- b) VRN;
- c) Activity: set or haul
- d) GPS source: GPS device or manual entry;
- e) Vessel GPS location (latitude and longitude);
- f) String GPS location (latitude and longitude);
- g) Subarea of string location;
- h) Communication Service Provider Number;
- i) UTC date and time (yyyy-mm-dd, HH:MM:SS);
- j) Speed (knots);
- k) Heading; and
- l) International Mobile Station Equipment Identifier (IMEI).

Set and haul data must be transmitted to the industry service provider not later than five minutes following the setting or retrieval of each string of gear.

A DFO-approved VMS unit (Section 7.1.1) which integrates the set and haul programming shall automatically provide vessel location data every 15 minutes to the industry service provider, and the vessel master shall enter the set and haul data of a given set or haul activity using the facilities of the VMS unit.

The vessel master using a DFO-approved VMS unit which does not integrate the set and haul programming, shall provide the set and haul data by sending the information by electronic mail to prawnsethaul@jothomas.com, or by phoning 1-866-930-4000 and providing the information verbally. The Communication Service Provider Number and IMEI are not required for verbal reports. Contact the industry service provider to make arrangements to provide vessel location.

Providing this information will reduce search time, improve opportunities for sampling, and avoid unnecessary closures by DFO due to lack of information. Fish harvesters are encouraged also to maintain communications with their industry service provider's local observer vessels when they are fishing. **DFO will close fishing areas if there is insufficient sampling because observers cannot locate vessels and gear.**

7.3. Catch Reporting

7.3.1. Harvest Log Data

The vessel master is responsible for the provision and maintenance of an accurate record, a "log" of daily harvest operations. This log must be completed and a copy submitted in both hard (paper) copy and electronic form in an approved format as defined by DFO Stock Assessment and Research Division's Shellfish Data Unit.

To fulfil stock assessment objectives it is imperative that a fine resolution of fishing location be reported in this fishery. The vessel master is responsible for reporting latitude/longitude position on harvest logs in the "location" field for each string of traps fished.

Logbooks meeting the requirements of DFO are available from service providers who, for a fee, will provide the logbook coding and data entry service, thus complying with the requirements for a hard (paper) copy and an electronic copy of harvest data.

The original white page copy of the log and the electronic copy must be forwarded within 28 days following the end of each month in which fishing occurred. This information must be sent to:

Fisheries & Oceans Canada
Shellfish Data Unit
Pacific Biological Station
3190 Hammond Bay Road
Nanaimo, B.C., V9T 6N7
Phone: (250) 756-7022 or (250) 756-7306

As an alternative to harvest log provision through a service provider, the vessel master may provide a hard copy log in the same form and providing the same particulars as shown in the fishing log sample Appendix 5: Example of Prawn and Shrimp by Trap Harvest Log. The vessel master must also provide an electronic copy of the harvest data, which is required to be a true and accurate transcription of the hard copy data, delivered to DFO on Shellfish Data Unit approved media. All media will remain the property of DFO. The electronic copy must be a database table of specific design created by Microsoft Access 2010 (or earlier version).

Contact the Shellfish Data Unit at the above address to obtain the full requirements and acceptable data formats that meet the Conditions of License. The hard copy and the electronic copy of the harvest log must be forwarded within 28 days following the end of the month in which fishing occurred. This information must be sent to the above address.

For enforcement purposes, information regarding the latitude and longitude of each string of fishing gear, and the haul time of that gear shall be entered in the logbook within ½ hour (30 minutes) of the string being hauled and prior to any additional hauling of gear.

The latitude and longitude shall be entered in the “location” field of the harvest log. The time of haul shall be entered in the “time of haul” field. This information shall be entered on a string by string basis.

The remaining logbook harvest information must be recorded in the harvest log by 23:59 hours of the day of fishing. The logbook must be kept aboard the licensed vessel. Logbooks must be produced for examination on demand of a fishery officer, guardian, or a fishery observer designated under the *Fisheries Act*.

7.3.1.1. Submission and Release of Harvest Log Data

The licence eligibility holder is responsible to ensure that the vessel master has completed and submitted a copy of the harvest log data. DFO can only release harvest log data to the licence eligibility holder of record reported with the Pacific Fishery Licence Unit, and only upon written request.

7.3.1.2. Nil Report for Harvest Log - License Issued but not Fished

In the event that a licence is issued but not fished, the licence eligibility holder is responsible for submitting a Nil Report for the season. The Nil Report must be submitted prior to the issue of approval for licence renewal. One page from the harvest logbook identifying the vessel, licence tab number, and the year with “Nil” entered in the body of the log and signed by the vessel owner constitutes a Nil Report.

DFO reminds harvesters that harvest logs must be completed accurately during fishing operations and submitted to DFO in accordance with the timing set out in Conditions of License. Delay of completion or submission of logs is a violation of the Conditions of License.

7.3.1.3. Confidentiality of Harvest Data

Harvest data, including fishing location data supplied through latitude/longitude coordinates, collected for use under the harvest logbooks for shellfish fisheries programs are used by DFO in the proper assessment, management and control of the fisheries. Upon receipt by DFO of harvest log data and/or fishing location information, supplied by the harvester in accordance with Conditions of License, Section 20(1)(b) of the *Access to Information Act* prevents DFO from disclosing to a third party records containing financial, commercial, scientific or technical information that is confidential information. Further, Section 20(1)(c) of the *Act* prevents DFO from giving out information, the disclosure of which could reasonably be expected to prejudice the competitive position of the license holder.

7.3.2. Fish Slip Requirements

An accurate written report shall be submitted by the vessel master on a fish slip of all fish and shellfish caught. A written report must be submitted even if the fish and shellfish landed are used for bait, personal consumption, or otherwise disposed. The written report shall be posted not later than seven days after the offloading and sent to:

Fisheries and Oceans Canada
Fisheries Management Branch, Regional Data Unit
200 - 401 Burrard St.
Vancouver, B.C. V6C 3S4

Fish slips may be downloaded and printed or may also be ordered from the printer at user cost at:

<http://www.dfo-mpo.gc.ca/fm-gp/sdc-cps/fishslips-carnets/index-eng.htm>

Phone (604) 666-2716 for more information.

8. GENERAL INFORMATION


8.1. Rockfish and Assistance to At-Sea Observers

Observers are required to identify and record all of the rockfish caught in strings of gear that are sampled for spawner index data. This applies coast-wide. To accomplish this, while an observer is on board, the vessel master or crew is requested to put all rockfish from the sample string into a holding bucket for later identification and counts by the observer. Vessel masters or crew who are experienced in rockfish identification are requested to assist the observer. Additional strings may not be hauled until the rockfish data recording is complete, unless other arrangements have been made with the observer. It is understood that this may cause some delays on board.

In addition, vessel masters and crew are invited to identify to the elected industry representatives or the Pacific Prawn Fishermen's Association those types of traps and bait combinations which appear to capture, or reduce, the greatest numbers of rockfish.

8.2. Sylon Parasites and Live Transport of Prawns

Live transport of prawns from northern and central coast areas could result in the unintentional introduction of a parasitic barnacle, *Sylon sp.* (see pictures below), to southern waters where it is currently not known to occur on prawns. Introduction of this parasite could occur through the release of viable larvae in water discharged from live holding tanks. Precautions can be taken by disinfecting all seawater in which prawns are transported, prior to discharging holding tanks.



Examples of sylon parasites on prawns.

Contact the following for more information:

Gary Meyer
Pacific Biological Station
Nanaimo, B.C. V9T 6N7
Phone: (250) 756-7000

More information is available on the internet at:

<http://www.dfo-mpo.gc.ca/science/aah-saa/diseases-maladies/sylonsp-eng.html>

<http://www.dfo-mpo.gc.ca/science/aah-saa/diseases-maladies/index-eng.html>

8.3. On-Board Freezing

On January 15, 2019, the *Safe Food for Canadians Act* and *Safe Food for Canadians Regulations* will come into force. The new consolidated regulations will require those businesses who export or prepare food for export and/or inter-provincial trade to obtain a license and to document preventive controls that outline steps to address potential risks to food safety.

Please contact the product exporter and the CFIA licensed processor(s) of your catch to discuss these requirements before you fish.

For questions about the *Safe Food for Canadians Regulations*, please refer to the Canadian Food Inspection Agency (CFIA) website for more information, contact the CFIA at one of the offices (Section 8.4), or send your questions to Ask CFIA at:

<http://inspection.gc.ca/industry-guidance/ask-cfia/eng/1466573216927/1466573290851>

Information about the *Safe Food for Canadians Regulations* is available at:

<http://www.inspection.gc.ca/food/eng/1299092387033/1299093490225>

<http://www.inspection.gc.ca/food/general-food-requirements-and-guidance/licensing/food-business-activities/eng/1524074697160/1524074697425>

Please refer to Appendix 8 for CFIA sanitary guidelines for handling of prawns and shrimp.

Provincial regulations apply to non-federally registered facilities processing prawns and shrimp for sale within BC. Contact the Ministry of Agriculture and Lands, Courtenay Access Centre at (250) 897-7540.

8.4. Glazed Prawn Sale Requirements

Fish harvesters are reminded that prawns that have been “dipped” or otherwise chemically treated must be done in a manner such that compliance to the *Food and Drug Regulations* and the *Safe Food For Canadians Regulations* is maintained.

Where additives have been used, the additive must be declared in the label’s list of ingredients. In the case of sulphites, the name of the actual sulphite used must be declared on the label or box.

Information on labelling requirements is available on the internet at:

<http://inspection.gc.ca/food/general-food-requirements-and-guidance/labelling/eng/1299879892810/1299879939872>

For further information, contact the local CFIA fish inspection office:

Burnaby: (604) 666-9904
Victoria: 250-363-3618
Parksville: (250) 248-4772

Commercial fish harvesters are reminded that a Fisher Vendor Licence is required to sell prawns or shrimp directly to the public for that person's personal use. Fish harvesters should contact the Ministry of Agriculture and Lands, Courtenay Access Centre at (250) 897-7540 for additional information. Information is also available on the internet at:

<https://www2.gov.bc.ca/gov/content/industry/agriculture-seafood/fisheries-and-aquaculture/seafood-industry-licensing>

8.5. Commercial Vessels Participation in First Nation's FSC Fisheries

There are restrictions on commercial vessel participation in First Nations FSC fisheries authorized under an Aboriginal communal licence. Conditions of the Aboriginal communal licence must be followed.

Commercial vessels are restricted to commercial catch during the commercial fishery.

8.6. Octopus Retention

All fish harvesters are required to accurately report information about the octopus catch. This information is required to develop further understanding of the distribution and strength of octopus species caught by commercial trap harvesters. Failure to provide this information will result in termination of this fishing privilege. The elected industry representatives encourage all commercial fish harvesters to accurately report octopus catches so that this fishing privilege may continue.

8.7. Groundfish Bait

Fish harvesters are reminded that any groundfish used for bait must be caught in accordance with the appropriate groundfish licence and its attached Conditions of Licence (Section 4.1). Dockside monitoring is an essential element of groundfish stock monitoring and quota management. Therefore, it is required that fish harvesters using any groundfish for bait (e.g. dogfish) land and validate that groundfish catch prior to using it for bait, in accordance with the Schedule II Conditions of Licence under which authority that groundfish species is taken. Hook and line gear is prohibited in RCAs.

8.8. Canadian Shellfish Sanitation Program

Disposal of human waste into waters where shellfish are harvested or adjacent to shellfish harvest areas creates unnecessary and potentially serious health risks for shellfish consumers. In accordance with the Canadian Shellfish Sanitation Program (CSSP) and Transport Canada regulations, raw sewage (human wastes, sewage or refuse) shall not be discharged from vessels while in or adjacent to shellfish areas. Vessels operating at a distance which does not allow for timely access to on-shore washroom facilities are

expected to have a designated human waste receptacle on board. Receptacles could include a portable toilet, a fixed toilet, or other containment device as appropriate. Such devices must be made of impervious, cleanable materials and have a tight-fitting lid.

Refer to Transport Canada's Regulations for *Vessel Pollution and Dangerous Chemicals Regulations* under the *Canada Shipping Act*:

Portable toilets or other designated human waste receptacles shall be used only for the purpose intended, and shall be so secured and located as to prevent contamination of the shellfish area by spillage or leakage.

The contents of toilets or other designated human waste receptacles shall be emptied only into an approved sewage disposal system.

Appendix 2: 2019/20 Prawn and Shrimp by Trap Recreational Harvest Plan

TABLE OF CONTENTS

1.	RECREATIONAL HARVEST PLAN HIGHLIGHTS AND CHANGES 2019/20	2
2.	CONTACTS AND SOURCES OF INFORMATION	4
3.	OPEN TIMES	4
3.1.	Coast-wide	4
4.	CLOSURES	4
4.1.	Seasonal Closures	4
4.2.	Permanent Closures & Advisories	6
4.3.	Closure Notifications and Announcements	12
5.	LICENSING	12
5.1.	Licence Category	12
6.	MANAGEMENT MEASURES	12
6.1.	Species	12
6.2.	Size Limit	12
6.3.	Catch and Possession Limit	12
6.4.	Release of Berried and Undersized Prawn and Shrimp	13
6.5.	Gear	13
7.	CONTROL AND MONITORING OF RECREATIONAL FISHING ACTIVITIES	14
7.1.	Catch Reporting	14
8.	GENERAL INFORMATION	15
8.1.	Bacteria and Viruses	15
8.2.	Whale Encounters	15
8.3.	Fishing Practices	15

1. RECREATIONAL HARVEST PLAN HIGHLIGHTS AND CHANGES 2019/20

Recreational prawn fishery regulations are described in the British Columbia (BC) Tidal Waters Sport Fishing Guide:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/rec/index-eng.html>

- 1.1 A new management plan for the Gwaii Haanas National Park Reserve, National Marine Conservation Area Reserve, and Haida Heritage Site was approved by Canada and the Haida Nation in November 2018. The final zoning plan includes a number of new areas of strict protection, where commercial and recreational fishing are prohibited (Appendix 13). The implementation of these closures may take some time. However, steps are being taken to undertake this work and each closure will be communicated in-season via fishery notice as it is implemented (Section 4.2.1 and 4.3).
- 1.2 Following the request for voluntary avoidance in 2018, eight new glass sponge reefs sites (representing nine reefs) in Howe Sound are closed effective April 1st, 2019 to all bottom contact (and use of downrigger gear for salmon troll) fishing, including prawn and shrimp fishing. The reefs are located in Subareas 28-2 and 28-4 by Lion's Bay, Anvil Island, Halkett Point on Gambier Island, Bowyer Island, Dorman Point on Bowen Island and the Defence Islands (Section 4.2.2 and Appendix 11).
- 1.3 Please see Section 4.4.2 of the Integrated Fisheries Management Plan for Prawn and Shrimp by Trap for additional initiatives under the Government of Canada's commitment to protecting 10% of Canada's marine and coastal areas by 2020.
- 1.4 DFO implemented a number of measures in 2018 for Southern Resident Killer Whales, including measures aimed at increasing prey availability and accessibility - particularly Chinook salmon - and reducing threats related to physical and acoustic disturbance in key foraging areas. DFO is reviewing the measures, in consultation First Nations and stakeholders, with a view to determining whether different and/or additional measures may be required in 2019. These measures may include fishery closures or other area-based measures implemented pre-season or (in some cases) in-season.
- 1.5 New recreational catch limits for prawn and shrimp (combined) were introduced in April, 2019 following input from the Sport Fishing Advisory Board (SFAB) on a reasonable expectation of catch.
- 1.6 "Berried" refers to female prawns and shrimp that are carrying eggs held under their tails. It is a condition of the Tidal Waters Sport Fishing Licence that all prawns carrying eggs externally on the underside of the tail shall be returned to the water immediately and in the manner that causes the least harm (Sections 6.4 and 8.3).
- 1.7 DFO is working with the SFAB towards adopting standard buoys in the recreational fishery to differentiate prawn and crab fishing gear and to eliminate the use of household plastic containers or blocks of styrofoam as these can often deteriorate in sunlight or waves and sink, contributing to garbage washing up on the shoreline and loss of trap(s) which continue to "ghost fish" for years to come. Amendment to the *BC Sport Fishing Regulations* is moving forward to require a biodegradable escape mechanism, or 'rot cord', in all recreational prawn and crab traps to allow bycatch to escape in event traps

are lost; require phone numbers (or Unique Fisher Identification #'s) on buoys; and to eliminate line floating at the surface (Sections 6.5 and 8.3).

2. CONTACTS AND SOURCES OF INFORMATION

Fisheries and Oceans Canada (DFO) contacts, including the Recreational Fisheries Coordinator, are listed in Section 14 of the Integrated Fisheries Management Plan for Prawn and Shrimp by Trap (IFMP). Sport Fishing Advisory Board (SFAB) representatives are listed in Section 15.

Information for recreational fisheries is available in the BC Tidal Waters Sport Fishing Guide at:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/rec/index-eng.html>

3. OPEN TIMES

3.1. Coast-wide

The recreational prawn and shrimp by trap fishing season occurs throughout the year from April 1 to March 31. It remains open except for permanent closures (Section 4.2) and seasonal closures (Section 4.1) where recreational fishing effort occurs. The seasonal area closures will be established by variation order and announced by public fishery notice (Section 4.3).

4. CLOSURES

4.1. Seasonal Closures

4.1.1. Spawning Closures January 1 to March 31

Seasonal closures may apply in coastal areas in the south coast where recreational effort is focused. These areas are subject to recreational fishing closure during the critical winter spawning period for prawns from January 1 to March 31.

Spawner index surveys are conducted in the fall to determine the status of female prawns prior to spawning. This helps DFO to determine whether a winter recreational harvest is permissible. These areas include waters in or around Quadra / Cortes Islands, Powell River, Malaspina Strait / lower Jervis Inlet, Sechelt / Salmon Inlets, Nanaimo, Stuart Channel, Saanich Inlet, Alberni Inlet / Barkley Sound, Tahsis / Muchalat Inlet and Howe Sound.

Closures will be announced in-season by fishery notice.

4.1.2. May (one-week) and “Pulse Fishing” Closures

Under an adaptive management strategy for prawns developed collaboratively by recreational and commercial fishing representatives and applied in Saanich Inlet and Stuart Channel in early 2006 and later expanded to include Alberni Inlet in 2007, recreational fishing is closed for one week in May to allow the commercial fishery and spawner index sampling to start throughout the area. “Pulse fishing” closures begin in September the first day after Labour Day and continue to the end of December. Pulse fishing entails closures on the 1st (or 1st day after Labour Day in September) to the 15th of each month and openings on the 16th to the end of each month. Pulse fishing is extended

to the end of March where winter fishing is permitted.

Closures will be announced in-season by fishery notice.

4.1.3. Procedure for In-season Decision Making

Fall spawner index surveys generally consist of six strings of 25 traps fished for 24 hours for six haul days in October - November. Participating vessels under scientific licence distribute sampling effort throughout the area, in locations and in a manner comparable to commercial fishing season activity. Every vessel has a certified observer on-board for all haul days to collect and record data from each trap. Data sheets are received and reviewed by DFO Science, Stock Assessment and Research Division. Sets made outside commercial prawn locations and that have missed the prawn grounds are excluded from the analysis.

Data is reviewed by DFO fishery managers and Science staff by conference call. If the results are at or below the baseline spawner index level for that month, then the area is closed. If samples are consistently above (10% higher than the baseline spawner index level for that month), the area remains open. Areas with index values between these levels are considered for reduced fishing effort, such as partial weekly closures, or are closed. Data is considered first on a Subarea basis, then with respect to patterns in the overall sampling area. Adjacent areas are also closed if they are logical extensions of the area sampled, or are required to simplify enforceability of the closure boundaries.

Under the adaptive management strategy developed collaboratively by recreational and commercial fishing representatives in early 2006 a level that is 35% higher than the baseline spawner index level for that month is applied for Saanich Inlet, Stuart Channel and Alberni Inlet. A one-week closure in May and “pulse fishing” beginning in the fall also apply. The aspiration of the recreational and commercial fishing representatives was to leave more female prawns carrying eggs on the spawning grounds, with an anticipated benefit of more prawns for all harvest sectors beginning two years later and a reduction in the need for winter recreational fishing closures.

An arrangement to finance the surveys through use-of-fish or other approach is negotiated on an annual basis. If financial support for these surveys cannot be established by October, local area closure may be necessary from January 1 until March 31, 2020 while the spawning cycle completes. Other approaches, such as fishing time periods (e.g., weekend-only fishing or pulse fishing) and reduced catch limits, will be considered in areas, where possible, based on Scientific review of past sampling (Can. Sci. Adv. Sec. 2012/041).

At least two weekends of advance notice will be provided to recreational harvesters of any impending closure to allow time for gear removal. Closures take effect January 1 and are in place until the end of the spawning cycle, allowing recreational gear to go back into the water on April 1. Closures during the critical winter spawning period allow the remaining berried female prawns to complete egg incubation and release larvae with reduced fishing disturbance and handling mortality, and are a key component of the recreational management strategy.

4.2. Permanent Closures & Advisories

Closure descriptions of protected areas are available in the BC Tidal Waters Sport Fishing Guide:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/rec/index-eng.html>

4.2.1. Gwaii Haanas National Marine Conservation Area

Harvesting of all species is prohibited in the Gwaii Haanas National Marine Conservation Area Reserve and Haida Heritage Site in Burnaby Narrows, Louscoone Estuary, Flamingo Estuary, Gowgahi Estuary, Cape Saint James, and SGang Gwaay.

A new management plan was approved by Canada and the Haida Nation in November 2018. The final zoning plan includes a number of new areas of strict protection, where commercial and recreational fishing are prohibited (Appendix 13). The implementation of these closures may take some time. However, steps are being taken to undertake this work and each closure will be communicated in-season via fishery notice as it is implemented (Section 4.3).

Burnaby Narrows: Those waters of Subareas 2-13 and 2-16 inside a line commencing at 52°23.049' N and 131°23.438' W east to 52°23.077' N and 131°22.908' W, following the southern shoreline of Kat island east to 52°23.107' N and 131°22.274' W, then east to 52°23.295' N and 131°21.34' W, following the western shoreline of Burnaby Island south to 52°20.951' N and 131°20.509' W, then west to 52°20.733' N and 131°21.072' W, and then north following the eastern shoreline of Moresby Island back to the point of commencement. (National Marine Conservation Area)

Louscoone Estuary: Those waters of Subareas 2-33 and 2-34 north of a line drawn from 52°11.836' N and 131°15.658' W east to 52°12.271' N and 131°14.594' W. (National Marine Conservation Area)

Flamingo Estuary: Those waters of Subarea 2-37 north of a line drawn from 52°14.456' N and 131°22.234' W southeast to 52°14.246' N and 131°21.489' W. (National Marine Conservation Area)

Gowgaia Estuary: Those waters of Subarea 2-41 east of a line drawn from 52°24.944' N and 131°32.138' W southeast to 52°24.238' N and 131°32.024' W. (National Marine Conservation Area)

Cape Saint James: Those waters of Subareas 2-19, 102-3, 130-3 and 142-1 inside a line commencing at 51°56.523' N and 131°01.522' W, southwest to 51°55.627' N and 131°02.574' W, then southeast to 51°52.5' N and 130°57.919' W, then south to 51°51.676' N and 130°57.805' W, then southeast to 51°50.349' N and 130°56.442' W, then northeast to 51°51.062' N and 130°54.717' W, then north to 51°53.888' N and 130°55.608' W, then northwest to 51°58.671' N and 130°59.464' W, then west to 51°58.743' N and 131°00.606' W, and then following the southern shore of Kunghit Island west to the point of commencement. (National Marine Conservation Area)

SGang Gwaay: Those waters of Subareas 2-31 and 142-1 inside a 3 km radius from the centre point on Anthony Island located at 52°05.655' N and 131°13.178' W. (National Marine Conservation Area)

4.2.2. Strait of Georgia and Howe Sound Glass Sponge Reef Closures

Parksville: Those portions of Subareas 14-2 and 14-3 that lie inside a line that begins at 49°21.680'N and 124°19.762'W, then southeasterly to 49°21.514'N and 124°18.893'W, then to 49°21.191'N and 124°17.723'W, then to 49°21.064'N and 124°17.724'W, then to 49°20.725'N and 124°18.380'W, then to 49°21.432'N and 124°19.811'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

East of Hornby Island (Achilles Bank): That portion of Subarea 14-6 that lies inside a line that begins at 49°33.490'N and 124°29.230'W, then southerly to 49°32.701'N and 124°28.760'W, then to 49°31.657'N and 124°29.434'W, then to 49°31.663'N and 124°29.896'W, then to 49°32.651'N and 124°29.752'W, then to 49°33.340'N and 124°29.935'W, then to 49°33.498'N and 124°29.773'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Gabriola Island: That portion of Subarea 17-11 that lies inside a line that begins at 49°13.672'N and 123°47.577'W, then southerly to 49°13.235'N and 123°47.429'W, then to 49°13.185'N and 123°47.882'W, then to 49°13.391'N and 123°48.119'W, then to 49°13.623'N and 123°48.166'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Outer Gulf Islands #1: That portion of Subarea 18-1 that lies inside the following lines: begins at 48°52.588'N and 123°15.261'W, then easterly to 48°52.520'N and 123°14.537'W, then to 48°51.971'N and 123°13.768'W, then to 48°51.795'N and 123°13.947'W, then to 48°52.150'N and 123°14.444'W, then to 48°52.038'N and 123°14.678'W, then to 48°52.479'N and 123°15.521'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Outer Gulf Islands #2: That portion of Subarea 18-1 that lies inside the following lines: begins at 48°51.602'N and 123°13.233'W, then southerly to 48°51.309'N and 123°12.751'W, then to 48°50.913'N and 123°12.938'W, then to 48°50.844'N and 123°13.059'W, then to 48°51.163'N and 123°13.662'W, then to 48°51.579'N and 123°13.378'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Outer Gulf Islands #3: That portion of Subarea 18-1 that lies inside the following lines: begins at 48°50.999'N and 123°12.391'W, then southerly to 48°50.608'N and 123°11.603'W, then to 48°50.097'N and 123°10.956'W, then to 48°49.959'N and 123°11.182'W, then to 48°50.857'N and 123°12.654'W, then to 48°50.959'N and 123°12.566'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Outer Gulf Islands #4: That portion of Subarea 29-4 that lies inside the following lines: begins at 48°54.936'N and 123°19.589'W, then southerly to 48°54.283'N and 123°18.529'W, then to 48°54.114'N and 123°18.619'W, then to 48°54.065'N and 123°18.771'W, then to 48°54.787'N and 123°19.929'W, then to 48°54.902'N and 123°19.793'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Howe Sound, Defence Islands: That portion of Subarea 28-4 that lies inside the following lines: begins at 49°34.102'N and 123°17.070'W, then southerly to 49°33.730'N and 123°16.562'W, then to 49°33.553'N and 123°16.462'W, then to 49°33.438'N and 123°16.750'W, then to 49°33.707'N and 123°17.201'W, then to 49°33.993'N and 123°17.391'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Howe Sound, Queen Charlotte Channel #1: That portion of Subarea 28-2 that lies inside the following lines: begins at 9°21.486'N and 123°17.254'W, then southerly to 49°20.528'N and 123°17.690'W, then to 49°20.401'N and 123°17.956'W, then to 49°20.765'N and 123°18.794'W, then to 49°20.982'N and 123°18.584'W, then to 49°21.098'N and 123°18.037'W, then to 49°21.501'N and 123°17.737'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Howe Sound, Queen Charlotte Channel #2: Those portions of Subareas 28-2 and 29-3 that lie inside the following lines: begins at 49°20.288'N and 123°17.693'W, then southeasterly to 49°20.2249'N and 123°17.501'W, then to 49°19.993'N and 123°17.377'W, then to 49°19.802'N and 123°17.444'W, then to 49°19.720'N and 123°17.840'W, then to 49°19.937'N and 123°18.107'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Howe Sound, Queen Charlotte Channel #3: Those portions of Subareas 28-2 and 29-3 that lie inside the following lines: begins at 49°19.296'N and 123°19.905'W, then southerly to 49°19.918'N and 123°19.847'W, then to 49°19.307'N and 123°20.344'W, then to 49°19.643'N and 123°20.421'W, then to 49°19.819'N and 123°20.361'W, then to 49°19.947'N and 123°20.097'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Howe Sound, Queen Charlotte Channel #4: That portion of Subarea 29-3 that lies inside the following lines: begins at 49°20.637'N and 123°19.162'W, then easterly to 49°20.577'N and 123°18.720'W, then to 49°20.441'N and 123°18.637'W, then to 49°20.068'N and 123°18.818'W, then to 49°20.076'N and 123°19.135'W, then to 49°19.718'N and 123°19.188'W, then to 49°19.726'N and 123°19.514'W, then to 49°20.259'N and 123°19.828'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Sechelt Bank: That portion of Subarea 29-2 that lies inside a line that begins at 49°25.948'N 123°48.889'W, then easterly to 49°25.899'N 123°47.266'W, then to 49°25.373'N 123°46.494'W, then to 49°24.734'N 123°47.083'W, then to 49°24.910'N 123°47.951'W, then to 49°24.253'N 123°48.283'W, then to 49°24.845'N 123°49.914'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Halibut Bank: That portion of Subarea 29-2 that lie inside a line that begins at 49°21.768'N and 123°41.501'W, then southerly to 49°21.174'N and 123°40.045'W, then to 49°20.961'N and 123°40.139'W, then to 49°20.803'N and 123°39.860'W, then to 49°20.565'N and 123°40.182'W, then to 49°21.610'N and 123°41.843'W, then to 49°21.673'N and 123°42.643'W, then to 49°21.895'N and 123°43.908'W, then to 49°22.174'N and 123°44.748'W, then to 49°22.555'N and 123°44.456'W, then to 49°22.188'N and 123°42.167'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

Foreslope Hills: That portion of Subarea 29-3 that lies inside a line that begins at 49°09.634'N and 123°23.048'W, then southeasterly to 49°09.389'N and 123°22.622'W, then to 49°09.187'N and 123°22.587'W, then to 49°09.211'N and 123°23.567'W, then to 49°09.646'N and 123°23.543'W, then to the beginning point. (Glass Sponge Reef Marine Refuge)

East Defence Islands: That portion of Subarea 28-4 that lies inside a line that begins at 49° 34.731' N, 123° 16.555' W then northeast to 49° 34.848' N, 123° 16.357' W then northeast to 49° 34.854' N, 123° 16.120' W then southeast to 49° 34.580' N, 123° 16.084' W then southwest to 49° 34.535' N, 123° 16.539' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

Anvil Island: That portion of Subarea 28-4 that lies inside a line that begins at 49° 32.874' N, 123° 17.425' W then southeast to 49° 32.865' N, 123° 16.815' W then southwest to 49° 32.533' N, 123° 16.869' W then southwest to 49° 32.482' N, 123° 17.118' W then northwest to 49° 32.574' N, 123° 17.483' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

Lost Reef: That portion of Subarea 28-2 that lies inside a line that begins at 49° 29.799' N, 123° 18.203' W then northeast to 49° 29.935' N, 123° 18.007' W then southeast to 49° 29.882' N, 123° 17.832' W then southeast to 49° 29.591' N, 123° 17.519' W then southwest to 49° 29.547' N, 123° 17.941' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

Brunswick Point: That portion of Subarea 28-2 that lies inside a line that begins at 49° 28.577' N, 123° 14.965' W then southeast to 49° 28.434' N, 123° 14.732' W then southwest to 49° 28.177' N, 123° 15.031' W then northwest to 49° 28.397' N, 123° 15.377' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

Lions Bay and Kelvin Grove: That portion of Subarea 28-2 that lies inside a line that begins at 49° 27.629' N, 123° 15.761' W then southeast to 49° 27.315' N, 123° 14.516' W then southwest to 49° 26.950' N, 123° 14.595' W then northwest to 49° 26.952' N, 123° 15.046' W then northwest to 49° 27.195' N, 123° 15.655' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

Halkett Point: That portion of Subarea 28-2 that lies inside a line that begins at 49° 27.036' N, 123° 18.686' W then southeast to 49° 26.897' N, 123° 18.444' W then southwest to 49° 26.696' N, 123° 18.578' W then southwest to 49° 26.657' N, 123° 18.776' W then northwest to 49° 26.742' N, 123° 18.984' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

Bowyer Island: That portion of Subarea 28-2 that lies inside a line that begins at 49° 24.774' N, 123° 16.219' W then northeast to 49° 24.820' N, 123° 15.763' W then southwest to 49° 24.096' N, 123° 16.043' W then northwest to 49° 24.389' N, 123° 16.408' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

Dorman Point: That portion of Subarea 28-2 that lies inside a line that begins at 49° 22.577' N, 123° 19.379' W then southeast to 49° 22.543' N, 123° 19.051' W then southwest to 49° 22.287' N, 123° 19.152' W then northwest to 49° 22.351' N, 123° 19.454' W then to the beginning point. (Glass Sponge Reef Marine Refuge)

4.2.3. Winchelsea Island Department of National Defence Prohibited Area

Recreational harvesters are advised that due to the large number of submarine cables terminating at Winchelsea Island, the Department of National Defence prohibits all trap and bottom contact fishing and anchoring in a zone bounded by the following coordinates within the Military Sea Area WG: 49°18.456' N and 124°06.156' W, 49°17.128' N and

124°02.081' W, 49°17.274' N and 124°04.346' W, and 49°17.438' N and 124°05.138' W.

Contact the Department of National Defence, Canadian Forces Maritime Experimental and Test Ranges in Nanoose Bay.

4.2.4. Saanich Inlet Sponge Reefs Advisory

It is recommended that recreational harvesters should avoid setting trap gear in cloud sponge areas in Saanich Inlet in waters less than 40 metres depth at Henderson Point, at the mooring buoy northwest of Senanus Island, Willis Point, Repulse Rock, the point south of Misery Bay, Christmas Point, McCurdy Point and adjacent to the Bamberton cement plant.

4.2.5. Victoria Area Ecological Reserves

Harvesting of all shellfish is prohibited in waters shallower than 40 m at Race Rocks and in waters within 1/3rd nautical mile of Cadboro Point navigation light.

4.2.6. Vancouver Harbour

Harvesting of crab, shrimp, and prawns is closed between Lions Gate Bridge and Ironworkers Memorial (Second Narrows) Bridge for navigation purposes. Contact the Vancouver Harbour Authority.

4.2.7. Area 28 Whytecliffe Park, Porteau Cove and Point Atkinson

Harvesting all marine life is prohibited in those waters off Whytecliff Park, Porteau Cove and Point Atkinson.

4.2.8. Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area

Northern Reef Closure (Core Protection Zone): Those waters of Subareas 105-2 and 106-1 bounded by a series of rhumb lines drawn from a point having coordinate values of 53°18'40.4" North latitude and 130°52'46.5" West longitude, to a point having coordinate values of 53°22'12.1" North latitude and 130°47'01.7" West longitude, then to a point having coordinate values of 53°22'20.2" North latitude and 130°43'12.5" West longitude, then to a point having coordinate values of 53°17'22.8" North latitude and 130°38'18.2" West longitude, then to a point having coordinate values of 53°15'01.7" North latitude and 130°36'35.5" West longitude, then to a point having coordinate values of 53°10'55.2" North latitude and 130°20'19.3" West longitude, then to a point having coordinate values of 53°04'30.2" North latitude and 130°25'53.6" West longitude, then to a point having coordinate values of 53°04'58.0" North latitude and 130°32'16.9" West longitude then to a point having coordinate values of 53°07'22.2" North latitude and 130°37'37.6" West longitude, then to a point having coordinate values of 53°08'36.6" North latitude and 130°39'29.5" West longitude, then to a point having coordinate values of 53°08'41.8" North latitude and 130°45'40.0" West longitude, then to a point having coordinate values of 53°13'51.2" North latitude and 130°46'41.2" West longitude, then back to the point of Commencement. (Marine Protected Area)

Central Reef Zone A Closure (Core Protection Zone): Those waters of Subareas 106-2 and 107-1 bounded by a series of rhumb lines drawn from a point having coordinate

values of 52°14'03.4" North latitude and 129°38'33.2" West longitude, to a point having coordinate values of 52°16'54.8" North latitude and 129°43'13.4" West longitude, then to a point having coordinate values of 52°21'57.1" North latitude and 129°43'56.5" West longitude, then to a point having coordinate values of 52°24'24.5" North latitude and 129°47'22.8" West longitude, then to a point having coordinate values of 52°29'05.9" North latitude and 129°50'59.4" West longitude, then to a point having coordinate values of 52°31'05.2" North latitude and 129°50'13.9" West longitude, then to a point having coordinate values of 52°31'06.7" North latitude and 129°47'40.9" West longitude, then to a point having coordinate values of 52°27'42.0" North latitude and 129°40'25.1" West longitude, then to a point having coordinate values of 52°25'22.9" North latitude and 129°37'24.0" West longitude, then to a point having coordinate values of 52°19'47.0" North latitude and 129°32'43.2" West longitude, then to a point having coordinate values of 52°16'18.2" North latitude and 129°33'22.8" West longitude, then back to the point of Commencement. (Marine Protected Area)

Central Reef Zone B (Core Protection Zone): Those waters of Subareas 107-1 and 107-2 bounded by a series of rhumb lines drawn from a point having coordinate values of 51°54'43.1" North latitude and 129°41'22.2" West longitude, to a point having coordinate values of 52°01'22.5" North latitude and 129°35'48.4" West longitude, then to a point having coordinate values of 52°05'13.5" North latitude and 129°34'32.5" West longitude, then to a point having coordinate values of 52°08'48.5" North latitude and 129°31'44.1" West longitude then to a point having coordinate values of 52°08'51.3" North latitude and 129°29'18.0" West longitude, then to a point having coordinate values of 52°04'27.1" North latitude and 129°21'17.3" West longitude, then to a point having coordinate values of 51°59'40.8" North latitude and 129°15'23.9" West longitude, then to a point having coordinate values of 51°56'04.5" North latitude and 129°18'46.2" West longitude, then to a point having coordinate values of 51°52'55.7" North latitude and 129°36'49.8" West longitude, then back to the point of Commencement. (Marine Protected Area)

Southern Reef (Core Protection Zone): Those waters of Area 110 bounded by a series of rhumb lines drawn from a point having coordinate values of 51°17'59.2" North latitude and 128°57'31.9" West longitude, to a point having coordinate values of 51°19'30.8" North latitude and 128°58'22.7" West longitude, then to a point having coordinate values of 51°23'41.9" North latitude and 128°48'50.9" West longitude, then to a point having coordinate values of 51°19'17.5" North latitude and 128°42'33.6" West longitude, then to a point having coordinate values of 51°18'24.5" North latitude and 128°42'37.7" West longitude, then to a point having coordinate values of 51°15'56.0" North latitude and 128°47'04.2" West longitude, then to a point having coordinate values of 51°15'52.2" North latitude and 128°54'20.4" West longitude, then back to the point of Commencement. (Marine Protected Area)

Detailed descriptions (coordinates) of individual closure areas and maps are available at:

<http://www.dfo-mpo.gc.ca/oceans/mpa-zpm/hecate-eng.html>

4.2.9. Offshore Pacific Seamounts and Vents Fishery Closure

Those waters within Subareas 123-9, 124-1, 124-2, 125-6, 126-3, 126-4, 127-2, 127-4, and 130-1 described in Fishery Notice 1241 - Offshore Pacific Seamounts and Vents: Commercial and Recreational Bottom Contact Fisheries Closure - Portions of Areas 123

to 127, and 130.

4.3. Closure Notifications and Announcements

Protected areas and permanent closures are published in the BC Tidal Waters Sport Fishing Guide. New closure announcements are made by public fishery notice distributed to all local community DFO offices, e-mailed to all recreational fishing outlets which have made arrangements for this service, and posted to the fishery notice system on the internet.

Recreational fishery notices and in-season changes are available at:

<https://notices.dfo-mpo.gc.ca/fns-sap/index-eng.cfm>

5. LICENSING

5.1. Licence Category

A Tidal Waters Sport Fishing Licence is required to fish and retain shellfish, including prawn and shrimp. These may be purchased for a 1, 3, 5 day, or annual period. Fees depend on licence duration, age (senior, adult, juvenile) and residency status. Licences for juveniles (ages 15 and under) are free. Fees are published in the BC Tidal Waters Sport Fishing Guide.

British Columbia Tidal Waters Sport Fishing Licences may be purchased online at:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/rec/index-eng.html>

6. MANAGEMENT MEASURES

6.1. Species

There are more than 85 species of shrimp found in the waters of Canada's Pacific coast. Of these, recreational fishing commonly catches three: Prawn, which is the common name for the largest shrimp on this coast; Humpback (King) Shrimp; and Coonstripe (Dock) Shrimp. Diagrams that may aid in identification are available at:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/commercial/shellfish-mollusques/shrimp-pcrevette/biol-eng.html>

Prawns have a four year life cycle in BC, and so are larger than the other species which have a three year life cycle. Prawns and most shrimp begin life as a male, and then change to females at a later stage in the life cycle. More information is available in Appendix 9 and on the internet at the above noted site.

6.2. Size Limit

There is no minimum size for recreational caught prawn or shrimp species.

6.3. Catch and Possession Limit

The recreational fishery has a daily limit for prawns and shrimp species combined. The

possession limit is two-times the daily limit.

6.4. Release of Berried and Undersized Prawn and Shrimp

“Berried” refers to prawns and shrimp that are carrying eggs held under their tails. All prawns carrying eggs externally on the underside of the tail shall be returned to the water immediately and in the manner that causes the least harm. Prawns carrying eggs may not be kept and eggs may not be removed from the underside of prawns carrying eggs.

There are various means of releasing berried and undersized prawns and shrimp in order to increase their survival. Release at the fishing location and careful handling without dropping provides a greater chance of the prawn and shrimp returning to their preferred habitat. Release prawns and shrimp as soon as possible before hauling the next trap on-board to reduce the potential damage to their eyes from UV radiation or from air exposure. Release of berried prawns after or during moving to other locations is illegal and will needlessly increase their mortality. DFO has tagged and released prawns in the past and they have re-entered traps to be hauled again. Better than 50% survival is expected, depending on the circumstances.

6.5. Gear

6.5.1. Trap Limits and Groundlines

The maximum number of traps or ring nets that may be fished for prawn and shrimp by any individual is four traps or ring nets. There is no mesh size restriction.

All single traps must be marked with a buoy. If two traps are attached to a single bottom line (groundline), the groundline may be marked with only one buoy. If three or four traps are set together on a single bottom line (groundline), then a buoy is required at either end of the groundline. Only one harvester’s traps may be set on a single groundline. Each individual may only fish those traps which he or she has set. You may not fish traps marked with any other person’s name on the buoy but your own.

6.5.2. Buoy Marking

The name of the harvester of the gear must be clearly marked on the buoy in printed solid black capital letters, not less than 75 mm (3 in.) high. Only one name can appear on a buoy. It is recommended that the harvester include their telephone number so that they may be contacted if the gear floats away.

Buoys must be highly visible and of sufficient size for the tides and currents in the area so as not to submerge.

Amendment to the *BC Sport Fishing Regulations* is moving forward to require a telephone number (or Unique Fisher Identification #'s) on buoys and to eliminate line floating at the surface.

The SFAB is working on standardized buoys for the recreational fishery to differentiate prawn and crab fishing gear and to eliminate the use of household plastic containers or blocks of styrofoam as these can often deteriorate in sunlight or waves and sink. This contributes to garbage washing up on the shoreline and loss of trap(s) which will continue to “ghost fish” for years to come.

6.5.3. Biodegradable Escape Mechanism (“rot cord”)

Amendment to the *BC Sport Fishing Regulations* is moving forward to require a biodegradable escape mechanism, or ‘rot cord’, in all recreational prawn and crab traps to allow bycatch to escape in event traps are lost.

6.5.4. Lost Trap Gear

Fishery Officers and Canadian Coast Guard personnel may collect recreational fishing gear from the water if the floats are improperly marked, if the gear poses a navigation hazard, or if the area is closed to fishing. In some cases, buoyed traps set on a low tide will float away on a high tide, or the float may be submerged and crushed by water pressure. The name of the harvester of the gear must be clearly marked on the buoy. It is recommended, and soon to become mandatory, that the harvester include their telephone number so that they may be contacted if someone finds the gear that has floated away (Section 6.5.2).

6.5.5. Fishing Gear Conflicts

Recreational and commercial harvesters are advised to exercise care when setting gear near other gear in similar locations when these fisheries co-occur. Fouled gear should be untangled without cutting and returned to the water intact. If a line must be cut, it should be the line of the harvester who is hauling the gear.

Recreational harvesters are advised that commercial harvesters do not usually set their gear in a straight line from buoy to buoy, as they may be following a depth contour, or fishing different depths in order to find the prawns. So gear may be set in a zig zag, and occasionally even a circular pattern. Setting gear away from commercial sets or other recreational fishing gear will often improve your catch, as traps start to compete for the prawns if they are closer than about 20 m.

The presence of small and medium prawns only in an area may reflect harvesting effects. However, the absence of any prawns at all, indicates some other factor affecting abundance; behaviour, episodic predation or disease.

6.5.6. Gear Theft

Gear theft and the theft of catch from traps is a concern in some areas. This type of activity should be reported to the police in the area where the theft has occurred.

7. CONTROL AND MONITORING OF RECREATIONAL FISHING ACTIVITIES

7.1. Catch Reporting

The SFAB and the recreational fishing sector strongly support effective fishery monitoring and catch reporting programs in recreational fisheries. The SFAB has been working with DFO on initiatives to strengthen fishing monitoring and catch reporting in the recreational fishery for a number of years.

Recreational harvesters are required as a condition of the Tidal Waters Sport Fishing Licence to report information on their recreational fishing activity and catch to DFO representatives when requested to do so. Commonly, recreational harvesters may be

requested by a fishery officer or designated DFO representative through an internet survey, at the dock, or through a creel survey to provide important catch and effort information.

The Internet Recreational Effort and Catch (iREC) Survey was initiated in 2012 to provide monthly estimates of effort for all methods of recreational fishing, including angling, trapping, beach collecting, and diving and to provide monthly estimates of catch for all sport caught species. The internet survey contacts participants by email in advance of the survey period and allows for the selected participants to record their information periodically or to complete the survey on a single visit to the website after the month ends. Participants selected for the iREC survey also have their personal online survey access code printed on their licence. Participants who do not fish during the month are included in the survey as well, as an important component of the catch and effort estimation. Improvements were made to the survey in 2018 to differentiate crab from prawn and shrimp trap fishing where there was no catch. The survey period is normally one month but shorter periods may be used.

A recreational mail survey is also conducted nationally by DFO every five years.

More information on the internet recreational survey is available at:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/rec/irec-iarc/index-eng.html>

8. GENERAL INFORMATION

8.1. Bacteria and Viruses

As with any seafood, catch in some areas may be exposed at various times to bacteria or viruses (e.g. noroviruses). Keep catch clean, cool and covered on-board. Refrigerate if it will not be consumed immediately. Wash during preparation. Proper cooking kills bacteria.

8.2. Whale Encounters

If a marine mammal becomes entangled in fishing gear, immediately log your coordinates and contact the Marine Mammal Incident Hotline 1-800-465-4336 providing as much information as possible regarding species and gear type and a DFO representative will contact you. If a whale is entangled in fishing gear you may be asked to track the animal to aid in relocating the animal as an attempt may be made to rescue both the animal and fishing gear.

8.3. Fishing Practices

The following practices help increase prawn survival, prevent loss of gear, and assist in the long-term sustainability of the fishery:

Longer Fishing Times

- Studies show that shorter fishing times tend to capture small prawns. Fishing traps overnight or if possible throughout the day allows small prawns to exit traps while still on the bottom.

Sorting of Catch

- Although there is no size restriction for recreationally caught prawns, returning small prawns back to the water can contribute to the sustainability of prawn stocks.
- Should you decide to release the small prawns you have caught, this should be done before hauling the next trap on-board your vessel. Incidental bycatch, such as small finfish that may have made their way into the trap, must be released as soon as possible. It is advisable to release any catch that you do not want away from predatory birds which may be nearby.

Bait

- Although the use of fish offal, heads and backbones as bait is permitted, catching rockfish, greenling and other species that contribute to the recreational fishery and using them for bait is a violation. Rockfish in particular are very slow growing and require special management measures to prevent over-fishing of these species.

Appropriate Gear

- Ensure that traps are well marked with a large float or buoy so that they are plainly visible to the boating public.
- Avoid the use of household plastic containers or blocks of styrofoam as these can often deteriorate in sunlight or waves and sink. This contributes to garbage washing up on the shoreline and loss of trap(s) which will continue to “ghost fish” for years to come.
- Use strong groundline and buoy lines to prevent the loss of traps. To avoid entanglement with your engine propeller or that of a passing boat, or with another harvester’s traps and lines, do not use floating lines such as common yellow polypropylene, or if using a line that floats add weight to it so that it sinks.

Appendix 3: 2019/20 Prawn and Shrimp by Trap First Nations Harvest Plan

TABLE OF CONTENTS

1.	FIRST NATIONS HARVEST PLAN HIGHLIGHTS AND CHANGES 2019/20	2
2.	OVERVIEW OF THE FISHERY	2
3.	MANAGEMENT MEASURES FOR THE FIRST NATIONS FISHERY	3
4.	OPEN TIMES.....	3
5.	PROTECTION OF STRAIT OF GEORGIA AND HOWE SOUND GLASS SPONGE REEFS	3
5.1.	Parksville Glass Sponge Reef Closure	4
5.2.	East of Hornby Island (Achilles Bank) Glass Sponge Reef Closure.....	4
5.3.	Gabriola Island Glass Sponge Reef Closure.....	4
5.4.	Outer Gulf Islands Glass Sponge Reef Closures	4
5.5.	Howe Sound Glass Sponge Reef Closures	5
5.6.	Sechelt Bank Glass Sponge Reef Closure	6
5.7.	Halibut Bank Glass Sponge Reef Closure.....	7
5.8.	Foreslope Hills Glass Sponge Reef Closure.....	7
6.	HECATE STRAIT AND QUEEN CHARLOTTE SOUND GLASS SPONGE REEFS MARINE PROTECTED AREA	7
6.1.	Northern Reef Closure (Core Protection Zone).....	7
6.2.	Central Reef Zone A Closure (Core Protection Zone)	8
6.3.	Central Reef Zone B Closure (Core Protection Zone)	8
6.4.	Southern Reef Closure (Core Protection Zone).....	9
7.	LICENSING.....	9
8.	CONTROL AND MONITORING OF FIRST NATIONS FISHING ACTIVITIES	9
8.1.	Treaty Fisheries	9
8.2.	Ahousaht, Ehattesaht, Hesquiaht, Mowachat/Muchalaht, Tla-o-qui-aht.....	10

1. FIRST NATIONS HARVEST PLAN HIGHLIGHTS AND CHANGES 2019/20

- 1.1. Fisheries and Oceans Canada (DFO) has consulted with First Nations since 2012 and sought First Nations input on management measures for the Food, Social and Ceremonial (FSC) fishery to address the harvesting capacity of commercial vessels and gear. Starting March 2016, for those First Nations that have an interest in using commercial vessels or gear for harvesting prawns for FSC purposes, DFO requests details about how this will occur. Please refer to Section 3 and contact the local DFO Resource Manager.
- 1.2. Following request for voluntary avoidance in 2018, eight new glass sponge reefs sites (representing nine reefs) in Howe Sound are closed effective April 1st, 2019 to all bottom contact (and use of downrigger gear for recreational salmon troll) fishing, including prawn and shrimp fishing. The reefs are located in Subareas 28-2 and 28-4 by Lion's Bay, Anvil Island, Halkett Point on Gambier Island, Bowyer Island, Dorman Point on Bowen Island and the Defence Islands. Please refer to Section 5.5 and Appendix 11.
- 1.3. Please see Section 4.4.2 of the Integrated Fisheries Management Plan for Prawn and Shrimp by Trap for additional initiatives under the Government of Canada's commitment to protecting 10% of Canada's marine and coastal areas by 2020.
- 1.4. DFO implemented a number of measures in 2018 for Southern Resident Killer Whales, including measures aimed at increasing prey availability and accessibility - particularly Chinook salmon - and reducing threats related to physical and acoustic disturbance in key foraging areas. DFO is reviewing the measures, in consultation First Nations and stakeholders, with a view to determining whether different and/or additional measures may be required in 2019. These measures may include fishery closures or other area-based measures implemented pre-season or (in some cases) in-season.
- 1.5. DFO looks forward to hearing from those First Nations who are interested in working towards adopting standard buoys to differentiate prawn and crab fishing gear and to eliminate the use of household plastic containers or blocks of styrofoam as these can often deteriorate in sunlight or waves and sink, contributing to garbage washing up on the shoreline and loss of trap(s) which continue to "ghost fish" for years to come.

2. OVERVIEW OF THE FISHERY

Fisheries & Oceans Canada (DFO)'s policy on the management of First Nations fishing identifies First Nations harvests for FSC purposes as the first priority after conservation. DFO seeks to provide for the effective management and regulation of the First Nation fishery through negotiation of mutually acceptable and time-limited agreements which outline provisions pertaining to the fisheries and co-management activities. The agreements include provisions by which First Nations manage fishing by their members for FSC purposes, in addition to outlining First Nation involvement in a range of co-management activities and economic development opportunities which may include, but not be limited to, habitat enhancement, FSC catch monitoring and enforcement, fish management and community research.

Communal licences and, under Treaty, harvest documents (domestic purposes) are issued annually to First Nations under the authority of the *Aboriginal Communal Fishing Licences Regulations* made under the *Fisheries Act*. Communal licences and harvest documents can be amended in-season for resource conservation purposes. Even where an agreement cannot be concluded, DFO issues communal fishing licences to First Nations organizations.

3. MANAGEMENT MEASURES FOR THE FIRST NATIONS FISHERY

First Nations prawn fishing effort for FSC or domestic purposes is currently not limited by catch quantity or size limits, except in those Nations where the Council or fisheries program has established their own catch limits for band members, or where allocated under Treaty.

First Nations interested in using commercial vessels or gear to harvest prawns for FSC purposes should provide fishing details to their local DFO resource manager (see Section 14 of the Integrated Fishery Management Plan for DFO contacts). The details should include when and where fishing will take place, which and how many boats will be used, the number of traps (and marking), how the fishery will be monitored and catch reported, and the amounts to be harvested. These details are requested so that there can be a common understanding of the size, scope and timing of the fishery. DFO will review the details, discuss it with the First Nation, and work towards agreement. This information will allow DFO to issue a supplemental communal licence that authorizes the use of commercial vessels and gear in a First Nations' communal (FSC) fishery. First Nations not interested in using commercial vessels or gear to harvest prawns for FSC purposes will continue to have FSC prawn harvest opportunities using non-commercial vessels and gear under their regular communal licence. For the purposes of this management initiative, commercial gear is defined as power assisted gear commonly used in the commercial fishery including, but not limited to, hydraulic gurdies and trap haulers, powered drums, blocks or live rollers. Electric (12V) powered recreational trap pullers are not used in the commercial fishery and are not included under the commercial gear definition. DFO is implementing this approach while discussions with First Nations continue on longer-term management measures to ensure an orderly and manageable FSC prawn fishery and conservation and sustainability of the resource.

4. OPEN TIMES

First Nations fishing for FSC purposes are open coast-wide throughout the year, from April 1 to March 31, annually. In winter recreational fishing closure areas, First Nations are recommended to fish outside of the closures and to release all berried females. Information can be provided on areas of likely prawn abundance outside of the recreational fishery closures, so that effort can be redirected and FSC catch improved (see Section 14 of the Integrated Fishery Management Plan for DFO contacts).

5. PROTECTION OF STRAIT OF GEORGIA AND HOWE SOUND GLASS SPONGE REEFS

The following areas in the Strait of Georgia and Howe Sound are closed to all commercial, recreational and First Nations food, social and ceremonial (FSC) bottom-contact fishing activities for prawn, shrimp, crab and groundfish (includes halibut) as well as the use of

downrigger gear for recreational salmon trolling (restricted via Condition of Licence) to protect glass sponge reefs in accordance with the Sensitive Benthic Areas Policy and its Ecological Risk Assessment Framework for Cold-water Corals and Sponge Dominated Communities.

An overview map of locations of the fishing closures is provided in Appendix 11.

Detailed descriptions (coordinates) of individual closure areas and maps are available at:

<http://www.dfo-mpo.gc.ca/oceans/ceccsr-cerceef/closures-fermetures-eng.html>

5.1. Parksville Glass Sponge Reef Closure

Those portions of Subareas 14-2 and 14-3 that lie inside a line that begins at 49°21.680'N and 124°19.762'W, then southeasterly to 49°21.514'N and 124°18.893'W, then to 49°21.191'N and 124°17.723'W, then to 49°21.064'N and 124°17.724'W, then to 49°20.725'N and 124°18.380'W, then to 49°21.432'N and 124°19.811'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

5.2. East of Hornby Island (Achilles Bank) Glass Sponge Reef Closure

That portion of Subarea 14-6 that lies inside a line that begins at 49°33.490'N and 124°29.230'W, then southerly to 49°32.701'N and 124°28.760'W, then to 49°31.657'N and 124°29.434'W, then to 49°31.663'N and 124°29.896'W, then to 49°32.651'N and 124°29.752'W, then to 49°33.340'N and 124°29.935'W, then to 49°33.498'N and 124°29.773'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

5.3. Gabriola Island Glass Sponge Reef Closure

That portion of Subarea 17-11 that lies inside a line that begins at 49°13.672'N and 123°47.577'W, then southerly to 49°13.235'N and 123°47.429'W, then to 49°13.185'N and 123°47.882'W, then to 49°13.391'N and 123°48.119'W, then to 49°13.623'N and 123°48.166'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

5.4. Outer Gulf Islands Glass Sponge Reef Closures

Outer Gulf Islands #1: That portion of Subarea 18-1 that lies inside the following lines: begins at 48°52.588'N and 123°15.261'W, then easterly to 48°52.520'N and 123°14.537'W, then to 48°51.971'N and 123°13.768'W, then to 48°51.795'N and 123°13.947'W, then to 48°52.150'N and 123°14.444'W, then to 48°52.038'N and 123°14.678'W, then to 48°52.479'N and 123°15.521'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

Outer Gulf Islands #2: That portion of Subarea 18-1 that lies inside the following lines: begins at 48°51.602'N and 123°13.233'W, then southerly to 48°51.309'N and 123°12.751'W, then to 48°50.913'N and 123°12.938'W, then to 48°50.844'N and 123°13.059'W, then to 48°51.163'N and 123°13.662'W, then to 48°51.579'N and 123°13.378'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

Outer Gulf Islands #3: That portion of Subarea 18-1 that lies inside the following lines: begins at 48°50.999'N and 123°12.391'W, then southerly to 48°50.608'N and 123°11.603'W, then to 48°50.097'N and 123°10.956'W, then to 48°49.959'N and 123°11.182'W, then to 48°50.857'N

and 123°12.654'W, then to 48°50.959'N and 123°12.566'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

Outer Gulf Islands #4: That portion of Subarea 29-4 that lies inside the following lines: begins at 48°54.936'N and 123°19.589'W, then southerly to 48°54.283'N and 123°18.529'W, then to 48°54.114'N and 123°18.619'W, then to 48°54.065'N and 123°18.771'W, then to 48°54.787'N and 123°19.929'W, then to 48°54.902'N and 123°19.793'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

5.5. Howe Sound Glass Sponge Reef Closures

Defence Islands: That portion of Subarea 28-4 that lies inside the following lines: begins at 49°34.102'N and 123°17.070'W, then southerly to 49°33.730'N and 123°16.562'W, then to 49°33.553'N and 123°16.462'W, then to 49°33.438'N and 123°16.750'W, then to 49°33.707'N and 123°17.201'W, then to 49°33.993'N and 123°17.391'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

Queen Charlotte Channel #1: That portion of Subarea 28-2 that lies inside the following lines: begins at 49°21.486'N and 123°17.254'W, then southerly to 49°20.528'N and 123°17.690'W, then to 49°20.401'N and 123°17.956'W, then to 49°20.765'N and 123°18.794'W, then to 49°20.982'N and 123°18.584'W, then to 49°21.098'N and 123°18.037'W, then to 49°21.501'N and 123°17.737'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

Queen Charlotte Channel #2: Those portions of Subareas 28-2 and 29-3 that lie inside the following lines: begins at 49°20.288'N and 123°17.693'W, then southeasterly to 49°20.2249'N and 123°17.501'W, then to 49°19.993'N and 123°17.377'W, then to 49°19.802'N and 123°17.444'W, then to 49°19.720'N and 123°17.840'W, then to 49°19.937'N and 123°18.107'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

Queen Charlotte Channel #3: Those portions of Subareas 28-2 and 29-3 that lie inside the following lines: begins at 49°19.296'N and 123°19.905'W, then southerly to 49°19.918'N and 123°19.847'W, then to 49°19.307'N and 123°20.344'W, then to 49°19.643'N and 123°20.421'W, then to 49°19.819'N and 123°20.361'W, then to 49°19.947'N and 123°20.097'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

Queen Charlotte Channel #4: That portion of Subarea 29-3 that lies inside the following lines: begins at 49°20.637'N and 123°19.162'W, then easterly to 49°20.577'N and 123°18.720'W, then to 49°20.441'N and 123°18.637'W, then to 49°20.068'N and 123°18.818'W, then to 49°20.076'N and 123°19.135'W, then to 49°19.718'N and 123°19.188'W, then to 49°19.726'N and 123°19.514'W, then to 49°20.259'N and 123°19.828'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

East Defence Islands: That portion of Subarea 28-4 that lies inside a line that begins at 49° 34.731' N, 123° 16.555' W then northeast to 49° 34.848' N, 123° 16.357' W then northeast to 49° 34.854' N, 123° 16.120' W then southeast to 49° 34.580' N, 123° 16.084' W then

southwest to 49° 34.535' N, 123° 16.539' W then to the beginning point. (Glass Sponge Reef Conservation Area)

Anvil Island: That portion of Subarea 28-4 that lies inside a line that begins at 49° 32.874' N, 123° 17.425' W then southeast to 49° 32.865' N, 123° 16.815' W then southwest to 49° 32.533' N, 123° 16.869' W then southwest to 49° 32.482', 123° 17.118' W then northwest to 49° 32.574' N, 123° 17.483' W then to the beginning point. (Glass Sponge Reef Conservation Area)

Lost Reef: That portion of Subarea 28-2 that lies inside a line that begins at 49° 29.799' N, 123° 18.203' W then northeast to 49° 29.935' N, 123° 18.007' W then southeast to 49° 29.882' N, 123° 17.832' W then southeast to 49° 29.591' N, 123° 17.519' W then southwest to 49° 29.547' N, 123° 17.941' W then to the beginning point. (Glass Sponge Reef Conservation Area)

Brunswick Point: That portion of Subarea 28-2 that lies inside a line that begins at 49° 28.577' N, 123° 14.965' W then southeast to 49° 28.434' N, 123° 14.732' W then southwest to 49° 28.177' N, 123° 15.031' W then northwest to 49° 28.397' N, 123° 15.377' W then to the beginning point. (Glass Sponge Reef Conservation Area)

Lions Bay and Kelvin Grove: That portion of Subarea 28-2 that lies inside a line that begins at 49° 27.629' N, 123° 15.761' W then southeast to 49° 27.315' N, 123° 14.516' W then southwest to 49° 26.950' N, 123° 14.595' W then northwest to 49° 26.952' N, 123° 15.046' W then northwest to 49° 27.195' N, 123° 15.655' W then to the beginning point. (Glass Sponge Reef Conservation Area)

Halkett Point: That portion of Subarea 28-2 that lies inside a line that begins at 49° 27.036' N, 123° 18.686' W then southeast to 49° 26.897' N, 123° 18.444' W then southwest to 49° 26.696' N, 123° 18.578' W then southwest to 49° 26.657' N, 123° 18.776' W then northwest to 49° 26.742' N, 123° 18.984' W then to the beginning point. (Glass Sponge Reef Conservation Area)

Bowyer Island: That portion of Subarea 28-2 that lies inside a line that begins at 49° 24.774' N, 123° 16.219' W then northeast to 49° 24.820' N, 123° 15.763' W then southwest to 49° 24.096' N, 123° 16.043' W then northwest to 49° 24.389' N, 123° 16.408' W then to the beginning point. (Glass Sponge Reef Conservation Area)

Dorman Point: That portion of Subarea 28-2 that lies inside a line that begins at 49° 22.577' N, 123° 19.379' W then southeast to 49° 22.543' N, 123° 19.051' W then southwest to 49° 22.287' N, 123° 19.152' W then northwest to 49° 22.351' N, 123° 19.454' W then to the beginning point. (Glass Sponge Reef Conservation Area)

5.6. Sechelt Bank Glass Sponge Reef Closure

That portion of Subarea 29-2 that lies inside a line that begins at 49°25.948'N 123°48.889'W, then easterly to 49°25.899'N 123°47.266'W, then to 49°25.373'N 123°46.494'W, then to 49°24.734'N 123°47.083'W, then to 49°24.910'N 123°47.951'W, then to 49°24.253'N 123°48.283'W, then to 49°24.845'N 123°49.914'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

5.7. Halibut Bank Glass Sponge Reef Closure

That portion of Subarea 29-2 that lie inside a line that begins at 49°21.768'N and 123°41.501'W, then southerly to 49°21.174'N and 123°40.045'W, then to 49°20.961'N and 123°40.139'W, then to 49°20.803'N and 123°39.860'W, then to 49°20.565'N and 123°40.182'W, then to 49°21.610'N and 123°41.843'W, then to 49°21.673'N and 123°42.643'W, then to 49°21.895'N and 123°43.908'W, then to 49°22.174'N and 123°44.748'W, then to 49°22.555'N and 123°44.456'W, then to 49°22.188'N and 123°42.167'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

5.8. Foreslope Hills Glass Sponge Reef Closure

That portion of Subarea 29-3 that lies inside a line that begins at 49°09.634'N and 123°23.048'W, then southeasterly to 49°09.389'N and 123°22.622'W, then to 49°09.187'N and 123°22.587'W, then to 49°09.211'N and 123°23.567'W, then to 49°09.646'N and 123°23.543'W, then to the beginning point. (Glass Sponge Reef Conservation Area)

6. HECATE STRAIT AND QUEEN CHARLOTTE SOUND GLASS SPONGE REEFS MARINE PROTECTED AREA

The Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area is located between Haida Gwaii and the mainland of BC in Hecate Strait and Queen Charlotte Sound. The reefs are made up of large colonies of glass sponges and are estimated to be 9,000 years old. They are located at depths of 140 m to 240 m below the surface. The Marine Protected Area is comprised of individual areas known as the Northern Reef, the two Central Reefs, and the Southern Reef. Together these areas cover approximately 2,410 km².

The Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area has been established to conserve the biological diversity, structural habitat, and ecosystem function of the glass sponge reefs. The slow growth and fragility of these sponges make the reefs particularly vulnerable to damage and disturbance since recovery may take tens to several hundreds of years. Due to the highly sensitive nature and structure of the reefs, human activities in and around the reefs could pose a risk to the structural habitat, biological diversity and ecosystem function of the reefs.

The Marine Protected Area's regulations establish the outer boundaries of the areas, consisting of the seabed, the subsoil to a depth of 20 meters and the water column above the seabed. An overview map of locations of the fishing closures is provided in Appendix 12.

Detailed descriptions (coordinates) of individual closure areas and maps are available on the internet at:

<http://www.dfo-mpo.gc.ca/oceans/mpa-zpm/hecate-eng.html>

6.1. Northern Reef Closure (Core Protection Zone)

Those waters of Subareas 105-2 and 106-1 bounded by a series of rhumb lines drawn from a point having coordinate values of 53°18'40.4" North latitude and 130°52'46.5" West longitude, to a point having coordinate values of 53°22'12.1" North latitude and 130°47'01.7" West longitude, then to a point having coordinate values of 53°22'20.2" North latitude and

130°43'12.5" West longitude, then to a point having coordinate values of 53°17'22.8" North latitude and 130°38'18.2" West longitude, then to a point having coordinate values of 53°15'01.7" North latitude and 130°36'35.5" West longitude, then to a point having coordinate values of 53°10'55.2" North latitude and 130°20'19.3" West longitude, then to a point having coordinate values of 53°04'30.2" North latitude and 130°25'53.6" West longitude, then to a point having coordinate values of 53°04'58.0" North latitude and 130°32'16.9" West longitude then to a point having coordinate values of 53°07'22.2" North latitude and 130°37'37.6" West longitude, then to a point having coordinate values of 53°08'36.6" North latitude and 130°39'29.5" West longitude, then to a point having coordinate values of 53°08'41.8" North latitude and 130°45'40.0" West longitude, then to a point having coordinate values of 53°13'51.2" North latitude and 130°46'41.2" West longitude, then back to the point of Commencement. (Marine Protected Area)

6.2. Central Reef Zone A Closure (Core Protection Zone)

Those waters of Subareas 106-2 and 107-1 bounded by a series of rhumb lines drawn from a point having coordinate values of 52°14'03.4" North latitude and 129°38'33.2" West longitude, to a point having coordinate values of 52°16'54.8" North latitude and 129°43'13.4" West longitude, then to a point having coordinate values of 52°21'57.1" North latitude and 129°43'56.5" West longitude, then to a point having coordinate values of 52°24'24.5" North latitude and 129°47'22.8" West longitude, then to a point having coordinate values of 52°29'05.9" North latitude and 129°50'59.4" West longitude, then to a point having coordinate values of 52°31'05.2" North latitude and 129°50'13.9" West longitude, then to a point having coordinate values of 52°31'06.7" North latitude and 129°47'40.9" West longitude, then to a point having coordinate values of 52°27'42.0" North latitude and 129°40'25.1" West longitude, then to a point having coordinate values of 52°25'22.9" North latitude and 129°37'24.0" West longitude, then to a point having coordinate values of 52°19'47.0" North latitude and 129°32'43.2" West longitude, then to a point having coordinate values of 52°16'18.2" North latitude and 129°33'22.8" West longitude, then back to the point of Commencement. (Marine Protected Area)

6.3. Central Reef Zone B Closure (Core Protection Zone)

Those waters of Subareas 107-1 and 107-2 bounded by a series of rhumb lines drawn from a point having coordinate values of 51°54'43.1" North latitude and 129°41'22.2" West longitude, to a point having coordinate values of 52°01'22.5" North latitude and 129°35'48.4" West longitude, then to a point having coordinate values of 52°05'13.5" North latitude and 129°34'32.5" West longitude, then to a point having coordinate values of 52°08'48.5" North latitude and 129°31'44.1" West longitude then to a point having coordinate values of 52°08'51.3" North latitude and 129°29'18.0" West longitude, then to a point having coordinate values of 52°04'27.1" North latitude and 129°21'17.3" West longitude, then to a point having coordinate values of 51°59'40.8" North latitude and 129°15'23.9" West longitude, then to a point having coordinate values of 51°56'04.5" North latitude and 129°18'46.2" West longitude, then to a point having coordinate values of 51°52'55.7" North latitude and 129°36'49.8" West longitude, then back to the point of Commencement. (Marine Protected Area)

6.4. Southern Reef Closure (Core Protection Zone)

Those waters of Area 110 bounded by a series of rhumb lines drawn from a point having coordinate values of 51°17'59.2" North latitude and 128°57'31.9" West longitude, to a point having coordinate values of 51°19'30.8" North latitude and 128°58'22.7" West longitude, then to a point having coordinate values of 51°23'41.9" North latitude and 128°48'50.9" West longitude, then to a point having coordinate values of 51°19'17.5" North latitude and 128°42'33.6" West longitude, then to a point having coordinate values of 51°18'24.5" North latitude and 128°42'37.7" West longitude, then to a point having coordinate values of 51°15'56.0" North latitude and 128°47'04.2" West longitude, then to a point having coordinate values of 51°15'52.2" North latitude and 128°54'20.4" West longitude, then back to the point of Commencement. (Marine Protected Area)

7. LICENSING

First Nations access to fish for FSC purposes is managed through a communal licence or, under treaty, a harvest document which can permit the harvest of prawn and shrimps. These licences are issued under the authority of the *Aboriginal Communal Fishing Licences Regulations*.

8. CONTROL AND MONITORING OF FIRST NATIONS FISHING ACTIVITIES

Communal licences and Fisheries Agreements may contain provisions for the designation of individuals by the First Nation, or First Nations organizations, to access the allocation provided under the communal licence / harvest document. Commercial fishing vessels must be designated for participation in FSC or domestic fishing. Provisions may also be included for monitoring and reporting on the First Nations fishery in co-operation with DFO.

First Nations communal licences and, under Treaty, harvest documents specify the locations permitted for use by First Nations for FSC (domestic) harvests.

The First Nations will provide the number of pounds of shellfish harvested by species to the DFO Resource Manager on a quarterly basis (every three months). The fishing plan for First Nations interested in using commercial vessels or gear to harvest prawns for FSC purposes should include how the fishery will be monitored and catch reported. DFO is putting an increased emphasis on catch reporting for proper management of the fishery.

8.1. Treaty Fisheries

Fisheries chapters in modern First Nation treaties articulate a treaty fishing right for domestic purposes that is protected under Section 35 of the *Constitution Act*, 1982. Commercial access may be provided either through the general commercial fishery or a Harvest Agreement, which is negotiated at the same time as the treaty and is referenced in the treaty, but is not protected under the *Constitution Act*.

Nisga'a Domestic Fishing

The Harvest agreement for domestic (FSC) purposes under the Nisga'a Final Agreement (Treaty) came into effect on May 11, 2000. The Nisga'a territory is located within the Nass River valley on the northwest coast of BC.

More information on the Treaty can be found at:

<https://www.rcaanc-cirnac.gc.ca/eng/1100100030588/1542730442128>

Tsawwassen Domestic Fishing

The Tsawwassen fishery for domestic (FSC) purposes under the Tsawwassen Final Agreement (Treaty) came into effect on April 3, 2009. The Tsawwassen First Nation is located in the lower mainland near the city of Vancouver, and their territory spans portions of the Strait of Georgia near the mouth of the Fraser River as well as portions of the lower Fraser River and Boundary Bay.

More information on the Treaty can be found at:

<https://www.aadnc-aandc.gc.ca/eng/1100100022734/1100100022757>

Maa-nulth Domestic Fishing

The Maa-nulth First Nations fishery for domestic (FSC) purposes under the Maa-nulth First Nations Final Agreement (Treaty) came into effect on April 1, 2011. The Maa-nulth First Nations comprise five individual First Nations: Huu-ay-aht First Nations, Ka:'yu:'k't'h'/Che:k'tles7et'h' First Nations, Toquaht Nation, Uchucklesaht Tribe and the Yuułu?ił?ath First Nation on the west coast of Vancouver Island.

More information on the Treaty can be found at:

<https://www.rcaanc-cirnac.gc.ca/eng/1100100030588/1542730442128>

Tla'amin Domestic Fishing

The Tla'amin fishery for domestic (FSC) purposes under the Tla'amin Final Agreement (Treaty) came into effect on April 5, 2016. The Tla'amin Nation is located near the City of Powell River, 130 km northwest of Vancouver. The Tla'amin fishery for domestic (FSC) purposes under the Tla'amin Final Agreement (Treaty) includes a domestic allocation for prawns.

More information on the Treaty can be found at:

<https://www.rcaanc-cirnac.gc.ca/eng/1100100030588/1542730442128>

8.2. Ahousaht, Ehattesaht, Hesquiaht, Mowachat/Muchalaht, Tla-o-qui-aht

Five Nuu-chah-nulth First Nations located on the West Coast of Vancouver Island - Ahousaht, Ehattesaht, Hesquiaht, Mowachaht/Muchalaht, and Tla-o-qui-aht (the Five Nations) - have aboriginal rights to fish for any species of fish within their Fishing Territories and to sell that fish, with the exception of geoduck. DFO is working with the Five Nations to implement a Fishery Management Plan (FMP) for salmon, groundfish, crab and prawn by April 1, 2019. This FMP includes specific details about the fishery, such as allocation/access, licensing and designations, fishing area, harvesting opportunities, and fishery monitoring and catch reporting.

Appendix 4: Diagrams - Prawn Size Limits and Commercial Trap Requirements

FIGURE 1: PRAWN SIZE LIMIT

33 mm carapace length as measured from the posterior margin of the eye orbit (a) to the posterior mid-dorsal margin of the carapace (b).

For headed product only, 22 mm telson length (c) to (d).





FIGURE 2: WEB TRAP MESH REQUIREMENTS


Web or Soft Mesh Traps: Maximum Volume 170 Litres



Web or Soft Mesh Traps are to be covered with a single layer of mesh. The mesh must measure a minimum of 38.1mm (1.5 inches). Mesh size is measured as described in the definition section of the *Pacific Fishery Regulations, 1993*. Mesh size means the total length of twine measured along two contiguous sides of a single mesh, including the distance across the knot joining those sides but not including any other knots. All mesh used in the trap including the tunnels must conform to this minimum size.

FIGURE 3: WIRE MESH TRAPS - OPTION 1 (4 TUNNELS)

Maximum Volume 100 Litres



Minimum 22.2 mm (7/8 Inch) Opening Mesh in at Least 4 Tunnels, 50 per cent of Side


Wire or Hard Mesh Traps - These traps must have either:

Four opposing tunnels constructed of a rigid square mesh material having a minimum dimension (after dip coating) that will allow the passage of a 22.2mm (7/8 inch) square peg through the mesh without altering the shape of the mesh opening. The lower side of each tunnel must extend to the bottom edge of the trap and must be at least one half the length of the trap side, or:

Refer to Wire Mesh Trap Options 2 and 3 on the following pages.

FIGURE 4: WIRE MESH TRAPS - OPTION 2 (SMALL VOLUME)

Minimum 19 mm (3/4 inch) Opening Mesh on 2 Sides and Bottom
Maximum Volume 100 Litres




The bottom and two opposing sides must be constructed of a square mesh material that will allow the passage of a 19mm (3/4 inch) square peg through the mesh without altering the shape of the mesh opening, or

Also Refer to Wire Mesh Trap Options 1 and 3 on the adjacent pages.

FIGURE 5: WIRE MESH TRAPS - OPTION 3 (LARGE VOLUME)

Minimum 22.2 mm. (7/8 inch) Opening Mesh on 4 Sides and Bottom
Maximum Volume 170 Litres.



The bottom and all 4 sides must be constructed of a square mesh material that will allow the passage of a 22.2 mm (7/8 inch) square peg through the mesh without altering the shape of the mesh opening; or

Refer to Wire Mesh Options 1 and 2 on the preceding pages.

TABLE 1: STACKING CONE NESTING TRAP, MAXIMUM DIMENSIONS

		Height in inches:						
		9	10	11	12	13	14	15
Average trap diameter in inches (calculated as the top ring diameter + the bottom ring diameter / 2)	26	78	87	96	104	113	122	131
	27	84	94	103	113	122	131	141
	28	91	101	111	121	131	141	151
	29	97	108	119	130	141	152	162
	30	104	116	127	139	151	162	174
	31	111	124	136	148	161	173	186
	32	119	132	145	158	171	185	198
	33	126	140	154	168	182	196	210
	34	134	149	164	179	193	208	223
	35	142	158	173	189	205	221	237
	36	150	167	184	200	217	234	250
	37	159	176	194	212	229	247	264
	38	167	186	205	223	242	260	279
39	176	196	215	235	255	274	294	
40	185	206	227	247	268	288	309	

Max. legal volume = 170 L.

Shaded areas are volumes in excess of the limit.

Appendix 5: Prawn and Shrimp Trap Harvest Log Example

V.R.N.

Vessel _____

SHRIMP TRAP LOG

Skipper _____

Year

Page No. _____

Catch Weights:
(check one)

Pounds
(LB)

Kilograms
(KG)

TRAP DESCRIPTIONS

A 3-Ring Frame, Cone Nesting
B 2-Ring Frame, Cone Nesting
C Circular, Non-nesting
D Collapsible Oval, Round or Rectangular
E Plastic Buckets, Round or Rectangular
F Wire Mesh, Square or Rectangular
G 4-Ring Frame, Cone Nesting
H Other (describe) _____

MUST FILL OUT TRAP INFORMATION ON FIRST PAGE OF EACH MONTHLY SUBMISSION AND EACH TIME TRAP INFORMATION CHANGES

Trap information same as previous page? (check for yes)

TRAP TYPE (s)	Bottom Diameter (")	Top Diameter (")	Height (")	Length (")	Width (")	No. of Tunnels	No. of each trap type	Code
(select letter)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

TIME HAULED	SOAK TIME	LOCATION		STATISTICAL		DEPTH		NO. OF TRAPS	Whole Prawn Weight	FREEZER BOATS ONLY - RECORD SIZES BY WEIGHT					Dock Shrimp	Humpback Shrimp	Octopus		Remarks		
Time (24hr)	TIME (Hours)	Latitude/Longitude		area	sub-area	min.	max.			Medium	Large	X-Large	Jumbo	S-Jumbo	(coonstripe)	Shrimp (king)	Released	Kept			
month	day	hh:mm		dd° mm.mmm	ddd° mm.mmm					34-42/KG	25-33/KG	19-24/KG	15-18/KG	< 15/KG			#	Wt.	#	Wt.	
				Latitude	Longitude																
1		:																			
2		:																			
3		:																			

Header Information

Catch Weights - indicate Pounds or Kilograms
Do NOT mix pounds and kilograms on the same page

Trap Information - Each time harvest logs are submitted, the first page **MUST** include the detailed trap information, including:

Trap type - choose appropriate letter

Trap size - all measurements in inches (")

No. of tunnels

No. of traps

For additional pages, use check box if trap information is unchanged

If trap information changes, fill in new header trap details

Detailed Fishing Information

Time Hauled - give month, day, hour and minutes (24 hour clock)

Soak time - record in hours

Location - record Latitude / Longitude for start location of each string

Detailed Fishing Information cont'

Statistical - Pacific Fishery Management Area and sub-area must be provided for each string

Depth - record in fathoms; min. = minimum depth of set max. = maximum depth of the set

No. of traps - record the number of traps fished for the corresponding catch data

Whole Prawn Weight - record as whole weights only
For tailed prawns, **multiply weight by 2** and enter under Whole Prawn Weight
DO NOT fill in the whole weight if your product has already been recorded in the freezer weight section. Only product in addition to your freezer weight should be recorded here.

***Record of sizes by weight - For use by Freezer Boats**
USE AS A GUIDELINE THE SPECIFIED COUNTS PER KILOGRAM FOR EACH SIZE CLASS EG 15-18 PIECES PER KG

Dock Shrimp - record as whole weights (also known as coonstripe shrimp)

Humpback Shrimp - record as whole weights (also known as king shrimp)

Octopus - for each string of gear record the **total number and total weight** of octopus released and kept
Indicate Pounds or Kilograms for Octopus weights

Remarks - make note of any problems, unusual catch, unusual weather, berried females, etc.

Appendix 6: Marine Mammal Interaction Form



Fisheries and Oceans
Canada

Pêches et Océans
Canada

MARINE MAMMAL INTERACTION FORM

Sighting Date: _____ Sighting Time: _____ Location: _____ _____ Latitude: _____ <i>Deg Min</i> Longitude: _____ <i>Deg Min</i>	Observer Information Name: _____ Address: _____ _____ Phone: _____ Email: _____ Vessel: _____ Target Species: _____ Gear type: _____ Logbook # (identifier) _____	Identifier Logbook: _____ FOS: _____ Other: _____
Species (check one) Dolphin / Porpoise <input type="checkbox"/> Species code: _____ <input type="checkbox"/> Unidentified Whale <input type="checkbox"/> Species code: _____ <input type="checkbox"/> Unidentified Seal / Sea Lion <input type="checkbox"/> Species code: _____ <input type="checkbox"/> Unidentified	Incident type: <input type="checkbox"/> Sighting <input type="checkbox"/> other: <input type="checkbox"/> Dead animal <input type="checkbox"/> Live Stranding <input type="checkbox"/> Entanglement <input type="checkbox"/> Shooting <input type="checkbox"/> Collision <input type="checkbox"/> Sick or Injured <input type="checkbox"/> Harassment <input type="checkbox"/> Depredation	Animal Condition <input type="checkbox"/> Appears Healthy <input type="checkbox"/> Sick or Injured <input type="checkbox"/> Dead <input type="checkbox"/> Unknown
	ID Confidence <input type="checkbox"/> Certain <input type="checkbox"/> Probable <input type="checkbox"/> Possible <input type="checkbox"/> Uncertain	Number of Animals Min # _____ Max # _____ Best # _____
	Body Length <input type="checkbox"/> 3-8m (10-25 ft) <input type="checkbox"/> <1m (<3 ft) <input type="checkbox"/> 8-16m (25-50 ft) <input type="checkbox"/> 1-1.5m (3-5 ft) <input type="checkbox"/> 16-26m (50-80 ft) <input type="checkbox"/> 1.5-2m (5-7 ft) <input type="checkbox"/> >26m (>80 ft) <input type="checkbox"/> 2-3m (7-10 ft) <input type="checkbox"/> Other: _____(m/ft)	
Description: (<i>shape, colour, markings, behaviour</i>) _____ _____ _____ _____ _____ _____ _____ _____ _____ _____	Comments: (<i>timeline, actions, people involved, etc</i>) _____ _____ _____ _____ _____ _____ _____ _____ _____ _____	

Appendix 7: Fishing Vessel Safety

TABLE OF CONTENTS

1. OVERVIEW – FISHING SAFETY 2

2. IMPORTANT PRIORITIES FOR VESSEL SAFETY 3

 2.1 Fishing Vessel Stability 3

 2.2 Emergency Drill Requirements 4

 2.3 Cold Water Immersion..... 5

 2.4 Other Issues 5

 2.4.1 Weather 5

 2.4.2 Emergency Radio Procedures 5

 2.4.3 Collision Regulations 6

 2.4.4 Buddy System..... 7

3. WORKSAFEBC..... 7

4. FISH SAFE BC 7

5. TRANSPORTATION SAFETY BOARD 8

1. OVERVIEW – FISHING SAFETY

Vessel owners and masters have a duty to ensure the safety of their crew and vessel. Adherence to safety regulations and good practices by owners, masters and crew of fishing vessels will help save lives, prevent vessel damage and protect the environment. All fishing vessels must be in a seaworthy condition and maintained as required by Transport Canada (TC), WorkSafeBC, and other applicable agencies. Vessels subject to inspection should ensure that the certificate of inspection is valid for the area of intended operation.

In the federal government, responsibility for shipping, navigation, and vessel safety regulations and inspections lies with TC; emergency response with the Canadian Coast Guard (CCG) and DFO has responsibility for management of the fisheries resources. In BC, WorkSafeBC also regulates health and safety issues in commercial fishing. This includes requirements to ensure the health and safety of the crew and safe operation of the vessel. DFO (Fisheries and Aquaculture Management [FAM] and CCG) and TC through a Memorandum of Understanding (MOU, 1996) have formalized cooperation to establish, maintain and promote a safety culture within the fishing industry.

Before departing on a voyage the owner, master or operator must ensure that the fishing vessel is capable of and safe for the intended voyage and fishing operations. Critical factors for a safe voyage include the seaworthiness of the vessel, having the required personal protective and life-saving equipment in good working order, crew training, and knowledge of current and forecasted weather conditions. As safety requirements and guidelines may change, the vessel owner, crew, and other workers must be aware of the latest legislation, policies and guidelines prior to each trip.

There are many useful tools available for ensuring a safe voyage. These include:

Education and training programs

Marine emergency duties training

Fish Safe – Stability Education Program & 1 Day Stability Workshop

Fish Safe – SVOP/Safe on the Wheel Course

Fish Safe – Safest Catch Program – **FREE** for BC commercial fishers

First Aid training

Radio Operators Course

Fishing Masters Certificate training

Small Vessel Operators Certificate training

Publications:

- TC Publication TP 10038 *Small Fishing Vessel Safety Manual* (can be obtained at TC Offices from their website at: <http://www.tc.gc.ca/eng/marinesafety/tp-tp10038-menu-548.htm>)
- Amendments to the *Small Fishing Vessel Inspection Regulations* (can be obtained from: <http://www.gazette.gc.ca/rp-pr/p2/2016/2016-07-13/html/sor-dors163-eng.html>)
- Gearing Up for Safety – WorkSafeBC

- Safe At Sea DVD Series – Fish Safe
- Stability Handbook – Safe at Sea and Safest Catch – DVD Series
- Safest Catch Log Book
- Safety Quick

Further information is available on the internet at:

<http://www.tc.gc.ca/en/services/marine.html>

<http://www.fishsafebc.com/>

<http://www.worksafebc.com/>

2. IMPORTANT PRIORITIES FOR VESSEL SAFETY

There are three areas of fishing vessel safety that should be considered a priority. These are: vessel stability, emergency drills and cold water immersion.

2.1 Fishing Vessel Stability

Vessel stability is paramount for safety. Care must be given to the stowage and securing of all cargo, skiffs, equipment, fuel containers and supplies, and also to correct ballasting. Fish harvesters must be familiar with their vessel's centre of gravity, the effect of liquid free surfaces on stability (i.e. loose water or fish on deck), loading and unloading operations, watertight integrity and the vessel's freeboard. Know the limitations of your vessel; if you are unsure contact a reputable naval architect, marine surveyor or the local TC Marine Safety Office.

Fishing vessel owners are required to develop detailed instructions addressing the limits of stability for each of their vessels. These instructions must include detailed safe operation documentation kept on board the vessel. Examples of detailed documentation include: engine room procedures; maintenance schedules to ensure watertight integrity; and, instructions for regular practice of emergency drills.

The *Fishing Vessel Safety Regulations* currently require, with certain exceptions, a full stability assessment for vessels between 15 and 150 gross tons that do not exceed 24.4 metres in length and include fishing vessels involved in the catch of herring or capelin. In 2017, TC issued Ship Safety Bulletin (SSB) No. 03/2017 announcing the coming into force of the *New Fishing Vessel Safety Regulations*. The initial regulations were published in the Canada Gazette Part II on July 13, 2016 and came into force on July 13, 2017. The bulletin includes important information on changes to requirements for Written Safety Procedures, Safety Equipment and Vessel Stability.

As of July 13, 2017, the following fishing vessels must successfully undergo a stability assessment by a competent person:

- A new fishing vessel that has a hull length of more than 9 m;
- A fishing vessel more than 9 m and that has undergone a major modification or a change in activity that is likely to adversely affect its stability;
- A fishing vessels that is fitted with an anti-roll tank at any time;

- A fishing vessel more than 15 gross tonnage and used for catching Herring or Capelin during the period beginning on July 6, 1977 and ending on July 13, 2017.

A fishing vessel that is not required to undergo a stability assessment shall have adequate stability to safely carry out the vessel's intended operations. Guidelines are still being developed to help small fishing vessel owners and operators meet their regulatory requirements. Additionally, TC published a Stability Questionnaire ([SSB No. 04/2006](#)) and Fishing Vessel Modifications Form ([SSB No. 01/2008](#)) which enable operators to identify the criteria which will trigger a stability assessment. Please contact the nearest TC office if you need to determine whether your vessel requires one, or to receive guidance on obtaining competent assessor.

In 2008, TC issued [SSB No. 01-2008](#) which sets out a voluntary record of modifications for the benefit of owners/masters of any fishing vessels. For vessels of more than 15 gross tons, the record of modifications was to be reviewed by TC inspectors during regular inspections and entered on the vessel's inspection record. However, information gathered during the Transportation Safety Board's (TSB) Safety Issues Investigation into the fishing industry showed minimal recording of vessel modifications prior to this date.

The TSB has investigated several fishing vessel accidents since 2002 and found a variety of factors that effected the vessel's stability were identified as contributing factors in vessels capsizing, such as with: [M02W0102](#) - *Fritzi-Ann*, [M05W0110](#) - *Morning Sunrise*, [M07M0088](#) - *Big Sisters*, [M08W0189](#) - *Love and Anarchy*, [M09L0074](#) - *Le Marsouin I*, [M10M0014](#) - *Craig and Justin*, [M12W0054](#) - *Jessie G*, [M12W0062](#) - *Pacific Siren*, [M14P0121](#) - *Five Star* and [M15P0586](#) - *Caledonian*.

Vessel masters are advised to carefully consider stability when transporting gear. Care must be given to the stowage and securing of all traps, cargo, skiffs, equipment, fuel containers and supplies and also to correct ballasting. Know the limitations of your vessel; if you are unsure contact a reputable marine surveyor, naval architect or the local TC Marine Safety office.

In 2013, Fish Safe developed a code of best practices for the food and bait herring fishery and the prawn fishery: 'Food and Bait – Best Practice Reminders'; 'Prawn Industry - Best Industry Recommended Practices.' Please contact Ryan Ford at Fish Safe for a copy of the program materials they developed to address safety and vessel stability in these fisheries.

Ryan Ford – Cell phone: (604) 739-0540 - Email: ryan@fishsafebc.com.

2.2 Emergency Drill Requirements

The *Canada Shipping Act* (2001) requires that the Authorized Representative of a Canadian Vessel shall develop procedures for the safe operation of the vessel and for dealing with emergencies. The Act also requires that crew and passengers receive safety training. The *Marine Personnel Regulations* require that all personnel on board required to meet the minimum safe manning levels have received MED (Marine Emergency Duties) training to an A1 or A3 level, depending on the vessel's voyage limits, within six months of serving aboard. MED A3 training is eight hours in duration and is applicable to seafarers on fishing vessels less than 150 GRT that are within 25 miles from shore (NC2). MED A1 training is 19.5 hours duration and is applicable to all other fishing vessels.

MED provides a basic understanding of the hazards associated with the marine environment; the prevention of shipboard incidents; raising and reacting to alarms; fire and abandonment situations; and the skills necessary for survival and rescue.

Between 2011 and 2015 the TSB investigated 17 fishing vessel accidents which resulted in 17 fatalities. The report's findings highlighted the lack of safety drills and safety procedures and practices.

The Safest Catch program, delivered by Fish Safe and free to BC commercial fishers, includes comprehensive practice of drills such as abandon ship, man overboard and firefighting drills.

2.3 Cold Water Immersion

Drowning is the number one cause of death in BC's fishing industry. Cold water is defined as water below 25° C, but the greatest effects occur below 15° C. BC waters are usually below 15° C. Normal body temperature is around 37° C; cold water rapidly draws heat away from the body. The effects of cold water on the body occur in four stages: cold shock, swimming failure, hypothermia and post-rescue collapse. Know what to do to prevent you or your crew from falling into the water and what to do if that occurs. More information is available in the WorkSafe Bulletin 'Cold Water Immersion' (available from the WorkSafeBC website at <https://www.worksafebc.com/en>) where the need to don personal flotation devices (PFDs) while working in or near the water during fishing operations is clearly emphasized.

Resulting from the TSB investigations into the *Diane Louise* – [M14P0110](#) and the *Caledonian* – [M15P0286](#) fishing vessel accidents, the Board recommended that both TC and WorkSafeBC require that persons wear a suitable PFDs at all times when on the deck of a commercial fishing vessel, or when on board a commercial fishing vessel without a deck or deck structure, and ensure that programs are developed to confirm compliance.

2.4 Other Issues

2.4.1 Weather

Vessel owners and masters are reminded of the importance of paying close attention to current weather trends and forecasts during the voyage. Marine weather information and forecasts can be obtained on VHF channels 21B, Wx1, Wx2, Wx3, or Wx4. Weather information is also available from Environment Canada website at:

https://weather.gc.ca/marine/index_e.html

2.4.2 Emergency Radio Procedures

Vessel owners and masters should ensure that all crew are able to activate the Search and Rescue (SAR) system early rather than later by contacting the CCG. It is strongly recommended that all fish harvesters carry a registered 406 MHz Emergency Position Indicating Radio Beacon (EPIRB). These beacons should be registered with the National Search and Rescue secretariat. When activated, an EPIRB transmits a distress call that is picked up or relayed by satellites and transmitted via land earth stations to the Joint Rescue Co-ordination Centre (JRCC), which will task and co-ordinate rescue resources.

Fish harvesters should monitor VHF channel 16 or MF 2182 KHz and make themselves and their crews familiar with other radio frequencies. All crew should know how to make a distress call and should obtain their Restricted Operator Certificate from Industry Canada. However, whenever possible, masters should contact the nearest CCG Marine Communications and Traffic Services (MCTS) station (on VHF channel 16 or MF 2182 kHz) prior to a distress situation developing. Correct radio procedures are important for communications in an emergency. Incorrect or misunderstood communications may hinder a rescue response.

Since August 1, 2003 all commercial vessels greater than eight metres in length are required to carry a Class D VHF Digital Selective Calling (DSC) radio. A registered DSC VHF radio has the capability to alert other DSC equipped vessels in your immediate area and MCTS that your vessel is in distress. Masters should be aware that they should register their DSC radios with Industry Canada to obtain a Marine Mobile Services Identity (MMSI) number or the automatic distress calling feature of the radio may not work.

For further information see the Canadian Coast Guard website at:

<http://www.ccg-gcc.gc.ca/eng/CCG/Home>

or go directly to the Industry Canada web page:

<http://www.ic.gc.ca/eic/site/smt-gst.nsf/eng/sf01032.html>

A DSC radio that is connected to a GPS unit will also automatically include your vessel's current position in the distress message.

More detailed information on MCTS and DSC can be obtained by contacting a local Coast Guard MCTS centre (located in Victoria or Prince Rupert or from the Coast Guard website: <http://www.ccg-gcc.gc.ca/eng/CCG/Pacific>).

2.4.3 Collision Regulations

Fish harvesters must be knowledgeable of the *Collision Regulations* and the responsibilities between vessels where risk of collision exists. Navigation lights must be kept in good working order and must be displayed from sunset to sunrise and during all times of restricted visibility. To help reduce the potential for collision or close quarters situations which may also result in the loss of fishing gear, fish harvesters are encouraged to monitor the appropriate local Vessel Traffic Services (VTS) VHF channel when travelling or fishing near shipping lanes or other areas frequented by large commercial vessels. Vessels required to participate in VTS include:

- a) every ship twenty metres or more in length;
- b) every ship engaged in towing or pushing any vessel or object, other than fishing gear;
- c) where the combined length of the ship and any vessel or object towed or pushed by the ship is forty five metres or more in length; or
- d) where the length of the vessel or object being towed or pushed by the ship is twenty metres or more in length.

Exceptions include:

- a) a ship towing or pushing inside a log booming ground;
- b) a pleasure yacht less than 30 metres in length; and
- c) a fishing vessel that is less than 24 metres in length and not more than 150 tons gross.

More detailed information on VTS can be obtained by calling (250) 363-8904 or from the Coast Guard website at:

<http://www.ccg-gcc.gc.ca/eng/CCG/Home>

2.4.4 Buddy System

Fish harvesters are encouraged to use the buddy system when transiting and fishing as this allows for the ability to provide mutual aid. An important trip consideration is the use of a sail/voyage plan which includes the particulars of the vessel, crew and voyage. The sail plan should be left with a responsible person on shore or filed with the local MCTS. After leaving port the fish harvester should contact the holder of the sail plan daily or as per another schedule. The sail plan should ensure notification to JRCC when communication is not maintained which might indicate your vessel is in distress. Be sure to cancel the sail plan upon completion of the voyage.

3. WORKSAFEBC

WorkSafeBC exercises jurisdiction over workplace health and safety, including the activities of crews of fishing vessels. Commercial fishing, diving, and other marine operations are subject to the provisions of the *Workers Compensation Act (WCA)* and requirements in Part 24 of the Occupational Health and Safety Regulation (OHSR). Many general hazard sections of the OHSR also apply to commercial fishing and other marine operations. For example, Part 8: Personal Protective Clothing and Equipment addresses issues related to safety headgear, safety foot wear, and PFDs. Part 15 addresses issues related to rigging; Part 5 addresses issues of exposure to chemical and biological substances; and Part 3 addresses training of young and new workers, first aid, and accident investigations. Part 3 of the *WCA* also defines the roles and responsibilities of owners, employers, supervisors, and workers.

The OHSR and the *WCA* are available from the Provincial Crown Printers or by visiting the WorkSafeBC website:

<http://www.worksafebc.com/>

For further information, contact an Occupational Safety Officer:

Mark Lunny	Courtenay	(250) 334-8732
Cody King	Courtenay	(250) 334-8733
Gregory Matthews	Courtenay	(250) 334-8734
Jessie Kunce	Victoria	(250) 881-3461

or the Manager of Interest for Marine and Fishing, Pat Olsen (250) 334-8777

For information on projects and initiatives related to commercial fishing health and safety please contact Tom Pawlowski (604) 233-4062 or by email: tom.pawlowski@worksafebc.com

4. FISH SAFE BC

Fish Safe encourages vessel masters and crew to take ownership of fishing vessel safety. Through this industry driven and funded program Fish Safe provides fishing relevant tools and programs to assist fishers in this goal. The Fish Safe Stability Education Program and 1 Day Stability Workshop are available to all fishers who want to improve their understanding of stability and find practical application to their vessel's operation. The SVOP/Safe on the Wheel Course is designed to equip crew with the skills they need to safely navigate during their wheel watch. The Safest Catch Program, along with fisher-trained Safety Advisors, is designed to give fishers the tools they need to create a vessel specific safety management system.

Fish Safe is managed by Ryan Ford, Program Coordinator John Krgovich, interim Program Assistant Yana Ingelsman, Bookkeeper Rhoda Huey and an experienced team of Fisher Safety Advisors. All activities and program development is directed by the Fish Safe Advisory Committee (membership is open to all interested in improving safety on board). The advisory committee meets quarterly to discuss safety issues and give direction to Fish Safe in the development of education and tools for fish harvesters.

Fish Safe also works closely with WorkSafeBC to improve the fishing injury claims process.

For further information contact:

Ryan Ford
Program Manager

Fish Safe

#100, 12051 Horseshoe Way
Richmond, BC V7A 4V4

Cell: (604) 739-0540

Office: (604) 261-9700

Email: ryan@fishsafebc.com

<http://www.fishsafebc.com/>

5. TRANSPORTATION SAFETY BOARD

The TSB is not a regulatory board. The TSB is an independent agency that investigates marine, pipeline, railway and aviation transportation occurrences to determine the underlying risks and contributing factors. Its sole aim is the advancement of transportation safety by reporting publicly through Accident Investigation Reports or Marine Safety Information Letters or Advisors. It is not the function of the Board to assign fault or determine civil or criminal liability. Under the TSB Act, all information collected during an investigation is completely confidential.

In 2014 the TSB released three investigation reports:

- the collision between trawl fishing vessel [Viking Storm](#) and US long line fishing vessel *Maverick* and the subsequent fatality;
- the person over board off the prawn fishing vessel [Diane Louise](#) and the subsequent fatality;
- the capsizing of the crab fishing vessel [Five Star](#) and subsequent fatality.

In 2016 the TSB released one investigation report:

- the capsizing of the trawl [Caledonian](#) and subsequent fatalities.

The TSB issued five recommendations following the *Caledonian* report. Three recommendations issued are aimed at ensuring all crews have access to adequate stability information that meets their needs.

That means:

- All commercial fishing vessels should have a stability assessment appropriate for their size and operation.
- The information from that assessment must then be kept current, and it must be used to determine safe operating limits.

Moreover, these operating limits must be easily measurable, and relevant to the vessel's operation. For example, that could mean marking the sides of a vessel's hull to indicate the maximum operating waterline. Or maximum permitted loads can be specified in the most relevant unit of measure - total

catch weight for instance, or the safe number of traps. Regardless, for it to be of real, practical use, the information must be presented in a format that is clearly understood and easily accessible to crew.

The other two recommendations address the most basic step that fishers can take: wearing a PFD. Here in BC, roughly 70% of all fishing-related fatalities in the past decade came while not wearing a PFD. Yet many fishers still don't wear them. Regulations currently require that PFDs be worn only if fishers identify a risk, however; you never know when you could end up in the water. So the TSB is recommending to TC and WorksafeBC to require persons to wear suitable PFDs at all times when on the deck of a commercial fishing vessel or when on board a commercial fishing vessel without a deck or deck structure and that programs are developed to confirm compliance.

For more information about the TSB, visit the website at:

<http://www.tsb.gc.ca/>

For information about the TSB's investigation into fishing safety, or to view a brief video, visit:

<http://www.tsb.gc.ca/eng/medias-media/videos/marine/m09z0001/index.asp>

To view a brief video about some of the issues on the TSB's recent safety Watchlist, visit:

<http://www.tsb.gc.ca/eng/medias-media/photos/index.asp>

Reporting an Occurrence:

<http://www.tsb.gc.ca/eng/incidents-occurrence/marine/>

After a reportable occurrence happens; you can fill out the TSB 1808 form or call the TSB at the contact information below.

Glenn Budden, Investigator, Marine - Fishing Vessels
Transportation Safety Board of Canada
4 - 3071 No. 5 Road
Richmond, BC, V6X 2T4
Telephone: 604-666-2712
Cell: (604) 619-6090
Email: glenn.budden@tsb.gc.ca



PRAWN / SHRIMP SANITARY GUIDELINES and CFIA Licensing Requirements under the Safe Food for Canadians Regulations

New Licensing Requirements under the Safe Food for Canadians Act and Regulations

On January 15, 2019, the *Safe Food for Canadians Act (SFCA)* and *Safe Food for Canadians Regulations (SFCR)* will come into force. The SFCR will replace the 14 sets of regulations currently enforced by the Canadian Food Inspection Agency (CFIA), including the *Fish Inspection Act* and Regulations, and the *Consumer Packaging and Labelling Regulations*.

The new consolidated regulations will require those businesses who export or prepare food for export and/or inter-provincial trade, to obtain a license and to document preventive controls that outline steps to address potential risks to food safety.

Traceability is also one of the key elements of the new regulations; traceability records will ensure that businesses trace food forward one step, and back one step. This will reduce the time it takes to remove unsafe products from the market.

Please contact the product exporter and the CFIA licensed processor(s) of your catch to discuss these requirements before you fish. If you have questions about the *Safe Food for Canadians Regulations*, please refer to the CFIA website for more information, contact the CFIA at one of the offices listed on the next page, or send your questions to Ask CFIA.

<http://www.inspection.gc.ca/food/eng/1299092387033/1299093490225>

<http://www.inspection.gc.ca/food/general-food-requirements-and-guidance/licensing/food-business-activities/eng/1524074697160/1524074697425>

Sanitary Concerns in Prawns/Shrimp

Potential contamination of fish products may occur if adequate controls over sanitation and hygiene are not followed during the fishing and handling, both on board the vessel, and during holding and transporting to the processing plant. In the past, prawn/shrimp have been found to be contaminated with *E. coli*, and more recently, there have been reports of suspected norovirus contamination.

Adherence to the following guidelines will help reduce potential contamination of fish products, and should be part of a Preventative Control Plan:

Water Supplies and Fishing Locations

The seawater used to fill live tank systems must be taken from open and clear offshore waters away from harbours, coves, and vessel mooring locations. Intake pipes should be located on the opposite side of the vessel to any vessel waste discharge, and as deep as possible to avoid taking in surface water.

Open live tank systems that run with continuous fresh seawater circulation must be shut off when entering harbours or unloading docks.

Do not fish near locations of known sewage outfalls, discharge pipes or other contamination sources.

Sanitation Controls for the Vessel and Equipment

After each delivery, the entire live tank holding and chilling system must be thoroughly cleaned and then sanitized with a bleach solution consisting of approximately a capful of bleach per gallon of approved source of potable freshwater (follow manufactures directions). At least a 20 minute contact time is needed for the solution to properly sanitize the lines. If systems cannot be drained completely overnight, the bleach solution should remain in the lines and be flushed out thoroughly in the morning before taking on fresh seawater for the day's fishing. This is especially crucial for parts of the chilling system located in warm engine compartments where the water inside the system could warm up and cause bacteria to grow.

In addition to the live tank system, all other pieces of equipment, utensils, and surfaces used in the handling of prawns/shrimp must be thoroughly cleaned & sanitized using the following 5 step method, or an equally effective alternate method:

- 1) rinse with cold water to remove excess debris & pieces of prawn, etc.,
- 2) scrub all surfaces thoroughly with detergent and scrub brush,
- 3) rinse with cold water to remove all traces of detergent,
- 4) sanitize with mild bleach solution (see above) and allow to air dry,
- 5) rinse with cold water prior to beginning the next day's production.

Personal Hygiene Controls

Fishers and all handlers of prawns/shrimp must exercise good personal habits which includes thoroughly washing hands with soap and water prior to any handling of prawns/shrimp or equipment. Fishers and handlers must not work on the vessel or handle product if they are ill.

Harbour water or non-potable water from alongside the dock where the vessel is tied up must never be used for cleaning purposes. Likewise, do not draw water from the ocean in close vicinity to towns, villages, industrial plants, fish plants and freezer/factory ships. Water drawn in proximity to such sources has a higher risk of being contaminated.

Temperature Controls

Protect product from exposure to elevated temperatures while onboard the fishing vessel and while in transit.


For more information, please contact the local Canadian Food Inspection Agency Office:

CFIA - Burnaby
150-3001 Wayburne Dr.
Burnaby, B.C.
V5G 4W3
(604) 666-9904

CFIA - Victoria
103 – 4475 Viewmont Ave.
Victoria, B.C
V8Z 6L8
(250) 363-3618

CFIA - Parksville
457 E. Stanford Ave.
Parksville, B.C.
V6P 1V7
(250) 248-4772

PRAWN LIFE CYCLE



1. LIFE CYCLE NOTES

The diagram is based on the 12 months of the year, and the four year life cycle of the prawns. It provides information about what life stages may be present, their size, and for the last year of the life cycle, the spawner index to which the fisheries are managed.

The diagram was first created in March 2003. It is still under review and correction with respect to size at age, and timing of moult occurrences. In particular, the size increases from 30 months to 42 months appear insufficient, and the shape of the timing of the moult period occurring in the late summer needs some clarification.

Solid spiral lines indicate that most prawns are in that stage at that time and portion of their life cycle. Hatched lines indicate that some prawns may be in the leading or trailing portions of a life cycle stage. All prawns begin life as males, spawn at about 2.5 years of age, then undergo a change at 2.5 to three years of age to become females, spawn again as adult females, extrude and carry eggs at 3.5 to four years, hatch out the larvae and then die. Few if any prawns survive past the fourth year.

The light spiral line near the centre of the diagram indicates immature prawns from larval settlement to 18 months. This continues out to a dark spiral line indicating male prawns from 18 months to 30 to 36 months. The next portion of the spiral line indicates transition prawns which are in the process of changing from male to female life forms, from 30 to 37 months. The last light portion of the spiral line indicates adult female prawns from 37 to 43 months, before they extrude and carry eggs under their tails. The last portion of the line indicates female prawns carrying eggs under their tails, from 41 to 48 months. This is the end of the life line.

The numbers on the horizontal line through the middle of the diagram indicate an average length and weight by months of age. For example, a 30 month prawn is approximately 30 gm. weight and 37 mm. carapace length. Carapace length is the distance measured from the back of the eye socket to the middle of the back of the shell that covers the head and thorax, in front of the tail. Following on this example, a prawn at 30 month age is likely to be either a late stage male or an early stage transition, and at a time of life when they are likely to moult.

The figure also includes a series of numbers which follow the spiral for the last year of the prawn's life cycle. These are spawner index values. The spawner index is the average number of females or transitional prawns which will become females and complete their life cycle in the final year, caught by a standardized trap fished for 24 hours. From April to July there are three index numbers listed. From August to March there are only two. In all cases, the first number of the series is the original "base line" spawner index which was established more than 20 years ago. In all cases, the second number is a value 10 % greater than the original base line number. This is the index number that is presently used to manage prawn fisheries throughout the coast. It is higher than the baseline to provide an additional margin of safety, for example, by providing a buffer for possible delays in invoking closures in fisheries on prawns, whether they closures of the commercial fishery in-season or recreational fishery when needed. The third number is an index value 25 % higher than the base line. This index number only appears for the period of the

commercial fishery from April through July. It is the management target for closures in areas where there are a large number of recreational fishers following the commercial fishing season.

2. EXAMPLE OF USE OF THE DIAGRAM

Consider November when there are fall index suveys in important recreational fishing areas. From the outside working in, the diagram indicates you may expect to find berried female prawns of 42 mm average carapace length and 42 gm average weight. There are also small transition prawns which have recently come out of a moult and large male prawns which have not yet moulted into the transitional stage. Both of these are of like size, 37 mm CL and 30 gm. weight. Note that these 2.5+ year old prawns are in excess of the commercial legal size limit. There will also be smaller 1.5+ year old male prawns of average size 30 mm and 17 gm weight. Finally, although not often seen in traps due to their size, there will be 14 mm 2 gm immature 0.5+ year old prawns. As well, these prawns may be in shallower water, still moving down slope to the preferred adult habitat at greater depths.

At this same time, note the spawner index management levels, which are the two numbers on the outer edge of the spiral. Fishery managers prefer to see values in the fall index surveys in excess of an average of 3.5 females per trap. Note that at this time of year, almost all adult female prawns will be carrying eggs, so are easy to identify and count. Also note that although large transition prawns are present, they do not count towards the index as they will not complete their life cycle in this spawning season. These transitional prawns will count in the spawner index measurement, beginning in April as by that time they will complete their life cycle by the following winter. With respect to the index number, if the sampling returns an index between 3.2 and 3.5, managers will be concerned and will consider if closures may be necessary, based on fishing intensity and the indexes seen in adjacent areas in a common geographic water body. If the index number is less than 3.2, managers will take action, usually a closure. In this case, adjacent areas in a common water body may also be closed if it is considered to be potentially beneficial to ensure increased larval production from those areas to offset reduced larval production from the area with the low index.

3. INFORMATION SOURCES

The length and weight numbers in this diagram are from a table presented by C.S. Wright and P. Panek, which is referenced back to Butler, Boutillier and Bond, Mikkelsen, and Ricker. Of these, Butler's publication was visited for additional information. Note that Butler's length/weight descriptions are generally lower than provided in the Wright and Panek table, and lower than represented on the diagram, suggesting that a range of values should be presented on the diagram. The length/weight values need to be checked against recent measurements made in field programs. For example, in southern Gulf of Georgia in March 2003, male lengths were 30 to 32 mm and transitions were 35 to 37 mm.

Further, there will be variations based on geography. For more northern areas, the whole diagram may have to be rotated or lengths of development periods altered to represent growing conditions in those waters. As well, size and weight characteristics may change. One enduring question, is

how those northern prawns can be so much larger than their southern cousins. Genetics, food supply or a five year life cycle?

Finally, the diagram began in response to a question from a prawn fishery observer, asking what could be expected when sampling was undertaken in March, 2003. The diagram used information from that sampling in Georgia Strait, as well as earlier work in February 2003 and December 2002 from Saanich Inlet, to identify a winter moult period and to confirm portions of the size ranges.

Butler, T., 1980.

Maximum male carapace length = 48.1 mm.

Maximum female carapace length = 61.1 mm.

One year after hatching = 12 mos = 21.1 mm, 6.5 gm.

Second autumn = 18 mos = 27.0 mm, 13 gm, prawns mature as males.

Most function as males for another year (=30 mos).

The remainder begin sex change at 24 mos.

30 months; mixed group of males and slightly larger females.

30 months males = 32.9 mm, 23 gm.

36 months; all prawns are female or undergoing sex change, transitions.


Spawning over at end of October.

Ovigerous period lasts 5 to 5.5 mos.

48 months; 38 mm, >35 gm.

Large females 43 to 50 mm C/L are either fast growing or in fifth year.


Appendix 10: Map of Fishing Areas (Pacific Fishery Management Areas)



Inshore fishery areas include Pacific Fishery Management Areas 1 to 29.


Offshore areas include Pacific Fishery Management Areas 101 to 111, 121 to 127, 130 and 142.

Appendix 11: Strait of Georgia and Howe Sound Glass Sponge Reef Closures





Appendix 12: Hecate Strait and Queen Charlotte Sound Glass Sponge Reefs Marine Protected Area



Appendix 13: Gwaii Haanas National Marine Conservation Area Reserve and Haida Heritage Site – Current Closure Areas




Figure 1. Gwaii Haanas National Marine Conservation Area Reserve and Haida Heritage Site (current closures). Until the new zoning plan is implemented and communicated through

subsequent Fishery Notices, the current commercial (Appendix 1) and recreational (Appendix 2) closures remain in effect.

A new management plan for the Gwaii Haanas National Park Reserve, National Marine Conservation Area Reserve, and Haida Heritage Site was approved by Canada and the Haida Nation in November 2018, following an extensive consultation process. The final zoning plan includes several areas of strict protection, where commercial and recreational fishing will be prohibited (see Management Plan at the internet site below). The implementation of these closures may take some time. However, steps are being taken to undertake this work and these closures will be communicated via Fishery Notice when the plan is implemented.

Users of the Gwaii Haanas marine area should be aware that adjacent land is managed under the authority of the *Canada National Parks Act* and its regulations and, as specified in the Gwaii Haanas Agreement (1993), there is "no extraction or harvesting by anyone of the resources of the lands and non-tidal waters of the Archipelago for or in support of commercial enterprise" (s3.3). There are specific requirements for visiting the terrestrial portion of Gwaii Haanas, and advanced planning is necessary. Please contact the Gwaii Haanas administration office at 1-877-559-8818 for further information.

The Gwaii Haanas Gina ‘Waadluxan KilGuhlGa Land-Sea-People Management Plan is available at:

<https://www.pc.gc.ca/en/pn-np/bc/gwaiihaanas/info/consultations>

Appendix 14: Fishery Monitoring & Catch Reporting Risk Assessment Tool

Fishery Monitoring & Catch Reporting Risk Assessment Tool

Column Comments

1 PART A: FISHERY DESCRIPTION & LICENCING INFORMATION

1.1 Licencing

Column	Comments
DFO Mgmt Area	DFO management areas, Pacific Fishery Management Area. e.g., SC (South Coast); NC (North Coast); LFA (Lower Fraser Area); BCI (BC Interior); UFR (Upper Fraser River); YKTB (Yukon-Transboundary)
Name of Fishing Group	A name to describe the fishing group. e.g., First Nation name or aggregate (band, tribal council, permitting authority, etc), San Juan, Recreational, Area E commercial, etc
Licence Type	Licence type e.g., Food, social, ceremonial (FSC), commercial, Economic Opportunity, Recreational, etc

1.2 Description

Column	Comments
Gear Type	e.g., boat based angling, seine, trawl, etc.
Fish Species for Analysis	The fish species that is being analysed by this row. For example, in a directed or multi-species fishery, it would refer to the target species that is retained. In an opportunistic fishery, such as some recreational and FSC fisheries, multiple rows will analyse the impacts of the fishery. In a multi-stock fishery, please note the stock that is driving the fishery in brackets. e.g., Chinook (Spring 4-2), Sockeye (Fraser), chum salmon, geoduck, etc
Timing of Analysis	If the analysis is seasonally dependent, then note the timeframe. e.g., Recreational fisheries may have a larger impact from May-August and so separate rows should specify the timing of analysis. If the fishery is year round: "June-May" or "year round"

1.3 Size of Fishery

Column	Comments
Mean Catch (pcs/lbs)	Describe the size of the fishery in a method that provides context for the size of the fishery in relation to other users. - Record the average catch in appropriate units, over a representative time span for the fishery (the time period may differ between species). e.g., 40,000 lbs/yr, 2010-2014
Mean Effort (boat-days, fishers, etc)	Describe the size of the fishery in a method that provides context for the size of the fishery in relation to other users. - Record the average effort (number of boats, number of fishers, etc.) over a representative time span for the fishery. e.g., 2000 boat-days per year, 2012-2014

% TAC	Describe the size of the fishery in a method that provides context for the size of the fishery in relation to other users. -Record the range of percentages that the fishery takes of the total exploitation rate (e.g., 50-75%), or provide the mean total exploitation rate over a specified time period (e.g., 25%, 2005-2010)
--------------	--

2 PART B: ECOSYSTEM RISKS

2.1 Main Species

Could the mortality caused by fishery threaten the main fish species or stock that is being assessed?
"Main" can also be referred to as "target".

Column	Comments
Main Species or Stock Status	<p>Does the fishery target a species/stock that is thought to be of concern in some way (e.g., Is it healthy and abundant? Is it listed under the <i>Species at Risk Act</i> (SARA)? Has it been assessed by the Committee on the Status of Endangered Wildlife in Canada (COSEWIC) or Wild Salmon Policy (WSP)? Has it been identified as a concern according to the Salmon Outlook or its Integrated Fisheries Management Plan status or another assessment grouping? Or is the species or stock status presumed to be low but data deficient? Is there a co-migrating stock amongst the main species that is sensitive in some way?), and if so, what is the consequence of the impact? How likely is it that the fishery will have a negative impact of such consequence?</p> <p>Consequence: E.g. 0= This question isn't applicable. 1= There are minor concerns with how the fishery will impact the health of the main fish population being analyzed (but it is not listed or presumed to be weak). 2= The fishery may impact a species/stock that is of medium concern (e.g. listed as "of special concern" or "amber status"). 3= The fishery may impact a species/stock of high concern (e.g. listed as, "threatened" or "endangered" or "red status").</p> <p>Likelihood: E.g. 0 = This question isn't applicable 1= The fishery has a low likelihood of causing the consequence listed above. 2= The fishery has a medium likelihood of causing the consequence listed above. 3= The fishery has a high likelihood of causing the consequence above.</p> <p>NOTE: If unknown, the consequence value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.</p>
Vulnerability of Main Species or Stock	<p>Can the fishery cause long-term harm to the main species/stock via impacts on life-history? Consider the life history characteristics (i.e., growth rate of animal, rate of reproduction, etc.) of the species/stock.</p> <p>Consequence: E.g. 0= This question isn't applicable. 1= The fishery may have small impacts on the life-history of the species. 2= The fishery may have medium impacts on the life-history of the species. 3= The fishery may have high impacts on the life-history of the species.</p> <p>NOTE: If Unknown, value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.</p> <p>Likelihood: E.g., 0= This question isn't applicable. 1= The fishery has a low likelihood of causing the consequence listed above. 2= The fishery has a medium likelihood of causing the consequence listed above. 3= The fishery has a high likelihood of causing the consequence above.</p>
Species or Stock Behavioral Changes	<p>Are there disruptions to the behaviour of the main species/stock resulting from fishing activities (e.g., noise, displacement and/or interruption to breeding, migration changes due to gillnets, etc.)?</p> <p>Consequence: E.g. 0= no disruptions (e.g. marine land-based angling, for instance from a rock where one line won't</p>

impact behaviour of a school of fish)
 1= yes but minor (e.g. boat based angling causes noise that may cause fish to dive deeper, etc.)
 2= yes, medium impact (e.g. gillnets in Fraser temporarily impact migration patterns)
 3= yes, major impact.

NOTE: If Unknown, value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.

Likelihood:
 E.g., 0= This question is not applicable.
 1= The fishery has a low likelihood of causing the consequence listed above.
 2= The fishery has a medium likelihood of causing the consequence listed above.
 3= The fishery has a high likelihood of causing the consequence above.

2.2 By-Catch

Could the mortality caused by fishery threaten a non-target fish species / stock?

Column	Comments
<p>Retained By-Catch Status</p>	<p>Does the fishery retain a by-catch stock or species that is thought to be of concern in some way (e.g. Is it healthy and abundant? Is it listed under SARA? Has it been assessed by COSEWIC or WSP? Has it been identified as a concern according to the Salmon Outlook or its IFMP status or another assessment grouping? Or is the species status presumed to be low but data deficient?) and if so, what is the consequence of the impact? How likely is it that the fishery will have a negative impact of such consequence?</p> <p>This question refers to the by-caught species, not the individual.</p> <p>Identify in cell comment all retained by-caught species, starting with the species of most concern.</p> <p>Consequence: E.g. 0=not applicable. 1= yes, minor concerns with health of by-caught species. 2=yes, presumed to have concerns of medium consequence but not assessed/listed, or listed as "of special concern" or "amber status" and/or identified as a species/stock of concern via the Canadian Science Advisory Secretariat (CSAS). 3= yes, presumed to have concerns of high consequence but not listed/assessed, or is listed as "threatened" or "endangered" or "red status" and/or identified as a species/stock of high concern via CSAS.</p> <p>NOTE: If Unknown, value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.</p> <p>Likelihood: E.g., 0= Not applicable. 1= The fishery has a low likelihood of causing the consequence listed above. 2= The fishery has a medium likelihood of causing the consequence listed above. 3= The fishery has a high likelihood of causing the consequence above.</p>
<p>Vulnerability of Retained By-Catch</p>	<p>Can the fishery cause long-term harm to the retained by-caught species/stock via impacts on life-history? Consider the life history characteristics (i.e., growth rate of animal, rate of reproduction, etc.) of the species/stock.</p> <p>Consequence: E.g. 0= This question isn't applicable. 1= The fishery may have small impacts on the productivity of species/stock. 2= The fishery may have medium impacts on the productivity of species/stock. 3= The fishery may have high impacts on the productivity of species/stock.</p> <p>NOTE: If Unknown, value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.</p> <p>Likelihood: E.g., 0= This question isn't applicable. 1= The fishery has a low likelihood of causing the consequence listed above.</p>

	<p>2= The fishery has a medium likelihood of causing the consequence listed above. 3= The fishery has a high likelihood of causing the consequence above.</p>
Released By-Catch Status	<p>Does the fishery impact a released by-catch stock or species that is thought to be of concern in some way (e.g. Is it healthy and abundant? Is it listed under SARA? Has it been assessed by COSEWIC or WSP? Has it been identified as a concern according to the Salmon Outlook or its IFMP status or another assessment grouping? Or is the species status presumed to be low but data deficient?) and if so, what is the consequence of the impact? How likely is it that the fishery will have a negative impact of such consequence?</p> <p>This question refers to the released by-caught species, not the individual.</p> <p>Identify in cell comment all released by-caught species, starting with the species of most concern.</p> <p>Consequence: E.g. 0=no 1= yes, minor concerns with health of released by-caught species. 2=yes, presumed to have concerns of medium consequence but not assessed/listed, or listed as "of special concern" or "amber status" and/or identified as a species/stock of concern via CSAS. 3= yes, presumed to have concerns of high consequence but not listed/assessed, or is listed as "threatened" or "endangered" or "red status" and/or identified as a species/stock of high concern via CSAS.</p> <p>NOTE: If Unknown, value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.</p> <p>Likelihood: E.g., 0= This questions isn't applicable 1= The fishery has a low likelihood of causing the consequence listed above. 2= The fishery has a medium likelihood of causing the consequence listed above. 3= The fishery has a high likelihood of causing the consequence above.</p>
Vulnerability of Released By-Catch	<p>Can the fishery cause long-term harm to the retained by-caught species/stock via impacts on life-history? Consider the life history characteristics (i.e., growth rate of animal, rate of reproduction, etc.) of the species/stock.</p> <p>Consequence: E.g. 0= This question isn't applicable. 1= The fishery may have small impacts on the productivity of species/stock. 2= The fishery may have medium impacts on the productivity of species/stock. 3= The fishery may have high impacts on the productivity of species/stock.</p> <p>NOTE: If Unknown, value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.</p> <p>Likelihood: E.g., 0= This question isn't applicable. 1= The fishery has a low likelihood of causing the consequence listed above. 2= The fishery has a medium likelihood of causing the consequence listed above. 3= The fishery has a high likelihood of causing the consequence above.</p>

2.3 Community & Habitat

Could the mortality caused by fishery threaten other components of the eco-system, such as predators or prey or habitat?

Column	Comments
Key Predator or Prey	<p>Does the fishery impact an important predator (e.g. resident orca) or prey (e.g. forage fish such as herring, sardine, eulachon, etc.)? Will removals in the fishery have a demonstrated impact on the survival of other species in the community?</p> <p>Consequence: e.g., 0= No (e.g. sea cucumber) 1= Minor impact. For instance, a fishery might discard a small amount of a plentiful forage fish (e.g. hake fishery impact on herring). Or discarded species has minor ecosystem role (e.g. sea urchins are food</p>

	<p>source for sea otters, but many alternatives) 2= Medium impact. For instance, fishery targets forage fish at low level, or discarded forage fish is large but not putting population at risk. Or entanglement of marine mammals in fishing gear can occur. 3= High/worrisome impact. For instance, the fishery has an impact on forage fish of low abundance (e.g. shrimp trawl impact on eulachon). Or the impact is on SARA listed species (e.g. chinook fishery limits resident killer whale diet).</p> <p>NOTE: If unknown, value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.</p> <p>Likelihood: E.g., 0= The fishery will not impact an important predator or prey. 1= The fishery has a low likelihood of causing the consequence listed above. 2= The fishery has a medium likelihood of causing the consequence listed above. 3= The fishery has a high likelihood of causing the consequence above.</p> <p>NOTE: If unknown, value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.</p>
<p>Direct Habitat Impacts</p>	<p>Are there direct NEGATIVE changes to structure or composition of the habitat or is there destruction as a result of fishing activity? (e.g. impacts on identified sensitive areas, impacts on spawning habitat due to disturbing redds, ghost gear, overlap with marine protected areas, national marine conservation areas, marine parks, other protected areas, etc.)</p> <p>Consequence: e.g. 0= No impact (e.g. marine land-based angling) 1= Minor impact (e.g. clam digging by small digging crew) 2= Moderate impact (e.g. bottom contact gear such as crab traps) 3= Major impact (e.g. trawl impact on glass sponge coral)</p> <p>NOTE: If unknown, value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.</p> <p>Likelihood: E.g., 0= The fishery will not impact habitat. 1= The fishery has a low likelihood of causing the consequence listed above. 2= The fishery has a medium likelihood of causing the consequence listed above. 3= The fishery has a high likelihood of causing the consequence above. It can be 1, 2, or 3 depending on presumed consequence of impact.</p>
<p>Indirect Habitat Impacts</p>	<p>Are there indirect NEGATIVE changes to habitat feature/function due to indirect impacts of fishing activity? (e.g. sedimentation, displacement of marine mammal, pollution, noise from vessel traffic, accumulation of lead from lost fishing gear, etc.)</p> <p>Consequence: E.g. 0= no 1= yes but minor (e.g. marine boat-based angling noise) 2= yes, medium impact (e.g.) 3= yes, major impact (e.g.)</p> <p>NOTE: If unknown, value cannot be zero but can be 1, 2, or 3 depending on presumed consequence of impact.</p> <p>Likelihood: E.g., 0= The fishery will not impact habitat. 1= The fishery has a low likelihood of causing the consequence listed above. 2= The fishery has a medium likelihood of causing the consequence listed above. 3= The fishery has a high likelihood of causing the consequence above.</p>

3 PART C: RESOURCE MANAGEMENT ISSUES

Column	Comments
Fishery Type	<p>Is the fishery SHARE-BASED, DERBY, or OTHER?</p> <p>DERBY (i.e., Effort-based) SHARE (e.g., Quota, IVQ, ITQ) OTHER (e.g., other allocation type) N/A (Does not always apply to Recreational or FSC fisheries, unless there is a defined share)</p>
Potential to Over-Harvest	<p>Under current management conditions, does the fishery under consideration (not all of the impacting fisheries) have the potential/capacity to overharvest the fish species or stock that is being assessed and put it at risk biologically? For instance, does the fishery have the capacity (e.g., sufficient boats, nets, etc.) to catch more than its Total Allowable Catch (TAC) if quota overruns or unreported fishing occurs? Can the fishery be managed (e.g., through up-to-date catch accounting) to avoid overharvest? Is the expected level of impact that removals will have on species/stock size and productivity expected to be low, medium or high?</p> <p>NOTE: We are not considering cumulative impacts of multiple fisheries at this time.</p>
Compliance & Enforcement	<p>Are there routinely compliance or enforcement concerns (e.g. low reporting, using barbed hooks, using wrong sized mesh, selling recreational or FSC fish, etc.) that may impact the monitoring of the fishery? Are there incentives for non-compliance?</p> <p>(Y/N)</p> <p>This variable is not scored so please explain concerns in the comment box if they exist.</p>
International or Treaty Requirements	<p>Are there any international/treaty information requirements, such as Pacific Salmon Treaty (PST), Marine Stewardship Certification (MSC), traceability, First Nations Treaties, etc. that would require a higher level of monitoring?</p> <p>(Y/N)</p> <p>This variable is not scored but please explain relevant treaties and associated requirements for monitoring in the comment box.</p>
Info to Manage Other Sectors or Fisheries	<p>Is information required in-season to plan for other fisheries, such as FSC, recreational, commercial?</p> <p>(Y/N)</p> <p>This variable is not scored but please explain in-season reporting requirements in the comment box.</p>
Public Relations	<p>Is there a need for higher monitoring due to public requirements for more detailed explanation about the impacts of the fishery?</p> <p>(Y/N)</p> <p>For instance, there are examples of fisheries where a low level of monitoring is probably appropriate due to ecosystem risk, but DFO implements higher levels of monitoring because the public needs it (example is Area 6 seine).</p> <p>This variable is not scored but please provide information about public's concern for monitoring in the Comment field.</p>

4 PART D: PRELIMINARY RISK SCORING (CALCULATED)

Column	Comments
Risk to Main Species	<p>Auto-calculated from MAIN SPECIES CATEGORY RISK SCORES</p> <p>PROTECTED: user may NOT over-ride.</p>
Risk to By-Catch	<p>Auto-calculated from BY-CATCH CATEGORY RISK SCORES</p> <p>PROTECTED: user may NOT over-ride.</p>

Risk to Community and Habitat	Auto-calculated from COMMUNITY & HABITAT CATEGORY RISK SCORES PROTECTED: user may NOT over-ride.
Overall Fishery Risk	Auto-calculated from maximum value of CALCULATED RISK SCORES PROTECTED: user may NOT over-ride.
Target Monitoring Level	Assigned from FINAL RISK OF FISHERY score Low: 1-2 General: 3-5 Enhanced: 6-9 PROTECTED: user man not over-ride

5 PART E: FINAL RISK SCORING (ASSIGNED)

Column	Comments
Risk to Main Species	DEFAULTS to preliminary MAIN SPECIES RISK SCORE; user may over-ride.
Risk to By-Catch	DEFAULTS to preliminary BY-CATCH SPECIES RISK SCORE; user may over-ride.
Risk to Community and Habitat	DEFAULTS to preliminary COMMUNITY & HABITAT RISK SCORE; user may over-ride.
Overall Fishery Risk	DEFAULTS to maximum value of FINAL RISK SCORES; user may over-ride.
Target Monitoring Level	Assigned from FINAL RISK OF FISHERY score Low: 1-2 General: 3-5 Enhanced: 6-9 PROTECTED: User many NOT override

6 PART F: RISK ASSESSMENT NOTES

Column	Comments
Current Monitoring Level	What is the current monitoring level?
Information Gaps	Are there any specific information gaps in the monitoring program? E.g. Need to record by-catch. Should sample 10% of scales
Comments	Further comments and suggestions pertaining to current monitoring level, apparent quality and comprehensiveness of Catch Monitoring & Reporting effort, data gaps, issues of current and future risk, etc
Contact Info – Name & Date	Who supplied this information and when.

Risk Assessment Tool – Working Draft

Prawn and shrimp for Recreational by trap, ringnet

Part A: Fishery Description & Licensing Information

Licensing

DFO MGMT AREA	Coastwide
NAME of FISHING GROUP	All Recreational Harvesters
LICENCE TYPE	Recreational

Description

GEAR TYPE	trap, ringnet
FISH SPECIES for ANALYSIS	Prawn and shrimp
TIMING of ANALYSIS	Year- Round

Size of Fishery

MEAN CATCH (pcs/lbs)	326 t (2010)
MEAN EFFORT (boat-days, fishers, etc)	14.5% of angler days
% TAC	N/A

Part B: Ecosystem

Risks Main Species

MAIN SPECIES or STOCK STATUS	2
VULNERABILITY OF MAIN SPECIES or STOCK SPECIES or STOCK BEHAVIOURAL CHANGES	2
	1

By-Catch

RETAINED BY-CATCH STATUS	0
VULNERABILITY OF RETAINED BY-CATCH	1
RELEASED BY-CATCH STATUS	3
VULNERABILITY OF RELEASED BY-CATCH	1

Community & Habitat

KEY PREDATOR or PREY	1
DIRECT HABITAT IMPACTS	4
INDIRECT HABITAT IMPACTS	1

Part C: Resource Management Issues

FISHERY TYPE	N/A
POTENTIAL to OVER-HARVEST	Medium
COMPLIANCE and ENFORCEMENT	Yes
INTERNATIONAL or TREATY REQUIREMENTS	No
INFO to MANAGE OTHER SECTORS or FISHERIES	Yes
PUBLIC RELATIONS	No

Part D: Preliminary Risk Scoring (calculated)

RISK to MAIN SPECIES (D)	2
RISK to BY-CATCH (D)	3
RISK to COMMUNITY and HABITAT (D)	4
OVERALL FISHERY RISK (D)	4
TARGET MONITORING LEVEL (Low, Generic, Enhanced) (D)	Generic

Part E: Final Risk Scoring (assigned)

RISK to MAIN SPECIES (E)	2
RISK to BY-CATCH (E)	2
RISK to COMMUNITY and HABITAT (E)	4
OVERALL FISHERY RISK (E)	4
TARGET MONITORING LEVEL (Low, Generic, Enhanced) (E)	Generic

Risk Assessment Notes

CURRENT MONITORING LEVEL (Low, Generic, Enhanced)	Low
INFORMATION GAPS	- require spatial information with respect to areas fished - uncertainty with respect to efficacy of iREC
COMMENTS	- local depletion remains a concern
REFERENCE	Prawn and Shrimp by Trap IFMP

Risk Assessment Tool – Working Draft

Prawn and shrimp for FSC by trap, ringnet (non-commercial gear)

Part A: Fishery Description & Licensing Information

Licensing

DFO MGMT AREA	Coastwide
NAME of FISHING GROUP	All FSC Harvesters
LICENCE TYPE	FSC

Description

GEAR TYPE	trap, ringnet (non-commercial gear)
FISH SPECIES for ANALYSIS	Prawn and shrimp
TIMING of ANALYSIS	Year- Round

Size of Fishery

MEAN CATCH (pcs/lbs)	Unknown
MEAN EFFORT (boat-days, fishers, etc)	at least 14 First Nations
% TAC	N/A

Part B: Ecosystem

Risks Main Species

MAIN SPECIES or STOCK STATUS	2
VULNERABILITY OF MAIN SPECIES or STOCK SPECIES or STOCK BEHAVIOURAL CHANGES	2
	1

By-Catch

RETAINED BY-CATCH STATUS	0
VULNERABILITY OF RETAINED BY-CATCH	1
RELEASED BY-CATCH STATUS	3
VULNERABILITY OF RELEASED BY-CATCH	1

Community & Habitat

KEY PREDATOR or PREY	1
DIRECT HABITAT IMPACTS	2
INDIRECT HABITAT IMPACTS	1

Part C: Resource Management Issues

FISHERY TYPE	N/A
POTENTIAL to OVER-HARVEST	Low
COMPLIANCE and ENFORCEMENT	Yes
INTERNATIONAL or TREATY REQUIREMENTS	Yes
INFO to MANAGE OTHER SECTORS or FISHERIES	Yes

PUBLIC RELATIONS No

Part D: Preliminary Risk Scoring (calculated)

RISK to MAIN SPECIES (D) 2
RISK to BY-CATCH (D) 3
RISK to COMMUNITY and HABITAT (D) 2
OVERALL FISHERY RISK (D) 3
TARGET MONITORING LEVEL (Low, Generic, Enhanced) (D) Generic

Part E: Final Risk Scoring (assigned)

RISK to MAIN SPECIES (E) 2
RISK to BY-CATCH (E) 2
RISK to COMMUNITY and HABITAT (E) 2
OVERALL FISHERY RISK (E) 2
TARGET MONITORING LEVEL (Low, Generic, Enhanced) (E) Low

Risk Assessment Notes

CURRENT MONITORING LEVEL (Low, Generic, Enhanced) Low
INFORMATION GAPS - lack of catch and effort information in general
COMMENTS - local depletion remains a concern
REFERENCE -Prawn and Shrimp by Trap IFMP

Risk Assessment Tool – Working Draft

Prawn and shrimp for FSC by trap, ringnet (commercial vessel or gear use)

Part A: Fishery Description & Licensing Information

Licensing

DFO MGMT AREA	Coastwide
NAME of FISHING GROUP	All FSC Harvesters
LICENCE TYPE	FSC

Description

GEAR TYPE	trap, ringnet (commercial vessel or gear use)
FISH SPECIES for ANALYSIS	Prawn and shrimp
TIMING of ANALYSIS	Year- Round

Size of Fishery

MEAN CATCH (pcs/lbs)	Unknown
MEAN EFFORT (boat-days, fishers, etc)	at least 26 First Nations
% TAC	N/A

Part B: Ecosystem

Risks Main Species

MAIN SPECIES or STOCK STATUS	2
VULNERABILITY OF MAIN SPECIES or STOCK SPECIES or STOCK BEHAVIOURAL CHANGES	6
	1

By-Catch

RETAINED BY-CATCH STATUS	0
VULNERABILITY OF RETAINED BY-CATCH	1
RELEASED BY-CATCH STATUS	3
VULNERABILITY OF RELEASED BY-CATCH	1

Community & Habitat

KEY PREDATOR or PREY	1
DIRECT HABITAT IMPACTS	4
INDIRECT HABITAT IMPACTS	1

Part C: Resource Management Issues

FISHERY TYPE	N/A
POTENTIAL to OVER-HARVEST	High
COMPLIANCE and ENFORCEMENT	Yes
INTERNATIONAL or TREATY REQUIREMENTS	Yes

INFO to MANAGE OTHER SECTORS or FISHERIES	Yes
PUBLIC RELATIONS	No

Part D: Preliminary Risk Scoring (calculated)

RISK to MAIN SPECIES (D)	6
RISK to BY-CATCH (D)	3
RISK to COMMUNITY and HABITAT (D)	4
OVERALL FISHERY RISK (D)	6
TARGET MONITORING LEVEL (Low, Generic, Enhanced) (D)	Enhanced

Part E: Final Risk Scoring (assigned)

RISK to MAIN SPECIES (E)	6
RISK to BY-CATCH (E)	2
RISK to COMMUNITY and HABITAT (E)	4
OVERALL FISHERY RISK (E)	6
TARGET MONITORING LEVEL (Low, Generic, Enhanced) (E)	Enhanced

Risk Assessment Notes

CURRENT MONITORING LEVEL (Low, Generic, Enhanced)	Low
INFORMATION GAPS	- lack of catch information in general - questions remain re: marine mammal entanglements
COMMENTS	- local depletion remains a concern - enhanced risk score is driven by lack of seasonal closures and uncertainty with respect to effort
REFERENCE	Prawn and Shrimp by Trap IFMP