

Primary Production and Other Related Measurements in the Eastern Canadian Arctic During the Summer of 1983

B. Irwin, T. Platt, and C. Caverhill

Marine Ecology Laboratory
Ocean Science and Surveys, Atlantic
Department of Fisheries and Oceans

Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, Nova Scotia B2Y 4A2

September 1985

**Canadian Data Report of
Fisheries and Aquatic Sciences
No. 510**

Canadian Data Report of Fisheries and Aquatic Sciences

These reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of Data Reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries management, technology and development, ocean sciences, and aquatic environments relevant to Canada.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was changed with report number 161.

The correct citation appears above the abstract of each report.

Rapport statistique canadien des sciences halieutiques et aquatiques

Ces rapports servent de base à la compilation des données de classement et d'archives pour lesquelles il y a peu ou point d'analyse. Cette compilation aura d'ordinaire été préparée pour appuyer d'autres publications ou rapports. Les sujets des Rapports statistiques reflètent la vaste gamme des intérêts et politiques du Ministère des Pêches et des Océans, notamment gestion des pêches, techniques et développement, sciences océaniques et environnements aquatiques, au Canada.

Les numéros 1 à 25 de cette série ont été publiés à titre de Records statistiques, Service des pêches et de la mer. Les numéros 26-160 ont été publiés à titre de Rapports statistiques du Service des pêches et de la mer, Ministère des Pêches et de l'Environnement. Le nom de la série a été modifié à partir du numéro 161.

Le titre exact paraît au haut du résumé de chaque rapport.

Canadian Data Report
Fisheries and Aquatic Sciences No. 510

September 1985

PRIMARY PRODUCTION AND OTHER RELATED MEASUREMENTS IN THE EASTERN CANADIAN
ARCTIC DURING THE SUMMER OF 1983

by

B. Irwin, T. Platt, and C. Caverhill

Marine Ecology Laboratory
Ocean Science and Surveys, Atlantic
Department of Fisheries and Oceans

Bedford Institute of Oceanography
Dartmouth, Nova Scotia
Canada B2Y 4A2

This is the twenty-third data Report from the Marine Ecology Laboratory,
Dartmouth

©Minister of Supply and Services Canada 1985
Cat. No. Fs 97-13/510E ISSN 0706-6465

Correct citation for this publication:

Irwin, B., Platt, T., and Caverhill, C. 1985. Primary Production and other related measurements in the Eastern Canadian Arctic during the summer of 1983. Can. Data Rep. Fish. Aquat. Sci. No. 510: iv + 143p.

Abstract

Irwin, B., Platt, T., and Caverhill, C. 1985. Primary production and other related measurements in the Eastern Canadian Arctic during the summer of 1983. Can. Data Rep. Fish. Aquat. Sci. No. 510: iv + 143p.

During the period, 28 July to 17 September, 1984, a series of primary productivity experiments were conducted on board CSS Hudson in the Labrador Sea, Davis Strait, Baffin Bay, Jones Sound and Lancaster Sound. In this report we make available the raw data and also the fitted light saturation parameters.

Résumé

Irwin, B., Platt T., and Caverhill, C. 1985. Primary production and other related measurements in the Eastern Canadian Arctic during the summer of 1983. Can. Data Rep. Fish. Aquat. Sci. No. 510: iv + 143p.

Pendant la période du 28 Juillet au 17 Septembre une série d'expériences de productivité primaire ont été effectuée à bord du CSS Hudson dans la mer Labrador, au détroit de Davis, de la baie de Baffin, au détroit de Jones et au détroit de Lancaster. Dans ce rapport nous présentons les données brutes sur ces expériences, ainsi que les paramètres qui furent calculées pour représenter les courbes de production en fonction de la lumière.

CONTENTS

Abstract/Résumé.....	iii
Introduction.....	1
Sampling.....	1
Methods.....	1
Productivity.....	1
Chlorophyll <u>a</u>.....	2
Organic Particulates.....	3
Nutrients.....	3
Incubation and Incident Light.....	3
Estimation of Photosynthetic Parameters.....	3
Acknowledgements.....	4
References.....	4

Introduction

This is the ninth in a series of data reports giving the results of experiments on photosynthetic production versus light intensity for natural phytoplankton populations in the North Atlantic and adjacent waters north of 50°N. Samples were collected from CSS Hudson from 28 July to 17 September, 1983. From 28 July to 5 August this was a joint cruise with the Ocean Circulation Division of the Atlantic Oceanographic Laboratory (AOL), from 5 August to 17 August a joint cruise with the Metrology Division of AOL and from 1 September to 17 September a joint cruise with the Chemical Oceanography Division and the Ocean Circulation Division of AOL.

Sampling

Water samples were collected using a modified continuous pump sampler (Herman et al., 1984). The PT probe was replaced by a Guildline model 8709 CTD and fluorescence was measured "in situ" using an Aquatrack[®] submersible fluorometer. Attenuance was measured with an Oregon[®] attenuance meter. The signals from the fluorometer and the attenuance meter were digitised in the CTD probe. Data was logged using an HP 9826 computer. Sampling depths were determined from physical (eg. mixed layer depth) or biological (eg. chlorophyll maximum) parameters at most stations. At stations where "in situ" productivity experiments were done, samples were collected from standard oceanographic depths (eg. 5,10,15,20 m etc.).

Methods

Productivity

Primary productivity was measured using the ¹⁴C method and oxygen

evolution method. The ^{14}C method was essentially as described by Strickland and Parsons (1972). For light saturation experiments from 10 to 100 μCi sodium bicarbonate ^{14}C was added to each bottle. The bottles contained approximately 100 ml of sample. A total of 42 light and 2 dark bottles were incubated for each light saturation experiment. Incubations were done in temperature controlled incubators illuminated by 2000 W tungsten-halogen lamps (New Haline OHS 2000) (Irwin et al., 1983). Incubation time was 4 hours. For in situ experiments 10 μCi ^{14}C was added to each of 3 light and 1 dark bottles at each depth. Incubation periods ranged from 7 to 25 hours.

For oxygen evolution experiments, the high precision Winkler method of Williams and Jenkinsen (1982) was used. For "in situ" experiments, 2 time zero and 3 light and 2 dark bottles were filled from each depth. Time zero bottles were fixed immediately, dark bottles were incubated in a darkened tank with flowing sea water to maintain temperature control, and light bottles were deployed "in situ" at sampled depths. Light saturation experiments consisted of 42 light bottles, 5 dark bottles and 5 time zero bottles. Incubated bottles were placed in identical incubators to those used for ^{14}C experiments. Incubation times for both types of experiments were the same as for ^{14}C experiments.

Chlorophyll a

Replicate 100 ml samples were filtered onto 25 mm GF/F or 25 mm 1.0 μm Nuclepore filters. Filters were placed in glass vials containing 10 ml of 85% acetone and extracted for 24 hours at 0°C in the dark. The fluorometric technique of Yentsch and Menzel (1963) as modified by Holm Hansen et al., (1965) was used to estimate chlorophyll and phaeophytin concentration.

Organic Particulates

Samples for particulate carbon and nitrogen and adenosine triphosphate were collected at most depths. Precombusted Whatman GF/F glass fibre filters or 1.0 μm Nuclepore filters were used. Samples were analysed using methods described in Irwin et al., (1982).

Nutrients

Three inorganic nutrients were measured routinely from each sample. All analysis were carried out on board within a few hours of collection. Inorganic phosphate, silicate and nitrate were measured on a Technicon II autoanalyser using industrial methods 155-71W, 186-72W, and 158-71W respectively.

Incubation and Incident light

Photosynthetically Active Radiation (P.A.R.) was measured at each bottle position using a Biospherical Instruments quantum meter, (model OSL 100).

Total incident light was measured with an Eppley 40 Junction black and white pyranometer. Incident PAR was measured with a Licor Li 190S quantum sensor. The output from both instruments were integrated and logged each hour on a Licor Li 550 printing integrator.

Estimation of Photosynthetic Parameters

Measurements of specific production, P^B , and irradiance, I , were used to estimate parameters in the equation of Platt et al. 1981,

$$P^B = P_s (1 - e^{-\alpha I/P_s}) e^{-\beta I/P_s}$$

P_s ($\text{mg c mg chl}^{-1} \text{ h}^{-1}$) is the light saturated rate of specific production in the absence of photoinhibition, α ($\text{mg c}(\text{mg chl})^{-1} \text{ h}^{-1} \text{ w}^{-1} \text{ m}^{-2}$) is the

initial slope of the PI curve and β (same units as α) is a parameter that characterises photoinhibition. Complete details of the fitting routine are given in Irwin et al., (1982) and a discussion of the mathematical basis for this technique is in Irwin et al., (1980).

Acknowledgements

We wish to thank Paul Dickie, Ray Hiltz, Dave Rudderham and Al MacDonald for their assistance in the analysis of samples and preparation of data.

References

- Herman, A.W., M.R. Mitchell, and S.W. Young. 1984. A continuous pump sampler for profiling copepods and chlorophyll in the upper oceanic layers. *Deep Sea Res.* 31 (4) : 439-450.
- Holm-Hanson, O., C.J. Lorenzen, R.W. Holmes, and J.D.H. Strickland. 1965. Fluorometric determination of chlorophyll. *J. Cons. Int. Explor. Mar.* 30: 3-15.
- Irwin, B., L. Harris, P. Dickie, P. Lindley and T. Platt. 1983. Phytoplankton productivity in the Eastern Canadian Arctic during July and August, 1980. *Can. Data Rept. Fish. Aquat. Sci. No.* 386: 157 p.
- Irwin, B., T. Platt, W.G. Harrison, C.L. Gallegos and P. Lindley. 1982. Phytoplankton productivity experiments and nutrient measurements in Ungara Bay NWT from August 1 to September 3, 1979. *Can. Data Rept. Fish. Aquat. Sci. No.* 287: 208 p.

- Irwin, B., W.G. Harrison, C.L. Gallegos and T. Platt. 1980. Phytoplankton productivity experiments and nutrient measurements in the Labrador Sea, Davis Strait, Baffin Bay, and Lancaster Sound from 26 August to 14 September, 1978. Can. Data Rept. Fish. Aquat. Sci. No. 213: 103 p.
- Platt, T., C.L. Gallegos, and W.G. Harrison. 1981. Photoinhibition of photosynthesis in natural assemblages of marine phytoplankton. J. Mar. Res. 38 (4): 687-701.
- Strickland, J.D.H., and T.R. Parsons. 1972. A practical handbook of sea water analysis. Bull. Fish. Res. Bd. Canada No. 167: 311 p.
- Williams, P.J. le B, N.W. Jenkinson. 1982. A transportable microprocessor-controlled Winkler titration suitable for field station and shipboard use. Limnol. Oceanogr. 27(3): 576-584.
- Yentsch, C.S. and D.W. Menzel. 1963. A method for the determination of phytoplankton chlorophyll and phaeophytin by fluorescence. Deep Sea Res. 10: 221-231.

Units

$$P = \text{mg C m}^{-3} \text{h}^{-1} (\text{mg Chl})^{-1}$$

$$I = W \text{ m}^{-2}$$

$$P_s = \text{mg C mg Chl}^{-1} \text{h}^{-1}$$

$$\alpha = \text{mg C} (\text{mg Chl})^{-1} \text{h}^{-1} W^{-1} \text{m}^{-2}$$

$$\beta = \text{mg C} (\text{mg Chl})^{-1} \text{h}^{-1} W^{-1} \text{m}^{-2}$$

Organic particulate concentrates are in mg m^{-3} and nutrients are in mg at m^{-3} . The 90% confidence interval for P_s , α and β are shown in the closed brackets below the estimates for each parameter.

Light Saturation Data - ¹⁴C

EASTERN ARCTIC 1983

LAT 45 27.00N LONGS 57 51.20W DATE 29/07/83 DEPTH O M

I	P	I	P	I	P
427	6.92	383	6.21	335	6.25
315	5.10	190	4.73	127	5.53
104	3.22	44	3.08	44	2.91
32	1.14	27	1.35	1	1.54
19	.36	13	.69	12	.54
17	.26	9	.40	19	.36
5	.19	5	.30	6	.18
4	.17	3	.11	4	.14
4	.11	3	.03	3	.04
3	.03	2	.07	3	.03
	.03		.06		.03

PARAMETER VALUES

PS : (6.00, 7.42, 8.84) ALPHA : (.093, .095, .090) BETA : (-.0012, .0031, .0074)

FRACTION : 4MOLF

SAMPLE TEMP	15.0 C	INCURATION TEMP	14.0 C
CHLOROPHYLL	: .42	PHOSPHATE	: .22
CARBON	: 398.	NITRATE	: .03
NITROGEN	: 34.	SILICATE	: .84
		ATP	: .23

EASTERN ARCTIC 1983

LAT 45 27.0'N		LONG 57 58.2'W		DATE 29/J7/83		DEPTH		C M	
I	P	I	P	I	P	I	P	I	P
198	5.34	757	5.71	765	6.10	447	5.32		
171	6.04	678	6.25	339	5.42	391	6.22		
132	5.59	231	5.40	247	5.30	195	5.48		
41	5.16	179	5.62	135	5.65	118	5.05		
25	5.23	104	5.10	51	4.34	102	4.74		
13	4.34	57	3.54	31	3.19	75	2.25		
5	2.41	36	1.79	17	1.65	15	1.50		
	1.52	19	.87	3	1.37				
	.07	4	.31		.20				

PARAMETER VALUES

PS : 6.35, 7.22) ALPHA : .076 BETA : .0016
 (6.35, 7.22) (.072, .080) (.0007, .0025)
 FRACTION : 4MOLE

SAMPLE TEMP	15.0 C	INCURATION TEMP	15.0 C
CHLOROPHYLL	: .42	PHOSPHATE	: .22
CARBON	: 398.	NITRATE	: .03
NITROGEN	: 34.	SILICATE	: .95
		ATP	: .23

EASTERN ARCTIC 1983

LAT	LONG	DATE	DEPTH	O	M
49 32.01N	46 00.31W	31/07/83			
I	P	I	P	I	P
718	4.28	837	4.34	447	4.04
327	4.71	502	4.60	419	4.81
155	4.28	247	4.27	210	4.38
114	4.66	175	4.58	106	4.47
44	4.13	58	4.04	51	3.77
33	2.76	42	2.56	37	2.12
12	1.66	28	1.28	17	1.22
5	1.75	15	1.28	10	1.58
2	.35	7	.63	6	.26
	.12	4	.23	3	.10
	.03		.11		

PARAMETER VALUES

PS : 4.85, 5.08 (.086, .097)
 ALPHA : .091
 BETA : .0011
 (.0906, .0016)

FRACTION : WHOLE

SAMPLE TEMP	12.0 C	INCUBATION TEMP	13.0 C
CHLOROPHYLL	: .46	PHOSPHATE	: .15
CARBON	: 241.	NITRATE	: .01
NITROGEN	: 23.	SILICATE	: .64
		ATP	: .15

EASTERN ARCTIC 1983

LAT 51 16.8'N		LONG 44 48.0'W		DATE 01/08/83		DEPTH 30 M	
I	P	I	P	I	P	I	P
750	.05	698	.07	606	.04	486	.06
371	.06	478	.08	287	.14	395	.00
120	.11	195	.23	231	.17	247	.20
168	.24	167	.22	158	.21	76	.25
45	.21	53	.23	33	.23	360	.21
24	.14	28	.14	11	.18	10	.15
14	.07	14	.07	6	.11	6	.08
4	.03	8	.03	4	.06	3	.04
3	.02				.02		.03

PARAMETER VALUES

PS : .31, .33, .35)
 (.011, .013)
 ALPHA : .012
 BETA : .0019
 (.0009, .0011)
 FRACTION : >1 MICRON

SAMPLE TEMP	12.6 C	INCUBATION TEMP	12.5 C
CHLOROPHYLL :	1.65	PHOSPHATE :	.26
CARBON :	-	NITRATE :	.29
NITROGEN :	-	SILICATE :	1.73
		ATP :	.21

EASTERN ARCTIC 1963

LAT	51 16.91N	LONG	44 46.01W	DATE	01/03/63	DEPTH	30 M
I	P	I	P	I	P	I	P
502	.25	395	.27	195	.24	231	.24
247	.18	120	.21	140	.25	76	.17
33	.27	108	.20	57	.16	45	.20
205	.17	36	.18	28	.19	19	.14
	.10	8	.08	6	.05	6	.09
		3		3			

PARAMETER VALUES

PS : .20, .21, .23)
 (.021, .031)
 ALPHA : .026
 (-.0001, .0001)
 BETA : .0000
 FRACTION : <1 MICRON

SAMPLE TEMP	12.6 C	INCUBATION TEMP	12.5 C
CHLOROPHYLL	: .32	PHOSPHATE	: .26
CARBON	: 92.	NITRATE	: .28
NITROGEN	: 13.	SILICATE	: 1.73
		ATP	: .06

EASTERN ARCTIC 1983

LAT 52 01.7'N LONG 46 00.0'W DATE 02/08/83 DEPTH 27 M

 I I I I

 750 698 606 486
 502 678 287 395
 371 195 231 247
 120 176 94 108
 157 68 76 145
 53 33 36 25
 28 19 20 14
 14 11 10 14
 5 6 3 5

 .04 .07 .08 .08
 .12 .24 .37 .37
 .36 .41 .37 .44
 .45 .49 .44 .47
 .42 .44 .47 .46
 .39 .39 .36 .32
 .20 .26 .25 .20
 .10 .14 .12 .12
 .08 .05 .04

PARAMETER VALUES

PS : .56, .57 ALPHA : (.027, .032) BETA : (.0013, .0014)
 () () ()

FRACTION : >1 MICRON

SAMPLE TEMP 10.3 C INCUBATION TEMP 10.4 C

 CHLOROPHYLL : .91 PHOSPHATE : .31
 CARBON : - NITRATE : 2.00
 NITROGEN : - SILICATE : 1.53
 : ATP : .12

EASTERN ARCTIC 1983

```

LAT 52 01.7'N  LONG 46 00.0'W  DATE 02/09/83  DEPTH 27 M
-----
I   P   I   P   I   P   I   P   I   P
606 .07  486  .18  502  .15  478  .10
287 .25  395  .20  195  .26  237  .26
159 .26  945  .24  157  .22  588  .25
176 .26  455  .27  53  .22  33  .18
36 .25  225  .18  28  .18  19  .24
20 .25  145  .17  14  .17  16  .24
10 .20  3  .17  18  .14  16  .14
6 .11  5  .09  4  .09  3  .14
3 .03  5  .09  4  .09  3  .09
  
```

PARAMETER VALUES

```

PS : .25, .27 ( .025, .034 )  ALPHA : .030  BETA : .0003
      .28 ) ( .026, .034 )
  
```

FRACTION : <1 MICRON

```

SAMPLE TEMP 10.3 C  INCUBATION TEMP 10.4 C

CHLOROPHYLL : .42  PHOSPHATE : .31
CARBON : 87.  NITRATE : 2.00
NITROGEN : 15.  SILICATE : 1.53
              ATP : .05
  
```

EASTERN ARCTIC 1983

LAT 54 18.0'N LONG 51 37.0'W DATE 03/09/83 DEPTH 15 M

 I P I P I P

 331 1.13 447 .84 315 1.01 231 1.13
 255 1.09 215 1.06 175 1.08 104 1.25
 172 1.91 18 1.02 46 1 29 .92
 13 .52 19 .74 10 .43 17 .29
 9 .23 6 .20 4 .17 4 .12
 3 .15 3 .06 2 .05 2 .15
 2 .66 2 .02

PARAMETER VALUES

PS : 1.33 ALPHA : .054 BETA : .0011
 (1.26, 1.40) (.051, .058) (.0008, .0015)

FRACTION : WHOLE

SAMPLE TEMP 4.3 C INCUBATION TEMP 5.0 C
 CHLOROPHYLL : .44 PHOSPHATE : .44
 CARBON : 135. NITRATE : 2.29
 NITROGEN : 25. SILICATE : 3.54
 ATP : .15

EASTERN ARCTIC 1983

LAT	53 21.7'N	LONG	54 25.7'W	DATE	04/JR/93	DEPTH	60 M
I	P	I	P	I	P	I	P
359	.11	427	.06	367	.08	263	.18
339	.29	267	.23	183	.37	211	.23
191	.71	151	.48	151	.49	112	.53
128	.73	108	.72	37	.74	5	.74
52	.70	18	.60	13	.69	24	.75
2	.68	7	.48	5	.38	14	.71
2	.04	2	.02	2	.06	4	.23

PARAMETER VALUES

PS : .96, 1.03 (ALPHA : .076, .093) BETA : .0059, .0068)

FRACTION : WHOLE

SAMPLE TEMP	-1.6 C	INCUBATION TEMP	1.0 C
CHLOROPHYLL	: 1.62	PHOSPHATE	: 1.43
CARBON	: 141.	NITRATE	: 10.36
NITROGEN	: 19.	SILICATE	: 9.41
		ATP	: .14

EASTERN ARCTIC 1993

LAT 54 53.50N	LONG 54 14.30W	DATE 05/03/93	DEPTH 40 M
319	379	311	243
271	211	175	215
171	179	116	113
161	144	49	33
16	21	19	27
6	13	8	7
3	2	3	3
2	2	2	2

PARAMETER VALUES
 PS : .56, .52) ALPHA : .027 BETA : .0012
 (.024, .030) (.0004, .0016)

FRACTION : WHOLE
 SAMPLE TEMP -1.4 C INCUBATION TEMP -1.0 C
 CHLOROPHYLL : .36 PHOSPHATE : 1.42
 CARBON : 102. NITRATE : 10.14
 NITROGEN : 29. SILICATE : 12.42
 ATP : .05

EASTERN ARCTIC 1983

LAT 54 53.50N		LONG 54 14.41W		DATE 05/09/83		DEPTH 40 M	
I	P	I	P	I	P	I	P
331	.53	411	.44	343	.54	211	.53
291	.60	243	.46	167	.54	159	.52
112	.59	102	.63	178	.59	176	.55
154	.57	152	.53	37	.57	38	.50
25	.47	31	.63	19	.55	21	.53
17	.46	11	.45	11	.35	11	.33
5	.28	4	.40	6	.21	3	.24
3	.18	3	.17	2	.13	2	.12
2	.04	2	.07	2	.08	2	.05
	.04		.06		.04		.05

PARAMETER VALUES

PS : .64, .66) ALPHA : .049, .057) BETA : .0035
 (.69) (.0003, .0006) (.0006)

FRACTION : >1 MICRON

SAMPLE TEMP	-1.4 C	INCURATION TEMP	-1.0 C
CHLOROPHYLL :	.13	PHOSPHATE :	1.42
CARBON :	-	NITRATE :	10.14
NITROGEN :	-	SILICATE :	12.62
		ATP :	.04

EASTERN ARCTIC 1963

LAT	LONG	DATE	DEPTH	STATION
54 00.0' N	56 51.0' W	06/08/63		
311	255	195	211	1.93
183	136	167	136	1.64
108	120	104	176	1.85
30	172	54	30	1.27
21	16	16	17	1.57
17	19	19	4	1.38
6	3	5	2	1.34
3		2		
2				

PARAMETER VALUES

PS : 2.05, 2.19 (2.05, 2.32)
 ALPHA : .085 (.079, .090)
 RETA : .0016 (.0007, .0024)

FRACTION : WHOLE

SAMPLE TEMP	5.7 C	INCUBATION TEMP	6.5 C
CHLOROPHYLL	: .34	PHOSPHATE	: .34
CARBON	: 146.	NITRATE	: .00
NITROGEN	: 31.	SILICATE	: 1.99
		ATP	: .11

EASTERN ARCTIC 1983

LAT	54 00.00 N	LONG	56 51.00 W	DATE	06/08/83	DEPTH	5 M
291	1.85	355	1.81	283	1.74	203	1.96
223	1.79	203	1.92	132	1.67	159	1.97
144	1.72	295	1.82	118	1.76	108	1.78
176	1.93	425	1.95	78	1.68	61	1.73
39	1.53	222	1.40	16	1.51	17	1.29
21	1.16	127	1.92	19	1.67	10	1.23
17	1.45	74	.49	5	.23	5	.32
7	.19	42	.21	3	.13	3	.15
3	.03	2	.09	2	.04	2	.15
2	.01		.02		.02		.01

PARAMETER VALUES
 PS 1 (1.89, 2.03) ALPHA : .058 BETA : .0009
 (2.18, 2.18) (.054, .062) (.0022, .0016)
 FRACTION : >1 MICRON

SAMPLE TEMP	5.7 C	INCUBATION TEMP	6.5 C
CHLOROPHYLL	: .29	PHOSPHATE	: .36
CARBON	: -	NITRATE	: .00
NITROGEN	: -	SILICATE	: 1.99
		ATP	: .11

EASTERN ARCTIC 1983

LAT 54 00.0'N LONG 56 51.0'W DATE 05/09/83 DEPTH 5 M

	I	P	I	P	I	P
355	.31	.33	203	.62	223	.39
203	.35	.61	144	.65	06	.54
76	.67	.64	17A	.60	61	.60
39	.53	.64	21	.64	32	.51
14	.60	.43	12	.5A	12	.39
4	.31	.21	7	.43	7	.41
2	.26	.19	3	.26	2	.16
	.15					

PARAMETER VALUES

(PS : .67, .73) ALPHA : .063 BETA : .0017
 (.67, .79) (.056, .071) (.0012, .0023)

FRACTION : <1 MICRON

SAMPLE TEMP	5.7 C	INCUBATION TEMP	6.5 C
CHLOROPHYLL	: .08	PHOSPHATE	: .36
CARBON	: 170.	NITRATE	: .00
NITROGEN	: 13.	SILICATE	: 1.99
		ATP	: .04

EASTERN ARCTIC 1983

LAT 55 39.31'N LONG 56 28.71'W DATE 07/09/93 DEPTH 46 M

 Y T P I P I P

 327 395 41 335 53 247 1.10
 319 287 .93 175 1.10 207 1.00
 136 167 .97 132 1.02 207 1.09
 186 61 1.06 137 1.06 29 1.01
 24 17 1.77 18 1.00 13 .49
 12 10 .46 15 .37 5 .50
 17 6 .22 3 .13 2 .24
 4 4 .06 2 .04 2 .06
 3 2 .04 2 .04 2 .06

PARAMETER VALUES

PS : 1.39 ALPHA : .064 RETA : .0027
 (1.28, 1.50) (.059, .070) (.0020, .0034)
 FRACTION : WHOLE

SAMPLE TEMP .9 C

INCUBATION TEMP 3.0 C

CHLOROPHYLL : .41
 CARBON : 172.
 NITROGEN : 31.

PHOSPHATE : .47
 NITRATE : 1.18
 SILICATE : 2.37
 ATP : .12

EASTERN ARCTIC 1983

LAT	55 39.31N	LONG	56 28.71W	DATE	07/03/83	DEPTH	44 M
I	P	I	P	I	P	I	P
327	.49	399	.35	291	.51	215	.71
263	.52	219	.74	140	.89	171	.83
179	1.00	73	1.05	104	1.03	67	.98
41	1.02	26	1.00	47	1.03	39	.77
19	1.05	16	.95	32	.97	19	.39
4	.76	4	.65	16	.47	12	.35
4	.30	4	.28	4	.22	4	.12
3	.19	3	.13	2	.17	2	.04
3	.07	3	.09	2	.06		
	.04		.03		.03		

PARAMETER VALUES

PS : 1.43 (.1.33, 1.53) ALPHA : .051 (.048, .054) BETA : .0048 (.0039, .0057)

FRACTION : >1 MICRON

SAMPLE TEMP	.9 C	INCUBATION TEMP	3.0 C
CHLOROPHYLL	: .32	PHOSPHATE	: .47
CARBON	-	NITRATE	: 1.05
NITROGEN	-	SILICATE	: 2.41
		ATP	: .05

EASTERN ARCTIC 1983

LAT 55 39.31N		LONG 56 29.71W		DATE 07/09/83		DEPTH 45 M	
I	P	I	P	I	P	I	P
327	.35	291	.40	215	.57	263	.45
67	.79	79	.72	47	.64	37	.76
41	.70	26	.64	32	.67	19	.76
26	.50	16	.55	12	.69	12	.55
9	.29	8	.49	6	.52	7	.31
4	.41	4	.16	4	.34	4	.32
3	.19	3	.16	2	.24	2	.12
2	.10	2	.64				

PARAMETER VALUES

PS : .74, .78) ALPHA : .113) BETA : .0016)
 (.82) (.091, .113) (.0012, .0020)
 FRACTION : <1 MICRON

SAMPLE TEMP	.9 C	INCURATION TEMP	3.0 C
CHLOROPHYLL	: .10	PHOSPHATE	: .47
CARBON	: 191.	NITRATE	: 1.05
NITROGEN	: 56.	SILICATE	: 2.41
		ATP	: .04

EASTERN ARCTIC 1983

LAT 58 10.00N LONG 55 59.00W DATE 08/08/83 DEPTH 43 M

 I P I P I P

 155 .26 215 .20 183 .20 124 .20 37
 146 .63 128 .77 182 .85 102 .85 .51
 96 .92 57 .85 63 .86 66 .75 .86
 98 .87 44 .86 40 .69 26 .77 .90
 18 .73 14 .64 15 .44 14 .71 .77
 10 .53 8 .48 7 .18 15 .21 .54
 3 .26 2 .05 4 .05 3 .03 .23
 1 .13 1 .03 1 .03 1 .03 .10
 .8 .04 .6 .03 .6 .03 .4 .03 .02

PARAMETER VALUES

PS : 1.35 ALPHA : .127 BETA : .0130
 (1.26, 1.44) (.120, .135) (.0110, .0150)
 FRACTION : >1 MICRON

SAMPLE TEMP .6 C INCUBATION TEMP 2.5 C
 CHLOROPHYLL : 5.25 PHOSPHATE : .50
 CARBON : NITRATE : 2.24
 NITROGEN : SILICATE : 1.67
 : ATP : .25

EASTERN ARCTIC 1983

LAT 61 50.30N		LONG 57 53.91W		DATE 09/09/83		DEPTH 10 M	
I	P	T	P	I	P	I	P
203	.87	235	.81	203	.98	144	.96
159	.95	132	.95	100	.89	56	.93
81	.92	46	.86	57	.91	60	.85
38	.88	28	.99	23	.93	19	.91
10	.94	17	.89	17	.92	105	.80
5	.73	4	.59	3	.53	2	.44
2	.30	2	.30	2	.30	1	.19
1	.20	1	.12	.8	.12	1.6	.26
.6	.07	.5	.03		.05		.01
	.02						

PARAMETER VALUES

PS : .94, 1.01) ALPHA : .118, .134) BETA : .0025, .0007)

FRACTION : WHOLE

SAMPLE TEMP	3.4 C	INCURATION TEMP	3.5 C
CHLOROPHYLL :	2.67	PHOSPHATE :	.37
CARBON :	1190.	NITRATE :	.08
NITROGEN :	130.	SILICATE :	1.45
		ATP :	.17

EASTERN ARCTIC 1983

LAT 64 09.41N LONG 57 12.61W DATE 10/08/83 DEPTH 10 M

 I P I P I P

 199 .67 247 .80 203 .96 144 .90
 104 .85 148 .93 104 .89 126 .83
 38 .93 57 .89 52 .89 35 .81
 18 .89 25 .91 14 .84 19 .92
 10 .74 12 .80 7 .84 5 .62
 2 .42 4 .57 3 .54 3 .41
 1 .12 2 .31 1 .20 1 .17
 1 .09 .8 .06 .7 .01 .5 .04

PARAMETER VALUES

(PS : .91, .34 ALPHA : .115 BETA : .0004
 (.97) (.109, .122) (.0001, .0006)

FRACTION : WHOLE

SAMPLE TEMP 3.8 C INCUBATION TEMP 3.0 C
 CHLOROPHYLL : 2.30 PHOSPHATE : .32
 CARBON : 710. NITRATE : .00
 NITROGEN : 100. SILICATE : .72
 : ATP : .20

EASTERN ARCTIC 1983

LAT 64 09.4'N LONG 57 12.6'W DATE 10/08/83 DEPTH 10 M
 I P I P I P I P
 193 1.10 239 1.12 197 .31 136 .38
 136 1.07 297 1.02 108 1.02 195 .94
 66 .95 63 1.02 45 .89 44 .75
 41 .99 35 .98 31 .67 12 .42
 11 .77 9 .64 8 .31 6 .42
 6 .50 4 .33 4 .11 3 .22
 3 .21 2 .14 3 .05 2 .02
 2 .06 1 .05 1 .05 .5 .02
 .7 .63 .7 .01 .6 .00 .5 .02

PARAMETER VALUES

PS : 1.01 ALPHA : .100 BETA : .0000
 (.97, 1.04) (.094, .106) (-.0003, .0003)
 FRACTION : >1 MICRON

SAMPLE TEMP 3.8 C INCUBATION TEMP 3.0 C
 CHLOROPHYLL : .97 PHOSPHATE : .32
 CARBON : - NITRATE : .60
 NITROGEN : - SILICATE : .69
 : ATP : .13

EASTERN ARCTIC 1963

LAT 64 09.4'N LONG 57 12.6'W DATE 10/09/63 DEPTH 10 M

 I P I P I P I P
 107 .32 136 .34 171 .37 134 .35
 108 .45 195 .40 66 .44 68 .48
 109 .44 45 .55 44 .50 45 .52
 110 .52 31 .54 16 .37 16 .36
 111 .34 11 .53 19 .23 19 .16
 112 .32 4 .26 4 .08 3 .08
 113 .06 3 .10 2 .04 2 .03
 114 .03 1 .03 8 .02 7 .03
 115 .03 0 .03 5 .02 0 .03

PARAMETER VALUES

PS : .59, .52 ALPHA : .081 BETA : .0024
 (.59, .55) (.076, .086) (.0020, .0028)

FRACTION : <1 MICRON

SAMPLE TEMP	3.8 C	INCUBATION TEMP	3.0 C
CHLOROPHYLL	: .56	PHOSPHATE	: .32
CARBON	: 140.	NITRATE	: .00
NITROGEN	: -	SILICATE	: .69
		ATP	: .06

EASTERN ARCTIC 1983

LAT 67 43.6'N LONG 57 02.9'W DATE 11/08/83 DEPTH 40 M

 I P I P I P

 311 17 335 11 263 15 231 33
 263 .26 183 .31 151 .48 175 .44
 140 .51 160 .68 33 .66 127 .72
 24 .63 17 .40 16 .71 12 .57
 5 .46 4 .21 3 .29 6 .28
 21 .08 2 .04 .6 .13 2 .08
 1 .04 .9 .01 .6 .06 1 .03
 .00

PARAMETER VALUES

PS : 1.18 ALPHA : .059 BETA : .0073
 (1.04, 1.31) (.055, .063) (.0057, .0089)

FRACTION : WHOLE

SAMPLE TEMP 1.2 C INCUBATION TEMP 2.5 C
 CHLOROPHYLL : 10.49 PHOSPHATE : .53
 CARBON : 1220. NITRATE : 2.49
 NITROGEN : 170. SILICATE : .71
 ATP : .57

EASTERN ARCTIC 1983

LAT 67 43.6'N LONG 57 02.9'W DATE 11/09/83 DEPTH 40 M
 I I I I
 P P P P

 275 327 303 183 44
 223 227 128 157 65
 151 280 108 33 67
 37 43 53 16 71
 18 24 26 5 32
 10 16 17 3 15
 5 3 4 17 32
 2 8 9 1 01
 1 0 0 0 02

PARAMETER VALUES

PS : 1.27 ALPHA : .045 BETA : .0074
 (1.14, 1.40) (.042, .048) (.0058, .0090)

FRACTION : >1 MICRON

SAMPLE TEMP	1.2 C	INCUBATION TEMP	2.5 C
CHLOROPHYLL :	9.69	PHOSPHATE :	.53
CARBON :	-	NITRATE :	2.49
NITROGEN :	-	SILICATE :	.71
		ATP :	.49

EASTERN ARCTIC 1983

LAT 67 43.6'N LONG 57 02.9'W DATE 11/08/83 DEPTH 40 M
 I P I P I P I P
 275 .06 327 .06 303 .04 183 .06
 128 .10 157 .10 88 .10 104 .10
 108 .12 33 .12 77 .13 40 .13
 16 .12 18 .12 37 .13 23 .13
 19 .17 10 .17 14 .17 17 .17
 5 .03 5 .03 6 .08 4 .08
 3 .01 29 .04 3 .03 1 .03

PARAMETER VALUES

PS : .12, .13) ALPHA : .015, .019) BETA : .003, .005)
 (.14) FRACTION : <1 MICRON

SAMPLE TEMP 1.2 C INCUBATION TEMP 2.5 C
 CHLOROPHYLL : .52 PHOSPHATE : .53
 CARBON : 530. NITRATE : 2.49
 NITROGEN : 60. SILICATE : .71
 ATP : .09

EASTERN ARCTIC 1983

LAT 71 14.60N LONG 57 31.91W DATE 12/08/83 DEPTH 35 M
 I P I P I P I P

335	.47	383	.60	343	.72	251	.59
167	.85	187	.75	167	.88	124	.89
41	.86	195	.90	158	.89	28	.88
21	.70	40	.85	30	.73	105	.78
15	.63	17	.81	15	.68	2	.39
3	.38	3	.58	3	.57	1	.20
1	.23	27	.31	2	.32	5	.09
	.11	7	.16	7	.14	5	.03
			.13		.06		

PARAMETER VALUES

(PS : .90, .93) ALPHA : (.103, .119) BETA : (.0011, .0013)
 (.96) FRACTION : WHOLE

SAMPLE TEMP	.1 C	INCUBATION TEMP	2.0 C
CHLOROPHYLL	.81	PHOSPHATE	.55
CARBON	265.	NITRATE	2.14
NITROGEN	12.	SILICATE	2.63
		ATP	.10

EASTERN ARCTIC 1983

LAT	LONG	DATE	DEPTH	TIME
71 14.6' N	57 31.9' W	12/08/83		35 M
311	343	271	179	67
228	179	140	155	78
622	179	61	180	86
323	40	57	31	92
163	23	18	18	71
99	12	9	9	58
31	6	4	4	28
1	3	2	2	19
8	1	1	8	07

PARAMETER VALUES

PS : .96, 1.00)
 ALPHA : .087, .092)
 BETA : .0020, .0024)
 FRACTION : >1 MICRON

SAMPLE TEMP	INCUBATION TEMP
.1 C	2.0 C
CHLOROPHYLL : .35	PHOSPHATE : .75
CARBON : -	NITRATE : 2.14
NITROGEN : -	SILICATE : 2.63
	ATP : .18

EASTERN ARCTIC 1983

LAT	71 14.6'N	LONG	57 31.9'W	DATE	12/08/83	DEPTH	35 M
I	P	I	P	I	P	I	P
311	.35	343	.41	271	.37	179	.61
223	.52	179	.52	128	.56	106	.80
517	.72	31	.72	62	.82	18	.71
19	.88	13	.85	32	.88	9	.56
4	.74	6	.69	1	.53	4	.35
2	.58	3	.48	6	.24	2	.22
8	.39	18	.27	3	.14	1	.10
	.25		.16		.08		
	.11		.09				

PARAMETER VALUES

PS : .88, .91 (.88, .94) ALPHA : .109, .121 (.109, .121) BETA : .0024, .0027

FRACTION : <1 MICRON

SAMPLE TEMP	.1 C	INCUBATION TEMP	2.0 C
CHLOROPHYLL	: .37	PHOSPHATE	: .75
CARBON	: 172.	NITRATE	: 2.14
NITROGEN	: 23.	SILICATE	: 2.63
		ATP	: .05

EASTERN ARCTIC 1983

LAT 74 07.6'N LONG 63 01.2'W DATE 13/08/83 DEPTH 25 M
 I P I P I P I P
 275 .60 383 .40 331 .57 179 .74
 259 .80 289 .72 120 .77 167 .43
 175 .84 85 .85 118 .82 118 .88
 98 .71 24 .67 40 .80 16 .85
 16 .54 12 .72 25 .68 8 .55
 3 .28 6 .50 7 .37 4 .37
 29 .15 3 .27 4 .22 2 .20
 .9 .02 1 .14 1 .09 1 .04
 .02 1 .02 .6 .02 1 .04

PARAMETER VALUES

PS : .97, 1.00 ALPHA : .052 BETA : .0017
 (1.03) (.049, .054) (.0015, .0019)

FRACTION : >1 MICRON

SAMPLE TEMP	-0.9 C	INCUBATION TEMP	-0.5 C
CHLOROPHYLL :	.33	PHOSPHATE :	.78
CARBON :	-	NITRATE :	2.57
NITROGEN :	-	SILICATE :	3.62
		ATP :	.09

EASTERN ARCTIC 1983

LAT 75 07.7'N LONG 73 54.9'W DATE 14/08/83 DEPTH 31 M

 I I I I I
 P P P P P

 283 339 171 243 .09
 199 140 165 65 .16
 44 49 34 35 .21
 27 18 9 9 .18
 4 6 5 3 .17
 2 4 3 1 .14
 1 1 .9 1 .04
 .08 .06 .071 .0007
 .19 .21 (.065, .077) (.0006, .0004)
 .17 .27 .13 .19
 .17 .17 .11 .13
 .09 .07 .07 .108
 .08 .07 .07 .108

PARAMETER VALUES

PS : .20, .22) ALPHA : .071 BETA : .0007
 ((.065, .077) (.0006, .0004)
 FRACTION : <1 MICRON

SAMPLE TEMP -1.3 C INCUBATION TEMP 0.0 C
 CHLOROPHYLL : .96 PHOSPHATE : 1.45
 CARBON : 129. NITRATE : 10.90
 NITROGEN : 20. SILICATE : 7.95
 ATP : .06

EASTERN ARCTIC 1983

LAT 76 06.2'N LONG 02 25.0'W DATE 15/09/83 DEPTH 10 M

 I I I I I
 327 391 99 327 157 255 1.540
 136 231 1.45 124 1.40 185 1.538
 99 140 1.62 55 1.25 37 1.386
 19 27 1.68 12 1.63 19 1.444
 4 17 .35 6 .31 4 .243
 2 3 .16 3 .15 2 .103
 1 2 .03 .8 .04 .6 .02

PS : 1.90 ALPHA : .068 BETA : .0027
 (1.82, 1.99) (.065, .072) (.0022, .0032)
 FRACTION : >1 MICRON

SAMPLE TEMP -.4 C INCUBATION TEMP -.5 C
 CHLOROPHYLL : 6.73 PHOSPHATE : 1.05
 CARBON : - NITRATE : 3.92
 NITROGEN : - SILICATE : 15.78
 ATP : .44

EASTERN ARCTIC 1983

LAT	76 06.2' N	LONG	82 25.0' W	DATE	15/08/83	DEPTH	18 M
	I	P	I	P	I	P	
327	.09	.04	255	.04	295	.03	.03
231	.06	.19	171	.17	85	.23	.23
82	.22	.20	36	.20	27	.20	.20
110	.13	.13	3	.05	2	.08	.08
6	.09	.08	2	.07	1	.05	.05
2	.06	.08	.A	.03	.6	.07	.07
1	.07	.05

PARAMETER VALUES

PS : .24, .28 (.018, .026)
 ALPHA : .022 (.0039, .0018)
 BETA : .0013

FRACTION : <1 MICRON

SAMPLE TEMP	-0.4 C	INCUBATION TEMP	-0.5 C
CHLOROPHYLL	: .36	PHOSPHATE	: 1.05
CARBON	: 73.	NITRATE	: 3.82
NITROGEN	: 12.	SILICATE	: 15.78
		ATP	: .05

EASTERN ARCTIC 1983

LAT 76 25.0'N LONG 83 05.0'W DATE 17/08/83 DEPTH 22 M
 I P I P I P I P I P I P
 339 427 427 427 427 427 427 427 427 427 427 427 427
 175 112 112 112 112 112 112 112 112 112 112 112 112
 186 181 181 181 181 181 181 181 181 181 181 181 181
 41 37 37 37 37 37 37 37 37 37 37 37 37
 10 10 10 10 10 10 10 10 10 10 10 10 10
 5 5 5 5 5 5 5 5 5 5 5 5 5
 2 2 2 2 2 2 2 2 2 2 2 2 2
 15 15 15 15 15 15 15 15 15 15 15 15 15
 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03
 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08
 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08
 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98
 .97 .97 .97 .97 .97 .97 .97 .97 .97 .97 .97 .97 .97
 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58
 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29
 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16
 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05
 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03
 .88 .88 .88 .88 .88 .88 .88 .88 .88 .88 .88 .88 .88
 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08
 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95
 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98
 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58
 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29
 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16
 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05
 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03
 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08
 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08 1.08
 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95 .95
 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98 .98
 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58 .58
 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29 .29
 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16 .16
 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05 .05
 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03
 .69 .69 .69 .69 .69 .69 .69 .69 .69 .69 .69 .69 .69
 .92 .92 .92 .92 .92 .92 .92 .92 .92 .92 .92 .92 .92
 .90 .90 .90 .90 .90 .90 .90 .90 .90 .90 .90 .90 .90
 .44 .44 .44 .44 .44 .44 .44 .44 .44 .44 .44 .44 .44
 .21 .21 .21 .21 .21 .21 .21 .21 .21 .21 .21 .21 .21
 .09 .09 .09 .09 .09 .09 .09 .09 .09 .09 .09 .09 .09
 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04
 .179 .179 .179 .179 .179 .179 .179 .179 .179 .179 .179 .179 .179
 .53 .53 .53 .53 .53 .53 .53 .53 .53 .53 .53 .53 .53
 .24 .24 .24 .24 .24 .24 .24 .24 .24 .24 .24 .24 .24
 .14 .14 .14 .14 .14 .14 .14 .14 .14 .14 .14 .14 .14
 .17 .17 .17 .17 .17 .17 .17 .17 .17 .17 .17 .17 .17
 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .03
 1.03 1.03 1.03 1.03 1.03 1.03 1.03 1.03 1.03 1.03 1.03 1.03 1.03
 .11 .11 .11 .11 .11 .11 .11 .11 .11 .11 .11 .11 .11
 .75 .75 .75 .75 .75 .75 .75 .75 .75 .75 .75 .75 .75
 .43 .43 .43 .43 .43 .43 .43 .43 .43 .43 .43 .43 .43
 .20 .20 .20 .20 .20 .20 .20 .20 .20 .20 .20 .20 .20
 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08 .08
 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04 .04

PS : 1.09, 1.13) ALPHA : .088 BETA : .0014
 (1.16) (.083, .093) (.0011, .0016)
 FRACTION : WHOLE

SAMPLE TEMP -0.6 C INCUBATION TEMP 0.0 C
 CHLOROPHYLL : 6.89 PHOSPHATE : 1.05
 CARBON : 664. NITRATE : .12
 NITROGEN : 82. SILICATE : 2.90
 ATP : .60

EASTERN ARCTIC 1983

```

LAT 75 25.01N      LONG 83 05.01W      DATE 17/08/83      DEPTH 22 M
-----P-----P-----P-----P-----
I       I       I       I       I       I
299    367    291    92    231
271    219    183    .88    151
104    122    106    .99    171
85     222    44    .94    314
38     224    28    .88    19
17     146    9    .46    42
4     63    5    .22    21
2     31    3    .10
0     16    1    .03
      .03
  
```

PARAMETER VALUES

PS : 1.07 (.064, .070) ALPHA :

(1.04, 1.09) (.0035, .0038) BETA :

FRACTION : >1 MICRON

SAMPLE TEMP -.6 C INCUBATION TFMP 0.0 C

CHLOROPHYLL : 7.77 PHOSPHATE : 1.05

CARBON : - NITRATE : .12

NITROGEN : - SILICATE : 2.90

 ATP : .75

EASTERN ARCTIC 1983

LAT 76 25.0'N LONG 83 05.0'W DATE 17/08/83 DEPTH 22 M
 I P I P I P I P

 299 .08 367 .07 291 .11 271 .12
 167 .23 183 .24 151 .25 104 .25
 172 .12 56 .22 34 .15 38 .05
 14 .19 14 .17 9 .16 7 .06
 6 .04 5 .08 4 .03 4 .02
 3 .04 3 .02 2 .03 2 .02
 1 .03 .9 .01 .6 .01 .5 .01

PARAMETER VALUES

PS : .33 (.52) ALPHA : .010 BETA : .0018
 (.33) (.009, .012) (.0010, .0027)

FRACTION : <1 MICRON

SAMPLE TEMP -.6 C INCURATION TEMP 0.0 C
 CHLOROPHYLL : .72 PHOSPHATE : 1.05
 CARBON : 118. NITRATE : .12
 NITROGEN : - SILICATE : 2.90
 : ATP : .07

EASTERN ARCTIC 1983

LAT 76 00.0'N		LONG 82 02.5'W		DATE 19/08/83		DEPTH		5 M	
I	P	I	P	I	P	I	P	I	P
327	1.11	367	1.01	323	1.24	243	1.27	1.22	1.27
155	1.30	163	1.33	151	1.38	192	1.26	1.13	1.26
172	1.26	54	1.20	46	1.19	37	1.13	1.13	1.13
24	1.21	25	1.11	17	1.03	12	1.29	1.17	1.29
127	.65	9	.52	9	.49	6	.39	.39	.39
3	.31	4	.25	5	.19	3	.17	.17	.17
1	.12	2	.10	2	.08	2	.03	.03	.03
16	.02	1	.03	.8	.03	.9	.03	.03	.03

PARAMETER VALUES

PS : 1.37 (1.32, 1.43)
 ALPHA : .077 (.072, .082)
 BETA : .0007 (.0004, .0010)

FRACTION : WHOLE

PARAMETER	VALUE	INCUBATION TEMP	TEMP
CHLOROPHYLL	: 12.17		-0.3 C
CARBON	: 1004.		
NITROGEN	: 90.		
PHOSPHATE	: .85		-0.2 C
NITRATE	: .06		
SILICATE	: 2.20		
ATP	: .64		

EASTERN ARCTIC 1983

LAT	75 00.0'N	LONG	02 02.5'W	DATE	19/08/83	DEPTH	5 M
	I		P		I		P
263	1.23	327	1.05	279	1.15	183	1.28
198	1.27	183	1.20	190	1.21	144	1.25
80	1.17	166	1.11	54	1.20	33	1.16
34	1.15	224	1.07	22	1.08	17	1.19
16	1.85	12	1.78	12	1.68	5	1.66
9	1.51	6	1.39	5	1.35	2	1.56
4	1.22	3	1.15	3	1.16	1	1.04
21	1.04	9	1.07	2	1.03	1	1.04
	1.04	9	1.03	8	1.03	7	1.02

PARAMETER VALUES

PS : 1.29 ALPHA : .083 BETA : .0005
 (1.25, 1.32) (.080, .087) (.0003, .0007)

FRACTION : >1 MICRON

SAMPLE TEMP	-0.3 C	INCUBATION TEMP	-0.2 C
CHLOROPHYLL	: 12.17	PHOSPHATE	: .58
CARBON	: -	NITRATE	: .06
NITROGEN	: -	SILICATE	: 3.26
		ATP	: .58

EASTERN ARCTIC 1983

LAT 76 00.0'N LONG 82 02.5'W DATE 19/08/83 DEPTH 5 M

 I P I P I P I P

 203 .07 327 .07 183 .09 199 .08
 128 .10 151 .10 190 .12 66 .12
 124 .10 17 .07 16 .05 125 .05
 9 .06 8 .07 3 .03 3 .02
 5 .04 4 .03 2 .02 17 .02
 2 .02 2 .01 .8 .02
 1 .01 .9 .02

PARAMETER VALUES
 PS : .13, .13, .14) ALPHA : .009 BETA : .0003
 (.13, .14) (.009, .010) (.0002, .0004)
 FRACTION : <1 MICRON

SAMPLE TEMP	-0.3 C	INCUBATION TEMP	-0.2 C
CHLOROPHYLL	: 1.24	PHOSPHATE	: .85
CARBON	: 126.	NITRATE	: .06
NITROGEN	: 3.	SILICATE	: 3.26
		ATP	: .07

EASTERN ARCTIC 1983

LAT 76 05.9'N LONG 02 26.0'W DATE 21/08/83 DEPTH 30 M

I	P	I	P	I	P
307	08	179	179	279	98
263	1.31	179	1.22	179	1.60
150	1.55	64	1.30	172	1.28
20	1.30	42	1.41	28	1.19
15	1.53	15	1.16	17	1.03
3	1.35	8	1.96	4	1.55
1	1.16	4	1.41	2	1.25
	1.04	2	1.15		1.12
		1	1.07		

PARAMETER VALUES

PS : 1.43, 1.52 (ALPHA : .103, .124) BETA : .0014, .0019)

FRACTION : WHOLE

SAMPLE TEMP -1.0 C INCUBATION TEMP -1.0 C

CHLOROPHYLL : .76 PHOSPHATE : 2.30

CARBON : 92. NITRATE : 14.17

NITROGEN : 17. SILICATE : 32.04

ATP : .10

EASTERN ARCTIC 1983

LAT 76 04.8 N LONG 82 09.4 W DATE 22/08/83 DEPTH 12.5 M
 I P I P I P I P
 255 1.41 339 1.04 311 1.23 155 1.61
 223 1.36 207 1.39 112 1.53 159 1.47
 148 1.42 68 1.42 108 1.40 108 1.46
 100 1.50 68 1.38 178 1.33 136 1.30
 325 1.37 263 1.72 229 1.89 18 1.34
 16 1.18 136 1.02 42 .45 42 .49
 99 .33 33 .34 21 .24 42 .19
 32 .14 28 .16 16 .09 16 .04
 2 .03 .8 .07 .6 .03 .6 .04

PARAMETER VALUES

PS : 1.56 ALPHA : .136 BETA : .0011
 (1.52, 1.50) (.129, .142) (.0008, .0013)

FRACTION : >1 MICRON

SAMPLE TEMP	-0.7 C	INCUBATION TEMP	-0.5 C
CHLOROPHYLL :	9.77	PHOSPHATE :	1.04
CARBON :	-	NITRATE :	.11
NITROGEN :	-	SILICATE :	1.01
		ATP :	.55

EASTERN ARCTIC 1983

LAT 74 07.0'N LONG 81 54.0'W DATE 23/08/83 DEPTH 25 M

 I I I I I
 303 391 283 215 1.17
 263 144 183 192 1.22
 160 52 170 26 1.23
 23 1.26 33 10 1.23
 8 1.29 12 4 1.23
 3 1.05 6 2 1.23
 2 1.62 3 1 1.23
 7 .24 1 1 1.23
 .10 .4 .34
 .00 .4 .04
 .07 .4 .04
 .03 .4 .04

PARAMETER VALUES

PS : 1.59 ALPHA : .098 BETA : .0034
 (1.52, 1.66) (.991, .104) (.0028, .0040)

FRACTION : WHOLE

SAMPLE TEMP 0.0 C INCUBATION TEMP 0.0 C
 CHLOROPHYLL : 1.59 PHOSPHATE : -
 CARBON : 82. NITRATE : -
 NITROGEN : 27. SILICATE : -
 ATP : .15

EASTERN ARCTIC 1983

LAT 74 07.0'N LONG 81 54.0'W DATE 23/08/83 DEPTH 25 M
 I P I P I P I P
 231 .49 303 .26 295 .26 154 .65
 207 .60 270 .64 190 .65 152 .58
 159 .64 60 .62 68 .67 136 .62
 46 .58 28 .61 29 .47 21 .39
 16 .28 11 .31 7 .22 8 .20
 4 .17 5 .14 3 .10 4 .10
 2 .07 3 .07 2 .04 2 .10
 1 .03 1 .02 1 .01 1 .02
 1 .01 .6 .01 .3 .01 .9 .02

PARAMETER VALUES

PS : .92, 1.01 ALPHA : .027, .030 BETA : .0029, .0037
 (.92, 1.10) (.027, .030) (.0029, .0045)

FRACTION : >1 MICRON

SAMPLE TEMP	0.0 C	INCUBATION TEMP	0.0 C
CHLOROPHYLL	: .97	PHOSPHATE	: -
CARBON	: -	NITRATE	: -
NITROGEN	: -	SILICATE	: -
		ATP	: .13

EASTERN ARCTIC 1983

LAT 76 12.5'N LONG 82 34.0'W DATE 27/09/83 DEPTH 9 M
 I I I I
 P P P P
 .83 .64 287 .69 167 .83
 .87 .81 106 .90 170 .97
 .90 .86 44 .90 60 .89
 .85 .87 24 .84 24 .87
 .79 .75 11 .65 13 .57
 .48 .42 6 .32 7 .27
 .24 .19 3 .17 4 .13
 .10 .08 2 .07 2 .05
 .05 .03 1 .02 .9 .02
 .02 .01 .6 .01 . .02
 231 295 287 .69 167 .83
 215 167 106 .90 170 .97
 90 29 44 .84 60 .89
 16 18 11 .65 13 .57
 9 9 6 .32 7 .27
 5 5 3 .17 4 .13
 2 2 2 .07 2 .05
 1 1 1 .02 .9 .02
 .5 .6 .6 .01 . .02

PARAMETER VALUES

PS : .98, 1.02) ALPHA : .067 BETA : .0013
 (1.06) (.064, .071) (.0010, .0016)

FRACTION : >1 MICRON

SAMPLE TEMP -.7 C INCUBATION TEMP 1.0 C
 CHLOROPHYLL : 5.61 PHOSPHATE : .53
 CARBON : - NITRATE : .00
 NITROGEN : - SILICATE : 1.74
 : ATP : .22

EASTERN ARCTIC 1983

LAT 76 12.5'N LONG 82 34.0'W DATE 27/08/83 DEPTH 9 M
 I P I P I P I P I P I P

295	24	167	144	54
70	.27	.57	144	1.11
29	.95	.96	60	1.90
13	1.09	.93	115	.51
2	.55	.65	2	.34
25	.21	.44	1	.18
	.03	.20		
		.09		

PARAMETER VALUES

PS : 1.20, 1.32) ALPHA : .147, .169) BETA : .0062
 (1.20, 1.32) (.0051, .0072)
 FRACTION : <1 MICRON

SAMPLE TEMP	-0.7 C	INCUBATION TEMP	1.0 C
CHLOROPHYLL	: .09	PHOSPHATE	: .53
CARBON	: 105.	NITRATE	: .00
NITROGEN	: 15.	SILICATE	: 1.74
		ATP	: .05

EASTERN ARCTIC 1983

LAT 76 11.31N		LONG 71 53.01W		DATE 31/08/83		DEPTH 35 M	
I	P	I	P	I	P	I	P
195	.20	207	.39	155	.49	163	.50
120	.69	37	.75	100	.61	60	.76
48	.31	10	.84	44	.81	14	.84
11	.61	5	.49	8	.81	6	.71
3	.33	2	.27	4	.28	3	.34
1	.23	1	.20	2	.13	2	.24
.8	.16	.5	.10	1	.10	.8	.10
.4	.06	.3	.04	.5	.05	.4	.09

PARAMETER VALUES

PS : .96, 1.01 (ALPHA : .156, .175) BETA : .0053 (.0045, .0060)

FRACTION : WHOLE

PARAMETER	VALUE	INCUBATION TEMP	TEMP
SAMPLE TEMP	-1.4 C	INCUBATION TEMP	0.0 C
CHLOROPHYLL	3.59	PHOSPHATE	.90
CARBON	208.	NITRATE	3.58
NITROGEN	30.	SILICATE	4.52
		ATP	.11

EASTERN ARCTIC 1983

LAT 76 11.3'N LONG 71 53.0'W DATE 31/08/83 DEPTH 35 M
 I P I P I P I P
 151 .28 203 .13 171 .17 88 .42
 128 .31 118 .30 60 .46 88 .42
 186 .47 34 .48 54 .45 56 .43
 28 .44 36 .44 20 .44 23 .44
 14 .33 15 .32 6 .41 4 .46
 4 .25 3 .20 3 .31 29 .25
 29 .17 17 .11 1 .10 9 .16
 5 .07 3 .03 7 .10 52 .20
 .5 .04 .3 .02 .3 .02 .2 .01

PARAMETER VALUES

PS : .56, .58 (.074, .082) ALPHA : .078 BETA : .0031
 (.56, .60) (.0027, .0035)
 FRACTION : >1 MICRON

SAMPLE TEMP -1.4 C INCUBATION TEMP 0.0 C
 CHLOROPHYLLI : 1.90 PHOSPHATE : .90
 CARBON : - NITRATE : 3.58
 NITROGEN : - SILICATE : 4.52
 ATP : .07

EASTERN ARCTIC 1983

LAT	76 11.31'N	LONG	71 53.01'W	DATE	31/08/83	DEPTH	35 M
I	P	I	P	I	P	I	P
151	.13	203	.03	171	.03	88	.21
128	.13	118	.08	60	.22	88	.21
42	.28	154	.24	28	.31	34	.26
20	.28	23	.26	14	.25	16	.30
10	.19	13	.28	8	.30	5	.21
3	.27	4	.19	4	.13	3	.19
1	.08	2	.12	2	.13	1	.08
3	.02	7	.06	.7	.04	.5	.04
		8	.01				

PARAMETER VALUES

PS : .32, .34, .36) ALPHA : .077 BETA : .0028
 (.059, .084) (.0023, .0033)

FRACTION : <1 MICRON

SAMPLE TEMP	-1.4 C	INCUBATION TEMP	0.0 C
CHLOROPHYLL :	1.05	PHOSPHATE :	.90
CARBON :	303.	NITRATE :	3.58
NITROGEN :	44.	SILICATE :	4.52
		ATP :	.08

EASTERN ARCTIC 1983

LAT	74 45.0' N	LONG	70 48.0' W	DATE	03/09/83	DEPTH	2 M
	I	P	I	P	I	P	
363	4.83	227	5.60	279	5.77	155	5.35
179	5.19	140	4.93	104	4.37	88	3.94
178	3.97	60	4.60	37	3.28	37	3.14
25	3.69	20	2.98	17	1.93	11	1.67
5	1.31	8	1.01	4	.57	3	.59
2	.80	4	.64	2	.49	2	.53
1	.57	2	.22	0	.30		.24
	.34		.21				

PARAMETER VALUES

PS :	5.13	BETA :	.0070
(4.77, 5.49)	(.156, .185)	(-.0016, .0016)	
	FRACTION :	WHOLE	

SAMPLE TEMP	1.5 C	INCUBATION TEMP	0.0 C
CHLOROPHYLL :	.17	PHOSPHATE :	.53
CARBON :	185.	NITRATE :	.39
NITROGEN :	19.	SILICATE :	1.94
		ATP :	.07

EASTERN ARCTIC 1983

LAT 74 45.0'N LONG 76 48.0'W DATE 03/09/83 DEPTH 15 M

 I I P I P I I P I P I P I P I P I

 303 .48 128 .63 187 .54 203 .68
 124 .57 128 .59 .62 187 .60 .84 .59
 30 .73 427 .66 522 .67 564 .63
 18 .53 371 .70 266 .65 159 .59
 8 .48 116 .41 .19 40 .40 .14
 32 .26 .09 .19 .49 .19 .14
 1 .12 .03 .03 .05 .05 .14
 1 .03 .03 .02 .04 .04 .02

PARAMETER VALUES

PS : .69, .73) ALPHA : .048 BETA : .0099
 (.77) (.044, .051) (.0006, .0012)

FRACTION : WHOLE

SAMPLE TEMP 1.1 C INCUBATION TEMP 0.0 C
 CHLOROPHYLL : 2.76 PHOSPHATE : .72
 CARBON : 456. NITRATE : .41
 NITROGEN : 42. SILICATE : .60
 ATP : .19

EASTERN ARCTIC 1983

```

LAT 73 24.0'N LONG 68 23.0'W DATE 04/09/83 DEPTH 24 M
----- P ----- I ----- P ----- I ----- P -----
287  .30  .17  327  .26  175  .34
259  .23  .39  120  .44  138  .38
77  .44  .43  155  .38  21  .34
46  .43  .34  32  .34  127  .24
23  .30  .21  16  .12  7  .14
13  .08  .08  4  .01  32  .01
4  .03  .02  2  .01  2  .01
2  .00  .00  1  .00  1  .01

```

PARAMETER VALUES
 ALPHA : .025, .029
 BETA : .0010, .0015
 FRACTION : WHOLE

PS : .50, .53
 (.57)

SAMPLE TEMP -1.3 C INCUBATION TEMP .5 C
 CHLOROPHYLL : 0.73 PHOSPHATE : .83
 CARBON : 498. NITRATE : .41
 NITROGEN : 29. SILICATE : .10
 ATP : .60

EASTERN ARCTIC 1983

LAT	73 24.0 N	LONG	6 R 23.0 W	DATE	04/J9/83	DEPTH	24 M
	I		P	I	P	I	P
307	.15	295	.17	167	.22	219	.18
227	.19	112	.24	140	.28	150	.28
274	.28	186	.27	98	.24	143	.27
59	.25	20	.19	30	.23	14	.16
27	.21	22	.18	10	.17	8	.11
14	.12	16	.09	5	.10	4	.02
7	.06	3	.03	3	.02	2	.02
4	.02	2	.01	2	.00	2	.00
2	.02						

PARAMETER VALUES
 PS : .31, .33 (ALPHA : .016, .019) BETA : .0006, .0009)
 FRACTION : >1 MICRON

SAMPLE TEMP	-1.3 C	INCUBATION TEMP	.5 C
CHLOROPHYLL	: 10.01	PHOSPHATE	: .83
CARBON	: -	NITRATE	: .41
NITROGEN	: -	SILICATE	: .10
		ATP	: .40

EASTERN ARCTIC 1983

LAT 73 24.0'N LONG 68 23.0'W DATE 04/09/83 DEPTH 24 M
 I I I I I
 -----P-----I-----P-----I-----P-----I-----P-----
 255 295 297 295 167 11
 219 140 227 140 148 .19
 74 98 86 98 50 .03
 59 29 43 29 20 .12
 20 17 14 17 12 .16
 10 4 8 4 6 .11
 5 1 4 1 2 .13
 2 .02 1 .02 1 .05

PARAMETER VALUES

PS : .16, .17) ALPHA : .021 BETA : .0007
 ((.018, .024) (.0005, .0009)

FRACTION : <1 MICRON

SAMPLE TEMP -1.3 C INCUBATION TEMP .5 C
 CHLOROPHYLL : .28 PHOSPHATE : .83
 CARBON : 93. NITRATE : .41
 NITROGEN : 19. SILICATE : .10
 ATP : .04

EASTERN ARCTIC 1983

LAT 71 55.4'N LONG 71 13.9'W DATE 05/09/83 DEPTH 2 M
 I P I P I P I P I P I P
 243 2.80 299 3.03 283 2.58 195 3.41
 191 2.77 191 3.15 140 3.82 163 3.66
 136 3.70 100 4.13 66 3.71 82 3.50
 42 3.74 30 3.05 27 2.59 22 2.57
 18 1.95 16 3.24 13 2.09 10 2.36
 7 2.02 5 2.93 4 1.17 2 1.07
 3 1.80 3 1.11 2 1.23
 2 1.05 1 .11 1 .23

PARAMETER VALUES

PS : 3.41, 3.96) ALPHA : .307, .397) BETA : .0008, .0044)
 ((((

FRACTION : WHOLE

SAMPLE TEMP 2.5 C INCUBATION TEMP 2.5 C
 CHLOROPHYLL : .15 PHOSPHATE : .58
 CARBON : 101. NITRATE : .39
 NITROGEN : 14. SILICATE : 2.37
 ATP : .08

EASTERN ARCTIC 1983

LAT 71 55.4 N LONG 71 13.9 W DATE 05/09/83 DEPTH 10 M

I I P I I P

243 203 206 104 339 54 354
80 42 311 56 293 30 376
37 16 197 7 199 6 155
4 4 140 2 105 1 104
1 1 136

PARAMETER VALUES
PS : (3.12, 3.43) ALPHA : (.367, .538) BETA : (.0021, .0055)
(3.12, 3.73)

FRACTION : WHOLE

SAMPLE TEMP 2.5 C INCUBATION TEMP 2.5 C
CHLOROPHYLL : .16 PHOSPHATE : .59
CARBON : 99. NITRATE : .38
NITROGEN : 14. SILICATE : 2.39
ATP : .07

EASTERN ARCTIC 1983

LAT 72 11.8'N LONG 65 42.0'W DATE 07/09/83 DEPTH 2 M

 I I I I I
 P P P P P

 263 2.08 323 2.25 195 2.45 215 2.32
 140 2.342 148 2.60 114 2.41 98 2.25
 50 2.14 68 2.27 176 2.37 62 2.34
 25 2.135 44 2.29 35 2.07 30 1.77
 10 1.12 20 1.94 17 1.95 14 1.68
 5 1.12 4 .13 4 .13 3 .21
 3 .12 3 .20 2 .08 2 .15
 2 .08 2 .08

PARAMETER VALUES

PS : 2.63 (2.48, 2.79) ALPHA : .101 BETA : .0016
 (2.48, 2.79) (.094, .109) (.0006, .0025)

FRACTION : WHOLE

SAMPLE TEMP .7 C INCUBATION TEMP 2.5 C
 CHLOROPHYLL : .25 PHOSPHATE : .68
 CARBON : 136. NITRATE : .48
 NITROGEN : 15. SILICATE : 4.29
 ATP : .15

EASTERN ARCTIC 1983

LAT 72 11.81M LONG 65 42.01M DATE 07/09/83 DEPTH 10 M

 I P I P I P I P
 247 2.09 307 2.06 279 2.00 155 2.34
 183 2.15 187 2.01 112 2.16 114 2.30
 124 2.07 178 2.01 198 1.96 192 2.07
 26 2.09 68 2.20 37 1.69 46 1.77
 14 1.57 30 1.51 18 1.48 12 1.91
 5 1.23 5 .97 10 1.21 7 .50
 3 .72 2 .62 4 .66 3 .29
 2 .25 2 .33 2 .26 2 .38
 2 .05 2 .05 2 .07 2 .08

PARAMETER VALUES

PS : 2.12 ALPHA : .121 BETA : .0000
 (2.02, 2.21) (.112, .130) (-.0005, .0005)

FRACTION : WHOLE

SAMPLE TEMP .7 C INCUBATION TEMP 2.5 C
 CHLOROPHYLL : .39 PHOSPHATE : .58
 CARBON : 182. NITRATE : .41
 NITROGEN : 24. SILICATE : 3.65
 ATP : .16

EASTERN ARCTIC 1983

LAT	70 27.5°N	LONG	68 35.4°W	DATE	08/09/83	DEPTH	25 M
I	P	I	P	I	P	I	P
287	1.06	327	.65	199	1.45	239	1.22
183	1.16	148	1.55	159	1.43	128	1.44
110	1.42	118	1.46	186	1.44	176	1.52
182	1.52	158	1.50	262	1.26	222	1.22
367	1.93	304	1.59	122	1.26	116	1.31
177	.44	177	.44	64	.29	63	.24
53	.18	63	.18	43	.15	32	.10
22	.08	32	.07	2	.01	2	.02
	.02		.02				
	.04		.02				

PARAMETER VALUES

PS : 2.15 (1.97, 2.32)
 ALPHA : .070 (.066, .075)
 BETA : .0059 (.0045, .0074)

FRACTION : WHOLE

SAMPLE TEMP	-0.7 C	INCUBATION TEMP	0.0 C
CHLOROPHYLL	: 3.28	PHOSPHATE	: 1.07
CARBON	: 241.	NITRATE	: .24
NITROGEN	: 31.	SILICATE	: 3.10
		ATP	: .15

EASTERN ARCTIC 1983

LAT	70 27.51 N	LONG	68 35.41 W	DATE	08/09/83	DEPTH	25 M
	I	P	I	P	I	P	
251	.44	323	.25	291	.68	157	.90
223	.72	204	.91	110	.99	140	1.00
80	.88	98	1.08	102	.83	54	1.85
66	.97	64	1.06	36	1.04	50	1.02
28	.82	34	1.74	19	.59	21	.79
17	.38	17	.34	10	.55	11	.59
4	.12	4	.12	5	.26	5	.35
3	.04	2	.02	3	.06	3	.01
2	.01	2	.02	2	.02	2	.01

PARAMETER VALUES

PS : (1.17, 1.29, 1.41) ALPHA : (.060, .074) BETA : (.0027, .0049)

FRACTION : >1 MICRON

SAMPLE TEMP	-0.7 C	INCUBATION TEMP	0.0 C
CHLOROPHYLL	3.19	PHOSPHATE	1.07
CARBON	-	NITRATE	.24
NITROGEN	-	SILICATE	3.10
		ATP	.18

EASTERN ARCTIC 1983

```

LAT 70 27.5'N   LONG 68 35.4'W   DATE 08/09/83   DEPTH 25 M
-----
I      P      I      P      I      P      I      P
251   .72    323   .66    291   .63    167   1.46
203   1.15    110   1.53    144   1.32    194   1.38
54    1.34    166   1.35    150   1.29    34   1.35
10    .82    21   1.08    17   1.26    17   1.17
15    .64    115  .47    4   .64    3   .20
3     .40    3   .43    3   .33    2   .24
2     .23    2   .22    2   .32    2   .27
      .23    2   .20
    
```

PARAMETER VALUES
 PS : 1.37 ALPHA : .078, .093) BETA : .0035
 (1.67, 2.06) FRACTION : <1 MICRON (.0038, .0073)

```

SAMPLE TEMP      -0.7 C      INCUBATION TEMP  0.0 C
CHLOROPHYLL :   .15      PHOSPHATE :     1.07
CARBON :        98.       NITRATE :       .24
NITROGEN :      12.      SILICATE :      3.10
                           ATP :       .03
    
```

EASTERN ARCTIC 1983

LAT 72 03.61N LONG 68 18.40W DATE 09/09/83 DEPTH 2 M

251	287	211	4.82	151	5.11
104	83	60	4.64	48	3.99
28	19	20	3.20	12	2.64
3	10	5	1.23	6	1.30
3	12	3	1.70	2	1.66
2	1	2	.32	7	.11
5	14	.6	.20	.3	.11
.3	.4	.6			

PARAMETER VALUES

PS : 5.29, 6.42) ALPHA : .246, .304) BETA : .0051, .0133)

FRACTION : WHOLE

SAMPLE TEMP	1.4 C	INCURATION TEMP	0.0 C
CHLOROPHYLL	: .20	PHOSPHATE	: .49
CARBON	: 95.	NITRATE	: .29
NITROGEN	: 17.	SILICATE	: 2.65
		ATP	: .0A

EASTERN ARCTIC 1983

LAT 72 03.6'N LONG 68 18.4'W DATE 09/09/83 DEPTH 10 M
 I P I P I P I P
 219 1.87 279 1.40 255 1.76 151 2.13
 173 2.00 112 2.27 104 2.05 65 2.18
 30 2.43 32 1.17 21 2.34 23 1.85
 15 2.36 10 1.19 10 2.13 7 1.50
 4 1.59 1 1.34 1 1.51 2 1.50
 2 .72 1 .30 1 .22 .9 .33
 .7 .37 .4 .05
 .06

PARAMETER VALUES

PS : 2.44 ALPHA : .208 BETA : .0034
 (2.35, 2.53) (.193, .222) (.0026, .0042)

FRACTION : WHOLE

SAMPLE TEMP	1.4 C	INCUBATION TEMP	0.0 C
CHLOROPHYLL	: .32	PHOSPHATE	: .46
CARBON	: 162.	NITRATE	: .29
NITROGEN	: 22.	SILICATE	: 2.09
		ATP	: .05

EASTERN ARCTIC 1983

```

LAT 72 03.6'N   LONG 68 18.4'W   DATE 09/09/83   DEPTH 29 M
-----
I   P   I   P   I   P   I   P
331 1.32  267 1.71  203 1.79  231 1.74
140 1.40  132 1.36  191 1.47  196 1.50
34 1.51  27 1.30  55 1.41  41 1.16
18 1.41  13 1.06  12 1.22  19 1.92
9 1.94  6 1.65  6 1.23  5 1.45
4 1.12  3 1.29  3 1.04  2 1.47
1 1.02  2 1.11  2 1.06  1 1.59
.0 1.02  .4 1.01  .8 1.04  .6 1.03
  
```

PARAMETER VALUES
 ALPHA : (.123, .139)
 BETA : (.0055, .0090)
 FRACTION : WHOLE

PS : (1.74, 1.94)
 (1.94, 1.74)

SAMPLE TEMP -1.2 C INCUBATION TEMP 0.0 C

CHLOROPHYLL : 11.61 PHOSPHATE : .71
 CARBON : 1160. NITRATE : .32
 NITROGEN : 140. SILICATE : .69
 ATP : .81

EASTERN ARCTIC 1983

LAT 72 03.61'N LONG 68 18.41'W DATE 10/09/83 DEPTH 28 M

 I I I I

 331 267 203 231 55
 187 160 155 132 80
 55 87 61 63 73
 18 41 27 29 63
 9 16 12 5 56
 4 3 3 2 26
 1 .8 .8 1 103
 .03 .01 .01 .03

PARAMETER VALUES

PS : .87, .93 ALPHA : .062, .074 BETA : .0017, .0022
 ((()

FRACTION : WHOLE

SAMPLE TEMP -1.1 C INCUBATION TEMP 0.0 C
 CHLOROPHYLL : 6.41 PHOSPHATE : .66
 CARBON : 818. NITRATE : .31
 NITROGEN : 84. SILICATE : .68
 : ATP : .83

EASTERN ARCTIC 1983

LAT 71 45.8'N LONG 74 32.0'W DATE 11/09/83 DEPTH 10 M

 I I I I I I
 P P P P P

 251 287 211 171 3.05
 104 183 132 104 3.26
 228 18 68 62 3.31
 332 15 20 14 2.52
 1.65 3 6 2 .31
 .11 29 .4 .6 .10
 .15 .9 .4 .16 .10
 .03 .9 .4 .16 .10

PARAMETER VALUES

PS : 3.74 BETA : .0033
 (3.51, 3.98) (.199, .234) (.0035, .0071)

FRACTION : WHOLE

SAMPLE TEMP 2.2 C INCUBATION TEMP 2.5 C
 CHLOROPHYLL : .41 PHOSPHATE : .55
 CARBON : 1.46 NITRATE : .31
 NITROGEN : 18. SILICATE : 2.12
 ATP : -

EASTERN ARCTIC 1983

LAT 71 45.8'N LONG 74 32.0'W DATE 11/09/83 DEPTH 20 M
 I P I P I P
 219 1.65 279 1.57 255 2.00 151 2.14
 183 1.71 104 2.05 112 2.16 104 2.31
 60 2.11 173 2.46 143 1.96 47 2.25
 30 2.29 32 2.09 21 2.19 23 1.70
 17 1.93 15 1.25 10 1.70 10 1.00
 7 1.14 6 .83 5 .42 4 .75
 3 .50 3 .17 2 .44 2 .52
 2 .22 1 .07 .9 .14 .7 .12
 .5 .08 .4 .07 .4 .08 .2 .03

PARAMETER VALUES

PS : 2.37, 2.62) ALPHA : .175 BETA : .0036
 (2.37, 2.62) (.163, .188) (.0026, .0046)

FRACTION : WHOLE

SAMPLE TEMP	2.3 C	INCUBATION TEMP	2.5 C
CHLOROPHYLL	: .46	PHOSPHATE	: .59
CARBON	: 110.	NITRATE	: .31
NITROGEN	: 15.	SILICATE	: 2.59
		ATP	: -

EASTERN ARCTIC 1983

LAT 71 45.8'N LONG 74 32.0'W DATE 11/09/83 DEPTH 37 M

I P I P I P I P I P

253	.15	331	.13	267	.35	203	.37
232	.44	187	.75	140	.88	155	.62
161	.87	41	.93	34	.88	27	1.02
18	.88	13	.97	9	.72	4	.80
32	.61	6	.60	5	.40	2	.30
2	.36	3	.28	2	.19	1	.19
2	.13	2	.12	1	.10	.6	.39
2	.07	1	.06	.6	.04	.6	.04

PARAMETER VALUES

PS : 1.31 ALPHA : .104, .124 } BETA : .0051 (.0049, .0073)

FRACTION : WHOLE

SAMPLE TEMP -.1 C INCUBATION TEMP 0.0 C

CHLOROPHYLL : 5.85 PHOSPHATE : .73

CARBON : 309. NITRATE : .51

NITROGEN : 51. SILICATE : 2.28

ATP : -

EASTERN ARCTIC 1983

LAT 71 45.81N LONG 74 32.01W DATE 11/09/83 DEPTH 45 M
 I P I P I P I P
 259 .36 317 .30 271 .31 179 .67
 285 .67 153 .65 116 .67 157 .66
 45 .69 30 .57 65 .70 20 .59
 12 .64 13 .59 16 .25 4 .32
 7 .38 3 .28 3 .23 2 .17
 .7 .17 1 .10 3 .13 1 .03
 .05 .5 .04

PS : .76, .79, .83) ALPHA : .102 BETA : .0018
 (.094, .111) (.0015, .0921)
 PARAMETER VALUES FRACTION : WHOLE INCUBATION TEMP 0.0 C

SAMPLE TEMP -1.1 C PHOSPHATE : 1.06
 CHLOROPHYLL : 1.53 NITRATE : 4.21
 CARBON : 166. SILICATE : 8.62
 NITROGEN : 29. ATP : -

EASTERN ARCTIC 1983

LAT 74 16.5°N LONG 73 39.5°W DATE 12/09/83 DEPTH 10 M
 I P I I P
 223 1.89 211 1.79 144 1.66 183 1.53
 136 1.79 94 1.81 116 1.65 190 1.82
 59 1.83 54 1.70 161 1.84 41 1.59
 48 1.79 41 1.58 27 1.69 32 1.66
 18 1.23 20 1.21 11 .96 12 .92
 3 1.94 9 .29 5 .47 6 .51
 1 .42 4 .28 2 .25 2 .23
 .2 .20 .7 .14 .5 .14 .2 .16
 .16 .1 .10 .1 .1 .1 .1

PARAMETER VALUES

PS : 1.82 ALPHA : .115 BETA : .0003
 (1.75, 1.90) (.108, .123) (-.0002, .0009)

FRACTION : WHOLE

SAMPLE TEMP 1.6 C INCUBATION TEMP 2.0 C
 CHLOROPHYLL : .26 PHOSPHATE : .44
 CARBON : 108. NITRATE : .31
 NITROGEN : - SILICATE : .96
 : ATP : -

EASTERN ARCTIC 1983

LAT 74 16.5'N LONG 73 39.5'W DATE 12/09/83 DEPTH 39 M

 I P I P I P

 327 .50 267 .69 203 .77
 179 .95 128 .97 148 1.14
 89 1.05 199 .02 147 1.06
 59 1.19 51 1.16 44 1.12
 28 1.12 13 .86 14 .96
 9 .40 7 .30 6 .31
 4 .20 3 .14 3 .18
 2 .11 2 .06 2 .08
 1 .7 .7 .08

PARAMETER VALUES

PS : 1.36 ALPHA : .120 BETA : .0034
 (1.32, 1.41) (.113, .126) (.0030, .0039)

FRACTION : WHOLE

SAMPLE TEMP -1.3 C INCUBATION TEMP 0.0 C
 CHLOROPHYLL : .78 PHOSPHATE : .92
 CARBON : 127. NITRATE : 6.18
 NITROGEN : 36. SILICATE : 8.67
 ATP : -

Units

$$P = \text{mg O}_2 \text{m}^{-3} \text{h}^{-1} (\text{mg Chl})^{-1}$$

$$I = W \text{m}^{-2}$$

$$P_s = \text{mg O}_2 \text{mg Chl}^{-1} \text{h}^{-1}$$

$$\alpha = \text{mg O}_2 (\text{mg Chl})^{-1} \text{h}^{-1} W^{-1} \text{m}^{-2}$$

$$\beta = \text{mg O}_2 (\text{mg Chl})^{-1} \text{h}^{-1} W^{-1} \text{m}^{-2}$$

Organic particulate concentrations are in mg m^{-3} and nutrients are in mg at m^{-3} . The 90% confidence interval for P_s , α and β are shown in the closed brackets below the estimates for each parameter.

Light Saturation Data - O₂

EASTERN ARCTIC 1983

```

LAT 76 06.2'N   LONG 82 25.0'W   DATE 15/09/83   DEPTH 18 M
-----
I               P               I               P
343  9.77  287  6.67  275  7.56  242  7.16
219  9.62  184  10.77  171  9.26  159  11.12
108  8.07  84  19.90  44  8.70  176  17.60
30  8.78  21  8.16  21  7.22  38  6.71
14  6.94  10  3.71  2  5.90  15  6.05
4  5.77  3  3.20  2  1.28  6  1.74
2  1.98  3  .29  2  .17  2  .85
1  1.19  3

```

PARAMETER VALUES

```

PS : 9.70      ALPHA : .410      BETA : .0051
( 8.81, 10.58 ) ( .358, .463 ) ( .0004, .0099 )

```

```

SAMPLE TEMP      -0.4 C      INCUBATION TEMP  -0.7 C
CHLOROPHYLL :    7.05      PHOSPHATE :    1.73
CARBON :        390.      NITRATE :    3.82
NITROGEN :      78.      SILICATE :   15.77
ATP :           .54

```


EASTERN ARCTIC 1983

LAT 76 25.0'N LONG 83 05.0'W DATE 17/09/83 DEPTH 22 M
 I P I P I P I P I P I P I P I P I P I P I P

305	.81	307	1.72	275	2.75	187	3.67
183	2.49	155	3.09	116	2.72	108	2.95
184	3.93	172	4.71	122	4.96	21	4.83
17	4.95	15	3.92	10	2.11	8	1.98
3	.42	3	.41	2	.45		

PARAMETER VALUES

PS : 5.97 (5.11, 6.82)
 ALPHA : .440 (.367, .514)
 BETA : .0248 (.0156, .0341)

SAMPLE TEMP : -.6 C INCUBATION TEMP : -1.0 C
 CHLOROPHYLL : 8.09 PHOSPHATE : 1.03
 CARBON : 664. NITRATE : .11
 NITROGEN : 82. SILICATE : 2.54
 ATP : .80

EASTERN ARCTIC 1983

LAT 76 04.81N LONG 82 09.41W DATE 22/08/83 DEPTH 12.5 M
 I P I P I P I P I P I P

327 2.87 283 279 3.08 239 3.62
 195 3.64 195 155 3.70 136 3.70
 100 4.20 184 68 4.33 168 4.54
 68 3.05 34 24 2.76 16 2.32
 16 1.45 8 5 0.31 4 0.50
 16 1.08 1 .07

PARAMETER VALUES

PS : 5.34 (.479, 5.89)
 ALPHA : .157 (.142, .173)
 BETA : .0137 (.0070, .0144)

SAMPLE TEMP -0.7 C INCUBATION TEMP -0.5 C
 CHLOROPHYLL : 12.33 PHOSPHATE : .99
 CARBON : 1365. NITRATE : .00
 NITROGEN : 108. SILICATE : .83
 ATP : .62

EASTERN ARCTIC 1983

LAT 76 12.5'N LONG 82 34.0'W DATE 27/08/83 DEPTH 9 M

I	P	I	P	I	P	I	P
247	.56	215	.07	203	.26	132	.44
96	1.59	92	1.59	84	.55	68	1.90
68	2.37	48	2.41	48	2.99	33	2.88
24	3.05	18	2.74	17	1.84	12	1.53
12	1.65	1	1.60	14	1.32	1	1.60
2	1.35		1.88	1	1.59	1	1.02

PARAMETER VALUES

PS : 7.74 ALPHA : .238 BETA : .1255
 (2.05, 13.44) (.203, .273) (-.0189, .2699)

SAMPLE TEMP	-0.7 C	INCURATION TEMP	0.0 C
CHLOROPHYLL :	4.16	PHOSPHATE :	.51
CARRON :	626.	NITRATE :	.60
NITROGEN :	54.	SILICATE :	1.74
		ATP :	.36

EASTERN ARCTIC 1983

LAT 73 24.0'N LONG 68 23.0'W DATE 04/09/83 DEPTH 24 M

I I I I
335 243 1.29 183 2.37
128 100 3.85 67 3.73
15 10 3.38 3 2.90
2 2 1.91 2 2.30
2 2 1.94 2 1.70
1.86

PARAMETER VALUES

PS : (4.28, 5.30) ALPHA : (.855, 1.121) BETA : (.0113, .0222)

SAMPLE TEMP -1.3 C INCUBATION TEMP 0.0 C
CHLOROPHYLL : 4.16 PHOSPHATE : .83
CARBON : 498. NITRATE : .41
NITROGEN : 29. SILICATE : .10
ATP : .60

EASTERN ARCTIC 1983

```

LAT 72 03.61N      LONG 68 18.41W      DATE 09/09/83      DEPTH 29 M
-----P-----I-----P-----I-----P-----
311                25                271                259                1.06                .66
159                .209                136                116                2.32                .18
174                2.14                165                157                2.42                2.39
45                 1.93                35                 20                 2.06                2.09
13                 1.67                12                 9                  1.56                1.74
6                  1.62                4                  4                  .94                 .74
2                  .57                2                  2                  .98                 .02
1                  .70                1                  1                  .12                 .37

```

PARAMETER VALUES

```

PS : ( 2.64, 3.12 )
ALPHA : (.253, .321 )
BETA : (.0088, .0149 )

```

```

SAMPLE TEMP      -1.2 C
CHLOROPHYLL :   18.29
CARBON           : 1160.
NITROGEN         : 140.
PHOSPHATE       :    .71
NITRATE         :    .32
SILICATE        :    .69
ATP              :    .81

```

INCUBATION TEMP 0.0 C

EASTERN ARCTIC 1983

LAT 72 03.61N LONG 68 18.41W DATE 10/09/83 DEPTH 28 M

I	P	T	P	I	P	I	P
311	59	271	2.32	259	1.69	227	2.46
159	2.61	136	3.18	116	3.86	95	2.95
85	3.08	57	3.08	53	3.25	45	3.06
35	3.82	25	3.93	20	3.55	18	3.42
13	1.82	12	1.98	4	2.12	4	2.70
6	1.94	6	1.72	4	.96	4	1.70
3	.93	2	.37	2	1.03	2	1.44
1		1		1	.95	1	.88

PARAMETER VALUES

PS 1 (3.62, 3.24) ALPHA 1 (.338, .436) BETA 1 (.0070, .0102)

SAMPLE TEMP -1.1 C INCUBATION TEMP 0.0 C

CHLOROPHYLL 1 8.33 PHOSPHATE 1 .66

CARBON 1 818. NITRATE 1 .32

NITROGEN 1 94. SILICATE 1 .68

ATP 1 .83

Units

Z = depth in meters

P = primary production in $\text{mg C m}^{-3} \text{h}^{-1}$

P_g = gross oxygen production in $\text{mg O}_2 \text{ m}^{-3} \text{h}^{-1}$

P_n = net oxygen production in $\text{mg O}_2 \text{ m}^{-3} \text{h}^{-1}$

P_r = oxygen respiration in $\text{mg O}_2 \text{ m}^{-3} \text{h}^{-1}$

Organic particulates concentrations are in mg m^{-3} and inorganic nutrients are in mg at m^{-3} .

In Situ Profiles

EASTERN ARCTIC 1983

LAT 75 45.0'N LONG 80 29.0'W DATE 16/08/83 INCUB TIME 7.0 HPS

Z	P	PG	PN	PR	NO3	SI03	PD4	CHL	CARBON	NITROGEN	ATP
5	1.32	5.1	6.3	1.3	.08	.51	.54	1.96	706	80	.21
15	1.07	27.9	5.5	2.3	.09	.79	.73	.13	344	45	.57
22	1.73	27.0	3.0	3.4	.32	1.79	.92	.73	510	53	.34
30	1.93	27.0	2.0	3.9	.34	1.79	.21	.29	1078	47	.21
40	1.15	27.0	2.7	4.1	.99	1.90	.56	.82	338	48	.10
50	1.07	27.0	2.9	4.1	.07	1.90	.23	.61	107	34	.03
60	1.00	27.0	2.9	4.1	.58	2.29	.69	.12	107	34	.10
70	1.03	27.0	2.9	4.1	.19	2.29	.37	.27	230	23	.05
80	1.02	27.0	2.9	4.1	.54	2.29	.18	.25	543	29	.04
90	1.00	27.0	2.9	4.1	.61	2.29	.20	.17	143	25	.04
100	1.00	27.0	2.9	4.1	.61	2.29	.20	.16	143	25	.04

EASTERN ARCTIC 1983

Z	P	PG	O2 PN	PR	NO3	SI03	PO4	CHL	CARBON	NITROGEN	ATP
5	11.38	50.0	37.9	12.2	13	2.52	1.17	11.13	997	107	.80
15	14.07	64.3	44	11.7	.029	2.72	1.08	11.35	1021	104	.50
25	11.29	44.7	-5.2	9.6	7.42	19.81	1.41	15.74	1243	23	.18
35	.96	-	-2.8	2.1	10.67	26.13	2.56	3.81	181	-	.67
45	.07	-	-1.0	1.4	11.42	27.98	1.65	.46	182	10	.09
55	.04	-2.0	-3.0	4.9	12.93	28.46	1.87	.32	180	-	.05
65	.07	4.0	-3.0	3.0	13.59	29.20	1.93	.22	179	-	.05
75	.02	0.0	-3.5	3.5	11.27	25.43	1.70	.20	179	-	.06
85	.03	5.3	-2.5	7.8	11.93	25.22	1.80	.19	174	-	.06
100	11	13.2	13.2	13.2	11.35	26.61	1.61	.14	171	-	.05

EASTERN ARCTIC 1983

LAT 75 06.5'N LONG 82 22.0'W DATE 20/08/83 INCUB TIME 23.5 hrs

Z	P	PG	PN	PR	ND3	SI03	PJ4	C-HL	CARBON	NITROGEN	ATP
5	1.97	9.0	4	7.7	.04	2.24	.77	61	44	52	.56
15	1.11	46.3	27	19.4	.16	1.78	.95	93	170	130	.60
20	.87	28.2	9	3.6	4.78	7.92	41	33	1172	173	.43
25	.44	2.0	6	3.6	7.84	19.52	41	22	4725	24	.21
30	.05	.9	0	5.8	8.39	20.28	1	72	1295	-	.19
40	.02	1.6	5	9.6	11.59	27.43	1	47	99	18	.06
50	.01	4.9	2	3.0	11.52	26.41	1	19	729	26	.07
60	.05	2.9	1	5.0	12.12	27.32	1	49	47	30	.05
70	.03	3.3	1	6.1	13.45	27.94	2	16	67	-	.05
80	.02	8.3	2	1.5	11.61	26.62	1	17	65	-	.05
90	-	6.5	6	11.2	13.11	26.10	3	20	55	32	.06
100	-	-	4	11.2	13.11	26.10	3	20	55	32	.06

EASTERN ARCTIC 1983

LAT 74 21.1'N		LONG 81 49.8'W		DATE 24/08/83		INCUR TIME 6.0 HRS					
Z	P	PG	O2 PN	PR	NO3	SI03	PO4	CHL	CARBON	NITROGEN	ATP
5	.45	-	-	-	.09	.92	.79	.53	243	23	.11
15	.44	-	-	-	.07	.58	.70	.40	171	-	.10
25	.43	-	-	-	.09	.79	.65	.43	146	17	.07
30	.69	-	-	-	.12	.57	.70	.47	116	41	.08
40	.13	-	-	-	.35	1.0	1.2	.03	197	116	.36
50	.09	-	-	-	.51	.57	.58	5.0	7	28	.07
60	.20	-	-	-	1.0	1.4	1.7	1.0	92	46	.07
70	.05	-	-	-	.54	.68	.92	.64	102	46	.06
80	.01	-	-	-	.51	.84	1.0	.57	100	34	.03
90	.04	-	-	-	.60	1.6	1.5	.17	51	14	.04
100	.08	-	-	-	.50	.50	1.1	.84	77	14	.04
					1.0	1.5	1.1	2.2	115	14	.12
					.65	1.3	.91	2.4			

EASTERN ARCTIC 1983

INCUR TIME 6.0 HPS

DATE 25/08/83

LONG 91 46.51W

LAT 73 52.91N

Z	P	PG	PN	PR	N03	SIO3	P04	CHL	CARBON	NITROGEN	ATP
5	3.78	16.3	9.4	7.0	.10	5.46	.70	1.84	222	32	.23
10	4.08	23.1	10.1	13.0	.10	5.50	.90	1.51	232	42	.31
15	3.19	15.9	6.4	9.5	.10	5.90	1.10	1.15	236	31	.19
20	1.42	6.3	1.9	4.4	7.55	22.43	2.01	.85	125	-	.11
25	.75	5.4	5.0	.4	8.65	24.62	2.10	.57	101	29	.11
30	.25	.3	-3.7	3.9	9.29	24.50	1.77	.32	90	-	.07
40	.06	2.8	2.3	.6	12.96	33.90	2.66	.26	83	20	.05
50	.06	6.1	12.1	-6.0	13.51	31.98	2.23	.13	66	24	.04
60	.01	-8.1	-3.6	-4.5	11.14	26.64	2.42	.12	240	61	.65
70	.03	.1	.3	-.3	15.42	34.55	2.22	.76	134	31	.06
80	.00	4.8	.3	4.6	17.43	38.18	2.54	.05	108	39	.04
90	.00	-3.1	.7	-3.8	19.21	38.70	2.79	.96	82	20	.04
100	.01	-11.7	-10.8	-.9	22.01	46.66	3.22	.09	264	44	.04

EASTERN ARCTIC 1983

LAT 74 22.0'N		LONG 82 32.5'W		DATE 26/08/83		INCUB TIME 6.5 HRS					
Z	P	PG	PN	PR	ND3	SI03	PD4	CHL	CARBON	NITROGEN	ATP
5	.63	3.23	12.4	-9.25	.21	1.68	.71	.61	169	50	.12
10	.85	3.33	11.4	-1.44	.12	.50	.45	.89	251	21	.10
25	.98	4.52	1.87	2.34	.10	.13	.58	.97	228	21	.09
30	.38	5.21	1.1	3.40	.11	.65	.64	.08	122	29	.15
40	.71	7.23	1.83	7.05	.76	.67	.87	.43	206	24	.13
50	.06	3.64	1.33	1.59	3.74	.91	.03	.17	246	23	.12
60	.15	1.44	1.4	-	4.89	.28	.27	.82	189	13	.10
70	.09	3.23	1.63	3.66	14.37	.75	1.81	.29	98	17	.04
80	.10	1.15	-6.1	7.61	14.23	.34	2.15	.20	59	17	.04
100	.14	3.58	-6.3	10.1	13.82	.81	1.56	.12	62	17	.04

EASTERN ARCTIC 1983

LAT 75 14.0'N LONG 82 45.0'W DATE 28/08/93 INCUB TIME 6.5 HRS

Z	P	PG	PN	PR	NO3	SIO3	PO4	CHL	CARBON	NITROGEN	ATP
5	.78	3.4	-2.8	6.3	.02	1.37	.57	.9A	322	24	.17
10	.54	3.7	-3.0	6.5	.06	.66	.77	.03	274	24	.19
15	.33	6.8	-0.3	6.9	.09	.69	1.0	3.0	44	40	.27
20	.26	9.1	-1.6	6.7	.51	.68	1.3	6.2	86	50	.28
25	.85	5.1	-1.5	6.4	.70	.19	1.1	6.2	06	20	.19
30	.11	1.3	-3.6	7.4	.43	.06	2.2	1.8	70	14	.3A
40	.01	.3	-4.8	5.9	.08	.23	2.4	.5	31	11	.03
50	.02	1.0	-4.7	5.7	.25	.37	2.0	.3	76	11	.03
60	.03	1.9	-2.3	5.7	.33	.28	2.2	.3	43	-	.05
70	.03	4.2	-1.6	6.4	.07	.96	2.1	.2	64	-	.05
80	.08	-2.0	-1.6	6.4	.24	.71	2.0	.2	56	-	.05
100	.03	2.0	-2.0	6.1	.50	.71	2.3	.2	70	-	.05

EASTERN ARCTIC 1983

LAT 76 15.8'N		LONG 82 36.5'W		DATE 29/08/83		INCUB TIME 21.8 HRS					
Z	P	PG	PN	PR	N03	S103	P04	CHL	CARBON	NITROGEN	ATP
5	.47	4.0	-.2	4.2	.06	1.31	.50	2.36	588	36	.21
10	.20	2.0	-1.1	3.1	.01	.90	.58	.96	302	30	.13
15	.97	5.5	1.4	3.0	.45	.51	.97	4.65	484	40	.36
20	.10	1.5	2.6	2.0	.62	.06	1.51	8.53	656	48	.42
25	.03	1.7	-.7	.7	.05	.48	1.32	4.99	346	48	.35
30	.02	.6	.7	.6	12.65	29.00	2.30	1.99	216	20	.05
40	.01	.8	.7	.6	15.38	4.30	2.32	1.52	270	12	.05
50	.02	2.9	.2	.7	16.85	36.91	2.25	.31	70	-	.04
60	.01	2.9	1.4	1.8	19.05	39.32	2.05	.27	51	-	.04
70	.03	4.4	-.9	1.8	18.89	38.98	2.45	.21	62	-	.04
80	.02	3.4	.6	2.8	19.89	32.67	2.56	.21	56	-	.04
90	.02	2.9	.5	3.4	19.82	32.47	1.90	.21	56	-	.04
100	.02	2.9	-.5	3.4	19.82	32.47	1.90	.21	56	-	.04

EASTERN ARCTIC 1983

LAT 72 11.8'N LONG 65 42.0'W DATE 06/09/93 INCUB TIME 25.9 HRS

Z	P	PG	PN	PR	NO3	SI03	P04	CHL	CARBON	NITROGEN	ATP
5	.19	.9	.4	.6	.37	5.58	.68	.16	100	16	.08
10	.75	.6	.3	.5	.33	5.70	.72	.17	102	14	.07
20	.27	.8	.2	3.3	.33	2.55	.51	.19	123	44	.24
30	.86	.4	.9	3.5	.12	4.40	.56	3.19	337	44	.45
40	.03	.5	.7	2.6	.30	10.51	.80	3.76	255	20	.07
50	.01	.2	.1	1.2	.58	11.55	.00	.29	137	14	.04
60	.01	.9	.6	2.6	.09	14.50	.16	.13	75	14	.03
70	.00	.1	.5	4.2	.48	13.31	.17	.21	98	14	.03
80	.00	.9	.4	5.4	.94	11.15	.20	.14	37	15	.03
90	.00	.7	.2	5.5	.84	10.15	.16	.15	18	12	.03
100	.00	.1	.1	11.1	.67	13.04	.31	.03	185	1	.03

EASTERN ARCTIC 1983

LAT 75 04.5'N LONG 82 12.0'W DATE 13/09/83 INCUB TIME 23.7 HRS

Z	P	PG	PN	PR	ND3	SI03	P04	CHL	CARBON	NITROGEN	ATP
5	.12	6.2	4.9	1.2	2.47	4.61	.89	3.92	269	52	.14
10	.16	4.5	4.4	.07	2.04	4.36	.83	3.90	256	50	.19
15	.52	1.0	1.0	1.0	2.94	5.12	.91	3.46	198	32	.16
20	.90	1.7	1.0	1.2	3.69	6.91	.02	3.53	162	26	.11
25	.02	1.0	1.0	1.0	7.18	11.91	.33	1.24	82	12	.05
30	.03	1.2	1.0	1.5	8.18	14.43	.36	.47	75	-	.06
40	.03	1.1	3.0	1.1	9.67	19.42	.47	.13	60	19	.07
50	.01	1.1	3.0	1.7	9.58	20.13	.47	.21	100	31	.07
60	.00	3.0	1.3	.0	10.75	21.62	.42	.12	144	1	.07
70	.02	1.4	1.0	1.8	10.94	21.91	.42	.11	27	-	.04
80	.02	2.0	1.0	2.0	11.50	22.02	.49	.01	144	20	.04
90	.01	1.2	1.0	1.0	11.50	22.02	.49	.01	1	-	.04
100	.01	1.2	1.0	2.0	11.50	22.02	.49	.01	1	-	.04

EASTERN ARCTIC 1983

Z	P	PG	PN	PR	NO3	SI03	PO4	CHL	CARBON	NITROGEN	ATP
5	2.30	8.5	7.6	.9	1.65	3.33	.79	4.97	287	74	-
15	1.08	4.7	2.7	2.4	3.70	5.04	1.01	4.08	287	53	-
25	.03	.7	-.7	8.4	7.66	15.04	1.26	.38	109	41	-
35	.01	-1.5	.6	-2.1	8.29	16.47	1.34	.15	168	18	-
45	.01	-1.0	-.9	1.8	8.75	17.78	1.41	.12	33	18	-
55	.01	-1.2	-.7	1.3	9.53	15.58	1.47	.10	33	19	-
65	.00	-1.2	-.8	1.5	10.05	20.52	1.49	.11	48	24	-
75	.00	.7	-.3	1.0	10.16	20.50	1.43	.10	59	18	-
85	.00	.8	-.7	1.0	10.91	21.14	1.55	.11	59	21	-
95	.00	3.8	-.8	5.3	11.16	22.34	1.58	.11	53	26	-
100	.00	2.5	-.2	5.3	11.46	22.70	1.62	.08	97	26	-

LAT 76 04.5'N LONG 82 12.0'W DATE 14/09/83 INCUB TIME 23.5 HRS

Incident Radiation

Units are Wm^{-2} for hour ending at time indicated. All times are Atlantic
Daylight Time

TOTAL RADIATION
ARCTIC CRUISE
July-Sept. 1983

	09/8	10/8	11/8	12/8	13/8	14/8	15/8	16/8	17/8	18/8	19/8	20/8	21/8
0000	-	-	-	-	1	5	15	39	19	5	18	13	M
0100	-	-	-	-	-	1	8	19	6	2	9	4	M
0200	-	-	-	-	-	1	5	10	2	1	3	1	M
0300	-	-	-	-	3	1	5	8	1	-	2	-	M
0400	-	-	-	3	9	6	11	11	1	2	1	1	M
0500	-	-	4	58	14	10	17	26	4	16	6	3	M
0600	11	20	12	37	41	16	33	39	10	39	23	8	M
0700	25	50	28	109	56	41	84	57	17	69	27	19	M
0800	40	107	38	169	68	39	76	75	24	117	37	16	M
0900	60	161	56	267	98	47	102	117	28	136	122	31	M
1000	63	218	96	302	150	65	119	262	37	187	134	49	M
1100	75	236	126	282	185	164	127	314	39	230	101	62	M
1200	121	233	145	312	255	230	179	264	79	347	96	102	M
1300	154	263	179	298	247	217	235	198	103	203	216	129	M
1400	183	213	165	333	289	257	285	145	133	76	118	140	M
1500	206	183	196	332	264	329	256	139	126	243	264	162	M
1600	182	221	201	299	236	247	257	305	103	204	313	176	M
1700	139	260	185	176	147	300	257	286	109	332	171	146	M
1800	92	311	185	82	105	278	283	341	104	217	119	105	M
1900	49	167	229	84	83	118	199	310	91	272	122	85	M
2000	20	116	92	28	62	115	191	214	89	171	105	96	M
2100	6	3	62	18	36	126	124	167	47	103	99	61	M
2200	-	1	7	15	20	99	84	93	20	45	54	58	M
2300	-	-	-	5	12	47	65	43	11	34	31	-	M

TOTAL RADIATION
ARCTIC CRUISE
July-Sept. 1983

TOTAL	22/8	23/8	24/8	25/8	26/8	27/8	28/8	29/8	30/8	31/8	01/9	02/9	03/9
0000	M		6	3	3	1	2	3	-	-	-	-	-
0100	M	M	-	-	-	-	-	-	-	-	-	-	-
0200	M	M	-	-	-	-	-	-	-	-	-	-	-
0300	M	M	-	-	-	-	-	-	-	-	-	-	-
0400	M	M	-	-	-	-	-	-	-	-	-	-	-
0500	M	M	-	-	-	-	-	-	-	-	-	-	-
0600	M	M	9	1	3	4	2	3	1	5	3	2	-
0700	M	M	39	7	13	15	15	11	6	14	14	14	1
0800	M	M	61	23	27	27	32	28	9	33	55	59	15
0900	M	M	121	46	59	32	33	57	25	70	99	80	38
1000	M	M	151	93	89	53	67	58	43	101	145	90	88
1100	M	M	147	92	121	63	105	73	63	112	122	97	138
1200	M	M	198	77	142	147	147	110	88	114	78	119	199
1300	M	M	369	126	176	201	188	140	110	181	108	128	211
1400	M	M	298	121	196	187	203	179	112	245	157	136	117
1500	M	M	319	95	182	103	183	114	113	250	209	150	164
1600	M	M	309	130	196	158	190	96	91	241	250	136	171
1700	M	M	287	188	188	120	147	58	85	212	221	83	183
1800	M	M	217	327	180	103	195	27	57	175	222	46	129
1900	M	M	186	257	132	105	224	22	44	85	121	49	100
2000	M	184	116	168	86	67	109	17	28	85	84	50	58
2100	M	118	73	82	60	37	38	17	20	39	56	34	33
2200	M	60	36	57	32	29	28	8	15	22	29	9	14
2300	M	33	16	18	11	13	11	3	4	3	11	6	1
											2	1	-

PAR
ARCTIC CRUISE
July-Sept. 1983


PAR	09/8	10/8	11/8	12/8	13/8	14/8	15/8	16/8	17/8	18/8	19/8	20/8	21/8
0000	-	-	-	-	1	4	12	24	13	4	13	9	9
0100	-	-	-	-	-	1	6	12	5	2	6	3	1
0200	-	-	-	-	-	1	4	6	2	1	2	1	-
0300	-	-	-	-	2	1	4	5	1	1	1	1	-
0400	-	-	-	2	6	5	6	7	1	1	1	1	-
0500	-	2	3	10	10	8	13	14	3	9	4	2	1
0600	8	14	10	27	29	12	24	27	8	25	15	6	5
0700	19	36	21	78	40	30	44	41	14	46	20	13	14
0800	31	76	30	133	51	31	56	50	20	80	30	13	29
0900	47	112	44	172	72	55	70	77	22	99	64	25	37
1000	50	152	72	171	109	51	82	128	30	136	87	39	45
1100	59	170	94	207	133	120	100	151	32	176	75	49	63
1200	93	171	106	208	183	166	135	166	61	217	75	80	143
1300	115	194	131	207	181	157	172	147	80	138	144	98	115
1400	134	158	120	235	203	183	202	111	101	62	89	104	129
1500	150	133	140	229	185	228	184	109	96	181	179	120	127
1600	131	157	141	201	165	171	192	219	80	152	211	130	155
1700	100	177	129	120	106	196	179	221	85	237	121	107	98
1800	67	198	127	60	76	177	191	231	79	154	88	78	74
1900	36	105	138	58	61	85	147	172	68	187	90	63	59
2000	15	64	56	21	45	78	139	117	66	121	72	70	39
2100	5	20	32	14	27	89	93	54	35	80	54	43	31
2200	-	2	6	11	23	61	67	38	16	35	36	39	17
2300	-	-	1	4	9	33	43	28	9	26	21	23	10

PAR
ARCTIC CRUISE
July-Sept. 1983

PAR	22/8	23/8	24/8	25/8	26/8	27/8	28/8	29/8	30/8	31/8	01/9	02/9	03/9
0000	5	1	4	2	1	1	1	1	-	-	-	-	-
0100	1	-	-	-	-	-	-	-	-	-	-	-	-
0200	-	-	-	-	-	-	-	-	-	-	-	-	-
0300	-	-	-	-	-	-	-	-	-	-	-	-	-
0400	-	-	-	-	-	-	-	-	-	-	-	-	-
0500	1	-	1	-	-	-	-	-	-	-	2	1	-
0600	4	5	7	2	3	4	2	3	1	4	9	9	1
0700	10	12	25	6	11	13	11	9	5	12	21	25	11
0800	14	37	46	19	23	22	23	23	9	26	31	38	28
0900	28	58	60	39	47	26	27	42	22	53	72	59	60
1000	40	136	88	68	69	46	53	45	38	73	69	68	111
1100	61	162	104	64	88	51	77	56	49	79	61	86	157
1200	75	206	148	64	105	111	103	83	69	84	84	94	172
1300	97	223	235	95	131	146	131	109	83	139	115	103	74
1400	67	268	209	83	137	132	136	123	82	182	168	107	144
1500	62	261	233	75	134	80	134	80	85	188	172	93	143
1600	65	187	221	99	139	121	135	70	68	173	173	60	129
1700	74	229	211	134	137	82	105	40	64	157	157	36	97
1800	52	193	135	202	119	76	125	21	42	130	88	39	65
1900	48	96	132	162	89	74	130	18	33	62	58	36	40
2000	51	93	77	108	59	44	52	14	21	56	39	22	23
2100	28	79	50	61	41	25	29	13	14	27	19	8	9
2200	15	39	24	33	21	14	19	6	10	11	7	4	1
2300	7	18	10	11	6	7	7	2	2	2	1	-	-

PAR
ARCTIC CRUISE
July-Sept. 1983

PAR	04/9	05/9	06/9	07/9	08/9	09/9	10/9	11/9	12/9	13/9	14/9	15/9
0000	-	-	-	-	-	-	-	-	-	-	-	-
0100	-	-	-	-	-	-	-	-	-	-	-	-
0200	-	-	-	-	-	-	-	-	-	-	-	-
0300	-	-	-	-	-	-	-	-	-	-	-	-
0400	-	-	-	-	-	-	-	-	-	-	-	-
0500	-	-	-	-	-	-	-	-	-	-	-	-
0600	1	-	1	1	-	-	-	-	-	-	-	-
0700	7	4	8	11	5	9	2	2	4	-	-	-
0800	19	16	24	25	22	29	9	14	19	6	3	4
0900	36	33	40	41	43	62	20	46	20	15	12	17
1000	43	58	55	61	95	86	34	86	13	27	23	28
1100	53	82	82	131	124	122	48	127	88	43	37	41
1200	73	105	98	217	119	98	71	171	149	43	61	49
1300	73	130	105	161	104	127	93	184	180	59	70	43
1400	88	131	117	148	145	119	118	204	174	69	92	35
1500	110	103	111	146	158	98	189	196	184	81	98	-
1600	97	113	92	132	144	89	187	191	168	65	60	-
1700	80	76	56	96	115	69	120	165	135	52	93	-
1800	62	47	42	59	111	72	57	126	102	41	51	-
1900	34	28	26	33	67	34	59	69	66	31	36	-
2000	19	15	13	12	17	13	20	22	31	13	22	-
2100	7	6	3	3	2	3	8	3	10	8	9	-
2200	-	-	-	-	-	-	-	-	1	1	2	-
2300	-	-	-	-	-	-	-	-	-	-	-	-



Location of sampling stations.