



Canadian Stock Assessment Secretariat
Research Document 98/111

Not to be cited without
permission of the authors¹

Secrétariat canadien pour l'évaluation des stocks
Document de recherche 98/111

Ne pas citer sans
autorisation des auteurs¹

An Analysis of the License Stub Return System in the Newfoundland Region, 1994-97

by

M. F. O'Connell, N. M. Cochrane, and C. C. Mullins
Science Branch
Department of Fisheries and Oceans
P.O. Box 5667
St. John's, Newfoundland A1C 5X1

¹ This series documents the scientific basis for the evaluation of fisheries resources in Canada. As such, it addresses the issues of the day in the time frames required and the documents it contains are not intended as definitive statements on the subjects addressed but rather as progress reports on ongoing investigations.

Research documents are produced in the official language in which they are provided to the Secretariat.

¹ La présente série documente les bases scientifiques des évaluations des ressources halieutiques du Canada. Elle traite des problèmes courants selon les échéanciers dictés. Les documents qu'elle contient ne doivent pas être considérés comme des énoncés définitifs sur les sujets traités, mais plutôt comme des rapports d'étape sur les études en cours.

Les documents de recherche sont publiés dans la langue officielle utilisée dans le manuscrit envoyé au secrétariat.

ISSN 1480-4883

Ottawa, 1998

Canada

Abstract

The license stub return system was implemented in the Newfoundland Region in 1994 as an alternative method of collecting Atlantic salmon recreational fishery catch and effort data. Information obtained from the stub system was compared to that provided by Department of Fisheries and Oceans (DFO) River Guardians during 1994-97 (for Labrador only in 1997). Comparisons were also made with results obtained from creel surveys conducted in Middle Brook, Bonavista Bay (SFA 5) and Pinware River, Labrador (SFA 14B) in 1997. Reported catch and effort data were extrapolated to the entire angling population using a modification of the bias correction technique developed for rivers in Nova Scotia. Effort expenditure (rod days) derived from the stub overall was lower than that obtained from creel surveys and from DFO River Guardians. A cursory examination of angler return cards revealed that many anglers only reported effort associated with catch. Telephone calls to a sample of 31 of these anglers showed that 58% had fished for varying periods throughout the season with no catch, but did not report this as expended effort. Stub estimates of numbers of small and large salmon released were substantially higher than creel and River Guardian estimates. Stub estimates of numbers of small salmon kept were also higher than derived from both creel surveys, but the differences between the two methods were less than observed for released fish. Differences between stub and River Guardian estimates for kept fish were also less than for released fish; some rivers and SFAs were higher relative to the stub and some were lower.

Résumé

Un système de retour des talons de permis de pêche a été instauré dans la Région de Terre-Neuve en 1994 comme moyen de remplacement pour l'obtention de données sur les prises et l'effort de la pêche récréative du saumon de l'Atlantique. Les renseignements ainsi obtenus ont été comparés à ceux des gardiens de rivières du ministère des Pêches et des Océans de 1994 à 1997 (seulement le Labrador en 1997). Des comparaisons ont aussi été faites avec les résultats des enquêtes auprès des pêcheurs réalisées au ruisseau Middle, baie Bonavista (ZPS 5), et à la rivière Pinware, Labrador (ZPS 14B), en 1997. Les données signalées pour les prises et l'effort ont été extrapolées à l'ensemble de la population de pêcheurs à la ligne en utilisant une technique modifiée de la correction des biais élaborée pour les rivières de la Nouvelle-Écosse. L'effort (lignes-jours) obtenu de l'ensemble des talons de permis a été inférieur à celui obtenu par les enquêtes auprès des pêcheurs ou les gardiens de rivières du MPO. Un examen rapide des cartes retournées par les pêcheurs a montré que bon nombre de pêcheurs n'avaient indiqué que l'effort associé aux captures. Une vérification par téléphone faite auprès de 31 pêcheurs a permis de déterminer que 58 % d'entre eux avaient pêché pendant diverses périodes tout au long de la saison sans capturer de poisson et qu'ils n'avaient pas signalé cet effort de pêche. Les estimations, à partir des talons, du nombre de petits et de grands saumons remis à l'eau étaient passablement supérieures à celles des gardiens de rivières. Les estimations des talons du nombre de petits saumons conservés étaient aussi supérieures à celles obtenues des enquêtes auprès des pêcheurs, mais les écarts entre les deux méthodes étaient inférieurs à ceux notés pour les poissons remis à l'eau. Les écarts entre les estimations fondées sur les talons et les résultats des gardiens pour les poissons conservés étaient aussi inférieurs à ceux notés pour les poissons remis à l'eau. Les résultats obtenus pour certaines rivières et ZPS étaient supérieurs ou inférieurs à ceux obtenus à partir des talons.

Introduction

Historically in Newfoundland and Labrador, Atlantic salmon catch and effort data have been collected by Department of Fisheries and Oceans (DFO) Fishery Officers and River Guardians as part of their duties. Catch and effort information was based on an observed component and an estimated component (Ash and O'Connell 1987). The estimated component accounted for times when the officer was not on the river or unable to patrol a particular part of the river and was based on a knowledge of local conditions and information obtained from questioning anglers. Beginning in the late 1980s, increasing emphasis was placed on enforcement duties which detracted from time devoted to the collection of angling data. This resulted in a much greater emphasis being placed on estimates and reliability of information diminished accordingly. Also, data were never collected in a statistically designed manner. A license stub return system, which was patterned after that in use in Nova Scotia (O'Neil *et al.* 1986, 1989), was implemented as an alternative means of collecting angling data in 1994 (O'Connell *et al.* MS 1996). This report presents results obtained for 1994-97 on a river-specific basis and compares stub-return information with that collected by DFO enforcement officers for the years 1994-96 for the entire region and for Labrador only in 1997. Information obtained from the stub-return system is also compared to that obtained from independent creel surveys for Middle Brook in Salmon Fishing Area (SFA 5), Bonavista Bay and for Pinware River in SFA 14B, Labrador in 1997.

Methods

The stub return design was the result of a joint effort by representatives of DFO, the Government of Newfoundland and Labrador, and Memorial University of Newfoundland. The Government of Newfoundland and Labrador has responsibility for the issuing and sale of licenses. In addition to the license, the package provided to vendors consisted of two portions, a vendor's sales slip (in duplicate) on which to record information on anglers (name, address, telephone number, etc.) and the angler stub or log (the 1997 version of the angler stub is shown in Appendix 1). The vendor sent one copy of the sales slip to the Government of Newfoundland and Labrador and one to DFO. The angler stub was also in duplicate, one copy to be kept by the angler as a personal record and the other to be sent to DFO. In 1994, DFO paid return postage for the angler stub, but this was discontinued in 1995. Instructions were provided on how to fill out the stub along with a map (Fig. 1) showing the Salmon Fishing Areas (SFAs) in the Newfoundland Region. The map was included to aid anglers in locating rivers and to assist DFO personnel in assigning unique river codes for computerizing data.




Fig. 1. Map showing the 14 Salmon Fishing Areas of Newfoundland and Labrador.

Anglers were asked to fill out the stubs and return them on a timely basis and to record effort and return stubs if they did not catch any fish or if they bought a license and did not fish (null effort).

The voluntary return period lasted from the close of the angling season in late August-early September until around mid-October. Next a list of anglers who had not voluntarily sent in stubs was generated from the vendors sales slips and the first of three post-prompt reminders sent out. The dates of the three post prompts for 1994-97 were as follows:

Year	Post prompt 1	Post prompt 2	Post prompt 3
1994	November 14	February 13	May 10
1995	January 16	April 4	May 22
1996	November 8	January 17	March 12
1997	October 31	December 15	January 23

A copy of the post-prompt reminder card for 1997 is shown in Appendix 2. DFO discontinued payment of return postage on reminder cards after 1994.

Reported catch and effort data were extrapolated to the entire angling population using the methodology of O'Neil *et al.* (1986, 1989) which was modified in the case of catch. Two steps were involved in estimating the catch and effort of nonrespondents: (1) estimation of total effort and total catch (kept and released small and large salmon combined) for the entire Newfoundland Region and calculation of effort and total catch of nonrespondents, (2) apportioning estimated effort and total catch by nonrespondents into individual rivers according to the ratio of reported individual river effort and total catch to reported total region effort and total catch, which added to the reported gives the estimated totals for a given river. The two steps are represented in equation form as follows:

1. The estimation of total effort and total catch for the entire region was based on the following relationship:

$$\ln \text{cum } E_r \text{ or } C_r = a + \ln \text{cum } R \quad (1)$$

where,

E_r = cumulative reported effort per response category

C_r = cumulative reported total catch per response category

R = cumulative number of returns per response category

This equation was solved for the total number of licenses sold in the province to give estimated total effort (E_u) and total catch (C_u) for the entire region. Estimated unreported effort (E_u) and total catch (C_u) was obtained as follows:

$$E_u = E_t - E_r \quad (2)$$

$$C_u = C_t - C_r \quad (3)$$

2. For river i , estimated total effort, E_{ti} , was calculated according to the equation:

$$E_{ti} = (E_i / E_t) \times E_u + E_i \quad (4)$$

where,

E_i = reported effort for river i

Estimated total catch was calculated in a similar manner,

$$C_{ti} = (C_i / C_r) \times C_u + C_i \quad (5)$$

where,

C_i = reported total catch for river i

For river i, numbers of small salmon kept and released and large salmon kept (SFAs in Labrador only except for SFA 14B in 1997) and released were obtained by applying the method presented in step 2 above to individual river total catch and apportioning each component accordingly.

It should be pointed out that data for 1997 are still preliminary since, based on the experience of previous years, some responses will continue to come in after the period of the present analysis.

The 1997 angling season for Middle Brook and Pinware River opened on June 21. The creel survey started on July 1 in Middle Brook and on June 27 in Pinware River. Complete coverage was attempted from the start of the surveys at three access points in Middle Brook and four in Pinware River. Methodology for the surveys is presented in Mullins and Caines (MS 1998).

Results and Discussion

The results of the creel surveys for Middle Brook and Pinware River in 1997 and comparisons with estimated catch and effort information derived from the stub are summarized as follows:

River	Method	Effort (Rod days)	Small kept (No.)	Small released (No.)	Large released (No.)
Middle Bk.	Creel	1821	77	10	1
	Stub	603 (346)	127 (72)	37 (21)	7 (4)
Pinware R.	Creel	2194	279	117	119
	Stub	1255 (720)	432 (245)	452 (256)	314 (178)

Note: data in parentheses are reported values.

There are obvious differences between the two methods for both rivers, being most pronounced for effort and released fish. Even though the angling season was open 7-10 days prior to the start of creel surveys, typically effort is low and very few fish are taken during this period. No adjustment was made to catch and effort data to account for this period for Middle Brook but some adjustments were made for this and other periods for Pinware River (Mullins and Caines MS 1998).

The very low effort values derived from the stub compared to the creel surveys is consistent with comparisons between the stub and figures provided by DFO Guardians presented below. This implies that effort expenditure is under-reported by the stub method. A cursory examination of individual returns for 1997 revealed that many anglers had only reported effort associated with catch, i.e., there was no effort recorded without catch. A sample of 31 of these anglers was selected and contacted by telephone. Of these, 18 (58%) stated that they fished without catching fish, and did not record this as effort expended. O'Neil *et al.* (1986, 1989) used two methods for calculating total catch for individual rivers. In the first method, total catch was estimated from a regression of \ln cumulative total catch on \ln cumulative effort by response group for individual rivers and solving for river-specific estimated total effort. The second method, which was used by O'Neil *et al.* (1986, 1989) in cases where there were insufficient data available by response group, was that presented above for the present analysis. As a result of the angler survey indicating that effort reported by the stub was not representative, calculation of total catch from effort data was not pursued. Instead the method described above which uses cumulative number of anglers per response group as the independent variable was adopted.

There is no ready explanation for the lack of correspondence between stub and creel catch estimates, which on the surface suggests that the stub might overestimate catch. It is interesting to note that the reported number of small salmon kept (in parentheses in the above text table) for Middle Brook by the stub was similar to that derived from the creel; this was true to a lesser extent for Pinware River. If the creel is taken as a benchmark, then this would suggest that most of the angling population fishing Middle Brook returned their stub, which is hardly likely since the overall response rate for the entire region was 47% (preliminary). Alternatively, it could be that although both creels were designed for complete coverage, in reality efficiency was less than anticipated. With respect to released fish, it is possible that hook-and-release events were not as noticeable as retention events and went by undetected by creel clerks. Also, there could be a problem with how individuals define a hook-and-release fish. O'Neil and Harvey (MS 1993) reported that for the first few years of the stub system in Nova Scotia, anglers consistently over-reported numbers of large salmon released, which could also be the case for both small and large released fish in Newfoundland and Labrador.

Fraidenburg and Bargmann (1982), Small and Downham (1985), O'Neil and Harvie (MS 1993), and Pollock *et al.* (1994) reported that anglers voluntarily participating in surveys were generally more successful than those submitting returns after being prompted. O'Neil and Harvie (MS 1993) found that CPUE also declined with successive prompts. Total catch per angler and the number of rod days expended per angler in the present study were highest for the voluntary group in all four years of the study (Fig. 2).




Fig. 2. Rod days expended per angler and total catch (small and large salmon kept and released) by response group, 1994-97. V = voluntary; PP = post prompt.

Several studies have shown that angler effort expenditure and participation (Bijsterveld 1983; Bijsterveld and Moore 1984; Harris and Bergersen 1985; Brown 1991; Weithman 1991; Tarrant *et al.* 1993) and catches (Cane 1980; Bijsterveld 1983; Bijsterveld and Moore 1984; O'Neill and Harvie MS 1993) were higher for respondents than for nonrespondents. Fisher (1996) found that the probability of response for respondents versus nonrespondents differed with respect to variables such as age, fishing experience, and time (early season or late season) of purchase of license; the study also showed the importance of multiple contacts in eliciting responses from anglers with low response propensities. The methodology used by O'Neil *et al.* (1986, 1989) to calculate catch and effort of nonrespondents and adjust for non-response bias was based on an overall response rate (returns from voluntary and three post prompt groups combined) of 93-95% (O'Neil and Harvie MS 1993). This compares to around 50% on average in the present study. The uncertainty associated with solving equations with values for total licenses sold that were outside the observed bounds of the regression was obviously much less for the Nova Scotia system than for the Newfoundland and Labrador system. The degree to which total licenses sold exceeded the bounds of the regressions for Newfoundland and Labrador can be exemplified using data for 1997 as an example (Fig. 3).




Fig. 3. Arithmetic form of the regressions of cumulative effort (rod days) and cumulative total catch (small and large salmon kept and released) on cumulative number of anglers by response group for 1997.

The upper limit of the independent variable for the regressions was 9849 while the value of x or total licenses sold that was used to solve the equations was 20783. The technique therefore may not adequately reflect levels of catch and effort of nonrespondents, in other words it may not adequately compensate for non-response bias. At present it is not known if the curves would continue along the same trajectory as depicted in Fig. 3 with increased overall returns or would flatten more quickly. This issue could be resolved in part by measures to increase the overall level of returns such as through advertising to the general angling public and soliciting the cooperation of organized angler groups. O'Neil and Harvie (MS 1993) conducted an analysis of the Nova Scotia data base to determine the percentage of returns required to achieve a river-specific coefficient of precision (95% confidence interval as a percentage of the mean total catch per angler) of 20% at the 90% probability level. For a sampling frequency of 55.5%, they found that a minimum of approximately 200 anglers would be required to fish a given river in order to achieve this level of precision. This suggests that at the stub return levels observed in the present study, the larger rivers could fall within these limits of precision but many smaller rivers would not. Survey techniques, particularly telephone surveys, could also be employed as a means of assessing non-response bias, as recommended by all the studies cited above; such surveys are also required in order to adjust effort data for under-reporting.

In a study of angling participation, Tarrant *et al.* (1993) found a significant first order interaction between non-response bias and recall bias, indicating the two are not independent factors. Surveys have shown that reliability of information decreases with length of recall period (Harris and Bergersen 1985; Anderson and Thompson 1991; Fisher *et al.* 1991; Tarrant *et al.* 1993). All three post prompts in 1997 were earlier than in all previous years. Varying degrees of delay were experienced for years prior to 1997 with the latest date for sending out post prompt 3 being May 22, 1995. The angling stub was structured for the recording of daily information and to be filled in on the day of fishing activity. Recall may not have affected the accuracy of recording of the number of small and large (Labrador only) salmon kept to a large extent, since season catch was subject to a bag limit (O'Connell *et al.* MS 1998; Reddin *et al.* MS 1998). However, in light of findings reported in the literature, accuracy of recall of effort expenditure, numbers of small and large salmon released, and associated dates of fishing activity, is certainly open to question in the present case. The situation is probably worse for nonrespondents. Recall bias is another factor that needs to be resolved and this can be done through survey methods.

A comparison of estimates of catches of small and large salmon (kept and released) for each SFA and various combinations of SFAs derived from the stub with River Guardian (DFO) estimates is provided in Table 1. Comparisons for Labrador cover the period 1994-97 while those of insular Newfoundland are for 1994-96. A ready means of comparing the two methods of estimation is to examine the Stub/DFO ratio. Similar comparisons for effort and CPUE are provided in Table 2. River-specific comparisons for catch are shown in Table 3 and for effort and CPUE in Table 4. Overall, stub estimates of numbers of small and large salmon released were substantially higher than reported by River Guardians, similar to the results obtained for the stub and creel survey comparisons presented above. There was annual variability as well, being most pronounced in the case of large salmon. Differences between stub estimates and DFO estimates of kept fish were less than observed for released fish. Certain rivers, SFAs, and groupings of SFAs tended to have Stub/DFO ratios for small salmon kept that were > 1 while others had ratios < 1 and this was fairly consistent across years. It is interesting that the ratios for small salmon kept for insular Newfoundland in total (SFAs 1-14A combined) in 1994-96 were close to 1 (ranged from 0.96 in 1994 to 1.06 in 1995); ratios for Labrador in total (SFAs 1, 2, and 14B combined) in 1994-97 were between 0.92 in 1994 and 1.10 in 1996. Ratios for large salmon kept in Labrador were generally higher than for small salmon kept. Estimates of effort expended by the stub method were consistently lower than reported by River Guardians; this has already been discussed above in the context of under-reporting. Estimates of catch and effort from the stub in 1997 are presented for Labrador in Table 5 and insular Newfoundland in Table 6.

Acknowledgements

We thank Mr. Gary Somerton for assistance with computer programming and output and MS. Geraldine Carter for entering the vendor's slip and stub data.

References

- Anderson, L. E., and P. C. Thompson. 1991. Development and implementation of the angler diary monitoring program for Great Bear Lake, Northwest Territories. American Fisheries Society Symposium 12: 457-475.
- Ash, E.G.M., and M. F. O'Connell. 1987. Atlantic salmon fishery in Newfoundland and Labrador, commercial and recreational, 1985. Can. Data Rep. Fish. Aquat. Sci. 672: v + 284 p.
- Bijsterveld, L. 1983. The B.C. tidal water sportfishing diary program - 1981. Can. MS Rep. Fish. Aquat. Sci. 1717: iv + 43 p.
- Bijsterveld, L., and B. Moore. 1984. The B.C. tidal water sportfishing diary program - 1982. Can. MS Rep. Fish. Aquat. Sci. 1759: v + 40 p.
- Brown, T. L. 1991. Use and abuse of mail surveys in fisheries management. American Fisheries Society Symposium 12: 255-261.
- Cane, A. 1980. The use of anglers' returns in the estimation of fishing success. Fish. Mgmt. 11: 145-155.
- Fisher, M. R. 1996. Estimating the effect of nonresponse bias on angler surveys. Trans. Am. Fish. Soc. 125: 118-126.
- Fisher, W. L., A. E. Grambsch, D. L. Eisenhower, and D. R. Morganstein. 1991. Length of recall period and accuracy of estimates from the national survey of fishing, hunting, and wildlife-associated recreation. American Fisheries Society Symposium 12: 367-374.
- Fraidenburg, M. E., and G. G. Bargmann. 1982. Estimating boat-based fishing effort in a marine recreational fishery. N. Am. J. Fish. Manage. 4: 351-358.
- Harris, C. C., and E. P. Bergersen. 1985. Survey on demand for sport fisheries: problems and potentialities for its use in fishery management planning. N. Am. J. Fish. Manage. 5: 400-410.
- Mullins, C. C., and D. Caines. MS 1998. Status of the Atlantic salmon (*Salmo salar* L.) Stock of Pinware River, Labrador, 1997. DFO, CSAS Res. Doc. in prep.
- O'Connell, M. F., E.G.M. Ash, and N. M. Cochrane. MS 1996. Preliminary results of the license stub return system in the Newfoundland Region, 1994. DFO Atlantic Fisheries Research Document 96/130. 34 p.

- O'Connell, M. F., J. B. Dempson, C. C. Mullins, D. G. Reddin, N. M. Cochrane, and D. Caines. MS 1998. Status of Atlantic salmon (*Salmo salar* L.) stocks of Insular Newfoundland (SFAs 3-14A), 1997. DFO, CSAS Res. Doc. in prep.
- O'Neil, S.F., and C. J. Harvie. MS 1993. Evaluation of the precision of catch data in the Nova Scotia Atlantic salmon catch-effort card system and feasibility of a New Brunswick application. DFO Atlantic Fisheries Res. Doc. 93/31. 34 p.
- O'Neil, S. F., M. Bernard, and J. Singer. 1986. 1985 Atlantic salmon sport catch statistics, Maritime Provinces. Can. Data Rep. Fish. Aquat. Sci. 600: v + 71 p.
- O'Neil, S. F., S. K. Newbould, and R. Picard. 1989. 1987 Atlantic salmon sport catch statistics, Maritime Provinces. Can. Data Rep. Fish. Aquat. Sci. 770: v + 73 p.
- Pollock, K. H., C. M. Jones, and T. L. Brown. 1994. Angler survey methods and their application in fisheries management. American Fisheries Society Special Publication 25, xvii + 371 p.
- Reddin, D. G., C. C. Mullins, M. F. O'Connell, and N. M. Cochrane. MS 1998. Status of Atlantic salmon (*Salmo salar* L.) in Labrador, 1997. DFO, CSAS Res. Doc. in prep.
- Small, I., and D. Y. Downham. 1985. The interpretation of anglers' records (trout and sea trout, *Salmo trutta* L., and salmon, *Salmo salar* L.). Aquac. and Fish. Mgmt. 16: 151-169.
- Tarrant, M. A., M. J. Manfredo, P. B. Bayley, and R. Hess. 1993. Effects of recall bias and nonresponse bias on self-report estimates and angling participation. N. Am. J. Fish. Manage. 13: 217-222.
- Weithman, A. S. 1991. Telephone survey preferred in collecting angler data statewide. American Fisheries Society Symposium 12: 271-280.

Table 1. Comparison of catch information estimated from the stub with that provided by DFO River Guardians for each SFA, Labrador (SFAs 1, 2, and 14B), Northern Peninsula East and Eastern (SFAs 3-8), South (SFAs 9-11), Southwest (SFAs 12-13), Northern Peninsula West (SFA 14A), and insular Newfoundland (SFAs 3-14A).

SFA	Year	Small Kept			Small Released			Small Total			Large Kept			Large Released			Large Total			Total Kept (Sm + Lg)			Total Released (Sm + Lg)			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
Labrador (SFAs 1, 2, & 14B)	94	2450	2657	0.92	4844	2735	1.77	7294	5392	1.35	626	474	1.32	1030	291	3.54	1656	765	2.16	3076	3131	0.98	5874	3026	1.94	8950	6157	1.45
	95	2435	2597	0.94	3978	2808	1.42	6413	5405	1.19	447	546	0.82	882	400	2.21	1329	946	1.40	2882	3143	0.92	4860	3208	1.51	7742	6351	1.22
	96	2467	2251	1.10	4109	2672	1.54	6576	4923	1.34	398	305	1.30	762	313	2.43	1160	618	1.88	2865	2556	1.12	4871	2985	1.63	7736	5541	1.40
	97	1917	2029	0.94	2331	1397	1.67	4248	3426	1.24	201	198	1.02	626	143	4.38	827	341	2.43	2118	2227	0.95	2957	1540	1.92	5075	3767	1.35
1	94	427	453	0.94	1426	933	1.53	1853	1386	1.34	148	114	1.30	183	96	1.91	331	210	1.58	575	567	1.01	1609	1029	1.56	2184	1596	1.37
	95	450	500	0.90	484	854	0.57	934	1354	0.69	68	92	0.74	81	97	0.84	149	189	0.79	518	592	0.88	565	951	0.59	1083	1543	0.70
	96	257	260	0.99	229	62	3.69	486	322	1.51	55	50	1.10	37	17	2.18	92	67	1.37	312	310	1.01	266	79	3.37	578	389	1.49
	97	230	300	0.77	168	133	1.26	398	433	0.92	49	46	1.07	73	25	2.92	122	71	1.72	279	346	0.81	241	158	1.53	520	504	1.03
2	94	1397	1511	0.92	3050	1716	1.78	4447	3227	1.38	364	259	1.41	800	184	4.35	1164	443	2.63	1761	1770	0.99	3850	1900	2.03	5611	3670	1.53
	95	1215	1280	0.95	3128	1727	1.81	4343	3007	1.44	267	246	1.09	652	219	2.98	919	465	1.98	1482	1526	0.97	3780	1946	1.94	5262	3472	1.52
	96	1319	1991	0.66	2928	2610	1.12	4247	4601	0.92	244	255	0.96	585	296	1.98	829	551	1.50	1563	2246	0.70	3513	2906	1.21	5076	5152	0.99
	97	1144	1729	0.66	1653	1264	1.31	2797	2993	0.93	152	152	1.00	227	118	1.92	379	270	1.40	1296	1881	0.69	1880	1382	1.36	3176	3263	0.97
14B	94	626	693	0.90	368	86	4.28	994	779	1.28	114	101	1.13	47	11	4.27	161	112	1.44	740	794	0.93	415	97	4.28	1155	891	1.30
	95	770	817	0.94	366	227	1.61	1136	1044	1.09	112	208	0.54	149	84	1.77	261	292	0.89	882	1025	0.86	515	311	1.66	1397	1336	1.05
	96	891	.	.	952	.	.	1843	.	.	99	.	.	140	.	.	239	.	.	990	.	.	1092	.	.	2082	.	.
	97	543	.	.	510	.	.	1053	.	.	0	.	.	326	.	.	326	.	.	543	.	.	836	.	.	1379	.	.

Table 1. cont'd

SFA	Year	Small Kept			Small Released			Small Total			Large Kept			Large Released			Large Total			Total Kept (Sm + Lg)			Total Released (Sm + Lg)			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
Northern Peninsula East & Eastern (SFAs 3 - 8)	94	14107	16250	0.87	7375	5283	1.40	21482	21533	1.00	1121	539	2.08	1121	539	2.08	14107	16250	0.87	8496	5822	1.46	22603	22072	1.02			
	95	13745	12823	1.07	8012	4738	1.69	21757	17561	1.24	1221	421	2.90	1221	421	2.90	13745	12823	1.07	9233	5159	1.79	22978	17982	1.28			
	96	16008	17555	0.91	10690	8244	1.30	26698	25799	1.03	1518	505	3.01	1518	505	3.01	16008	17555	0.91	12208	8749	1.40	28216	26304	1.07			
3	94	3485	3314	1.05	1955	1844	1.06	5440	5158	1.05	189	404	0.47	189	404	0.47	3485	3314	1.05	2144	2248	0.95	5629	5562	1.01			
	95	2618	1405	1.86	1710	890	1.92	4328	2295	1.89	282	186	1.52	282	186	1.52	2618	1405	1.86	1992	1076	1.85	4610	2481	1.86			
	96	3455	2122	1.63	2529	1118	2.26	5984	3240	1.85	252	143	1.76	252	143	1.76	3455	2122	1.63	2781	1261	2.21	6236	3383	1.84			
4	94	7837	9351	0.84	4241	2728	1.55	12078	12079	1.00	793	79	10.04	793	79	10.04	7837	9351	0.84	5034	2807	1.79	12871	12158	1.06			
	95	8070	7979	1.01	4879	3199	1.53	12949	11178	1.16	726	151	4.81	726	151	4.81	8070	7979	1.01	5605	3350	1.67	13675	11329	1.21			
	96	9294	10960	0.85	6570	6374	1.03	15864	17334	0.92	1069	232	4.61	1069	232	4.61	9294	10960	0.85	7639	6606	1.16	16933	17566	0.96			
5	94	2594	3216	0.81	1126	689	1.63	3720	3905	0.95	122	52	2.35	122	52	2.35	2594	3216	0.81	1248	741	1.68	3842	3957	0.97			
	95	2851	2860	1.00	1383	586	2.36	4234	3446	1.23	202	76	2.66	202	76	2.66	2851	2860	1.00	1585	662	2.39	4436	3522	1.26			
	96	3077	3948	0.78	1514	706	2.14	4591	4654	0.99	177	113	1.57	177	113	1.57	3077	3948	0.78	1691	819	2.06	4768	4767	1.00			
6	94	144	241	0.60	46	21	2.19	190	262	0.73	15	4	3.75	15	4	3.75	144	241	0.60	61	25	2.44	205	266	0.77			
	95	99	336	0.29	12	61	0.20	111	397	0.28	5	8	0.63	5	8	0.63	99	336	0.29	17	69	0.25	116	405	0.29			
	96	115	327	0.35	50	43	1.16	165	370	0.45	15	17	0.88	15	17	0.88	115	327	0.35	65	60	1.08	180	387	0.47			
7	94	17	71	0.24	5	0	.	22	71	0.31	0	0	.	0	0	.	17	71	0.24	5	0	.	22	71	0.31			
	95	59	170	0.35	5	0	.	64	170	0.38	3	0	.	3	0	.	59	170	0.35	8	0	.	67	170	0.39			
	96	27	139	0.19	0	3	.	27	142	0.19	0	0	.	0	0	.	27	139	0.19	0	3	.	27	142	0.19			
8	94	30	57	0.53	2	1	2.00	32	58	0.55	2	0	.	2	0	.	30	57	0.53	4	1	4.00	34	58	0.59			
	95	48	73	0.66	23	2	11.50	71	75	0.95	3	0	.	3	0	.	48	73	0.66	26	2	13.00	74	75	0.99			
	96	40	59	0.68	27	0	.	67	59	1.14	5	0	.	5	0	.	40	59	0.68	32	0	.	72	59	1.22			
South (SFAs 9 - 11)	94	3522	4055	0.87	2019	917	2.20	5541	4972	1.11	282	61	4.62	282	61	4.62	3522	4055	0.87	2301	978	2.35	5823	5033	1.16			
	95	5246	6299	0.83	3189	1499	2.13	8435	7798	1.08	379	47	8.06	379	47	8.06	5246	6299	0.83	3568	1546	2.31	8814	7845	1.12			
	96	5875	7498	0.78	4047	2425	1.67	9922	9923	1.00	578	139	4.16	578	139	4.16	5875	7498	0.78	4625	2564	1.80	10500	10062	1.04			
9	94	800	829	0.97	294	93	3.16	1094	922	1.19	46	2	23.00	46	2	23.00	800	829	0.97	340	95	3.58	1140	924	1.23			
	95	1364	1594	0.86	696	307	2.27	2060	1901	1.08	134	11	12.18	134	11	12.18	1364	1594	0.86	830	318	2.61	2194	1912	1.15			
	96	1065	1371	0.78	598	251	2.38	1663	1622	1.03	115	25	4.60	115	25	4.60	1065	1371	0.78	713	276	2.58	1778	1647	1.08			
10	94	682	946	0.72	198	150	1.32	880	1096	0.80	53	21	2.52	53	21	2.52	682	946	0.72	251	171	1.47	933	1117	0.84			
	95	1124	1450	0.78	367	254	1.44	1491	1704	0.88	79	23	3.43	79	23	3.43	1124	1450	0.78	446	277	1.61	1570	1727	0.91			
	96	1459	2092	0.70	699	428	1.63	2158	2520	0.86	151	88	1.72	151	88	1.72	1459	2092	0.70	850	516	1.65	2309	2608	0.89			
11	94	2040	2280	0.89	1527	674	2.27	3567	2954	1.21	183	38	4.82	183	38	4.82	2040	2280	0.89	1710	712	2.40	3750	2992	1.25			
	95	2758	3255	0.85	2126	938	2.27	4884	4193	1.16	166	13	12.77	166	13	12.77	2758	3255	0.85	2292	951	2.41	5050	4206	1.20			
	96	3351	4035	0.83	2750	1746	1.58	6101	5781	1.06	312	26	12.00	312	26	12.00	3351	4035	0.83	3062	1772	1.73	6413	5807	1.10			
Southwest (SFAs 12 - 13)	94	6614	4225	1.57	4227	1073	3.94	10841	5298	2.05	2594	977	2.66	2594	977	2.66	6614	4225	1.57	6821	2050	3.33	13435	6275	2.14			
	95	6528	3843	1.70	5014	1251	4.01	11542	5094	2.27	2328	989	2.35	2328	989	2.35	6528	3843	1.70	7342	2240	3.28	13870	6083	2.28			
	96	7384	4221	1.75	8499	1872	4.54	15883	6093	2.61	2734	521	5.25	2734	521	5.25	7384	4221	1.75	11233	2393	4.69	18617	6614	2.81			
12	94	737	593	1.24	281	137	2.05	1018	730	1.39	83	48	1.73	83	48	1.73	737	593	1.24	364	185	1.97	1101	778	1.42			
	95	589	507	1.16	192	87	2.21	781	594	1.31	64	41	1.56	64	41	1.56	589	507	1.16	256	128	2.00	845	635	1.33			
	96	889	462	1.92	373	168	2.22	1262	630	2.00	111	27	4.11	111	27	4.11	889	462	1.92	484	195	2.48	1373	657	2.09			
13	94	5877	3632	1.62	3946	936	4.22	9823	4568	2.15	2511	929	2.70	2511	929	2.70	5877	3632	1.62	6457	1865	3.46	12334	5497	2.24			
	95	5939	3336	1.78	4822	1164	4.14	10761	4500	2.39	2264	948	2.39	2264	948	2.39	5939	3336	1.78	7086	2112	3.36	13025	5448	2.39			
	96	6495	3759	1.73	8126	1704	4.77	14621	5463	2.68	2623	494	5.31	2623	494	5.31	6495	3759	1.73	10749	2198	4.89	17244	5957	2.89			
Northern Peninsula West (14A)	94	3551	4429	0.80	1476	1097	1.35	5027	5526	0.91	392	475	0.83	392	475	0.83	3551	4429	0.80	1868	1572	1.19	5419	6001	0.90			
	95	5351	6090	0.88	2766	2087	1.33	8117	8177	0.99	551	731	0.75	551	731	0.75	5351	6090	0.88	3317	2818	1.18	8668	8908	0.97			
	96	5800	6485	0.89	2686	3008	0.89	8486	9493	0.89	540	706	0.76															

Table 2. Comparison of effort, total catch, and CPUE estimated from the stub with that provided by DFO River Guardians for each SFA, Labrador (SFAs 1, 2 and 14B), Northern Peninsula East and Eastern (SFAs 3-8), South (SFAs 9-11), Southwest (SFAs 12-13), Northern Peninsula West (SFA 14A), and insular Newfoundland (SFAs 3-14A).

SFA	Year	Rods			Total catch*			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
Labrador (SFAs 1, 2, & 14B)	94	7054	10297	0.69	8950	6157	1.45	1.27	0.60
	95	5632	9846	0.57	7742	6351	1.22	1.37	0.65
	96	6122	7150	0.86	7736	5541	1.40	1.26	0.77
	97	5233	6522	0.80	5075	3767	1.35	0.97	0.58
1	94	1232	1036	1.19	2184	1596	1.37	1.77	1.54
	95	923	880	1.05	1083	1543	0.70	1.17	1.75
	96	1088	879	1.24	578	389	1.49	0.53	0.44
	97	1225	1266	0.97	520	504	1.03	0.42	0.40
2	94	3381	3352	1.01	5611	3670	1.53	1.66	1.09
	95	2548	3544	0.72	5262	3472	1.52	2.07	0.98
	96	2624	6271	0.42	5076	5152	0.99	1.93	0.82
	97	2465	5256	0.47	3176	3263	0.97	1.29	0.62
14B	94	2441	5909	0.41	1155	891	1.30	0.47	0.15
	95	2161	5422	0.40	1397	1336	1.05	0.65	0.25
	96	2410	.	.	2082	.	.	0.86	.
	97	1543	.	.	1379	.	.	0.89	.

Table 2. Cont'd

SFA	Year	Rods			Total catch*			CPUE		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	
Northern Peninsula East & Eastern (SFAs 3 - 8)	94	40792	72813	0.56	22603	22072	1.02	0.55	0.30	
	95	36826	63184	0.58	22978	17982	1.28	0.62	0.28	
	96	39836	71615	0.56	28216	26304	1.07	0.71	0.37	
	3	6999	7715	0.91	5629	5562	1.01	0.80	0.72	
	95	5328	5438	0.98	4610	2481	1.86	0.87	0.46	
	96	6068	6363	0.95	6236	3383	1.84	1.03	0.53	
	4	23661	43242	0.55	12871	12158	1.06	0.54	0.28	
	95	21936	36717	0.60	13675	11329	1.21	0.62	0.31	
	96	24456	44385	0.55	16933	17566	0.96	0.69	0.40	
	5	8733	18000	0.49	3842	3957	0.97	0.44	0.22	
	95	8096	16691	0.49	4436	3522	1.26	0.55	0.21	
	96	7940	16415	0.48	4768	4767	1.00	0.60	0.29	
	6	1052	2429	0.43	205	266	0.77	0.19	0.11	
	95	899	2513	0.36	116	405	0.29	0.13	0.16	
	96	866	2331	0.37	180	387	0.47	0.21	0.17	
	7	171	1162	0.15	22	71	0.31	0.13	0.06	
	95	372	1425	0.26	67	170	0.39	0.18	0.12	
	96	302	1603	0.19	27	142	0.19	0.09	0.09	
	8	176	265	0.66	34	58	0.59	0.19	0.22	
	95	195	400	0.49	74	75	0.99	0.38	0.19	
	96	204	518	0.39	72	59	1.22	0.35	0.11	
South (SFAs 9 - 11)	94	11019	25073	0.44	5823	5033	1.16	0.53	0.20	
	95	13314	35146	0.38	8814	7845	1.12	0.66	0.22	
	96	16239	41628	0.39	10500	10062	1.04	0.65	0.24	
	9	3384	7154	0.47	1140	924	1.23	0.34	0.13	
	95	4297	10487	0.41	2194	1912	1.15	0.51	0.18	
	96	4270	10365	0.41	1778	1647	1.08	0.42	0.16	
	10	2888	7028	0.41	933	1117	0.84	0.32	0.16	
	95	3535	10210	0.35	1570	1727	0.91	0.44	0.17	
	96	5900	15128	0.39	2309	2608	0.89	0.39	0.17	
	11	4747	10891	0.44	3750	2992	1.25	0.79	0.27	
	95	5482	14449	0.38	5050	4206	1.20	0.92	0.29	
	96	6069	16135	0.38	6413	5807	1.10	1.06	0.36	
	Southwest (SFAs 12 - 13)	94	19054	22576	0.84	13435	6275	2.14	0.71	0.28
	95	16542	20786	0.80	13870	6083	2.28	0.84	0.29	
	96	18325	17512	1.05	18617	6614	2.81	1.02	0.38	
12	94	1582	2853	0.55	1101	778	1.42	0.70	0.27	
	95	1265	2679	0.47	845	635	1.33	0.67	0.24	
	96	1523	1612	0.94	1373	657	2.09	0.90	0.41	
	13	17472	19723	0.89	12334	5497	2.24	0.71	0.28	
	95	15277	18107	0.84	13025	5448	2.39	0.85	0.30	
	96	16802	15900	1.06	17244	5957	2.89	1.03	0.37	
	Northern Peninsula West (14A)	94	7964	21046	0.38	5419	6001	0.90	0.68	0.29
	95	9942	24159	0.41	8668	8908	0.97	0.87	0.37	
	96	10820	25876	0.42	9026	10199	0.88	0.83	0.39	
Insular Newfoundland (SFAs 3 - 14A)	94	78829	141508	0.56	47280	39381	1.20	0.60	0.28	
	95	76624	143275	0.53	54330	40818	1.33	0.71	0.28	
	96	85220	156631	0.54	66359	53179	1.25	0.78	0.34	
	Newfoundland & Labrador	94	85883	151805	0.57	56230	45538	1.23	0.65	0.30
	95	82256	153121	0.54	62072	47169	1.32	0.75	0.31	
	96	91342	163781	0.56	74095	58720	1.26	0.81	0.36	

* Small plus large, retained plus released

Table 3. Comparison of catch information estimated from the stub with that provided by DFO River Guardians for each river, 1994-97.

Labrador

SFA 1 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Kept			Large Released			Large Total			Total Kept (Sm + Lg)			Total Released (Sm + Lg)			Total Catch			
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	
5609000 English River*	94	3	.	.	3	.	.	6	.	.	2	.	.	0	.	.	2	.	.	5	.	.	3	.	.	8	.	.	
	95	21	.	.	3	.	.	24	.	.	2	.	.	2	.	.	4	.	.	23	.	.	5	.	.	28	.	.	
	96	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	0	.	.	2	.	.	0	.	.	2	.	.	
	97	4	.	.	2	.	.	6	.	.	2	.	.	0	.	.	2	.	.	6	.	.	2	.	.	8	.	.	
5610100 Kenamu River*	94	0	.	.	0	.	.	0	.	.	2	.	.	0	.	.	2	.	.	2	.	.	0	.	.	2	.	.	
	95
	96	0	.	.	2	.	.	2	.	.	0	.	.	0	.	.	0	.	.	0	.	.	2	.	.	2	.	.	
	97	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
5610530 Traverspine Brook*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	95	2	.	.	0	.	.	2	.	.	2	.	.	0	.	.	2	.	.	4	.	.	0	.	.	4	.	.	
	96
	97
5611041 Northwest River*	94	3	.	.	8	.	.	11	.	.	0	.	.	0	.	.	0	.	.	3	.	.	8	.	.	11	.	.	
	95
	96
	97
5611620 Mulligan River*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	95
	96
	97
5612880 Double Mer River	94	0	2	0.00	0	0	.	0	2	0.00	0	0	.	0	0	.	0	0	.	0	2	.	0	0	.	0	2	.	
	95	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	96	6	0	.	5	0	.	11	0	.	0	0	.	0	0	.	0	0	.	6	0	.	5	0	.	11	0	.	
	97
5613520 Tom Luscombe Brook	94	101	158	0.64	122	69	1.77	223	227	0.98	33	28	1.18	8	1	8.00	41	29	1.41	134	186	0.72	130	70	1.86	264	256	1.03	
	95	30	30	1.00	20	9	2.22	50	39	1.28	15	25	0.60	8	1	8.00	23	26	0.88	45	55	0.82	28	10	2.80	73	65	1.12	
	96	75	96	0.78	48	29	1.66	123	125	0.98	16	21	0.76	5	5	1.00	21	26	0.81	91	117	0.78	53	34	1.56	144	151	0.95	
	97	14	29	0.48	4	1	4.00	18	30	0.60	11	13	0.85	4	4	1.00	15	17	0.88	25	42	0.60	8	5	1.60	33	47	0.70	
5613620 West Brook*	94	10	.	.	0	.	.	10	.	.	0	.	.	0	.	.	0	.	.	10	.	.	0	.	.	10	.	.	
	95
	96
	97

Table 3. cont'd

SFA I cont'd River No. River Name	Year	Small Kept			Small Released			Small Total			Large Kept			Large Released			Large Total			Total Kept (Sm + Lg)			Total Released (Sm + Lg)			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
5714280 St. Michael's River	94	24	62	0.39	15	22	0.68	39	84	0.46	5	10	0.50	5	1	5.00	10	11	0.91	29	72	0.40	20	23	0.87	49	95	0.52
	95	27	92	0.29	76	21	3.62	103	113	0.91	2	5	0.40	6	0	.	8	5	1.60	29	97	0.30	82	21	3.90	111	118	0.94
	96	51	36	1.42	29	12	2.42	80	48	1.67	8	5	1.60	8	0	.	16	5	3.20	59	41	1.44	37	12	3.08	96	53	1.81
	97	16	73	0.22	16	32	0.50	32	105	0.30	2	2	1.00	0	1	0.00	2	3	0.67	18	75	0.24	16	33	0.48	34	108	0.31
5715040 Big River	94	132	71	1.86	1174	701	1.67	1306	772	1.69	63	36	1.75	150	81	1.85	213	117	1.82	195	107	1.82	1324	782	1.69	1519	889	1.71
	95	43	121	0.36	233	759	0.31	276	880	0.31	9	26	0.35	26	72	0.36	35	98	0.36	52	147	0.35	259	831	0.31	311	978	0.32
	96	59	97	0.61	86	17	5.06	145	114	1.27	11	13	0.85	16	9	1.78	27	22	1.23	70	110	0.64	102	26	3.92	172	136	1.26
	97	56	105	0.53	51	52	0.98	107	157	0.68	9	13	0.69	12	9	1.33	21	22	0.95	65	118	0.55	63	61	1.03	128	179	0.72
5717600 Little Bay River *	94	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	0	.	.	3	.	.	0	.	.	3	.	.
	95
	96	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	0	.	.	3	.	.	0	.	.	3	.	.
	97
5717900 Adlatok River	94	11	38	0.29	16	29	0.55	27	67	0.40	2	4	0.50	0	4	0.00	2	8	0.25	13	42	0.31	16	33	0.48	29	75	0.39
	95	59	50	1.18	35	11	3.18	94	61	1.54	6	2	3.00	2	0	.	8	2	4.00	65	52	1.25	37	11	3.36	102	63	1.62
	96	10	21	0.48	27	4	6.75	37	25	1.48	2	2	1.00	6	2	3.00	8	4	2.00	12	23	0.52	33	6	5.50	45	29	1.55
	97	23	3	7.67	12	0	.	35	3	11.67	2	0	.	2	0	.	4	0	.	25	3	8.33	14	0	.	39	3	13.00
5819220 Hunt River	94	132	82	1.61	47	38	1.24	179	120	1.49	36	22	1.64	10	7	1.43	46	29	1.59	168	104	1.62	57	45	1.27	225	149	1.51
	95	248	207	1.20	76	54	1.41	324	261	1.24	30	34	0.88	35	24	1.46	65	58	1.12	278	241	1.15	111	78	1.42	389	319	1.22
	96	51	10	5.10	32	0	.	83	10	8.30	18	9	2.00	2	1	2.00	20	10	2.00	69	19	3.63	34	1	34.00	103	20	5.15
	97	99	56	1.77	78	14	5.57	177	70	2.53	18	9	2.00	53	8	6.63	71	17	4.18	117	65	1.80	131	22	5.95	248	87	2.85
5819480 Flowers River	94	8	40	0.20	41	74	0.55	49	114	0.43	5	14	0.36	10	2	5.00	15	16	0.94	13	54	0.24	51	76	0.67	64	130	0.49
	95	20	0	.	38	0	.	58	0	.	2	0	.	2	0	.	4	0	.	22	0	.	40	0	.	62	0	.
	96	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.
	97	18	34	0.53	5	34	0.15	23	68	0.34	5	9	0.56	2	3	0.67	7	12	0.58	23	43	0.53	7	37	0.19	30	80	0.38
5820280 Reid Brook*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	95	0	.	.	3	.	.	3	.	.	0	.	.	0	.	.	0	.	.	0	.	.	3	.	.	3	.	.
	96
	97
5922780 North River*	94
	95
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	97
Total	94	427	453	0.94	1426	933	1.53	1853	1386	1.34	148	114	1.30	183	96	1.91	331	210	1.58	575	567	1.01	1609	1029	1.56	2184	1596	1.37
	95	450	500	0.90	484	854	0.57	934	1354	0.69	68	92	0.74	81	97	0.84	149	189	0.79	518	592	0.88	565	951	0.59	1083	1543	0.70
	96	257	260	0.99	229	62	3.69	486	322	1.51	55	50	1.10	37	17	2.18	92	67	1.37	312	310	1.01	266	79	3.37	578	389	1.49
	97	230	300	0.77	168	133	1.26	398	433	0.92	49	46	1.07	73	25	2.92	122	71	1.72	279	346	0.81	241	158	1.53	520	504	1.03

Table 3. cont'd

SFA 2 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Kept			Large Released			Large Total			Total Kept (Sm + Lg)			Total Released (Sm + Lg)			Total Catch			
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	
5201420 St. Charles River	94	26	55	0.47	31	0	.	57	55	1.04	0	0	.	0	0	.	0	0	.	26	55	0.47	31	0	.	57	55	1.04	
	95	9	38	0.24	0	0	.	9	38	0.24	0	0	.	0	0	.	0	0	.	9	38	0.24	0	0	.	9	38	0.24	
	96	32	49	0.65	29	0	.	61	49	1.24	0	0	.	0	0	.	0	0	.	32	49	0.65	29	0	.	61	49	1.24	
	97	23	41	0.56	11	1	11.00	34	42	0.81	0	0	.	0	0	.	0	0	.	23	41	0.56	11	1	.	34	42	0.81	
5201520 St. Mary's River	94	117	130	0.90	50	9	5.56	167	139	1.20	11	4	2.75	0	0	.	11	4	2.75	128	134	0.96	50	9	5.56	178	143	1.24	
	95	78	52	1.50	18	0	.	96	52	1.85	3	4	0.75	2	0	.	5	4	1.25	81	56	1.45	20	0	.	101	56	1.80	
	96	110	105	1.05	46	17	2.71	156	122	1.28	5	9	0.56	3	0	.	8	9	0.89	115	114	1.01	49	17	2.88	164	131	1.25	
	97	42	49	0.86	4	0	.	46	49	0.94	0	9	0.00	0	0	.	0	9	0.00	42	58	0.72	4	0	.	46	58	0.79	
5201720 St. Lewis River	94	94	144	0.65	65	59	1.10	159	203	0.78	11	5	2.20	2	0	.	13	5	2.60	105	149	0.70	67	59	1.14	172	208	0.83	
	95	55	45	1.22	30	9	3.33	85	54	1.57	26	12	2.17	18	0	.	44	12	3.67	81	57	1.42	48	9	5.33	129	66	1.95	
	96	104	171	0.61	88	66	1.33	192	237	0.81	16	20	0.80	21	0	.	37	20	1.85	120	191	0.63	109	66	1.65	229	257	0.89	
	97	35	43	0.81	12	2	6.00	47	45	1.04	2	12	0.17	4	1	4.00	6	13	0.46	37	55	0.67	16	3	5.33	53	58	0.91	
5201900 Port Marnham Brook	94	10	42	0.24	3	0	.	13	42	0.31	0	0	.	0	0	.	0	0	.	10	42	0.24	3	0	.	13	42	0.31	
	95	12	20	0.60	0	0	.	12	20	0.60	0	0	.	0	0	.	0	0	.	12	20	0.60	0	0	.	12	20	0.60	
	96	11	43	0.26	5	0	.	16	43	0.37	0	0	.	0	0	.	0	0	.	11	43	0.26	5	0	.	16	43	0.37	
	97	25	29	0.86	11	7	1.57	36	36	1.00	0	0	.	0	0	.	0	0	.	25	29	0.86	11	7	1.57	36	36	1.00	
5202500 Alexis River	94	57	1	57.00	128	0	.	185	1	185.00	13	2	6.50	2	0	.	15	2	7.50	70	3	23.33	130	0	.	200	3	66.67	
	95	43	20	2.15	40	18	2.22	83	38	2.18	11	10	1.10	3	4	0.75	14	14	1.00	54	30	1.80	43	22	1.95	97	52	1.87	
	96	24	187	0.13	37	126	0.29	61	313	0.19	0	23	0.00	2	3	0.67	2	26	0.08	24	210	0.11	39	129	0.30	63	339	0.19	
	97	65	229	0.28	53	109	0.49	118	338	0.35	2	13	0.15	0	0	.	2	13	0.15	67	242	0.28	53	109	0.49	120	351	0.34	
5202680 Shinneys River	94	98	76	1.29	46	15	3.07	144	91	1.58	3	0	.	2	0	.	5	0	.	101	76	1.33	48	15	3.20	149	91	1.64	
	95	151	171	0.88	178	81	2.20	329	252	1.31	3	2	1.50	2	0	.	5	2	2.50	154	173	0.89	180	81	2.22	334	254	1.31	
	96	51	200	0.26	16	94	0.17	67	294	0.23	5	0	.	2	0	.	7	0	.	56	200	0.28	18	94	0.19	74	294	0.25	
	97	41	156	0.26	25	55	0.45	66	211	0.31	0	0	.	0	0	.	0	0	.	41	156	0.26	25	55	0.45	66	211	0.31	
5202820 Gilbert River	94	5	3	1.67	3	2	1.50	8	5	1.60	2	0	.	2	0	.	4	0	.	7	3	2.33	5	2	2.50	12	5	2.40	
	95	20	12	1.67	21	9	2.33	41	21	1.95	2	0	.	5	0	.	7	0	.	22	12	1.83	26	9	2.89	48	21	2.29	
	96	2	0	.	0	0	.	2	0	.	0	0	.	0	0	.	0	0	.	2	0	.	0	0	.	2	0	.	
	97	2	0	.	0	0	.	2	0	.	0	0	.	0	0	.	0	0	.	2	0	.	0	0	.	2	0	.	
5303460 St. Michaels River	94	0	35	0.00	0	0	.	0	35	0.00	0	0	.	0	0	.	0	0	.	0	35	0.00	0	0	.	0	35	0.00	
	95	.	34	0.00	.	.	.	34	34	0.00	.	1	0.00	.	0	.	1	0.00	.	35	35	0.00	.	0	.	35	35	0.00	
	96	.	120	0.00	.	1	0.00	.	121	0.00	.	0	0	.	0	0	.	0	0	.	120	0.00	.	1	0.00	.	121	0.00	.
	97	.	116	0.00	.	0	.	.	116	0.00	.	1	0.00	.	0	0	.	1	0.00	.	117	0.00	.	0	0	.	117	0.00	.
5304500 Hawke River	94	11	37	0.30	11	2	5.50	22	39	0.56	0	15	0.00	0	0	.	0	15	0.00	11	52	0.21	11	2	5.50	22	54	0.41	
	95	8	39	0.21	0	0	.	8	39	0.21	0	18	0.00	0	1	0.00	0	19	0.00	8	57	0.14	0	1	0.00	8	58	0.14	
	96	6	79	0.08	0	2	0.00	6	81	0.07	0	20	0.00	0	0	.	0	20	0.00	6	99	0.06	0	2	0.00	6	101	0.06	
	97	14	87	0.16	2	0	.	16	87	0.18	0	10	0.00	2	0	.	2	10	0.20	14	97	0.14	4	0	.	18	97	0.19	
5405000 Partridge Bay Brook*	94	
	95	
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	0	.	0	.	0	.		
	97	

Table 3. cont'd

SFA 2 cont'd	Year	Small Kept			Small Released			Small Total			Large Kept			Large Released			Large Total			Total Kept (Sm + Lg)			Total Released (Sm + Lg)			Total Catch			
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	
5405240 Black Bear River*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	95	0	.	.	3	.	.	3	.	.	0	.	.	0	.	.	0	.	.	0	.	.	3	.	.	3	.	.	
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	97
5405820 Sand Hill River	94	299	279	1.07	490	326	1.50	789	605	1.30	42	29	1.45	44	7	6.29	86	36	2.39	341	308	1.11	534	333	1.60	875	641	1.37	
	95	93	289	0.32	309	340	0.91	402	629	0.64	17	28	0.61	47	14	3.36	64	42	1.52	110	317	0.35	356	354	1.01	466	671	0.69	
	96	112	321	0.35	254	702	0.36	366	1023	0.36	18	20	0.90	32	36	0.89	50	56	0.89	130	341	0.38	286	738	0.39	416	1079	0.39	
	97	115	289	0.40	159	472	0.34	274	761	0.36	5	8	0.63	4	30	0.13	9	38	0.24	120	297	0.40	163	502	0.32	283	799	0.35	
5506440 Dykes River*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	95
	96
	97
5506600 Paradise River*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	95	0	.	.	17	.	.	17	.	.	0	.	.	3	.	.	3	.	.	0	.	.	20	.	.	20	.	.	
	96	8	.	.	11	.	.	19	.	.	0	.	.	0	.	.	0	.	.	8	.	.	11	.	.	19	.	.	
	97	0	.	.	7	.	.	7	.	.	0	.	.	0	.	.	0	.	.	0	.	.	7	.	.	7	.	.	
5506820 Eagle River	94	670	709	0.94	2116	1303	1.62	2786	2012	1.38	278	204	1.36	740	177	4.18	1018	381	2.67	948	913	1.04	2856	1480	1.93	3804	2393	1.59	
	95	729	555	1.31	2494	1270	1.96	3223	1825	1.77	200	171	1.17	564	200	2.82	764	371	2.06	929	726	1.28	3058	1470	2.08	3987	2196	1.82	
	96	843	716	1.18	2431	1602	1.52	3274	2318	1.41	190	163	1.17	523	257	2.04	713	420	1.70	1033	879	1.18	2954	1859	1.59	3987	2738	1.46	
	97	761	690	1.10	1357	618	2.20	2118	1308	1.62	141	99	1.42	217	87	2.49	358	186	1.92	902	789	1.14	1574	705	2.23	2476	1494	1.66	
5506860 Southwest Brook*	94
	95
	96	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	0	.	.	2	.	.	0	.	.	2	.	.	
	97
5506880 White Bear River*	94	3	.	.	3	.	.	6	.	.	2	.	.	0	.	.	2	.	.	5	.	.	3	.	.	8	.	.	
	95	17	5	3.40	15	0	.	32	5	6.40	5	0	.	8	0	.	13	0	.	22	5	4.40	23	0	.	45	5	9.00	
	96	11	.	.	11	.	.	22	.	.	10	.	.	2	.	.	12	.	.	21	.	.	13	.	.	34	.	.	
	97	12	.	.	12	.	.	24	.	.	2	.	.	0	.	.	2	.	.	14	.	.	12	.	.	26	.	.	
5507320 North River*	94	7	.	.	104	.	.	111	.	.	2	.	.	8	.	.	10	.	.	9	.	.	112	.	.	121	.	.	
	95	0	.	.	3	.	.	3	.	.	0	.	.	0	.	.	0	.	.	0	.	.	3	.	.	3	.	.	
	96	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	0	.	.	3	.	.	0	.	.	3	.	.	
	97	9	.	.	0	.	.	9	.	.	0	.	.	0	.	.	0	.	.	9	.	.	0	.	.	9	.	.	
Total	94	1397	1511	0.92	3050	1716	1.78	4447	3227	1.38	364	259	1.41	800	184	4.35	1164	443	2.63	1761	1770	0.99	3850	1900	2.03	5611	3670	1.53	
	95	1215	1280	0.95	3128	1727	1.81	4343	3007	1.44	267	246	1.09	652	219	2.98	919	465	1.98	1482	1526	0.97	3780	1946	1.94	5262	3472	1.52	
	96	1319	1991	0.66	2928	2610	1.12	4247	4601	0.92	244	255	0.96	585	296	1.98	829	551	1.50	1563	2246	0.70	3513	2906	1.21	5076	5152	0.99	
	97	1144	1729	0.66	1653	1264	1.31	2797	2993	0.93	152	152	1.00	227	118	1.92	379	270	1.40	1296	1881	0.69	1880	1382	1.36	3176	3263	0.97	

Table 3. cont'd

SFA 14B River No. River Name	Year	Small Kept			Small Released			Small Total			Large Kept			Large Released			Large Total			Total Kept (Sm + Lg)			Total Released (Sm + Lg)			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
5000120 Forteau River	94	187	309	0.61	75	18	4.17	262	327	0.80	23	4	5.75	3	0	.	26	4	6.50	210	313	0.67	78	18	4.33	288	331	0.87
	95	145	249	0.58	38	32	1.19	183	281	0.65	12	19	0.63	8	5	1.60	20	24	0.83	157	268	0.59	46	37	1.24	203	305	0.67
	96	229	.	.	133	.	.	362	.	.	24	.	.	26	.	.	50	.	.	253	.	.	159	.	.	412	.	.
	97	97	.	.	39	.	.	136	.	.	0	.	.	12	.	.	12	.	.	97	.	.	51	.	.	148	.	.
5000220 Lanse Au Loup River	94	13	11	1.18	8	0	.	21	11	1.91	0	0	.	0	1	0.00	0	1	0.00	13	11	1.18	8	1	8.00	21	12	1.75
	95	6	12	0.50	3	2	1.50	9	14	0.64	0	0	.	2	0	.	2	0	.	6	12	0.50	5	2	2.50	11	14	0.79
	96	21	.	.	0	.	.	21	.	.	0	.	.	0	.	.	0	.	.	21	.	.	0	.	.	21	.	.
	97	9	.	.	19	.	.	28	.	.	0	.	.	0	.	.	0	.	.	9	.	.	19	.	.	28	.	.
5000360 Pinware River	94	421	373	1.13	285	68	4.19	706	441	1.60	91	97	0.94	44	10	4.40	135	107	1.26	512	470	1.09	329	78	4.22	841	548	1.53
	95	619	556	1.11	325	193	1.68	944	749	1.26	98	189	0.52	139	79	1.76	237	268	0.88	717	745	0.96	464	272	1.71	1181	1017	1.16
	96	633	.	.	819	.	.	1452	.	.	75	.	.	114	.	.	189	.	.	708	.	.	933	.	.	1641	.	.
	97	432	.	.	452	.	.	884	.	.	0	.	.	314	.	.	314	.	.	432	.	.	766	.	.	1198	.	.
5100660 Barge Bay Brook*	94	5	.	.	0	.	.	5	.	.	0	.	.	0	.	.	0	.	.	5	.	.	0	.	.	5	.	.
	95	0	.	.	0	.	.	0	.	.	2	.	.	0	.	.	2	.	.	2	.	.	0	.	.	2	.	.
	96	8	.	.	0	.	.	8	.	.	0	.	.	0	.	.	0	.	.	8	.	.	0	.	.	8	.	.
	97	5	.	.	0	.	.	5	.	.	0	.	.	0	.	.	0	.	.	5	.	.	0	.	.	5	.	.
Total	94	626	693	0.90	368	86	4.28	994	779	1.28	114	101	1.13	47	11	4.27	161	112	1.44	740	794	0.93	415	97	4.28	1155	891	1.30
	95	770	817	0.94	366	227	1.61	1136	1044	1.09	112	208	0.54	149	84	1.77	261	292	0.89	882	1025	0.86	515	311	1.66	1397	1336	1.05
	96	891	.	.	952	.	.	1843	.	.	99	.	.	140	.	.	239	.	.	990	.	.	1092	.	.	2082	.	.
	97	543	.	.	510	.	.	1053	.	.	0	.	.	326	.	.	326	.	.	543	.	.	836	.	.	1379	.	.

Table 3. cont'd

Insular Newfoundland

SFA 3 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Total (Released)			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
0300590 Ireland's Brook*	94	11	.	.	18	.	.	29	.	.	0	.	.	18	.	.	29	.	.
	95	24	.	.	2	.	.	26	.	.	0	.	.	2	.	.	26	.	.
	96	37	.	.	13	.	.	50	.	.	0	.	.	13	.	.	50	.	.
0300800 West Brook	94	138	155	0.89	179	184	0.97	317	339	0.94	20	34	0.59	199	218	0.91	337	373	0.90
	95	108	184	0.59	122	85	1.44	230	269	0.86	9	23	0.39	131	108	1.21	239	292	0.82
	96	198	74	2.68	182	23	7.91	380	97	3.92	19	18	1.06	201	41	4.90	399	115	3.47
0300850 Salmon River (Ariège Bay)	94	1298	297	4.37	311	65	4.78	1609	362	4.44	54	31	1.74	365	96	3.80	1663	393	4.23
	95	1343	201	6.68	341	18	18.94	1684	219	7.69	145	34	4.26	486	52	9.35	1829	253	7.23
	96	1757	324	5.42	632	99	6.38	2389	423	5.65	157	38	4.13	789	137	5.76	2546	461	5.52
0301230 Freshwater Creek*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
0401230 Croque Bk. (second pond)*	94
	95
	96	10	.	.	0	.	.	10	.	.	0	.	.	0	.	.	10	.	.
0401640 East River (Easter Brook)	94	36	31	1.16	0	31	0.00	36	62	0.58	0	24	0.00	0	55	0.00	36	86	0.42
	95	34	39	0.87	0	15	0.00	34	54	0.63	5	10	0.50	5	25	0.20	39	64	0.61
	96	35	66	0.53	11	20	0.55	46	86	0.53	3	11	0.27	14	31	0.45	49	97	0.51
0401670 Northeast Brook	94	275	79	3.48	94	46	2.04	369	125	2.95	10	34	0.29	104	80	1.30	379	159	2.38
	95	250	102	2.45	82	31	2.65	332	133	2.50	18	16	1.13	100	47	2.13	350	149	2.35
	96	438	160	2.74	133	36	3.69	571	196	2.91	14	17	0.82	147	53	2.77	585	213	2.75
0401690 Beaver Brook (Western Bk)	94	281	76	3.70	106	43	2.47	387	119	3.25	11	35	0.31	117	78	1.50	398	154	2.58
	95	236	117	2.02	90	34	2.65	326	151	2.16	17	22	0.77	107	56	1.91	343	173	1.98
	96	238	191	1.25	85	44	1.93	323	235	1.37	18	18	1.00	103	62	1.66	341	253	1.35
0401770 Shoal Brook*	94
	95
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
0401790 Northwest Bk (Canada Bay)	94	20	30	0.67	2	35	0.06	22	65	0.34	0	22	0.00	2	57	0.04	22	87	0.25
	95	21	34	0.62	8	29	0.28	29	63	0.46	2	13	0.15	10	42	0.24	31	76	0.41
	96	19	71	0.27	5	30	0.17	24	101	0.24	2	14	0.14	7	44	0.16	26	115	0.23
0401850 Cloud River	94	50	40	1.25	65	38	1.71	115	78	1.47	2	32	0.06	67	70	0.96	117	110	1.06
	95	47	80	0.59	72	30	2.40	119	110	1.08	8	18	0.44	80	48	1.67	127	128	0.99
	96	78	111	0.70	162	31	5.23	240	142	1.69	3	18	0.17	165	49	3.37	243	160	1.52
0402160 Williamsport Brook*	94	2	.	.	5	.	.	7	.	.	0	.	.	5	.	.	7	.	.
	95
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
0402340 Soufflets River*	94	13	.	.	2	.	.	15	.	.	0	.	.	2	.	.	15	.	.
	95	18	.	.	3	.	.	21	.	.	0	.	.	3	.	.	21	.	.
	96	18	.	.	3	.	.	21	.	.	2	.	.	5	.	.	23	.	.
0402500 Little Hr. Deep River	94	18	.	.	2	.	.	20	.	.	0	.	.	2	.	.	20	.	.
	95	12	16	0.75	5	2	2.50	17	18	0.94	0	0	.	5	2	2.50	17	18	0.94
	96	26	.	.	8	.	.	34	.	.	0	.	.	8	.	.	34	.	.

Table 3. cont'd

SFA 3 cont'd	River No. River Name	Year	Small Kept			Small Released			Small Total			Large Total (Released)			Total Released			Total Catch		
			Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
0402600 Cat Arm River*		94	5	.	.	0	.	.	5	.	.	0	.	.	0	.	.	5	.	.
		95
		96
0402880 Coney Arm River		94	46	575	0.08	11	292	0.04	57	867	0.07	3	0	.	14	292	0.05	60	867	0.07
		95	26	106	0.25	5	0	.	31	106	0.29	6	0	.	11	0	.	37	106	0.35
		96	37	100	0.37	8	11	0.73	45	111	0.41	0	0	.	8	11	0.73	45	111	0.41
0402990 Jacksons Arm River*		94	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
		95
		96
0403110 Main River (Sops Arm)		94	1234	1622	0.76	1150	945	1.22	2384	2567	0.93	89	192	0.46	1239	1137	1.09	2473	2759	0.90
		95	457	350	1.31	973	624	1.56	1430	974	1.47	70	50	1.40	1043	674	1.55	1500	1024	1.46
		96	345	239	1.44	1180	685	1.72	1525	924	1.65	24	9	2.67	1204	694	1.73	1549	933	1.66
0403360 Hampton River		94	0	231	0.00	0	151	0.00	0	382	0.00	0	0	.	0	151	0.00	0	382	0.00
		95	0	0	0	.	0	0	.	.	0	.
		96	3	0	.	0	0	.	3	0	.	0	0	.	0	0	.	3	0	.
0403410 Big Chouse Brook*		94
		95	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
		96
0403580 Wild Cove Bk. (White Bay)		94	0	2	0.00	0	0	.	0	2	0.00	0	0	.	0	0	.	0	2	0.00
		95	0	0	.	.	0
		96	13	40	0.33	0	0	.	13	40	0.33	0	0	.	0	0	.	13	40	0.33
0403620 Western Arm Brook		94	11	0	.	2	0	.	13	0	.	0	0	.	2	0	.	13	0	.
		95	0	.	.	0	.	.	0	.	.	2	.	.	2	.	.	2	.	.
		96	0	56	0.00	0	1	0.00	0	57	.	0	0	.	0	1	0.00	0	57	0.00
0403670 Middle Arm Brook		94	18	124	0.15	8	14	0.57	26	138	0.19	0	0	.	8	14	0.57	26	138	0.19
		95	32	98	0.33	5	17	0.29	37	115	0.32	0	0	.	5	17	0.29	37	115	0.32
		96	134	325	0.41	50	94	0.53	184	419	0.44	5	0	.	55	94	0.59	189	419	0.45
0403700 Southern Arm Brook		94	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
		95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
		96
0504030 Rattling Bk. (Baie Verte)*		94
		95
		96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
0504040 Southwest Bk. (Baie Verte)		94	24	33	0.73	0	0	.	24	33	0.73	0	0	.	0	0	.	24	33	0.73
		95	5	54	0.09	2	5	0.40	7	59	0.12	0	0	.	2	5	0.40	7	59	0.12
		96	53	219	0.24	54	23	2.35	107	242	0.44	2	0	.	56	23	2.43	109	242	0.45
0504280 Paquet Bk. (Woodstock Bk.)		94	0	19	0.00	0	0	.	0	19	0.00	0	0	.	0	0	.	0	19	0.00
		95	2	24	0.08	0	0	.	2	24	0.08	0	0	.	0	0	.	2	24	0.08
		96	16	146	0.11	3	21	0.14	19	167	0.11	3	0	.	6	21	0.29	22	167	0.13
Total		94	3485	3314	1.05	1955	1844	1.06	5440	5158	1.05	189	404	0.47	2144	2248	0.95	5629	5562	1.01
		95	2618	1405	1.86	1710	890	1.92	4328	2295	1.89	282	186	1.52	1992	1076	1.85	4610	2481	1.86
		96	3455	2122	1.63	2529	1118	2.26	5984	3240	1.85	252	143	1.76	2781	1261	2.21	6236	3383	1.84

Table 3. cont'd

SFA 4 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Total (Released)			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
0604820 East Bk. (Burlington River)	94	34	165	0.21	23	0	.	57	165	0.35	7	0	.	30	0	.	64	165	0.39
	95	27	91	0.30	2	3	0.67	29	94	0.31	0	0	.	2	3	0.67	29	94	0.31
	96	30	204	0.15	11	44	0.25	41	248	0.17	0	0	.	11	44	0.25	41	248	0.17
0605200 Southwest River*	94
	95	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
	96
0605570 Indian Bk. (Indian River)	94	439	426	1.03	168	168	1.00	607	594	1.02	21	3	7.00	189	171	1.11	628	597	1.05
	95	521	469	1.11	159	194	0.82	680	663	1.03	14	0	.	173	194	0.89	694	663	1.05
	96	657	548	1.20	304	270	1.13	961	818	1.17	35	8	4.38	339	278	1.22	996	826	1.21
0605640 Riverhead Bk. (West Bk.)	94	231	719	0.32	140	174	0.80	371	893	0.42	15	0	.	155	174	0.89	386	893	0.43
	95	261	463	0.56	99	103	0.96	360	566	0.64	5	0	.	104	103	1.01	365	566	0.64
	96	310	826	0.38	197	161	1.22	507	987	0.51	37	0	.	234	161	1.45	544	987	0.55
0605680 South Brook	94	200	407	0.49	88	187	0.47	288	594	0.48	28	0	.	116	187	0.62	316	594	0.53
	95	261	415	0.63	125	94	1.33	386	509	0.76	38	1	38.00	163	95	1.72	424	510	0.83
	96	195	497	0.39	98	182	0.54	293	679	0.43	18	0	.	116	182	0.64	311	679	0.46
0605940 Tommy's Arm River	94	112	219	0.51	75	57	1.32	187	276	0.68	11	6	1.83	86	63	1.37	198	282	0.70
	95	127	139	0.91	38	50	0.76	165	189	0.87	8	0	.	46	50	0.92	173	189	0.92
	96	158	267	0.59	96	117	0.82	254	384	0.66	18	5	3.60	114	122	0.93	272	389	0.70
0605990 Sops Arm Brook*	94	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
	95	6	.	.	0	.	.	6	.	.	0	.	.	0	.	.	6	.	.
	96	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
0606050 Shoal Arm Brook*	94	3	.	.	3	.	.	6	.	.	0	.	.	3	.	.	6	.	.
	95
	96
0606120 Badger Bay Brook*	94
	95	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
	96
0606570 Northwest Arm River	94	2	38	0.05	0	12	0.00	2	50	0.04	0	0	.	0	12	0.00	2	50	0.04
	95	.	20	0.00	.	4	0.00	.	24	0.00	.	0	.	.	4	0.00	.	24	0.00
	96	2	30	0.07	0	8	0.00	2	38	0.05	0	0	.	0	8	0.00	2	38	0.05
0606720 West Arm Brook	94	107	309	0.35	29	111	0.26	136	420	0.32	2	0	.	31	111	0.28	138	420	0.33
	95	155	156	0.99	110	80	1.38	265	236	1.12	11	0	.	121	80	1.51	276	236	1.17
	96	114	277	0.41	35	102	0.34	149	379	0.39	3	0	.	38	102	0.37	152	379	0.40
0606820 Newbay River	94	128	295	0.43	133	97	1.37	261	392	0.67	42	0	.	175	97	1.80	303	392	0.77
	95	233	144	1.62	215	68	3.16	448	212	2.11	8	2	4.00	223	70	3.19	456	214	2.13
	96	245	381	0.64	251	143	1.76	496	524	0.95	19	2	9.50	270	145	1.86	515	526	0.98
0707660 Charles Brook	94	13	63	0.21	0	15	0.00	13	78	0.17	0	0	.	0	15	0.00	13	78	0.17
	95	11	75	0.15	3	0	.	14	75	0.19	2	0	.	5	0	.	16	75	0.21
	96	16	79	0.20	2	27	0.07	18	106	0.17	0	0	.	2	27	0.07	18	106	0.17
0707760 Northern Arm Brook	94	44	220	0.20	23	55	0.42	67	275	0.24	0	0	.	23	55	0.42	67	275	0.24
	95	35	105	0.33	38	0	.	73	105	0.70	3	0	.	41	0	.	76	105	0.72
	96	51	191	0.27	18	78	0.23	69	269	0.26	0	0	.	18	78	0.23	69	269	0.26
0707780 Peters River	94	26	16	1.63	13	8	1.63	39	24	1.63	0	0	.	13	8	1.63	39	24	1.63
	95	11	76	0.14	12	14	0.86	23	90	0.26	0	0	.	12	14	0.86	23	90	0.26
	96	45	20	2.25	40	4	10.00	85	24	3.54	0	0	.	40	4	10.00	85	24	3.54
0707790 Exploits River	94	1789	3072	0.58	1417	1145	1.24	3206	4217	0.76	223	30	7.43	1640	1175	1.40	3429	4247	0.81
	95	811	1336	0.61	1337	1531	0.87	2148	2867	0.75	134	72	1.86	1471	1603	0.92	2282	2939	0.78
	96	1155	1915	0.60	1861	3202	0.58	3016	5117	0.59	192	111	1.73	2053	3313	0.62	3208	5228	0.61

Table 3. cont'd

SFA 4 cont'd River No. River Name	Year	Small Kept			Small Released			Small Total			Large Total (Released)			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
0707800 Little Rattling Brook*	94	.	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
0707810 Rattling Brook	94	13	137	0.09	26	42	0.62	39	179	0.22	0	0	.	26	42	0.62	39	179	0.22
	95	.	96	0.00	.	53	0.00	.	149	0.00	.	1	0.00	.	54	0.00	.	150	0.00
	96	0	117	0.00	0	43	0.00	0	160	0.00	0	2	0.00	0	45	0.00	0	162	0.00
0707850 Norris Arm Brook*	94
	95
	96	6	.	.	2	.	.	8	.	.	3	.	.	5	.	.	11	.	.
0708190 Michaels Hr River*	94	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
	95	5	.	.	2	.	.	7	.	.	0	.	.	2	.	.	7	.	.
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
0708210 Indian Arm Brook (Campb.)	94	558	340	1.64	210	4	52.50	768	344	2.23	39	1	39.00	249	5	49.80	807	345	2.34
	95	523	393	1.33	181	47	3.85	704	440	1.60	17	1	17.00	198	48	4.13	721	441	1.63
	96	585	463	1.26	315	93	3.39	900	556	1.62	24	31	0.77	339	124	2.73	924	587	1.57
0708250 Loon Bay River*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	95
	96
0708480 Dog Bay River (Horwood)	94	114	232	0.49	29	74	0.39	143	306	0.47	3	0	.	32	74	0.43	146	306	0.48
	95	172	364	0.47	46	142	0.32	218	506	0.43	12	0	.	58	142	0.41	230	506	0.45
	96	283	419	0.68	74	213	0.35	357	632	0.56	32	0	.	106	213	0.50	389	632	0.62
0908610 Gander River	94	3399	2122	1.60	1602	448	3.58	5001	2570	1.95	353	39	9.05	1955	487	4.01	5354	2609	2.05
	95	3753	2598	1.44	1945	612	3.18	5698	3210	1.78	430	74	5.81	2375	686	3.46	6128	3284	1.87
	96	4489	2974	1.51	2818	1153	2.44	7307	4127	1.77	643	73	8.81	3461	1226	2.82	7950	4200	1.89
0908620 Barry's Brook*	94
	95
	96	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
0908630 Gander Bay Brook*	94
	95
	96	0	.	.	2	.	.	2	.	.	0	.	.	2	.	.	2	.	.
0908820 Ragged Hr. River	94	329	306	1.08	145	79	1.84	474	385	1.23	36	0	.	181	79	2.29	510	385	1.32
	95	604	525	1.15	309	66	4.68	913	591	1.54	24	0	.	333	66	5.05	937	591	1.59
	96	555	799	0.69	245	199	1.23	800	998	0.80	21	0	.	266	199	1.34	821	998	0.82
0908940 Anchor Brook	94	83	101	0.82	47	19	2.47	130	120	1.08	5	0	.	52	19	2.74	135	120	1.13
	95	160	177	0.90	127	48	2.65	287	225	1.28	15	0	.	142	48	2.96	302	225	1.34
	96	134	270	0.50	118	96	1.23	252	366	0.69	13	0	.	131	96	1.36	265	366	0.72
0908950 Deadmans Brook	94	60	61	0.98	39	12	3.25	99	73	1.36	3	0	.	42	12	3.50	102	73	1.40
	95	136	172	0.79	52	44	1.18	188	216	0.87	2	0	.	54	44	1.23	190	216	0.88
	96	77	404	0.19	37	145	0.26	114	549	0.21	3	0	.	40	145	0.28	117	549	0.21
0909030 Windmill Brook	94	148	103	1.44	31	21	1.48	179	124	1.44	5	0	.	36	21	1.71	184	124	1.48
	95	253	165	1.53	79	46	1.72	332	211	1.57	3	0	.	82	46	1.78	335	211	1.59
	96	181	279	0.65	46	94	0.49	227	373	0.61	8	0	.	54	94	0.57	235	373	0.63
Total	94	7837	9351	0.84	4241	2728	1.55	12078	12079	1.00	793	79	10.04	5034	2807	1.79	12871	12158	1.06
	95	8070	7979	1.01	4879	3199	1.53	12949	11178	1.16	726	151	4.81	5605	3350	1.67	13675	11329	1.21
	96	9294	10960	0.85	6570	6374	1.03	15864	17334	0.92	1069	232	4.61	7639	6606	1.16	16933	17566	0.96

Table 3. cont'd

SFA 5 River No.	River Name	Year	Small Kept			Small Released			Small Total			Large Released			Total Released			Total Catch		
			Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
1109480	Northwest Bk. (Indian Bk.)	94	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.
		95	9	1	9.00	3	0	.	12	1	12.00	0	0	.	3	0	.	12	1	12.00
		96	19	34	0.56	5	0	.	24	34	0.71	3	0	.	8	0	.	27	34	0.79
1109490	Indian Bay Brook	94	608	589	1.03	249	171	1.46	857	760	1.13	18	1	18.00	267	172	1.55	875	761	1.15
		95	713	683	1.04	354	288	1.23	1067	971	1.10	24	0	.	378	288	1.31	1091	971	1.12
		96	819	551	1.49	419	36	11.64	1238	587	2.11	26	0	.	445	36	12.36	1264	587	2.15
1109560	Northwest River (Trinity)	94	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.
		95	2	0	.	2	0	.	4	0	.	0	0	.	2	0	.	4	0	.
		96	.	23	0.00	.	0	.	.	23	0.00	.	0	0	.	0	0	.	23	0.00
1109750	Traverse Brook	94	276	154	1.79	148	36	4.11	424	190	2.23	24	0	.	172	36	4.78	448	190	2.36
		95	349	168	2.08	247	36	6.86	596	204	2.92	62	0	.	309	36	8.58	658	204	3.23
		96	361	292	1.24	166	49	3.39	527	341	1.55	10	0	.	176	49	3.59	537	341	1.57
1109760	Middle Brook (Gambo)	94	270	409	0.66	171	122	1.40	441	531	0.83	29	0	.	200	122	1.64	470	531	0.89
		95	308	402	0.77	165	82	2.01	473	484	0.98	21	0	.	186	82	2.27	494	484	1.02
		96	347	476	0.73	233	153	1.52	580	629	0.92	19	0	.	252	153	1.65	599	629	0.95
1109780	Gambo Brook	94	748	941	0.79	246	179	1.37	994	1120	0.89	21	4	5.25	267	183	1.46	1015	1124	0.90
		95	709	772	0.92	288	48	6.00	997	820	1.22	46	4	11.50	334	52	6.42	1043	824	1.27
		96	907	1641	0.55	382	184	2.08	1289	1825	0.71	74	0	.	456	184	2.48	1363	1825	0.75
1110130	Northwest Brook	94	3	45	0.07	2	0	.	5	45	0.11	2	0	.	4	0	.	7	45	0.16
		95	11	31	0.35	0	0	.	11	31	0.35	0	0	.	0	0	.	11	31	0.35
		96	3	35	0.09	2	1	2.00	5	36	0.14	3	0	.	5	1	5.00	8	36	0.22
1110220	Terra Nova River	94	563	822	0.68	278	178	1.56	841	1000	0.84	21	44	0.48	299	222	1.35	862	1044	0.83
		95	652	696	0.94	302	132	2.29	954	828	1.15	43	72	0.60	345	204	1.69	997	900	1.11
		96	611	896	0.68	304	260	1.17	915	1156	0.79	42	113	0.37	346	373	0.93	957	1269	0.75
1210880	Northwest Bk. (Port B)	94	34	164	0.21	10	1	10.00	44	165	0.27	0	3	0.00	10	4	2.50	44	168	0.26
		95	23	97	0.24	9	0	.	32	97	0.33	3	0	.	12	0	.	35	97	0.36
		96	2	0	.	0	7	0.00	2	7	0.29	0	0	.	0	7	0.00	2	7	0.29
1210890	Salmon Brook (Port B)	94	8	25	0.32	2	0	.	10	25	0.40	2	0	.	4	0	.	12	25	0.48
		95	23	3	7.67	2	0	.	25	3	8.33	0	0	.	2	0	.	25	3	8.33
		96	2	0	.	0	5	.	2	5	0.40	0	0	.	0	5	0.00	2	5	0.40
1210930	Southwest Bk. (Port B)	94	75	67	1.12	18	2	9.00	93	69	1.35	5	0	.	23	2	11.50	98	69	1.42
		95	52	7	7.43	11	0	.	63	7	9.00	3	0	.	14	0	.	66	7	9.43
		96	6	0	.	3	11	0.27	9	11	0.82	0	0	.	3	11	0.27	9	11	0.82
1211070	Northwest Brook, Lethbridge*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
		95
		96
1211080	Southwest Brook*	94	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
		95	0	.	.
		96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
1211580	Charleston Brook*	94	7	.	.	2	.	.	9	.	.	0	.	.	2	.	.	9	.	.
		95
		96	0
Total		94	2594	3216	0.81	1126	689	1.63	3720	3905	0.95	122	52	2.35	1248	741	1.68	3842	3957	0.97
		95	2851	2860	1.00	1383	586	2.36	4234	3446	1.23	202	76	2.66	1585	662	2.39	4436	3522	1.26
		96	3077	3948	0.78	1514	706	2.14	4591	4654	0.99	177	113	1.57	1691	819	2.06	4768	4767	1.00

Table 3. cont'd

SFA 6 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Released			Total Released			Total Catch			
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	
1512520 Salmon Cove River (T.B.)	94	62	89	0.70	15	17	0.88	77	106	0.73	5	4	1.25	20	21	0.95	82	110	0.75	
	95	29	105	0.28	5	35	0.14	34	140	0.24	3	7	0.43	8	42	0.19	37	147	0.25	
	96	32	105	0.30	13	30	0.43	45	135	0.33	13	17	0.76	26	47	0.55	58	152	0.38	
1512530 Port Rexton River*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	95	
	96	
1512620 Trouty River	94	0	50	0.00	10	3	3.33	10	53	0.19	0	0	.	10	3	3.33	10	53	0.19	
	95	5	70	0.07	0	16	0.00	5	86	0.06	0	1	0.00	0	17	0.00	5	87	0.06	
	96	5	55	0.09	0	10	0.00	5	65	0.08	0	0	.	0	10	0.00	5	65	0.08	
1612750 Popes Hr. River	94	33	15	2.20	11	0	.	44	15	2.93	5	0	.	16	0	.	49	15	3.27	
	95	40	33	1.21	3	0	.	43	33	1.30	0	0	.	3	0	.	43	33	1.30	
	96	32	35	0.91	13	3	4.33	45	38	1.18	0	0	.	13	3	4.33	45	38	1.18	
1612780 Hickmans Harbour River*	94	21	.	.	0	.	.	21	.	.	0	.	.	0	.	.	21	.	.	
	95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	96	6	.	.	3	.	.	9	.	.	0	.	.	3	.	.	9	.	.	
1612990 Georges Brook*	94	7	.	.	0	.	.	7	.	.	0	.	.	0	.	.	7	.	.	
	95	
	96	
1613060 Shoal Hr. River	94	13	37	0.35	5	0	.	18	37	0.49	5	0	.	10	0	.	23	37	0.62	
	95	8	0	.	2	0	.	10	0	.	0	0	.	2	0	.	10	0	.	
	96	27	9	3.00	18	0	.	45	9	5.00	2	0	.	20	0	.	47	9	5.22	
1613100 Deep Bight River*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	95	
	96	
1613370 Northwest Brook*	94	
	95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
1713950 Deer Harbour River*	94	
	95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
1714680 Bellevue Bk. (Trout Bk.)	94	8	34	0.24	5	0	.	13	34	0.38	0	0	.	5	0	.	13	34	0.38	
	95	15	77	0.19	0	3	0.00	15	80	0.19	2	0	.	2	3	0.67	17	80	0.21	
	96	13	123	0.11	3	0	.	16	123	0.13	0	0	.	3	0	.	16	123	0.13	
1714870 Spread Eagle Peak	94	.	16	0.00	.	1	0.00	.	17	0.00	.	0	.	.	1	0.00	.	17	0.00	
	95	2	51	0.04	2	7	0.29	4	58	0.07	0	0	.	2	7	0.29	4	58	0.07	
	96		
Total		94	144	241	0.60	46	21	2.19	190	262	0.73	15	4	3.75	61	25	2.44	205	266	0.77
		95	99	336	0.29	12	61	0.20	111	397	0.28	5	8	0.63	17	69	0.25	116	405	0.29
		96	115	327	0.35	50	43	1.16	165	370	0.45	15	17	0.88	65	60	1.08	180	387	0.47

Table 3. cont'd

SFA 7 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Released			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
		.	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
2015600 Western Bay Brook*	94	.	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	96
2115720 Salmon Cove River	94	7	13	0.54	0	0	.	7	13	0.54	0	0	.	0	0	.	7	13	0.54
	95	24	30	0.80	2	0	.	26	30	0.87	3	0	.	5	0	.	29	30	0.97
	96	5	39	0.13	0	0	.	5	39	0.13	0	0	.	0	0	.	5	39	0.13
2215970 North River (C.B.)	94	8	44	0.18	2	0	.	10	44	0.23	0	0	.	2	0	.	10	44	0.23
	95	30	108	0.28	3	0	.	33	108	0.31	0	0	.	3	0	.	33	108	0.31
	96	18	79	0.23	0	2	0.00	18	81	0.22	0	0	.	0	2	0.00	18	81	0.22
2215990 South River (C.B.)	94	2	14	0.14	3	0	.	5	14	0.36	0	0	.	3	0	.	5	14	0.36
	95	3	32	0.09	0	0	.	3	32	0.09	0	0	.	0	0	.	3	32	0.09
	96	2	21	0.10	0	1	0.00	2	22	0.09	0	0	.	0	1	0.00	2	22	0.09
2216220 North Arm River (Holyrood)	94	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.
	95	2	0	.	0	0	.	2	0	.	0	0	.	0	0	.	2	0	.
	96	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
Total	94	17	71	0.24	5	0	.	22	71	0.31	0	0	.	5	0	.	22	71	0.31
	95	59	170	0.35	5	0	.	64	170	0.38	3	0	.	8	0	.	67	170	0.39
	96	27	139	0.19	0	3	0.00	27	142	0.19	0	0	.	0	3	0.00	27	142	0.19

28

SFA 8 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Released			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
	
2416730 North Pond Brook*	94	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
	95
	96
2416860 Spear Bay Brook*	94
	95	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
	96
2517350 Cape Broyle River	94	0	6	0.00	0	0	.	0	6	0.00	0	0	.	0	0	.	0	6	0.00
	95	.	4	0.00	.	0	.	.	4	0.00	.	0	.	.	0	.	.	4	0.00
	96
2617560 Fermeuse Brook*	94	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
	95
	96
2617640 Renews River	94	26	51	0.51	2	1	2.00	28	52	0.54	2	0	.	4	1	4.00	30	52	0.58
	95	46	69	0.67	23	2	11.50	69	71	0.97	3	0	.	26	2	13.00	72	71	1.01
	96	40	59	0.68	27	0	.	67	59	1.14	5	0	.	32	0	.	72	59	1.22
Total	94	30	57	0.53	2	1	2.00	32	58	0.55	2	0	.	4	1	4.00	34	58	0.59
	95	48	73	0.66	23	2	11.50	71	75	0.95	3	0	.	26	2	13.00	74	75	0.99
	96	40	59	0.68	27	0	.	67	59	1.14	5	0	.	32	0	.	72	59	1.22

Table 3. cont'd

SFA 9 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Released			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
2700020 Freshwater River*	94
	95	0	.	.	3	.	.	3	.	.	0	.	.	3	.	.	3	.	.
	96
2700200 Portugal Cove Brook*	94
	95	6	.	.	2	.	.	8	.	.	2	.	.	4	.	.	10	.	.
	96	5	.	.	0	.	.	5	.	.	0	.	.	0	.	.	5	.	.
2700230 Biscay Bay River	94	198	214	0.93	67	43	1.56	265	257	1.03	20	0	.	87	43	2.02	285	257	1.11
	95	399	386	1.03	159	112	1.42	558	498	1.12	12	0	.	171	112	1.53	570	498	1.14
	96	197	238	0.83	155	50	3.10	352	288	1.22	14	0	.	169	50	3.38	366	288	1.27
2700300 Stoney Brook*	94
	95
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
2700380 N.W. Bk. Trepassey	94	140	181	0.77	44	19	2.32	184	200	0.92	5	0	.	49	19	2.58	189	200	0.95
	95	187	184	1.02	134	42	3.19	321	226	1.42	11	5	2.20	145	47	3.09	332	231	1.44
	96	141	153	0.92	30	12	2.50	171	165	1.04	6	1	6.00	36	13	2.77	177	166	1.07
2800650 St. Shott's River*	94
	95	0	.	.	2	.	.	2	.	.	0	.	.	2	.	.	2	.	.
	96
2800860 Peters River (SMB)	94	2	2	1.00	5	0	.	7	2	3.50	0	0	.	5	0	.	7	2	3.50
	95	2	13	0.15	0	0	.	2	13	0.15	0	0	.	0	0	.	2	13	0.15
	96	6	9	0.67	2	0	.	8	9	0.89	0	0	.	2	0	.	8	9	0.89
2801650 Little Harbour River*	94
	95	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
	96
2801690 Salmonier River (SMB)	94	281	190	1.48	104	29	3.59	385	219	1.76	11	1	11.00	115	30	3.83	396	220	1.80
	95	430	440	0.98	248	96	2.58	678	536	1.26	43	1	43.00	291	97	3.00	721	537	1.34
	96	360	435	0.83	309	164	1.88	669	599	1.12	45	9	5.00	354	173	2.05	714	608	1.17
2802060 North Hr. River (SMB)	94	36	12	3.00	26	0	.	62	12	5.17	2	0	.	28	0	.	64	12	5.33
	95	47	97	0.48	21	19	1.11	68	116	0.59	14	3	4.67	35	22	1.59	82	119	0.69
	96	51	68	0.75	10	9	1.11	61	77	0.79	3	9	0.33	13	18	0.72	64	86	0.74
2802170 Little Salmonier River	94	63	36	1.75	18	2	9.00	81	38	2.13	3	1	3.00	21	3	7.00	84	39	2.15
	95	133	169	0.79	37	25	1.48	170	194	0.88	9	1	9.00	46	26	1.77	179	195	0.92
	96	128	165	0.78	29	10	2.90	157	175	0.90	18	0	.	47	10	4.70	175	175	1.00
2802210 Big Barachois River	94	13	23	0.57	2	0	.	15	23	0.65	0	0	.	2	0	.	15	23	0.65
	95	15	49	0.31	3	0	.	18	49	0.37	0	1	0.00	3	1	3.00	18	50	0.36
	96	16	61	0.26	5	1	5.00	21	62	0.34	2	5	0.40	7	6	1.17	23	67	0.34
2802240 Little Barachois River*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	95	5	.	.	5	.	.	10	.	.	0	.	.	5	.	.	10	.	.
	96	6	.	.	0	.	.	6	.	.	3	.	.	3	.	.	9	.	.
2802380 Branch River	94	67	171	0.39	28	0	.	95	171	0.56	5	0	.	33	0	.	100	171	0.58
	95	137	256	0.54	82	13	6.31	219	269	0.81	43	0	.	125	13	9.62	262	269	0.97
	96	155	242	0.64	58	5	11.60	213	247	0.86	24	1	24.00	82	6	13.67	237	248	0.96
Total	94	800	829	0.97	294	93	3.16	1094	922	1.19	46	2	23.00	340	95	3.58	1140	924	1.23
	95	1364	1594	0.86	696	307	2.27	2060	1901	1.08	134	11	12.18	830	318	2.61	2194	1912	1.15
	96	1065	1371	0.78	598	251	2.38	1663	1622	1.03	115	25	4.60	713	276	2.58	1778	1647	1.08

Table 3. cont'd

SFA 10 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Released			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
2902820 Gt. Barasway Bk. (Plac.)	94	3	0	.	8	0	.	11	0	.	0	0	.	8	0	.	11	0	.
	95	6	5	1.20	0	0	.	6	5	.	2	0	.	2	0	.	8	5	.
	96	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.
2902980 Southeast River (Plac.)	94	54	40	1.35	11	2	5.50	65	42	1.55	11	0	.	22	2	11.00	76	42	1.81
	95	113	64	1.77	21	2	10.50	134	66	2.03	12	0	.	33	2	16.50	146	66	2.21
	96	146	78	1.87	48	2	24.00	194	80	2.43	29	0	.	77	2	38.50	223	80	2.79
2903070 Northeast River (Plac.)	94	67	39	1.72	20	5	4.00	87	44	1.98	5	0	.	25	5	5.00	92	44	2.09
	95	175	127	1.38	53	8	6.63	228	135	1.69	12	0	.	65	8	8.13	240	135	1.78
	96	347	268	1.29	184	7	26.29	531	275	1.93	40	0	.	224	7	32.00	571	275	2.08
3003740 Come-By-Chance River	94	3	14	0.21	2	2	1.00	5	16	0.31	0	0	.	2	2	1.00	5	16	0.31
	95	29	55	0.53	11	2	5.50	40	57	0.70	0	0	.	11	2	5.50	40	57	0.70
	96	29	97	0.30	26	1	26.00	55	98	0.56	3	0	.	29	1	29.00	58	98	0.59
3003880 North Hr. River	94	46	92	0.50	15	16	0.94	61	108	0.56	5	0	.	20	16	1.25	66	108	0.61
	95	43	107	0.40	5	0	.	48	107	0.45	0	0	.	5	0	.	48	107	0.45
	96	90	132	0.68	37	2	18.50	127	134	0.95	0	0	.	37	2	18.50	127	134	0.95
3003890 Watsons Brook	94	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.
	95	3	0	.	0	0	.	3	0	.	0	0	.	0	0	.	3	0	.
	96	0	5	0.00	0	0	.	0	5	.	0	0	.	0	0	.	0	5	.
3004090 Black River	94	42	27	1.56	13	7	1.86	55	34	1.62	2	4	0.50	15	11	1.36	57	38	1.50
	95	43	51	0.84	11	16	0.69	54	67	0.81	5	3	1.67	16	19	0.84	59	70	0.84
	96	69	51	1.35	22	0	.	91	51	1.78	0	0	.	22	0	.	91	51	1.78
3004160 Pipers Hole River	94	67	116	0.58	23	32	0.72	90	148	0.61	8	6	1.33	31	38	0.82	98	154	0.64
	95	107	176	0.61	35	46	0.76	142	222	0.64	3	2	1.50	38	48	0.79	145	224	0.65
	96	61	119	0.51	37	15	2.47	98	134	0.73	8	0	.	45	15	3.00	106	134	0.79
3004480 Sandy Harbour River*	94	
	95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	
	96		
3105180 Paradise River*	94		
	95		
	96	6	.	.	0	.	.	6	.	.	0	.	.	0	.	.	6	.	
3105210 Black River*	94	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	
	95	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	
	96		
3105410 Petite Forte River*	94	5	.	.	0	.	.	5	.	.	0	.	.	0	.	.	5	.	
	95		
	96		
3105470 Nonsuch Brook	94	2	4	0.50	0	0	.	2	4	0.50	0	0	.	0	0	.	2	4	0.50
	95	6	14	0.43	11	14	0.79	17	28	0.61	2	0	.	13	14	0.93	19	28	0.68
	96	10	52	0.19	3	18	0.17	13	70	0.19	0	6	0.00	3	24	0.13	13	76	0.17

Appendix 1. Samples of the vendor's slip (top) and angler stub (bottom).

1997 NEWFOUNDLAND & LABRADOR		13703
Inland Fishing Licence (Individual) -		
RESIDENT (SALMON)		
Please print One Letter or Number Per Block. Do Not Alter or Deface		
SURNAME <input type="text"/>	FIRST NAME AND INITIAL <input type="text"/>	SEX <input type="checkbox"/>
MAILING ADDRESS <input type="text"/> <input type="text"/>		POSTAL CODE <input type="text"/> <input type="text"/>
TELEPHONE <input type="text"/> - <input type="text"/> - <input type="text"/>		DATE OF ISSUING (DD/MM/YY) <input type="text"/>
M.C.P. No. <input type="text"/> - <input type="text"/> - <input type="text"/> - <input type="text"/>		(Fee)
<hr/> VENDOR		<hr/> APPLICANT
This stub to be returned to Dept. of Fisheries and Oceans		

Appendix 2. Sample of the 1997 reminder card.

Outside

۲۳

Inside

REMINDER	
Dear Angler,	Name _____ Address _____ Licence No. _____
Have you completed and returned your fishing activity report attached to your 1997 salmon angling licence? In view of the low salmon returns this year, your cooperation is vital. If you did not fish, it is important that you return your log indicating this in the box provided. If you fished and had no catch please record your effort.	
If you have misplaced the original form please use the one provided with this reminder.	Dept. of Fisheries & Oceans Salmonids Section Pelagic fish, Shellfish and Salmonids Division Science Branch P.O. Box 5667 St. John's, NF A1C 5X1
If you have already returned your report please accept our thanks and disregard this notice.	
For further information please call 772-4518 or 772-4402.	

Table 3. cont'd

SFA 10 cont'd River No. River Name	Year	Small Kept			Small Released			Small Total			Large Total (Released)			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
3105560 Cape Roger River	94	145	183	0.79	55	39	1.41	200	222	0.90	10	3	3.33	65	42	1.55	210	225	0.93
	95	194	247	0.79	87	78	1.12	281	325	0.86	17	1	17.00	104	79	1.32	298	326	0.91
	96	200	198	1.01	147	138	1.07	347	336	1.03	21	13	1.62	168	151	1.11	368	349	1.05
3105760 Bay De L'eau River	94	161	286	0.56	36	39	0.92	197	325	0.61	8	8	1.00	44	47	0.94	205	333	0.62
	95	242	410	0.59	91	76	1.20	333	486	0.69	18	17	1.06	109	93	1.17	351	503	0.70
	96	267	720	0.37	112	185	0.61	379	905	0.42	21	56	0.38	133	241	0.55	400	961	0.42
3105920 Rushoon River*	94	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
	95
	96
3105990 Northeast Branch (Red Hr.)	94	0	4	0.00	0	0	.	0	4	0.00	0	0	.	0	0	.	0	4	0.00
	95	0	4	0.00	0	0	.	0	4	0.00	0	0	.	0	0	.	0	4	0.00
	96	.	44	0.00	.	7	0.00	.	51	0.00	.	8	0.00	.	15	0.00	.	59	0.00
3106000 Red Hr. River (NW Branch)	94	2	4	0.50	0	0	.	2	4	0.50	0	0	.	0	0	.	2	4	0.50
	95	2	19	0.11	0	2	0.00	2	21	0.10	0	0	.	0	2	0.00	2	21	0.10
	96	2	40	0.05	0	12	0.00	2	52	0.04	0	5	0.00	0	17	0.00	2	57	0.04
3206370 Northwest Brook	94	0	2	0.00	0	0	.	0	2	0.00	0	0	.	0	0	.	0	2	0.00
	95	.	8	0.00	.	0	.	.	8	0.00	.	0	.	.	0	.	.	8	0.00
	96	0	58	0.00	0	10	0.00	0	68	0.00	0	0	.	0	10	0.00	0	68	0.00
3206410 Tides Brook	94	5	9	0.56	2	0	.	7	9	0.78	2	0	.	4	0	.	9	9	1.00
	95	21	20	1.05	24	0	.	45	20	2.25	2	0	.	26	0	.	47	20	2.35
	96	46	93	0.49	3	8	0.38	49	101	0.49	13	0	.	16	8	2.00	62	101	0.61
3206950 Big Salmonier River	94	0	34	0.00	0	5	0.00	0	39	0.00	0	0	.	0	5	0.00	0	39	0.00
	95	2	15	0.13	3	1	3.00	5	16	0.31	0	0	.	3	1	3.00	5	16	0.31
	96	0	24	0.00	0	3	0.00	0	27	0.00	0	0	.	0	3	0.00	0	27	0.00
3207150 Lt. St. Lawrence River	94	2	0	.	0	0	.	2	0	.	0	0	.	0	0	.	2	0	.
	95	.	1	0.00	.	0	.	.	1	0.00	.	0	.	.	0	.	.	1	0.00
	96	3	0	.	13	0	.	16	0	.	0	0	.	13	0	.	16	0	.
3207280 Lawn River	94	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.
	95	.	0	.	.	0	.	.	0	0	.	0	.	.	0	.	.	0	.
	96	6	0	.	2	0	.	8	0	.	0	0	.	2	0	.	8	0	.
3207520 Taylor Bay Brook	94	13	9	1.44	5	1	5.00	18	10	1.80	0	0	.	5	1	5.00	18	10	1.80
	95	3	19	0.16	0	4	0.00	3	23	0.13	0	0	.	0	4	0.00	3	23	0.13
	96	30	18	1.67	6	3	2.00	36	21	1.71	0	0	.	6	3	2.00	36	21	1.71
3207570 Salmonier River (Lamaline)	94	59	83	0.71	8	2	4.00	67	85	0.79	2	0	.	10	2	5.00	69	85	0.81
	95	127	90	1.41	15	4	3.75	142	94	1.51	6	0	.	21	4	5.25	148	94	1.57
	96	131	70	1.87	56	16	3.50	187	86	2.17	16	0	.	72	16	4.50	203	86	2.36
3207670 Piercy's Brook	94	2	0	.	0	0	.	2	0	.	0	0	.	0	0	.	2	0	.
	95	6	18	0.33	0	1	0.00	6	19	0.32	0	0	.	0	1	0.00	6	19	0.32
	96	16	25	0.64	3	1	3.00	19	26	0.73	0	0	.	3	1	3.00	19	26	0.73
Total	94	682	946	0.72	198	150	1.32	880	1096	0.80	53	21	2.52	251	171	1.47	933	1117	0.84
	95	1124	1450	0.78	367	254	1.44	1491	1704	0.88	79	23	3.43	446	277	1.61	1570	1727	0.91
	96	1459	2092	0.70	699	428	1.63	2158	2520	0.86	151	88	1.72	850	516	1.65	2309	2608	0.89

Table 3. cont'd

SFA 11 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Released			Total Released			Total Catch		
		Sub	DFO	Sub/DFO	Sub	DFO	Sub/DFO	Sub	DFO	Sub/DFO	Sub	DFO	Sub/DFO	Sub	DFO	Sub/DFO	Sub	DFO	Sub/DFO
3308040 Grand Bank Brook	94	24	25	0.96	3	1	3.00	27	26	1.04	8	0	.	11	1	11.00	35	26	1.35
	95	41	62	0.66	5	4	1.25	46	66	0.70	0	0	.	5	4	1.25	46	66	0.70
	96	75	105	0.71	19	24	0.79	94	129	0.73	2	0	.	21	24	0.88	96	129	0.74
3308160 Little Barasway Brook*	94
	95
	96	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
3308440 Garnish River	94	239	550	0.43	200	141	1.42	439	691	0.64	23	2	11.50	223	143	1.56	462	693	0.67
	95	413	1032	0.40	267	185	1.44	680	1217	0.56	8	5	1.60	275	190	1.45	688	1222	0.56
	96	358	1087	0.33	237	287	0.83	595	1374	0.43	66	3	22.00	303	290	1.04	661	1377	0.48
3308540 Devils Brook	94	13	89	0.15	2	2	1.00	15	91	0.16	0	0	.	2	2	1.00	15	91	0.16
	95	11	73	0.15	0	1	0.00	11	74	0.15	0	0	.	0	1	0.00	11	74	0.15
	96	3	107	0.03	0	14	0.00	3	121	0.02	0	0	.	0	14	0.00	3	121	0.02
3409780 Long Hr. River	94	390	283	1.38	605	247	2.45	995	530	1.88	23	1	23.00	628	248	2.53	1018	531	1.92
	95	546	489	1.12	875	359	2.44	1421	848	1.68	37	1	37.00	912	360	2.53	1458	849	1.72
	96	598	700	0.85	1031	746	1.38	1629	1446	1.13	58	1	58.00	1089	747	1.46	1687	1447	1.17
3410170 Mal Bay Brook*	94
	95
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
3410270 Rencontre Brook*	94	24	.	.	7	.	.	31	.	.	0	.	.	7	.	.	31	.	.
	95	37	.	.	8	.	.	45	.	.	0	.	.	8	.	.	45	.	.
	96	30	.	.	2	.	.	32	.	.	0	.	.	2	.	.	32	.	.
3410650 North East Brook*	94
	95
	96	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
3410700 North West Brook*	94
	95
	96	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
3410790 Bay Du Nord River	94	67	113	0.59	83	45	1.84	150	158	0.95	11	13	0.85	94	58	1.62	161	171	0.94
	95	155	186	0.83	128	81	1.58	283	267	1.06	20	1	20.00	148	82	1.80	303	268	1.13
	96	163	226	0.72	200	88	2.27	363	314	1.16	51	5	10.20	251	93	2.70	414	319	1.30
3410830 North West Brook*	94	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
	95
	96
3410920 Salmon River*	94	8	.	.	10	.	.	18	.	.	0	.	.	10	.	.	18	.	.
	95	12	.	.	12	.	.	24	.	.	6	.	.	18	.	.	30	.	.
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
3410940 Simmons Brook	94	15	52	0.29	5	19	0.26	20	71	0.28	2	0	.	7	19	0.37	22	71	0.31
	95	62	105	0.59	34	12	2.83	96	117	0.82	0	1	0.00	34	13	2.62	96	118	0.81
	96	48	132	0.36	13	0	.	61	132	0.46	6	0	.	19	0	.	67	132	0.51
3411000 Southwest Brook	94	3	40	0.08	0	4	0.00	3	44	0.07	0	0	.	0	4	0.00	3	44	0.07
	95	17	25	0.68	11	3	3.67	28	28	1.00	2	0	.	13	3	4.33	30	28	1.07
	96	0	20	0.00	0	0	.	0	20	0.00	0	0	.	0	0	.	0	20	0.00
3411240 Long Pond (English Hr. West)*	94
	95
	96	6	.	.	0	.	.	6	.	.	0	.	.	0	.	.	6	.	.
3511530 Old Bay Brook	94	10	19	0.53	2	1	2.00	12	20	0.60	2	0	.	4	1	4.00	14	20	0.70
	95	8	22	0.36	0	0	.	8	22	0.36	0	0	.	0	0	.	8	22	0.36
	96	30	52	0.58	3	0	.	33	52	0.63	10	0	.	13	0	.	43	52	0.83
3511560 Taylors Bay Brook	94	39	14	2.79	5	0	.	44	14	3.14	16	0	.	21	0	.	60	14	4.29
	95	29	11	2.64	26	0	.	55	11	5.00	17	0	.	43	0	.	72	11	6.55
	96	13	25	0.52	6	0	.	19	25	0.76	0	0	.	6	0	.	19	25	0.76
3511580 Black Tom Brook*	94	2	.	.	2	.	.	4	.	.	0	.	.	2	.	.	4	.	.
	95
	96
3612780 Salmonier Brook*	94
	95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	96
3613110 Little River*	94
	95
	96	8	.	.	0	.	.	8	.	.	6	.	.	6	.	.	14	.	.
3613350 Conne River*	94
	95
	96	0	.	.	3	.	.	3	.	.	0	.	.	3	.	.	3	.	.

Table 3. cont'd

SFA 11 cont'd	Year	Small Kept			Small Released			Small Total			Large Total (Released)			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
3613410 Southeast Brook	94	21	24	0.88	0	0	.	21	24	0.88	0	0	.	0	0	.	21	24	0.88
	95	12	27	0.44	0	0	.	12	27	0.44	0	0	.	0	0	.	12	27	0.44
	96	51	.	.	13	.	.	64	.	.	0	.	.	13	.	.	64	.	.
3613490 Northwest Brook (Tail Race)	94	33	68	0.49	3	6	0.50	36	74	0.49	2	8	0.25	5	14	0.36	38	82	0.46
	95	43	92	0.47	0	10	0.00	43	102	0.42	0	0	.	0	10	0.00	43	102	0.42
	96	83	66	1.26	40	15	2.67	123	81	1.52	8	5	1.60	48	20	2.40	131	86	1.52
3614020 Long Reach Brook	94	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.
	95	0	2	0.00	0	0	.	0	2	0.00	0	0	.	0	0	.	0	2	0.00
	96	6	0	.	0	0	.	6	0	.	0	0	.	0	0	.	6	0	.
3614070 Salmon River (Bay D'Est)	94	10	0	.	31	0	.	41	0	.	3	0	.	34	0	.	44	0	.
	95	9	0	.	41	0	.	50	0	.	2	0	.	43	0	.	52	0	.
	96	13	0	.	13	0	.	26	0	.	0	0	.	13	0	.	26	0	.
3614190 First Brook*	94
	95
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
3614260 D'Espoir Brook	94	7	36	0.19	0	2	0.00	7	38	0.18	3	0	.	3	2	1.50	10	38	0.26
	95	32	59	0.54	6	0	.	38	59	0.64	0	0	.	6	0	.	38	59	0.64
	96	11	92	0.12	0	2	0.00	11	94	0.12	2	0	.	2	2	1.00	13	94	0.14
3614760 Allan's Cove Brook	94	11	0	.	0	0	.	11	0	.	0	0	.	0	0	.	11	0	.
	95	5	17	0.29	3	0	.	8	17	0.47	0	0	.	3	0	.	8	17	0.47
	96	5	23	0.22	0	0	.	5	23	0.22	0	0	.	0	0	.	5	23	0.22
3614850 Bottom Brook	94	15	35	0.43	0	0	.	15	35	0.43	0	0	.	0	0	.	15	35	0.43
	95	26	27	0.96	3	0	.	29	27	1.07	2	0	.	5	0	.	31	27	1.15
	96	8	41	0.20	0	1	0.00	8	42	0.19	2	0	.	2	1	2.00	10	42	0.24
3615270 Dolland Brook	94	47	31	1.52	24	0	.	71	31	2.29	2	0	.	26	0	.	73	31	2.35
	95	59	67	0.88	24	1	24.00	83	68	1.22	5	0	.	29	1	29.00	88	68	1.29
	96	77	55	1.40	10	2	5.00	87	57	1.53	6	0	.	16	2	8.00	93	57	1.63
3716620 Grey River	94	146	224	0.65	195	180	1.08	341	404	0.84	3	0	.	198	180	1.10	344	404	0.85
	95	218	265	0.82	344	203	1.69	562	468	1.20	14	1	14.00	358	204	1.75	576	469	1.23
	96	259	291	0.89	461	427	1.08	720	718	1.00	3	6	0.50	464	433	1.07	723	724	1.00
3717440 White Bear River	94	353	205	1.72	85	20	4.25	438	225	1.95	20	4	5.00	105	24	4.38	458	229	2.00
	95	445	262	1.70	110	37	2.97	555	299	1.86	23	3	7.67	133	40	3.33	578	302	1.91
	96	539	294	1.83	313	34	9.21	852	328	2.60	42	2	21.00	355	36	9.86	894	330	2.71
3717720 Bay De Loup River	94	0	.	.	0	.	.	0	0	.	0	.	.	0	0	.	0	0	.
	95	0	2	0.00	0	0	.	0	2	0.00	0	0	.	0	0	.	0	2	0.00
	96	5	0	.	0	0	.	5	0	.	0	0	.	0	0	.	5	0	.
3717770 Kings Hr. River	94	7	13	0.54	0	0	.	7	13	0.54	0	0	.	0	0	.	7	13	0.54
	95	9	11	0.82	0	0	.	9	11	0.82	0	0	.	0	0	.	9	11	0.82
	96	40	64	0.63	37	11	3.36	77	75	1.03	0	0	.	37	11	3.36	77	75	1.03
3817890 Grandy's River	94	530	426	1.24	254	5	50.80	784	431	1.82	63	10	6.30	317	15	21.13	847	441	1.92
	95	544	395	1.38	229	40	5.73	773	435	1.78	30	1	30.00	259	41	6.32	803	436	1.84
	96	803	498	1.61	299	68	4.40	1102	566	1.95	38	4	9.50	337	72	4.68	1140	570	2.00
3818140 Northwest Arm (Connoire Bay)*	94
	95
	96	10	.	.	13	.	.	23	.	.	3	.	.	16	.	.	26	.	.
3818190 Connoire Brook	94	13	33	0.39	11	1	11.00	24	34	0.71	2	0	.	13	1	13.00	26	34	0.76
	95	11	24	0.46	0	2	0.00	11	26	0.42	0	0	.	0	2	0.00	11	26	0.42
	96	24	43	0.56	10	11	0.91	34	54	0.63	3	0	.	13	11	1.18	37	54	0.69
3818340 Couteau Brook*	94	11	.	.	0	.	.	11	.	.	0	.	.	0	.	.	11	.	.
	95	14	.	.	0	.	.	14	.	.	0	.	.	0	.	.	14	.	.
	96	6	.	.	0	.	.	6	.	.	0	.	.	0	.	.	6	.	.
3818490 Cinq Cerf Brook	94
	95
	96	70	114	0.61	27	16	1.69	97	130	0.75	6	0	.	33	16	2.06	103	130	0.79
Total	94	2040	2280	0.89	1527	674	2.27	3567	2954	1.21	183	38	4.82	1710	712	2.40	3750	2992	1.25
	95	2758	3255	0.85	2126	938	2.27	4884	4193	1.16	166	13	12.77	2292	951	2.41	5050	4206	1.20
	96	3351	4035	0.83	2750	1746	1.58	6101	5781	1.06	312	26	12.00	3062	1772	1.73	6413	5807	1.10

Table 3. cont'd

SFA 12 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Released			Total Released			Total Catch			
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	
3818760 East Bay River (La Poile)*	94	
	95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
	96	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.	
3818800 La Poile River	94	257	213	1.21	184	102	1.80	441	315	1.40	28	10	2.80	212	112	1.89	469	325	1.44	
	95	175	140	1.25	49	39	1.26	224	179	1.25	11	8	1.38	60	47	1.28	235	187	1.26	
	96	222	110	2.02	139	74	1.88	361	184	1.96	34	8	4.25	173	82	2.11	395	192	2.06	
3818880 Barasway Brook*	94	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.	
	95	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.	
	96	11	.	.	0	.	.	11	.	.	0	.	.	0	.	.	11	.	.	
3819030 Farmers Arm Brook	94	31	27	1.15	0	0	.	31	27	1.15	0	0	.	0	0	.	31	27	1.15	
	95	26	32	0.81	0	3	0.00	26	35	0.74	0	0	.	0	0	3	0.00	26	35	0.74
	96	38	.	.	35	.	.	73	.	.	0	.	.	35	.	.	73	.	.	
3819100 Garia River	94	67	92	0.73	7	1	7.00	74	93	0.80	7	9	0.78	14	10	1.40	81	102	0.79	
	95	82	54	1.52	8	2	4.00	90	56	1.61	9	3	3.00	17	5	3.40	99	59	1.68	
	96	227	203	1.12	59	47	1.26	286	250	1.14	22	14	1.57	81	61	1.33	308	264	1.17	
3819120 Northwest Brook (Garia Bay)	94	7	8	0.88	0	0	.	7	8	0.88	0	0	.	0	0	.	7	8	0.88	
	95	9	0	.	0	0	.	9	0	.	0	0	.	0	0	.	9	0	.	
	96	8	15	0.53	0	1	0.00	8	16	0.50	0	1	0.00	0	2	0.00	8	17	0.47	
3819320 South East Brook*	94	
	95	
	96	0	.	.	3	.	.	3	.	.	0	.	.	3	.	.	3	.	.	
3820250 Barachoix Brook*	94	
	95	11	.	.	8	.	.	19	.	.	0	.	.	8	.	.	19	.	.	
	96	
3919460 Rose Blanche Brook*	94	
	95	
	96	5	.	.	0	.	.	5	.	.	0	.	.	0	.	.	5	.	.	
3919590 Grandy's Bk (Burnt Is. River)	94	198	53	3.74	54	2	27.00	252	55	4.58	18	13	1.38	72	15	4.80	270	68	3.97	
	95	142	122	1.16	50	15	3.33	192	137	1.40	15	12	1.25	65	27	2.41	207	149	1.39	
	96	154	.	.	53	.	.	207	.	.	8	.	.	61	.	.	215	.	.	
3919820 Isle Aux Morts River	94	130	124	1.05	28	30	0.93	158	154	1.03	28	2	14.00	56	32	1.75	186	156	1.19	
	95	105	102	1.03	50	27	1.85	155	129	1.20	15	5	3.00	65	32	2.03	170	134	1.27	
	96	162	134	1.21	58	46	1.26	220	180	1.22	29	4	7.25	87	50	1.74	249	184	1.35	
3920100 Grand Bay Brook	94	44	76	0.58	8	2	4.00	52	78	0.67	2	14	0.14	10	16	0.63	54	92	0.59	
	95	37	57	0.65	27	1	27.00	64	58	1.10	14	13	1.08	41	14	2.93	78	71	1.10	
	96	59	.	.	26	.	.	85	.	.	18	.	.	44	.	.	103	.	.	
3920270 Cape Ray Brook*	94	
	95	
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	
Total	94	737	593	1.24	281	137	2.05	1018	730	1.39	83	48	1.73	364	185	1.97	1101	778	1.42	
	95	589	507	1.16	192	87	2.21	781	594	1.31	64	41	1.56	256	128	2.00	845	635	1.33	
	96	889	462	1.92	373	168	2.22	1262	630	2.00	111	27	4.11	484	195	2.48	1373	657	2.09	

Table 3. cont'd

SFA 13 River No. River Name	Year	Small Kept			Small Released			Small Total			Large Released			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
4000010 Red Rocks Brook*	94	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
	95	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	96
4000020 Bear Cove Brook	94	3	41	0.07	0	1	0.00	3	42	0.07	2	6	0.33	2	7	0.29	5	48	0.10
	95	0	10	0.00	0	0	.	0	10	0.00	0	2	0.00	0	2	0.00	0	12	0.00
	96	18	.	.	18	.	.	36	.	.	14	.	.	32	.	.	50	.	.
4000140 Little Codroy River	94	31	85	0.36	7	10	0.70	38	95	0.40	7	52	0.13	14	62	0.23	45	147	0.31
	95	49	83	0.59	0	8	0.00	49	91	0.54	11	42	0.26	11	50	0.22	60	133	0.45
	96	53	131	0.40	11	39	0.28	64	170	0.38	35	34	1.03	46	73	0.63	99	204	0.49
4000330 Grand Codroy River	94	597	514	1.16	234	118	1.98	831	632	1.31	501	320	1.57	735	438	1.68	1332	952	1.40
	95	662	583	1.14	198	90	2.20	860	673	1.28	626	270	2.32	824	360	2.29	1486	943	1.58
	96	664	689	0.96	373	263	1.42	1037	952	1.09	499	203	2.46	872	466	1.87	1536	1155	1.33
4000640 Lewis Brook*	94
	95	3	.	.	0	.	.	3	.	.	0	.	.	0	.	.	3	.	.
	96
4000770 Little Brook*	94
	95
	96	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
4000860 Crabbes Brook	94	197	174	1.13	202	37	5.46	399	211	1.89	249	45	5.53	451	82	5.50	648	256	2.53
	95	127	26	4.88	162	5	32.40	289	31	9.32	151	32	4.72	313	37	8.46	440	63	6.98
	96	0	.	.	221	.	.	221	.	.	96	.	.	317	.	.	317	.	.
4000900 Barachois Brook	94	159	154	1.03	78	25	3.12	237	179	1.32	81	14	5.79	159	39	4.08	318	193	1.65
	95	111	53	2.09	58	2	29.00	169	55	3.07	40	24	1.67	98	26	3.77	209	79	2.65
	96	117	.	.	195	.	.	312	.	.	35	.	.	230	.	.	347	.	.
4000920 Robinsons River	94	298	160	1.86	203	88	2.31	501	248	2.02	200	38	5.26	403	126	3.20	701	286	2.45
	95	218	73	2.99	242	38	6.37	460	111	4.14	120	23	5.22	362	61	5.93	580	134	4.33
	96	5	.	.	926	.	.	931	.	.	168	.	.	1094	.	.	1099	.	.
4000960 Fishells Brook	94	115	216	0.53	65	58	1.12	180	274	0.66	55	47	1.17	120	105	1.14	235	321	0.73
	95	95	80	1.19	40	112	0.36	135	192	0.70	43	43	1.00	83	155	0.54	178	235	0.76
	96	315	.	.	232	.	.	547	.	.	150	.	.	382	.	.	697	.	.
4101080 Flat Bay Brook	94	356	128	2.78	107	8	13.38	463	136	3.40	109	32	3.41	216	40	5.40	572	168	3.40
	95	8	0	.	3	0	.	11	0	.	0	0	.	3	0	.	11	0	.
	96	
4101110 Little Barachois Brook	94	67	110	0.61	18	1	18.00	85	111	0.77	29	10	2.90	47	11	4.27	114	121	0.94
	95	41	53	0.77	66	90	0.73	107	143	0.75	9	20	0.45	75	110	0.68	116	163	0.71
	96	165	.	.	118	.	.	283	.	.	45	.	.	163	.	.	328	.	.

Table 3. cont'd

SFA 13 cont'd River No. River Name	Year	Small Kept			Small Released			Small Total			Large Total (Released)			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
4101150 Southwest & Bottom Brook	94	413	113	3.65	381	7	54.43	794	120	6.62	304	33	9.21	685	40	17.13	1098	153	7.18
	95	322	137	2.35	437	29	15.07	759	166	4.57	168	50	3.36	605	79	7.66	927	216	4.29
	96	659	443	1.49	1129	35	32.26	1788	478	3.74	392	13	30.15	1521	48	31.69	2180	491	4.44
4101200 Harry's River	94	281	153	1.84	150	84	1.79	431	237	1.82	146	50	2.92	296	134	2.21	577	287	2.01
	95	155	149	1.04	285	60	4.75	440	209	2.11	183	44	4.16	468	104	4.50	623	253	2.46
	96	34	.	.	1196	.	.	1230	.	.	206	.	.	1402	.	.	1436	.	.
4101260 Noels Pond Brook*	94
	95
	96	10	.	.	18	.	.	28	.	.	2	.	.	20	.	.	30	.	.
4301920 Fox Island River	94	127	55	2.31	28	10	2.80	155	65	2.38	86	8	10.75	114	18	6.33	241	73	3.30
	95	35	50	0.70	11	0	.	46	50	0.92	38	2	19.00	49	2	24.50	84	52	1.62
	96	38	.	.	16	.	.	54	.	.	26	.	.	42	.	.	80	.	.
4402090 Serpentine River	94	124	116	1.07	59	20	2.95	183	136	1.35	73	93	0.78	132	113	1.17	256	229	1.12
	95	117	133	0.88	96	12	8.00	213	145	1.47	102	133	0.77	198	145	1.37	315	278	1.13
	96	75	.	.	150	.	.	225	.	.	83	.	.	233	.	.	308	.	.
4402370 Cook's Brook*	94
	95	2	.	.	0	.	.	2	.	.	2	.	.	2	.	.	4	.	.
	96
4402430 Humber River	94	3069	1548	1.98	2414	463	5.21	5483	2011	2.73	659	166	3.97	3073	629	4.89	6142	2177	2.82
	95	3942	1825	2.16	3218	705	4.56	7160	2530	2.83	747	233	3.21	3965	938	4.23	7907	2763	2.86
	96	4287	2448	1.75	3515	1350	2.60	7802	3798	2.05	851	237	3.59	4366	1587	2.75	8653	4035	2.14
4402570 Whites Brook*	94	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
	95
	96
4402580 Black Brook*	94
	95
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
4402740 Goose Arm Brook	94	36	65	0.55	0	6	0.00	36	71	0.51	10	15	0.67	10	21	0.48	46	86	0.53
	95	52	81	0.64	6	13	0.46	58	94	0.62	24	30	0.80	30	43	0.70	82	124	0.66
	96	53	48	1.10	8	17	0.47	61	65	0.94	21	7	3.00	29	24	1.21	82	72	1.14
4402930 Conways Brook*	94
	95
	96	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
Total	94	5877	3632	1.62	3946	936	4.22	9823	4568	2.15	2511	929	2.70	6457	1865	3.46	12334	5497	2.24
	95	5939	3336	1.78	4822	1164	4.14	10761	4500	2.39	2264	948	2.39	7086	2112	3.36	13025	5448	2.39
	96	6495	3759	1.73	8126	1704	4.77	14621	5463	2.68	2623	494	5.31	10749	2198	4.89	17244	5957	2.89

Table 3. cont'd

SFA 14A River No. River Name	Year	Small Kept			Small Released			Small Total			Large Released			Total Released			Total Catch		
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO
4503520 Trout River	94	44	28	1.57	2	1	2.00	46	29	1.59	5	0	.	7	1	7.00	51	29	1.76
	95	41	18	2.28	2	1	2.00	43	19	2.26	2	2	1.00	4	3	1.33	45	21	2.14
	96	122	40	3.05	16	0	.	138	40	3.45	8	1	8.00	24	1	24.00	146	41	3.56
4503740 Middle Brook*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	95	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
	96	5	.	.	0	.	.	5	.	.	0	.	.	0	.	.	5	.	.
4503920 Lomond River	94	524	325	1.61	290	116	2.50	814	441	1.85	130	58	2.24	420	174	2.41	944	499	1.89
	95	492	343	1.53	323	190	1.70	815	533	1.53	78	62	1.26	401	252	1.59	893	595	1.50
	96	588	371	1.58	393	99	3.97	981	470	2.09	72	49	1.47	465	148	3.14	1053	519	2.03
4504040 Deer Arm Brook	94	132	13	10.15	106	2	53.00	238	15	15.87	8	0	.	114	2	57.00	246	15	16.40
	95	145	38	3.47	125	0	.	270	38	7.11	23	0	.	148	0	.	293	38	7.71
	96	120	83	1.45	53	18	2.94	173	101	1.71	8	8	1.00	61	26	2.35	181	109	1.66
4504120 Bakers Brook*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	95	2	.	.	2	.	.	4	.	.	0	.	.	2	.	.	4	.	.
	96	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
4504150 Little Brook*	94	2	.	.	0	.	.	2	.	.	3	.	.	3	.	.	5	.	.
	95
	96	2	.	.	0	.	.	2	.	.	0	.	.	0	.	.	2	.	.
4604220 Western Brook	94	2	0	.	0	0	.	2	0	.	0	0	.	0	0	.	2	0	.
	95	2	0	.	6	0	.	8	0	.	0	0	.	6	0	.	8	0	.
	96	2	0	.	0	0	.	2	0	.	0	0	.	0	0	.	2	0	.
4604350 St. Pauls River*	94	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.	0	.	.
	95	8	.	.	0	.	.	8	.	.	0	.	.	0	.	.	8	.	.
	96
4604560 Parsons Pond River	94	33	66	0.50	0	19	0.00	33	85	0.39	7	9	0.78	7	28	0.25	40	94	0.43
	95	38	94	0.35	30	24	1.25	68	118	0.58	5	10	0.50	35	34	1.03	73	128	0.57
	96	77	113	0.68	37	74	0.50	114	187	0.61	0	38	0.00	37	112	0.33	114	225	0.51
4604620 Portland Creek	94	405	722	0.56	272	426	0.64	677	1148	0.59	86	292	0.29	358	718	0.50	763	1440	0.53
	95	561	879	0.46	328	719	0.46	889	1598	0.56	101	339	0.30	429	1058	0.41	990	1937	0.51
	96	509	799	0.64	312	799	0.39	821	1598	0.51	118	394	0.30	430	1193	0.36	939	1992	0.47
4704740 River of Ponds	94	670	1140	0.59	192	92	2.09	862	1232	0.70	49	10	4.90	241	102	2.36	911	1242	0.73
	95	1180	1832	0.37	572	168	3.40	1752	2000	0.88	90	140	0.64	662	308	2.15	1842	2140	0.86
	96	1190	1731	0.69	553	627	0.88	1743	2358	0.74	94	65	1.45	647	692	0.93	1837	2423	0.76
4704750 Little Brook Ponds	94	20	158	0.13	10	2	5.00	30	160	0.19	0	0	.	10	2	5.00	30	160	0.19
	95	29	224	0.09	11	6	1.83	40	230	0.17	0	0	.	11	6	1.83	40	230	0.17
	96	24	148	0.16	16	22	0.73	40	170	0.24	2	1	2.00	18	23	0.78	42	171	0.25
4704800 Torrent River	94	130	227	0.57	55	82	0.67	185	309	0.60	26	9	2.89	81	91	0.89	211	318	0.66
	95	479	331	0.39	601	369	1.63	1080	700	1.54	56	36	1.56	657	405	1.62	1136	736	1.54
	96	480	421	1.14	568	270	2.10	1048	691	1.52	90	20	4.50	658	290	2.27	1138	711	1.60
4704840 East River	94	119	377	0.32	34	18	1.89	153	395	0.39	28	34	0.82	62	52	1.19	181	429	0.42
	95	195	238	0.50	62	29	2.14	257	267	0.96	34	29	1.17	96	58	1.66	291	296	0.98
	96	336	335	1.00	98	62	1.58	434	397	1.09	38	16	2.38	136	78	1.74	472	413	1.14

Table 3. cont'd

SFA 14A cont'd River No. River Name	Year	Small Kept			Small Released			Small Total			Large Total (Released)			Total Released			Total Catch			
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	
4805030 Castors River	94	499	364	1.37	132	88	1.50	631	452	1.40	31	12	2.58	163	100	1.63	662	464	1.43	
	95	997	729	0.68	393	183	2.15	1390	912	1.52	70	25	2.80	463	208	2.23	1460	937	1.56	
	96	979	849	1.15	337	511	0.66	1316	1360	0.97	74	40	1.85	411	551	0.75	1390	1400	0.99	
4905170 St. Genevieve River	94	768	823	0.93	312	235	1.33	1080	1058	1.02	7	47	0.15	319	282	1.13	1087	1105	0.98	
	95	892	807	0.95	248	357	0.69	1140	1164	0.98	55	82	0.67	303	439	0.69	1195	1246	0.96	
	96	832	991	0.84	205	464	0.44	1037	1455	0.71	22	69	0.32	227	533	0.43	1059	1524	0.69	
4905200 East River	94	24	20	1.20	3	2	1.50	27	22	1.23	0	1	0.00	3	3	1.00	27	23	1.17	
	95	95	89	0.27	32	30	1.07	127	119	1.07	17	5	3.40	49	35	1.40	144	124	1.16	
	96	74	53	1.40	32	16	2.00	106	69	1.54	2	3	0.67	34	19	1.79	108	72	1.50	
4905370 Green Island Brook*	94	20	.	.	0	.	.	20	.	.	0	.	.	0	.	.	20	.	.	
	95	23	.	.	2	.	.	25	.	.	0	.	.	2	.	.	25	.	.	
	96	45	.	.	0	.	.	45	.	.	2	.	.	2	.	.	47	.	.	
4905390 Eddies Cove Brook*	94	20	.	.	0	.	.	20	.	.	0	.	.	0	.	.	20	.	.	
	95	32	.	.	3	.	.	35	.	.	0	.	.	3	.	.	35	.	.	
	96	98	.	.	14	.	.	112	.	.	0	.	.	14	.	.	112	.	.	
4905460 Big Brook	94	91	74	1.23	36	12	3.00	127	86	1.48	7	1	7.00	43	13	3.31	134	87	1.54	
	95	72	170	0.54	18	0	.	90	170	0.53	18	1	18.00	36	1	36.00	108	171	0.63	
	96	214	301	0.71	26	15	1.73	240	316	0.76	6	1	6.00	32	16	2.00	246	317	0.78	
4905510 Watt's Bight Brook	94	20	30	0.67	7	2	3.50	27	32	0.84	0	2	0.00	7	4	1.75	27	34	0.79	
	95	26	53	0.38	0	9	0.00	26	62	0.42	0	0	.	0	9	0.00	26	62	0.42	
	96	22	42	0.52	6	2	3.00	28	44	0.64	2	0	.	8	2	4.00	30	44	0.68	
0105640 Pincents Brook	94	5	2	2.50	5	0	.	10	2	5.00	2	0	.	7	0	.	12	2	6.00	
	95	6	9	0.56	3	0	.	9	9	1.00	0	0	.	3	0	.	9	9	1.00	
	96	6	15	0.40	2	1	2.00	8	16	0.50	0	0	.	2	1	2.00	8	16	0.50	
0105680 Parker River (West Brook)	94	20	20	1.00	18	0	.	38	20	1.90	3	0	.	21	0	.	41	20	2.05	
	95	15	81	0.25	2	0	.	17	81	0.21	0	0	.	2	0	.	17	81	0.21	
	96	8	37	0.22	13	18	0.72	21	55	0.38	2	0	.	15	18	0.83	23	55	0.42	
0105710 Bartletts River	94	3	40	0.08	2	0	.	5	40	0.13	0	0	.	2	0	.	5	40	0.13	
	95	9	63	0.05	3	2	1.50	12	65	0.18	2	0	.	5	2	2.50	14	65	0.22	
	96	30	55	0.55	3	0	.	33	55	0.60	0	0	.	3	0	.	33	55	0.60	
0105720 Upper Brook	94	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	
	95	8	48	0.00	0	0	.	8	48	0.17	0	0	.	0	0	.	8	48	0.17	
	96	3	31	0.10	0	1	0.00	3	32	0.09	0	0	.	0	1	0.00	3	32	0.09	
0105800 East Brook (Pistolet Bay)	94	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	0	0	.	
	95	2	44	0.00	0	0	.	2	44	0.05	0	0	.	0	0	.	2	44	0.05	
	96	32	70	0.46	2	9	0.22	34	79	0.43	0	1	0.00	2	10	0.20	34	80	0.43	
Total		94	3551	4429	0.80	1476	1097	1.35	5027	5526	0.91	392	475	0.83	1868	1572	1.19	5419	6001	0.90
		95	5351	6090	0.88	2766	2087	1.33	8117	8177	0.99	551	731	0.75	3317	2818	1.18	8668	8908	0.97
		96	5800	6485	0.89	2686	3008	0.89	8486	9493	0.89	540	706	0.76	3226	3714	0.87	9026	10199	0.88

Table 4. Comparison of effort, total catch, and CPUE from the stub with that provided by DFO River Guardians for each river, 1994-97.

Labrador

Table 4. cont'd

SFA 1 cont'd River No. River Name	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
5714280 St. Michael's River	94	80	242	0.33	49	95	0.52	0.61	0.39
	95	49	152	0.32	111	118	0.94	2.27	0.78
	96	120	183	0.66	96	53	1.81	0.80	0.29
	97	143	427	0.33	34	108	0.31	0.24	0.25
5715040 Big River	94	329	194	1.70	1519	889	1.71	4.62	4.58
	95	98	250	0.39	311	978	0.32	3.17	3.91
	96	223	359	0.62	172	136	1.26	0.77	0.38
	97	277	315	0.88	128	179	0.72	0.46	0.57
5715640 Makkovik River*	94
	95
	96
	97	2	.	.	0	.	.	0.00	.
5717600 Little Bay River *	94	3	.	.	3	.	.	1.00	.
	95
	96	6	.	.	3	.	.	0.50	.
	97	3	0.00	.
5717900 Adlatok River	94	54	115	0.47	29	75	0.39	0.54	0.65
	95	82	68	1.21	102	63	1.62	1.24	0.93
	96	89	85	1.05	45	29	1.55	0.51	0.34
	97	31	4	7.75	39	3	13.00	1.26	0.75
5819220 Hunt River	94	489	207	2.36	225	149	1.51	0.46	0.72
	95	525	287	1.83	389	319	1.22	0.74	1.11
	96	384	55	6.98	103	20	5.15	0.27	0.36
	97	570	270	2.11	248	87	2.85	0.44	0.32
5819480 Flowers River	94	29	90	0.32	64	130	0.49	2.21	1.44
	95	46	0	.	62	0	.	1.35	.
	96	80	0	.	0	0	.	0.00	.
	97	78	91	0.86	30	80	0.38	0.38	0.88
5820280 Reid Brook*	94	.	.	.	0
	95	1	.	.	3	.	.	3.00	.
	96
	97
5922780 North River*	94
	95
	96	6	.	.	0	.	.	0.00	.
	97
Total	94	1232	1036	1.19	2184	1596	1.37	1.77	1.54
	95	923	880	1.05	1083	1543	0.70	1.17	1.75
	96	1088	879	1.24	578	389	1.49	0.53	0.44
	97	1225	1266	0.97	520	504	1.03	0.42	0.40

Table 4. cont'd

Table 4. cont'd

SFA 2 cont'd River No. River Name	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
5405240 Black Bear River*	94	2	.	.	0	.	.	0.00	.
	95	3	.	.	3	.	.	1.00	.
	96	2	.	.	0	.	.	0.00	.
	97
5405820 Sand Hill River	94	669	499	1.34	875	641	1.37	1.31	1.28
	95	194	426	0.46	466	671	0.69	2.40	1.58
	96	180	739	0.24	416	1079	0.39	2.31	1.46
	97	244	629	0.39	283	799	0.35	1.16	1.27
5506440 Dykes River*	94	3	.	.	0	.	.	0.00	.
	95
	96
	97
5506600 Paradise River*	94	2	.	.	0	.	.	0.00	.
	95	4	.	.	20	.	.	5.00	.
	96	8	.	.	19	.	.	2.38	.
	97	2	.	.	7	.	.	3.50	.
5506820 Eagle River	94	1969	1545	1.27	3804	2393	1.59	1.93	1.55
	95	1714	1724	0.99	3987	2196	1.82	2.33	1.27
	96	1868	2189	0.85	3987	2738	1.46	2.13	1.25
	97	1764	1998	0.88	2476	1494	1.66	1.40	0.75
5506860 Southwest Brook*	94
	95
	96	2	.	.	2	.	.	1.00	.
	97	0	0	.	0	0	.	.	.
5506880 White Bear River	94	14	.	.	8	.	.	0.57	.
	95	33	5	6.60	45	5	9.00	1.36	1.00
	96	26	.	.	34	.	.	1.31	.
	97	26	.	.	26	.	.	1.00	.
5507320 North River*	94	43	.	.	121	.	.	2.81	.
	95	9	.	.	3	.	.	0.33	.
	96	3	.	.	3	.	.	1.00	.
	97	14	.	.	9	.	.	0.64	.
Total	94	3381	3352	1.01	5611	3670	1.53	1.66	1.09
	95	2548	3544	0.72	5262	3472	1.52	2.07	0.98
	96	2624	6271	0.42	5076	5152	0.99	1.93	0.82
	97	2465	5256	0.47	3176	3263	0.97	1.29	0.62

Table 4. cont'd

SFA 14B River No. River Name	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
5000120 Forteau River	94	601	2226	0.27	288	331	0.87	0.48	0.15
	95	423	1583	0.27	203	305	0.67	0.48	0.19
	96	685	.	.	412	.	.	0.60	.
	97	254	.	.	148	.	.	0.58	.
5000220 Lanse Au Loup River	94	59	508	0.12	21	12	1.75	0.36	0.02
	95	34	510	0.07	11	14	0.79	0.32	0.03
	96	126	.	.	21	.	.	0.17	.
	97	31	.	.	28	.	.	0.90	.
5000360 Pinware River	94	1776	3175	0.56	841	548	1.53	0.47	0.17
	95	1703	3329	0.51	1181	1017	1.16	0.69	0.31
	96	1594	.	.	1641	.	.	1.03	.
	97	1255	.	.	1198	.	.	0.95	.
5100660 Barge Bay Brook*	94	5	.	.	5	.	.	1.00	.
	95	1	.	.	2	.	.	2.00	.
	96	5	.	.	8	.	.	1.60	.
	97	3	.	.	5	.	.	1.67	.
Total	94	2441	5909	0.41	1155	891	1.30	0.47	0.15
	95	2161	5422	0.40	1397	1336	1.05	0.65	0.25
	96	2410	.	.	2082	.	.	0.86	.
	97	1543	.	.	1379	.	.	0.89	.

Table 4. cont'd

Insular Newfoundland

SFA 3 River No. River Name	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
0300590 Ireland's Brook*	94	31	.	.	29	.	.	0.94	.
	95	70	.	.	26	.	.	0.37	.
	96	38	.	.	50	.	.	1.32	.
0300800 West Brook	94	251	325	0.77	337	373	0.90	1.34	1.15
	95	205	350	0.59	239	292	0.82	1.17	0.83
	96	336	263	1.28	399	115	3.47	1.19	0.44
0300850 Salmon River (Ariego Bay)	94	2305	810	2.85	1663	393	4.23	0.72	0.49
	95	2384	818	2.91	1829	253	7.23	0.77	0.31
	96	2706	1368	1.98	2546	461	5.52	0.94	0.34
0301230 Freshwater Creek*	94	29	.	.	0	.	.	0.00	.
	95	.	.	.	0
	96	2	.	.	0	.	.	0.00	.
0401230 Croque Bk.(Second Pond)*	94
	95
	96	14	.	.	10	.	.	0.71	.
0401640 East River (Easter Brook)	94	76	95	0.80	36	86	0.42	0.47	0.91
	95	68	114	0.60	39	64	0.61	0.57	0.56
	96	60	138	0.43	49	97	0.51	0.82	0.70
0401670 Northeast Brook	94	537	181	2.97	379	159	2.38	0.71	0.88
	95	445	308	1.44	350	149	2.35	0.79	0.48
	96	647	357	1.81	585	213	2.75	0.90	0.60
0401690 Beaver Brook (Western Bk)	94	525	174	3.02	398	154	2.58	0.76	0.89
	95	426	329	1.29	343	173	1.98	0.81	0.53
	96	327	361	0.91	341	253	1.35	1.04	0.70
0401770 Shaol Brook*	94
	95
	96	2	.	.	0	.	.	0.00	.
0401790 Northwest Bk (Canada Bay)	94	42	77	0.55	22	87	0.25	0.52	1.13
	95	33	99	0.33	31	76	0.41	0.94	0.77
	96	34	154	0.22	26	115	0.23	0.76	0.75
0401850 Cloud River	94	92	124	0.74	117	110	1.06	1.27	0.89
	95	91	248	0.37	127	128	0.99	1.40	0.52
	96	152	240	0.63	243	160	1.52	1.60	0.67
0402160 Williamsport Brook*	94	3	.	.	7	.	.	2.33	.
	95
	96	6	.	.	0	.	.	0.00	.
0402340 Soufflets River*	94	49	.	.	15	.	.	0.31	.
	95	43	.	.	21	.	.	0.49	.
	96	37	.	.	23	.	.	0.62	.
0402500 Little Hr. Deep River	94	17	.	.	20	.	.	1.18	.
	95	31	91	0.34	17	18	0.94	0.55	0.20
	96	49	.	.	34	.	.	0.69	.

Table 4. cont'd

SFA 3 cont'd		Year	Rods			Total Catch			CPUE		
			Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	
0402600	Cat Arm River*	94	3	.	.	5	.	.	1.67	.	
		95	
		96	
0402880	Coney Arm River	94	114	1355	0.08	60	867	0.07	0.53	0.64	
		95	64	314	0.20	37	106	0.35	0.58	0.34	
		96	95	438	0.22	45	111	0.41	0.47	0.25	
0402990	Jacksons Arm River*	94	9	.	.	2	.	.	0.22	.	
		95	
		96	
0403110	Main River (Sops Arm)	94	2717	3329	0.82	2473	2759	0.90	0.91	0.83	
		95	1327	2246	0.59	1500	1024	1.46	1.13	0.46	
		96	1058	1609	0.66	1549	933	1.66	1.46	0.58	
0403360	Hampden River	94	5	625	0.01	0	382	0.00	0.00	0.61	
		95	.	72	0.00	
		96	9	45	0.20	3	0	.	0.33	0.00	
0403410	Big Chouse Brook*	94	
		95	4	.	.	3	.	.	0.75	.	
		96	
0403580	Wild Cove Bk. (White Bay)	94	5	7	0.71	0	2	0.00	0.00	0.29	
		95	.	2	0.00	
		96	14	93	0.15	13	40	0.33	0.93	0.43	
0403620	Western Arm Brook	94	33	5	6.60	13	0	.	0.39	0.00	
		95	3	6	0.50	2	.	.	0.67	0.00	
		96	2	115	0.02	0	57	0.00	0.00	0.50	
0403670	Middle Arm Brook	94	59	282	0.21	26	138	0.19	0.44	0.49	
		95	94	217	0.43	37	115	0.32	0.39	0.53	
		96	232	521	0.45	189	419	0.45	0.81	0.80	
0403700	Southern Arm Brook	94	5	.	.	3	.	.	0.60	.	
		95	1	.	.	0	.	.	0.00	.	
		96	
0504030	Rattling Brook (Baie Verte)	94	
		95	
		96	2	.	.	0	.	.	0.00	.	
0504040	Southwest Bk. (Baie Verte)	94	64	225	0.28	24	33	0.73	0.38	0.15	
		95	36	156	0.23	7	59	0.12	0.19	0.38	
		96	186	413	0.45	109	242	0.45	0.59	0.59	
0504280	Paquet Bk. (Woodstock Bk.)	94	28	101	0.28	0	19	0.00	0.00	0.19	
		95	3	68	0.04	2	24	0.08	0.67	0.35	
		96	60	248	0.24	22	167	0.13	0.37	0.67	
Total		94	6999	7715	0.91	5629	5562	1.01	0.80	0.72	
		95	5328	5438	0.98	4610	2481	1.86	0.87	0.46	
		96	6068	6363	0.95	6236	3383	1.84	1.03	0.53	

Table 4. cont'd

SFA 4 River No. River Name		Year	Rods			Total Catch			CPUE	
			Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
0604820	East Bk. (Burlington River)	94	114	302	0.38	64	165	0.39	0.56	0.55
		95	68	218	0.31	29	94	0.31	0.43	0.43
		96	91	343	0.27	41	248	0.17	0.45	0.72
0605200	Southwest River*	94
		95	4	.	.	3	.	.	0.75	.
		96
0605570	Indian Bk. (Indian River)	94	1385	2086	0.66	628	597	1.05	0.45	0.29
		95	1300	1959	0.66	694	663	1.05	0.53	0.34
		96	1616	2260	0.72	996	826	1.21	0.62	0.37
0605640	Riverhead Bk. (West Bk.)	94	669	1861	0.36	386	893	0.43	0.58	0.48
		95	577	1334	0.43	365	566	0.64	0.63	0.42
		96	596	1748	0.34	544	987	0.55	0.91	0.56
0605680	South Brook	94	525	1288	0.41	316	594	0.53	0.60	0.46
		95	635	1066	0.60	424	510	0.83	0.67	0.48
		96	495	1085	0.46	311	679	0.46	0.63	0.63
0605940	Tommy's Arm River	94	388	1053	0.37	198	282	0.70	0.51	0.27
		95	321	927	0.35	173	189	0.92	0.54	0.20
		96	338	1092	0.31	272	389	0.70	0.80	0.36
0605990	Sops Arm Brook*	94	7	.	.	2	.	.	0.29	.
		95	10	.	.	6	.	.	0.60	.
		96	3	.	.	3	.	.	1.00	.
0606050	Shoal Arm Brook*	94	5	.	.	6	.	.	1.20	.
		95
		96
0606120	Badger Bay Brook*	94
		95	4	.	.	2	.	.	0.50	.
		96
0606570	Northwest Arm River	94	5	194	0.03	2	50	0.04	0.40	0.26
		95	.	118	0.00	.	24	0.00	.	0.20
		96	11	141	0.08	2	38	0.05	0.18	0.27
0606720	West Arm Brook	94	345	1065	0.32	138	420	0.33	0.40	0.39
		95	350	568	0.62	276	236	1.17	0.79	0.42
		96	313	997	0.31	152	379	0.40	0.49	0.38
0606820	Newbay River	94	435	1079	0.40	303	392	0.77	0.70	0.36
		95	580	770	0.75	456	214	2.13	0.79	0.28
		96	576	1454	0.40	515	526	0.98	0.89	0.36
0707660	Charles Brook	94	21	232	0.09	13	78	0.17	0.62	0.34
		95	15	90	0.17	16	75	0.21	1.07	0.83
		96	23	312	0.07	18	106	0.17	0.78	0.34
0707760	Northern Arm Brook	94	94	833	0.11	67	275	0.24	0.71	0.33
		95	113	309	0.37	76	105	0.72	0.67	0.34
		96	190	802	0.24	69	269	0.26	0.36	0.34
0707780	Peters River	94	90	123	0.73	39	24	1.63	0.43	0.20
		95	50	234	0.21	23	90	0.26	0.46	0.38
		96	127	187	0.68	85	24	3.54	0.67	0.13
0707790	Exploits River	94	5520	16330	0.34	3429	4247	0.81	0.62	0.26
		95	2718	10089	0.27	2282	2939	0.78	0.84	0.29
		96	3344	11987	0.28	3208	5228	0.61	0.96	0.44

Table 4. cont'd

SFA 4 cont'd		Year	Rods			Total Catch			CPUE		
			Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	
0707800	Little Rattling Brook*	94	
		95	1	.	.	0	.	.	0.00	.	
		96	2	.	.	0	.	.	0.00	.	
0707810	Rattling Brook	94	55	512	0.11	39	179	0.22	0.71	0.35	
		95	.	400	0.00	.	150	0.00	.	0.38	
		96	.	402	0.00	0	162	0.00	.	0.40	
0707850	Norris Arm Brook*	94	
		95	
		96	20	.	.	11	.	.	0.55	.	
0708190	Michaels Hr River*	94	3	.	.	3	.	.	1.00	.	
		95	4	.	.	7	.	.	1.75	.	
		96	3	.	.	0	.	.	0.00	.	
0708210	Indian Arm Brook (Campb.)	94	1674	1484	1.13	807	345	2.34	0.48	0.23	
		95	1468	1775	0.83	721	441	1.63	0.49	0.25	
		96	1705	1964	0.87	924	587	1.57	0.54	0.30	
0708250	Loon Bay River*	94	5	.	.	0	.	.	0.00	.	
		95	
		96	
0708480	Dog Bay River (Horwood)	94	612	939	0.65	146	306	0.48	0.24	0.33	
		95	626	1062	0.59	230	506	0.45	0.37	0.48	
		96	832	1339	0.62	389	632	0.62	0.47	0.47	
0908610	Gander River	94	9618	11287	0.85	5354	2609	2.05	0.56	0.23	
		95	10224	12215	0.84	6128	3284	1.87	0.60	0.27	
		96	11737	12347	0.95	7950	4200	1.89	0.68	0.34	
0908620	Barry's Brook*	94	
		95	
		96	12	.	.	3	.	.	0.25	.	
0908630	Gander Bay Brook*	94	
		95	
		96	2	.	.	2	.	.	1.00	.	
0908820	Ragged Hr. River	94	1229	1135	1.08	510	385	1.32	0.41	0.34	
		95	1370	1376	1.00	937	591	1.59	0.68	0.43	
		96	1419	2314	0.61	821	998	0.82	0.58	0.43	
0908940	Anchor Brook	94	224	513	0.44	135	120	1.13	0.60	0.23	
		95	370	736	0.50	302	225	1.34	0.82	0.31	
		96	295	1062	0.28	265	366	0.72	0.90	0.34	
0908950	Deadmans Brook	94	144	395	0.36	102	73	1.40	0.71	0.18	
		95	266	744	0.36	190	216	0.88	0.71	0.29	
		96	167	1443	0.12	117	549	0.21	0.70	0.38	
0909030	Windmill Brook	94	494	531	0.93	184	124	1.48	0.37	0.23	
		95	862	727	1.19	335	211	1.59	0.39	0.29	
		96	539	1106	0.49	235	373	0.63	0.44	0.34	
Total		94	23661	43242	0.55	12871	12158	1.06	0.54	0.28	
		95	21936	36717	0.60	13675	11329	1.21	0.62	0.31	
		96	24456	44385	0.55	16933	17566	0.96	0.69	0.40	

Table 4. cont'd

SFA 5 River No.	River Name	Year	Rod's			Total Catch			CPUE		
			Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO	
1109480	Northwest Bk. (Indian Bk.)	94	7	48	0.15	0	0	.	0.00	0.00	
		95	9	56	0.16	12	1	12.00	1.33	0.02	
		96	28	201	0.14	27	34	0.79	0.96	0.17	
1109490	Indian Bay Brook	94	1678	2080	0.81	875	761	1.15	0.52	0.37	
		95	1404	1937	0.72	1091	971	1.12	0.78	0.50	
		96	1703	1580	1.08	1264	587	2.15	0.74	0.37	
1109560	Northwest River (Trinity)	94	10	.	.	0	.	.	0.00	.	
		95	4	20	0.20	4	0	.	1.00	0.00	
		96	.	119	0.00	.	23	0.00	.	0.19	
1109750	Traverse Brook	94	655	1160	0.56	448	190	2.36	0.68	0.16	
		95	898	1545	0.58	658	204	3.23	0.73	0.13	
		96	855	1677	0.51	537	341	1.57	0.63	0.20	
1109760	Middle Brook (Gambo)	94	1007	2049	0.49	470	531	0.89	0.47	0.26	
		95	954	2657	0.36	494	484	1.02	0.52	0.18	
		96	926	2481	0.37	599	629	0.95	0.65	0.25	
1109780	Gambo Brook	94	2456	3579	0.69	1015	1124	0.90	0.41	0.31	
		95	2206	2665	0.83	1043	824	1.27	0.47	0.31	
		96	2585	3887	0.67	1363	1825	0.75	0.53	0.47	
1110130	Northwest Brook	94	36	895	0.04	7	45	0.16	0.19	0.05	
		95	92	923	0.10	11	31	0.35	0.12	0.03	
		96	20	467	0.04	8	36	0.22	0.40	0.08	
1110220	Terra Nova River	94	2237	5853	0.38	862	1044	0.83	0.39	0.18	
		95	2109	6042	0.35	997	900	1.11	0.47	0.15	
		96	1765	5933	0.30	957	1269	0.75	0.54	0.21	
1210880	Northwest Bk. (Port B)	94	248	1658	0.15	44	168	0.26	0.18	0.10	
		95	129	708	0.18	35	97	0.36	0.27	0.14	
		96	15	24	0.63	2	7	0.29	0.13	0.29	
1210890	Salmon Brook (Port B)	94	43	261	0.16	12	25	0.48	0.28	0.10	
		95	79	46	1.72	25	3	8.33	0.32	0.07	
		96	6	25	0.24	2	5	0.40	0.33	0.20	
1210930	Southwest Bk. (Port B)	94	326	417	0.78	98	69	1.42	0.30	0.17	
		95	212	92	2.30	66	7	9.43	0.31	0.08	
		96	34	21	1.62	9	11	0.82	0.26	0.52	
1211070	Northwest Brook, Lethbridge*	94	2	.	.	0	.	.	0.00	.	
		95	
		96	
1211080	Southwest Brook*	94	19	.	.	2	.	.	0.11	.	
		95	
		96	3	.	.	0	.	.	0.00	.	
1211580	Charleston Brook*	94	9	.	.	9	.	.	1.00	.	
		95	
		96	
Total		94	8733	18000	0.49	3842	3957	0.97	0.44	0.22	
		95	8096	16691	0.49	4436	3522	1.26	0.55	0.21	
		96	7940	16415	0.48	4768	4767	1.00	0.60	0.29	

Table 4. cont'd

SFA 6 River No. River Name	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
1512520 Salmon Cove River (T.B.)	94	399	846	0.47	82	110	0.75	0.21	0.13
	95	358	717	0.50	37	147	0.25	0.10	0.21
	96	323	635	0.51	58	152	0.38	0.18	0.24
1512530 Port Rexton River*	94	2	.	.	0	.	.	0.00	.
	95
	96
1512620 Trouty River	94	76	420	0.18	10	53	0.19	0.13	0.13
	95	58	490	0.12	5	87	0.06	0.09	0.18
	96	57	350	0.16	5	65	0.08	0.09	0.19
1612750 Popes Hr. River	94	243	478	0.51	49	15	3.27	0.20	0.03
	95	242	455	0.53	43	33	1.30	0.18	0.07
	96	183	454	0.40	45	38	1.18	0.25	0.08
1612780 Hickmans Harbour River*	94	23	.	.	21	.	.	0.91	.
	95	7	.	.	0	.	.	0.00	.
	96	18	.	.	9	.	.	0.50	.
1612990 Georges Brook*	94	10	.	.	7	.	.	0.70	.
	95
	96
1613060 Shoal Hr. River	94	222	195	1.14	23	37	0.62	0.10	0.19
	95	162	46	3.52	10	0	.	0.06	0.00
	96	186	148	1.26	47	9	5.22	0.25	0.06
1613100 Deep Bight River*	94	2	.	.	0	.	.	0.00	.
	95
	96
1613370 Northwest Brook*	94
	95	3	.	.	0	.	.	0.00	.
	96	2	.	.	0	.	.	0.00	.
1713950 Deer Harbour River*	94
	95	6	.	.	0	.	.	0.00	.
	96	2	.	.	0	.	.	0.00	.
1714680 Bellevue Bk. (Trout Bk.)	94	75	300	0.25	13	34	0.38	0.17	0.11
	95	62	401	0.15	17	80	0.21	0.27	0.20
	96	95	744	0.13	16	123	0.13	0.17	0.17
1714870 Spread Eagle Peak	94	.	190	0.00	.	17	0.00	.	0.09
	95	1	404	0.00	4	58	0.07	4.00	0.14
	96
Total	94	1052	2429	0.43	205	266	0.77	0.19	0.11
	95	899	2513	0.36	116	405	0.29	0.13	0.16
	96	866	2331	0.37	180	387	0.47	0.21	0.17

Table 4. cont'd

SFA 7	River No. River Name	Year	Rods			Total Catch			CPUE	
			Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
2015600 Western Bay Brook*		94
		95	3	.	.	0	.	.	0.00	.
		96
2115720 Salmon Cove River		94	45	308	0.15	7	13	0.54	0.16	0.04
		95	141	363	0.39	29	30	0.97	0.21	0.08
		96	68	399	0.17	5	39	0.13	0.07	0.10
2215970 North River (C.B.)		94	69	459	0.15	10	44	0.23	0.14	0.10
		95	142	660	0.22	33	108	0.31	0.23	0.16
		96	174	771	0.23	18	81	0.22	0.10	0.11
2215990 South River (C.B.)		94	55	307	0.18	5	14	0.36	0.09	0.05
		95	83	402	0.21	3	32	0.09	0.04	0.08
		96	58	433	0.13	2	22	0.09	0.03	0.05
2216220 North Arm River (Holyrood)		94	2	88	0.02	0	0	.	0.00	0.00
		95	3	.	.	2	0	.	0.67	.
		96	2	.	.	2	.	.	1.00	.
Total		94	171	1162	0.15	22	71	0.31	0.13	0.06
		95	372	1425	0.26	67	170	0.39	0.18	0.12
		96	302	1603	0.19	27	142	0.19	0.09	0.09

SFA 8	River No. River Name	Year	Rods			Total Catch			CPUE	
			Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
2416730 North Pond Brook*		94	2	.	.	2	.	.	1.00	.
		95
		96
2416860 Spear Bay Brook*		94
		95	1	.	.	2	.	.	2.00	.
		96
2517350 Cape Broyle River		94	.	71	.	0	6	0.00	.	0.08
		95	.	44	.	.	4	0.00	.	0.09
		96
2617560 Fermeuse Brook*		94	2	.	.	2	.	.	1.00	.
		95
		96
2617640 Renews River		94	172	194	0.89	30	52	0.58	0.17	0.27
		95	194	356	0.54	72	71	1.01	0.37	0.20
		96	204	518	0.39	72	59	1.22	0.35	0.11
Total		94	176	265	0.66	34	58	0.59	0.19	0.22
		95	195	400	0.49	74	75	0.99	0.38	0.19
		96	204	518	0.39	72	59	1.22	0.35	0.11

Table 4. cont'd

SFA 9 River No. River Name	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
2700020 Freshwater River*	94
	95	1	.	.	3	.	.	3.00	.
	96
2700200 Portugal Cove Brook*	94
	95	4	.	.	10	.	.	2.50	.
	96	8	.	.	5	.	.	0.63	.
2700230 Biscay Bay River	94	563	1406	0.40	285	257	1.11	0.51	0.18
	95	876	1715	0.51	570	498	1.14	0.65	0.29
	96	530	1723	0.31	366	288	1.27	0.69	0.17
2700300 Stoney Brook*	94
	95
	96	5	.	.	0	.	.	0.00	.
2700380 N.W. Bk. Trepassey	94	378	798	0.47	189	200	0.95	0.50	0.25
	95	571	1688	0.34	332	231	1.44	0.58	0.14
	96	590	1288	0.46	177	166	1.07	0.30	0.13
2800650 St. Shott's River*	94
	95	1	.	.	2	.	.	2.00	.
	96
2800860 Peters River (SMB)	94	9	129	0.07	7	2	3.50	0.78	0.02
	95	12	141	0.09	2	13	0.15	0.17	0.09
	96	14	193	0.07	8	9	0.89	0.57	0.05
2801650 Little Harbour River*	94
	95	6	.	.	3	.	.	0.50	.
	96
2801690 Salmonier River (SMB)	94	1849	3243	0.57	396	220	1.80	0.21	0.07
	95	1998	4190	0.48	721	537	1.34	0.36	0.13
	96	1967	4169	0.47	714	608	1.17	0.36	0.15
2802060 North Hr. River (SMB)	94	204	309	0.66	64	12	5.33	0.31	0.04
	95	269	923	0.29	82	119	0.69	0.30	0.13
	96	429	657	0.65	64	86	0.74	0.15	0.13
2802170 Little Salmonier River	94	123	190	0.65	84	39	2.15	0.68	0.21
	95	211	555	0.38	179	195	0.92	0.85	0.35
	96	283	869	0.33	175	175	1.00	0.62	0.20
2802210 Big Barachois River	94	73	212	0.34	15	23	0.65	0.21	0.11
	95	70	305	0.23	18	50	0.36	0.26	0.16
	96	88	386	0.23	23	67	0.34	0.26	0.17
2802240 Little Barachois River*	94	5	.	.	0	.	.	0.00	.
	95	6	.	.	10	.	.	1.67	.
	96	14	.	.	9	.	.	0.64	.
2802380 Branch River	94	180	867	0.21	100	171	0.58	0.56	0.20
	95	272	970	0.28	262	269	0.97	0.96	0.28
	96	342	1080	0.32	237	248	0.96	0.69	0.23
Total	94	3384	7154	0.47	1140	924	1.23	0.34	0.13
	95	4297	10487	0.41	2194	1912	1.15	0.51	0.18
	96	4270	10365	0.41	1778	1647	1.08	0.42	0.16

Table 4. cont'd

SFA 10 River No. River Name	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
2902820 Gt. Barasway Bk. (Plac.)	94	24	96	0.25	11	0	.	0.46	0.00
	95	30	214	0.14	8	5	1.60	0.27	0.02
	96	3	311	0.01	0	0	.	0.00	0.00
2902980 Southeast River (Plac.)	94	402	730	0.55	76	42	1.81	0.19	0.06
	95	399	340	1.17	146	66	2.21	0.37	0.19
	96	786	1023	0.77	223	80	2.79	0.28	0.08
2903070 Northeast River (Plac.)	94	362	313	1.16	92	44	2.09	0.25	0.14
	95	522	544	0.96	240	135	1.78	0.46	0.25
	96	1318	2883	0.46	571	275	2.08	0.43	0.10
3003740 Come-By-Chance River	94	57	116	0.49	5	16	0.31	0.09	0.14
	95	108	303	0.36	40	57	0.70	0.37	0.19
	96	286	351	0.81	58	98	0.59	0.20	0.28
3003880 North Hr. River	94	153	302	0.51	66	108	0.61	0.43	0.36
	95	153	452	0.34	48	107	0.45	0.31	0.24
	96	427	452	0.94	127	134	0.95	0.30	0.30
3003890 Watsons Brook	94	.	22	0.00	.	0	.	.	0.00
	95	4	23	0.17	3	0	.	0.75	0.00
	96	5	48	0.10	0	5	0.00	0.00	0.10
3004090 Black River	94	137	138	0.99	57	38	1.50	0.42	0.28
	95	77	159	0.48	59	70	0.84	0.77	0.44
	96	155	162	0.96	91	51	1.78	0.59	0.31
3004160 Pipers Hole River	94	307	632	0.49	98	154	0.64	0.32	0.24
	95	384	612	0.63	145	224	0.65	0.38	0.37
	96	303	312	0.97	106	134	0.79	0.35	0.43
3004480 Sandy Harbour River*	94
	95	1	.	.	0	.	.	0.00	.
	96
3105180 Paradise River*	94
	95
	96	8	.	.	6	.	.	0.75	.
3105210 Black River*	94	3	.	.	2	.	.	0.67	.
	95	4	.	.	2	.	.	0.50	.
	96
3105410 Petite Forte River*	94	7	.	.	5	.	.	0.71	.
	95
	96
3105470 Nonsuch Brook	94	5	70	0.07	2	4	0.50	0.40	0.06
	95	21	107	0.20	19	28	0.68	0.90	0.26
	96	31	264	0.12	13	76	0.17	0.42	0.29

Table 4. cont'd

SFA 10 cont'd River No. River Name	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
3105560 Cape Roger River	94	480	1259	0.38	210	225	0.93	0.44	0.18
	95	548	1349	0.41	298	326	0.91	0.54	0.24
	96	548	1174	0.47	368	349	1.05	0.67	0.30
3105760 Bay De L'eau River	94	509	1278	0.40	205	333	0.62	0.40	0.26
	95	711	1508	0.47	351	503	0.70	0.49	0.33
	96	859	2108	0.41	400	961	0.42	0.47	0.46
3105920 Rushoon River*	94	3	.	.	2	.	.	0.67	.
	95
	96
3105990 Northeast Branch (Red Hr.)	94	2	21	0.10	0	4	0.00	0.00	0.19
	95	1	17	0.06	0	4	0.00	0.00	0.24
	96	.	228	0.00	.	59	0.00	.	0.26
3106000 Red Hr. River (NW Branch)	94	33	42	0.79	2	4	0.50	0.06	0.10
	95	13	63	0.21	2	21	0.10	0.15	0.33
	96	5	223	0.02	2	57	0.04	0.40	0.26
3206370 Northwest Brook	94	3	117	0.03	0	2	0.00	0.00	0.02
	95	.	182	0.00	.	8	0.00	.	0.04
	96	5	588	0.01	0	68	0.00	0.00	0.12
3206410 Tides Brook	94	64	435	0.15	9	9	1.00	0.14	0.02
	95	150	1235	0.12	47	20	2.35	0.31	0.02
	96	490	1383	0.35	62	101	0.61	0.13	0.07
3206950 Big Salmonier River	94	14	274	0.05	0	39	0.00	0.00	0.14
	95	27	438	0.06	5	16	0.31	0.19	0.04
	96	3	264	0.01	0	27	0.00	0.00	0.10
3207150 Lt. St. Lawrence River	94	2	53	0.04	2	0	.	1.00	0.00
	95	.	246	0.00	.	1	0.00	.	0.00
	96	26	56	0.46	16	0	.	0.62	0.00
3207280 Lawn River	94	.	52	0.00	0	0	.	.	0.00
	95	.	69	0.00	.	0	.	.	0.00
	96	9	40	0.23	8	0	.	0.89	0.00
3207520 Taylor Bay Brook	94	118	162	0.73	18	10	1.80	0.15	0.06
	95	21	591	0.04	3	23	0.13	0.14	0.04
	96	68	889	0.08	36	21	1.71	0.53	0.02
3207570 Salmonier River (Lamaline)	94	198	778	0.25	69	85	0.81	0.35	0.11
	95	319	1374	0.23	148	94	1.57	0.46	0.07
	96	487	1591	0.31	203	86	2.36	0.42	0.05
3207670 Piercy's Brook	94	5	138	0.04	2	0	.	0.40	0.00
	95	42	384	0.11	6	19	0.32	0.14	0.05
	96	78	778	0.10	19	26	0.73	0.24	0.03
Total	94	2888	7028	0.41	933	1117	0.84	0.32	0.16
	95	3535	10210	0.35	1570	1727	0.91	0.44	0.17
	96	5900	15128	0.39	2309	2608	0.89	0.39	0.17

Table 4. cont'd

SFA 11	River No.	River Name	Year	Rod			Total Catch			CPUE	
				Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
3308040		Grand Bank Brook	94	95	370	0.26	35	26	1.35	0.37	0.07
			95	165	1977	0.08	46	66	0.70	0.28	0.03
			96	356	2005	0.18	96	129	0.74	0.27	0.06
3308160		Little Barasway Brook*	94
			95
			96	5	.	.	3	.	.	0.60	.
3308440		Garnish River	94	639	2592	0.25	462	693	0.67	0.72	0.27
			95	938	3328	0.28	688	1222	0.56	0.73	0.37
			96	909	4256	0.21	661	1377	0.48	0.73	0.32
3308540		Devils Brook	94	23	820	0.03	15	91	0.16	0.65	0.11
			95	21	726	0.03	11	74	0.15	0.52	0.10
			96	6	1081	0.01	3	121	0.02	0.50	0.11
3409780		Long Hr. River	94	639	641	1.00	1018	531	1.92	1.59	0.83
			95	730	1096	0.67	1458	849	1.72	2.00	0.77
			96	937	1455	0.64	1687	1447	1.17	1.80	0.99
3410170		Mal Bay Brook*	94
			95
			96	2	.	.	0	.	.	0.00	.
3410270		Rencontre Brook*	94	45	.	.	31	.	.	0.69	.
			95	36	.	.	45	.	.	1.25	.
			96	26	.	.	32	.	.	1.23	.
3410650		North East Brook *	94
			95
			96	5	.	.	3	.	.	0.60	.
3410700		North West Brook*	94
			95
			96	9	.	.	3	.	.	0.33	.
3410790		Bay Du Nord River	94	305	525	0.58	161	171	0.94	0.53	0.33
			95	379	732	0.52	303	268	1.13	0.80	0.37
			96	373	1072	0.35	414	319	1.30	1.11	0.30
3410830		North West Brook*	94	2	.	.	2	.	.	1.00	.
			95
			96
3410920		Salmon River*	94	16	.	.	18	.	.	1.13	.
			95	18	.	.	30	.	.	1.67	.
			96	2	.	.	0	.	.	0.00	.
3410940		Simmons Brook	94	109	226	0.48	22	71	0.31	0.20	0.31
			95	147	457	0.32	96	118	0.81	0.65	0.26
			96	117	526	0.22	67	132	0.51	0.57	0.25
3411000		Southwest Brook	94	19	192	0.10	3	44	0.07	0.16	0.23
			95	73	163	0.45	30	28	1.07	0.41	0.17
			96	9	62	0.15	0	20	0.00	0.00	0.32
3411240		Long Pond (English Hr. West)*	94
			95
			96	18	.	.	6	.	.	0.33	.
3511530		Old Bay Brook	94	55	162	0.34	14	20	0.70	0.25	0.12
			95	30	151	0.20	8	22	0.36	0.27	0.15
			96	54	226	0.24	43	52	0.83	0.80	0.23
3511560		Taylors Bay Brook	94	92	123	0.75	60	14	4.29	0.65	0.11
			95	77	132	0.58	72	11	6.55	0.94	0.08
			96	23	133	0.17	19	25	0.76	0.83	0.19
3511580		Black Tom Brook*	94	3	.	.	4	.	.	1.33	.
			95
			96
3612780		Salmonier Brook*	94
			95	6	.	.	0	.	.	0.00	.
			96
3613110		Little River*	94
			95
			96	9	.	.	14	.	.	1.56	.
3613350		Conne River*	94
			95
			96	2	.	.	3	.	.	1.50	.

Table 4. cont'd

SFA 11 cont'd	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
3613410 Southeast Brook	94	140	272	0.51	21	24	0.88	0.15	0.09
	95	22	362	0.06	12	27	0.44	0.55	0.07
	96	103	.	.	64	.	.	0.62	.
3613490 Northwest Brook (Tail Race)	94	50	984	0.05	38	82	0.46	0.76	0.08
	95	89	1225	0.07	43	102	0.42	0.48	0.08
	96	151	649	0.23	131	86	1.52	0.87	0.13
3614020 Long Reach Brook	94	10	245	0.04	0	0	.	0.00	0.00
	95	9	293	0.03	0	2	0.00	0.00	0.01
	96	14	308	0.05	6	0	.	0.43	0.00
3614070 Salmon River (Bay D'Est)	94	19	82	0.23	44	0	.	2.32	0.00
	95	24	42	0.57	52	0	.	2.17	0.00
	96	17	102	0.17	26	0	.	1.53	0.00
3614190 First Brook*	94
	95
	96	2	.	.	0	.	.	0.00	.
3614260 D'Espoir Brook	94	57	207	0.28	10	38	0.26	0.18	0.18
	95	101	178	0.57	38	59	0.64	0.38	0.33
	96	34	269	0.13	13	94	0.14	0.38	0.35
3614760 Allan's Cove Brook	94	23	106	0.22	11	0	.	0.48	0.00
	95	27	150	0.18	8	17	0.47	0.30	0.11
	96	9	174	0.05	5	23	0.22	0.56	0.13
3614850 Bottom Brook	94	45	111	0.41	15	35	0.43	0.33	0.32
	95	64	103	0.62	31	27	1.15	0.48	0.26
	96	18	191	0.09	10	42	0.24	0.56	0.22
3615270 Dolland Brook	94	139	130	1.07	73	31	2.35	0.53	0.24
	95	114	161	0.71	88	68	1.29	0.77	0.42
	96	112	208	0.54	93	57	1.63	0.83	0.27
3716620 Grey River	94	307	479	0.64	344	404	0.85	1.12	0.84
	95	355	687	0.52	576	469	1.23	1.62	0.68
	96	447	601	0.74	723	724	1.00	1.62	1.20
3717440 White Bear River	94	728	901	0.81	458	229	2.00	0.63	0.25
	95	761	819	0.93	578	302	1.91	0.76	0.37
	96	782	737	1.06	894	330	2.71	1.14	0.45
3717720 Bay De Loup River	94	9	75	0.12	0	0	.	0.00	0.00
	95	24	51	0.47	0	2	0.00	0.00	0.04
	96	14	31	0.45	5	0	.	0.36	0.00
3717770 Kings Hr. River	94	19	74	0.26	7	13	0.54	0.37	0.18
	95	12	47	0.26	9	11	0.82	0.75	0.23
	96	69	204	0.34	77	75	1.03	1.12	0.37
3817890 Grandy's River	94	1114	1450	0.77	847	441	1.92	0.76	0.30
	95	1223	1480	0.83	803	436	1.84	0.66	0.29
	96	1258	1392	0.90	1140	570	2.00	0.91	0.41
3818140 Northwest Arm (Connoire Bay)*	94
	95
	96	8	.	.	26	.	.	3.25	.
3818190 Connoire Brook	94	29	124	0.23	26	34	0.76	0.90	0.27
	95	15	89	0.17	11	26	0.42	0.73	0.29
	96	31	103	0.30	37	54	0.69	1.19	0.52
3818340 Couteau Brook*	94	16	.	.	11	.	.	0.69	.
	95	22	.	.	14	.	.	0.64	.
	96	11	.	.	6	.	.	0.55	.
3818490 Cinq Cerf Brook	94
	95
	96	127	350	0.36	103	130	0.79	0.81	0.37
Total	94	4747	10891	0.44	3750	2992	1.25	0.79	0.27
	95	5482	14449	0.38	5050	4206	1.20	0.92	0.29
	96	6069	16135	0.38	6413	5807	1.10	1.06	0.36

Table 4. cont'd

SFA 12 River No.	River Name	Year	Rods			Total Catch			CPUE	
			Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
3818760	East Bay River (La Poile)*	94
		95	6	.	.	0	.	.	0.00	.
		96	3	.	.	3	.	.	1.00	.
3818800	La Poile River	94	484	893	0.54	469	325	1.44	0.97	0.36
		95	387	694	0.56	235	187	1.26	0.61	0.27
		96	496	646	0.77	395	192	2.06	0.80	0.30
3818880	Barasway Brook*	94	5	.	.	3	.	.	0.60	.
		95	9	.	.	2	.	.	0.22	.
		96	6	.	.	11	.	.	1.83	.
3819030	Farmers Arm Brook	94	61	168	0.36	31	27	1.15	0.51	0.16
		95	45	152	0.30	26	35	0.74	0.58	0.23
		96	52	.	.	73	.	.	1.40	.
3819100	Garia River	94	90	294	0.31	81	102	0.79	0.90	0.35
		95	186	306	0.61	99	59	1.68	0.53	0.19
		96	258	386	0.67	308	264	1.17	1.19	0.68
3819120	Northwest Brook (Garia Bay)	94	23	131	0.18	7	8	0.88	0.30	0.06
		95	12	83	0.14	9	0	.	0.75	0.00
		96	9	102	0.09	8	17	0.47	0.89	0.17
3819320	South East Brook*	94
		95
		96	3	.	.	3	.	.	1.00	.
3820250	Barachoix Brook*	94
		95	9	.	.	19	.	.	2.11	.
		96
3919460	Rose Blanche Brook*	94
		95
		96	5	.	.	5	.	.	1.00	.
3919590	Grandy's Bk (Burnt Is. River)	94	520	478	1.09	270	68	3.97	0.52	0.14
		95	306	708	0.43	207	149	1.39	0.68	0.21
		96	275	.	.	215	.	.	0.78	.
3919820	Isle Aux Morts River	94	324	665	0.49	186	156	1.19	0.57	0.23
		95	243	484	0.50	170	134	1.27	0.70	0.28
		96	316	478	0.66	249	184	1.35	0.79	0.38
3920100	Grand Bay Brook	94	75	224	0.33	54	92	0.59	0.72	0.41
		95	62	252	0.25	78	71	1.10	1.26	0.28
		96	98	.	.	103	.	.	1.05	.
3920270	Cape Ray Brook*	94
		95
		96	2	.	.	0	.	.	0.00	.
Total		94	1582	2853	0.55	1101	778	1.42	0.70	0.27
		95	1265	2679	0.47	845	635	1.33	0.67	0.24
		96	1523	1612	0.94	1373	657	2.09	0.90	0.41

Table 4. cont'd

SFA 13	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
4000010 Red Rocks Brook*	94	29	.	.	2	.	.	0.07	.
	95	7	.	.	0	.	.	0.00	.
	96
4000020 Bear Cove Brook	94	23	400	0.06	5	48	0.10	0.22	0.12
	95	9	291	0.03	0	12	0.00	0.00	0.04
	96	60	.	.	50	.	.	0.83	.
4000140 Little Codroy River	94	156	464	0.34	45	147	0.31	0.29	0.32
	95	171	362	0.47	60	133	0.45	0.35	0.37
	96	115	531	0.22	99	204	0.49	0.86	0.38
4000330 Grand Codroy River	94	2064	3662	0.56	1332	952	1.40	0.65	0.26
	95	1901	3537	0.54	1486	943	1.58	0.78	0.27
	96	1752	3420	0.51	1536	1155	1.33	0.88	0.34
4000640 Lewis Brook*	94
	95	3	.	.	3	.	.	1.00	.
	96
4000770 Little Brook*	94
	95
	96	2	.	.	2	.	.	1.00	.
4000860 Crabbes Brook	94	601	906	0.66	648	256	2.53	1.08	0.28
	95	423	268	1.58	440	63	6.98	1.04	0.24
	96	177	.	.	317	.	.	1.79	.
4000900 Barachois Brook	94	539	785	0.69	318	193	1.65	0.59	0.25
	95	328	341	0.96	209	79	2.65	0.64	0.23
	96	324	.	.	347	.	.	1.07	.
4000920 Robinsons River	94	1088	1051	1.04	701	286	2.45	0.64	0.27
	95	707	719	0.98	580	134	4.33	0.82	0.19
	96	507	.	.	1099	.	.	2.17	.
4000960 Fishells Brook	94	251	702	0.36	235	321	0.73	0.94	0.46
	95	190	555	0.34	178	235	0.76	0.94	0.42
	96	550	.	.	697	.	.	1.27	.
4101080 Flat Bay Brook	94	1002	615	1.63	572	168	3.40	0.57	0.27
	95	10	.	.	11	.	.	1.10	.
	96
4101110 Little Barachois Brook	94	198	484	0.41	114	121	0.94	0.58	0.25
	95	91	472	0.19	116	163	0.71	1.27	0.35
	96	344	.	.	328	.	.	0.95	.

Table 4. cont'd

SFA 13 cont'd	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
4101150 Southwest & Bottom Brook	94	1563	1217	1.28	1098	153	7.18	0.70	0.13
	95	1087	1594	0.68	927	216	4.29	0.85	0.14
	96	2129	2229	0.96	2180	491	4.44	1.02	0.22
4101200 Harry's River	94	1367	1518	0.90	577	287	2.01	0.42	0.19
	95	677	1252	0.54	623	253	2.46	0.92	0.20
	96	691	.	.	1436	.	.	2.08	.
4101260 Noels Pond Brook*	94
	95
	96	20	.	.	30	.	.	1.50	.
4301920 Fox Island River	94	312	689	0.45	241	73	3.30	0.77	0.11
	95	135	228	0.59	84	52	1.62	0.62	0.23
	96	121	.	.	80	.	.	0.66	.
4402090 Serpentine River	94	250	740	0.34	256	229	1.12	1.02	0.31
	95	236	727	0.32	315	278	1.13	1.33	0.38
	96	190	.	.	308	.	.	1.62	.
4402370 Cook's Brook*	94
	95	3	.	.	4	.	.	1.33	.
	96
4402430 Humber River	94	7904	5687	1.39	6142	2177	2.82	0.78	0.38
	95	9170	6855	1.34	7907	2763	2.86	0.86	0.40
	96	9701	8978	1.08	8653	4035	2.14	0.89	0.45
4402570 Whites Brook*	94	2	.	.	2	.	.	1.00	.
	95
	96
4402580 Black Brook*	94
	95
	96	2	.	.	0	.	.	0.00	.
4402740 Goose Arm Brook	94	123	803	0.15	46	86	0.53	0.37	0.11
	95	129	906	0.14	82	124	0.66	0.64	0.14
	96	115	742	0.15	82	72	1.14	0.71	0.10
4402930 Conways Brook*	94
	95
	96	2	.	.	0	.	.	0.00	.
Total	94	17472	19723	0.89	12334	5497	2.24	0.71	0.28
	95	15277	18107	0.84	13025	5448	2.39	0.85	0.30
	96	16802	15900	1.06	17244	5957	2.89	1.03	0.37

Table 4. cont'd

SFA 14A River No. River Name	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
4503520 Trout River	94	218	479	0.46	51	29	1.76	0.23	0.06
	95	196	444	0.44	45	21	2.14	0.23	0.05
	96	267	539	0.50	146	41	3.56	0.55	0.08
4503740 Middle Brook*	94	5	.	.	0	.	.	0.00	.
	95	16	.	.	2	.	.	0.13	.
	96	6	.	.	5	.	.	0.83	.
4503920 Lomond River	94	1360	2017	0.67	944	499	1.89	0.69	0.25
	95	1183	2043	0.58	893	595	1.50	0.75	0.29
	96	1471	2702	0.54	1053	519	2.03	0.72	0.19
4504040 Deer Arm Brook	94	255	401	0.64	246	15	16.40	0.96	0.04
	95	367	515	0.71	293	38	7.71	0.80	0.07
	96	304	922	0.33	181	109	1.66	0.60	0.12
4504120 Bakers Brook*	94	5	.	.	0	.	.	0.00	.
	95	4	.	.	4	.	.	1.00	.
	96	3	.	.	2	.	.	0.67	.
4504150 Little Brook*	94	2	.	.	5	.	.	2.50	.
	95
	96	2	.	.	2	.	.	1.00	.
4604220 Western Brook	94	23	.	.	2	0	.	0.09	.
	95	6	.	.	8	0	.	1.33	.
	96	3	.	.	2	0	.	0.67	.
4604350 St. Pauls River*	94	.	.	.	0
	95	6	.	.	8	.	.	1.33	.
	96
4604560 Parsons Pond River	94	52	692	0.08	40	94	0.43	0.77	0.14
	95	80	602	0.13	73	128	0.57	0.91	0.21
	96	127	787	0.16	114	225	0.51	0.90	0.29
4604620 Portland Creek	94	906	3224	0.28	763	1440	0.53	0.84	0.45
	95	1064	3651	0.29	990	1937	0.51	0.93	0.53
	96	1041	3343	0.31	939	1992	0.47	0.90	0.60
4704740 River of Ponds	94	1511	4558	0.33	911	1242	0.73	0.60	0.27
	95	2093	4966	0.42	1842	2140	0.86	0.88	0.43
	96	1955	4675	0.42	1837	2423	0.76	0.94	0.52
4704750 Little Brook Ponds	94	52	467	0.11	30	160	0.19	0.58	0.34
	95	53	630	0.08	40	230	0.17	0.75	0.37
	96	37	534	0.07	42	171	0.25	1.14	0.32
4704800 Torrent River	94	293	992	0.30	211	318	0.66	0.72	0.32
	95	1000	1816	0.55	1136	736	1.54	1.14	0.41
	96	1069	2027	0.53	1138	711	1.60	1.06	0.35
4704840 East River	94	272	1650	0.16	181	429	0.42	0.67	0.26
	95	427	1180	0.36	291	296	0.98	0.68	0.25
	96	570	1197	0.48	472	413	1.14	0.83	0.35

Table 4. cont'd

SFA 14A cont'd	Year	Rods			Total Catch			CPUE	
		Stub	DFO	Stub/DFO	Stub	DFO	Stub/DFO	Stub	DFO
4805030 Castors River	94	934	1540	0.61	662	464	1.43	0.71	0.30
	95	1253	1970	0.64	1460	937	1.56	1.17	0.48
	96	1382	2371	0.58	1390	1400	0.99	1.01	0.59
4905170 St. Genevieve River	94	1471	2195	0.67	1087	1105	0.98	0.74	0.50
	95	1415	2688	0.53	1195	1246	0.96	0.84	0.46
	96	1411	3039	0.46	1059	1524	0.69	0.75	0.50
4905200 East River	94	59	76	0.78	27	23	1.17	0.46	0.30
	95	148	290	0.51	144	124	1.16	0.97	0.43
	96	147	281	0.52	108	72	1.50	0.73	0.26
4905370 Green Island Brook*	94	35	.	.	20	.	.	0.57	.
	95	33	.	.	25	.	.	0.76	.
	96	98	.	.	47	.	.	0.48	.
4905390 Eddies Cove Brook*	94	52	.	.	20	.	.	0.38	.
	95	85	.	.	35	.	.	0.41	.
	96	186	.	.	112	.	.	0.60	.
4905460 Big Brook	94	203	667	0.30	134	87	1.54	0.66	0.13
	95	237	943	0.25	108	171	0.63	0.46	0.18
	96	392	1344	0.29	246	317	0.78	0.63	0.24
4905510 Watt's Bight Brook	94	87	402	0.22	27	34	0.79	0.31	0.08
	95	86	338	0.25	26	62	0.42	0.30	0.18
	96	114	446	0.26	30	44	0.68	0.26	0.10
0105640 Pincents Brook	94	42	276	0.15	12	2	6.00	0.29	0.01
	95	40	252	0.16	9	9	1.00	0.23	0.04
	96	22	208	0.11	8	16	0.50	0.36	0.08
0105680 Parker River (West Brook)	94	71	579	0.12	41	20	2.05	0.58	0.03
	95	73	826	0.09	17	81	0.21	0.23	0.10
	96	63	417	0.15	23	55	0.42	0.37	0.13
0105710 Bartletts River	94	23	316	0.07	5	40	0.13	0.22	0.13
	95	43	345	0.12	14	65	0.22	0.33	0.19
	96	54	368	0.15	33	55	0.60	0.61	0.15
0105720 Upper Brook	94	21	263	0.08	0	0	.	0.00	0.00
	95	18	322	0.06	8	48	0.17	0.44	0.15
	96	31	290	0.11	3	32	0.09	0.10	0.11
0105800 East Brook (Pistolet Bay)	94	12	252	0.05	0	0	.	0.00	0.00
	95	16	338	0.05	2	44	0.05	0.13	0.13
	96	65	386	0.17	34	80	0.43	0.52	0.21
Total	94	7964	21046	0.38	5419	6001	0.90	0.68	0.29
	95	9942	24159	0.41	8668	8908	0.97	0.87	0.37
	96	10820	25876	0.42	9026	10199	0.88	0.83	0.39

Table 5. Atlantic salmon recreational fishery effort (rod days), catch (small and large, retained and released), for Labrador (SFAs 1, 2, & 14B), obtained from the 1997 licence stub return. The data are preliminary. The asterisk indicates rivers where angling data were not previously collected.

SFA 1	River No. River Name	Effort Rod Days	Small (< 63 cm)			Large (>= 63 cm)			Total (Small + Large)			CPUE
			Ret.	Rel.	Tot.	Ret.	Rel.	Tot.	Ret.	Rel.	Tot.	
5609000 English River*		23	4	2	6	2	0	2	6	2	8	0.35
5610100 Kenamu River*		2	0	0	0	0	0	0	0	0	0	0.00
5613520 Tom Luscombe Brook		96	14	4	18	11	4	15	25	8	33	0.34
5714280 Big Brook (Michael's River)		143	16	16	32	2	0	2	18	16	34	0.24
5715040 Big River		277	56	51	107	9	12	21	65	63	128	0.46
5715640 Makkovik River*		2	0	0	0	0	0	0	0	0	0	0.00
5717640 Little Bay River*		3	0	0	0	0	0	0	0	0	0	0.00
5717900 Adlatok River		31	23	12	35	2	2	4	25	14	39	1.26
5819220 Hunt River		570	99	78	177	18	53	71	117	131	248	0.44
5819480 Flowers River		78	18	5	23	5	2	7	23	7	30	0.38
Total		1225	230	168	398	49	73	122	279	241	520	0.42
SFA 2												
5201420 St. Charles River		49	23	11	34	0	0	0	23	11	34	0.69
5201520 St. Mary's River (Trout River)		99	42	4	46	0	0	0	42	4	46	0.46
5201720 St. Lewis River		87	35	12	47	2	4	6	37	16	53	0.61
5201900 Port Marnham Brook		26	25	11	36	0	0	0	25	11	36	1.38
5202500 Alexis River		91	65	53	118	2	0	2	67	53	120	1.32
5202680 Shinneys River		40	41	25	66	0	0	0	41	25	66	1.65
5202820 Gilbert River		2	2	0	2	0	0	0	2	0	2	1.00
5304500 Hawke River		21	14	2	16	0	2	2	14	4	18	0.86
5405820 Sand Hill River		244	115	159	274	5	4	9	120	163	283	1.16
5506600 Paradise River*		2	0	7	7	0	0	0	0	7	7	3.50
5506820 Eagle River		1764	761	1357	2118	141	217	358	902	1574	2476	1.40
5506880 White Bear River*		26	12	12	24	2	0	2	14	12	26	1.00
5507320 North River*		14	9	0	9	0	0	0	9	0	9	0.64
Total		2465	1144	1653	2797	152	227	379	1296	1880	3176	1.29
SFA 14B												
5000120 Forteau River		254	97	39	136	*	12	12	97	51	148	0.58
5000220 Lanse Au Loup River		31	9	19	28	*	0	0	9	19	28	0.90
5000360 Pinware River		1255	432	452	884	*	314	314	432	766	1198	0.95
5100660 Barge Bay Brook*		3	5	0	5	*	0	0	5	0	5	1.67
Total		1543	543	510	1053	*	326	326	543	836	1379	0.89

Table 6. Atlantic salmon recreational fishery effort (rod days), catch (small and large, retained and released), for insular Newfoundland (SFAs 3 - 14A), obtained from the 1997 licence stub return. The data are preliminary. The asterisk indicates rivers where angling data were not previously collected.

River No.	River Name	Effort Rod Days	Small (< 63 cm)			Large (>= 63 cm)			Total (Small + Large)			CPUE
			Ret.	Rel.	Tot.	Ret.	Rel.	Tot.	Ret.	Rel.	Tot.	
SFA 3												
0300590	Ireland's Brook*	17	12	11	23	.	0	0	12	11	23	1.35
0300800	West Brook	174	97	116	213	.	23	23	97	139	236	1.36
0300850	Salmon River (Ariege Bay)	1415	777	265	1042	.	37	37	777	302	1079	0.76
0301230	Freshwater Creek*	5	4	12	16	.	0	0	4	12	16	3.20
0401230	Second Pond (Croque)*	37	5	7	12	.	5	5	5	12	17	0.46
0401640	East River (Easter Brook)	7	0	0	0	.	0	0	0	0	0	0.00
0401670	Northeast Bk. (Chimney Bay)	317	171	30	201	.	0	0	171	30	201	0.63
0401690	Beaver Brook (Western Bk.)	188	94	30	124	.	7	7	94	37	131	0.70
0401790	Northwest Bk (Canada Bay)	47	12	2	14	.	0	0	12	2	14	0.30
0401850	Cloud River	70	30	23	53	.	4	4	30	27	57	0.81
0402340	Soufflets River*	9	0	0	0	.	0	0	0	0	0	0.00
0402500	Little Hr. Deep River	33	23	0	23	.	0	0	23	0	23	0.70
0402880	Coney Arm River	56	19	7	26	.	0	0	19	7	26	0.46
0403110	Main River (Sops Arm)	915	268	743	1011	.	53	53	268	796	1064	1.16
0403670	Middle Arm Brook	162	71	41	112	.	4	4	71	45	116	0.72
0504040	Southwest Bk. (Baie Verte)	68	19	7	26	.	0	0	19	7	26	0.38
0504280	Paquet Bk. (Woodstock Bk.)	54	11	0	11	.	0	0	11	0	11	0.20
Total		3574	1613	1294	2907	.	133	133	1613	1427	3040	0.85
SFA 4												
0604820	East Bk. (Burlington River)	56	14	5	19	.	0	0	14	5	19	0.34
0605570	Indian Bk. (Indian River)	851	228	58	286	.	16	16	228	74	302	0.35
0605640	Riverhead Bk. (West Bk.)	532	173	118	291	.	18	18	173	136	309	0.58
0605680	South Brook	380	95	116	211	.	14	14	95	130	225	0.59
0605940	Tommy's Arm River	281	86	26	112	.	2	2	86	28	114	0.41
0605990	Sops Arm Brook*	5	4	5	9	.	0	0	4	5	9	1.80
0606720	West Arm Bk. (Western Arm)	187	42	14	56	.	0	0	42	14	56	0.30
0606820	Newbay River (Pt. Leamington)	302	86	49	135	.	7	7	86	56	142	0.47
0707660	Charles Brook	26	4	2	6	.	0	0	4	2	6	0.23
0707760	Northern Arm Brook	129	41	14	55	.	2	2	41	16	57	0.44
0707780	Peters River	24	7	19	26	.	0	0	7	19	26	1.08
0707790	Exploits River	2841	918	859	1777	.	67	67	918	926	1844	0.65
0707810	Rattling Brook	54	16	7	23	.	2	2	16	9	25	0.46
0707850	Norris Arm Brook*	3	0	0	0	.	0	0	0	0	0	0.00
0708210	Indian Arm Brook (Camp.)	905	238	62	300	.	7	7	238	69	307	0.34
0708480	Dog Bay River (Horwood)	404	64	16	80	.	4	4	64	20	84	0.21
0908610	Gander River	5996	990	821	1811	.	152	152	990	973	1963	0.33
0908820	Ragged Hr. River	439	76	19	95	.	0	0	76	19	95	0.22
0908940	Anchor Brook	143	48	5	53	.	2	2	48	7	55	0.38
0908950	Deadmans Brook	110	51	28	79	.	7	7	51	35	86	0.78
0909030	Windmill Brook	167	53	9	62	.	0	0	53	9	62	0.37
Total		13835	3234	2252	5486	.	300	300	3234	2552	5786	0.42

Table 6. cont'd

River No.	River Name	Effort Rod Days	Small (< 63 cm)			Large (>= 63 cm)			Total (Small + Large)			CPUE
			Ret.	Rel.	Tot.	Ret.	Rel.	Tot.	Ret.	Rel.	Tot.	
SFA 5												
1109480	Northwest Bk. (Indian Bk.)	12	5	2	7	.	0	0	5	2	7	0.58
1109490	Indian Bay Brook	1051	206	58	264	.	14	14	206	72	278	0.26
1109750	Traverse Brook	373	94	81	175	.	5	5	94	86	180	0.48
1109760	Middle Brook (Gambo)	603	127	37	164	.	7	7	127	44	171	0.28
1109780	Gambo Brook	987	164	53	217	.	9	9	164	62	226	0.23
1110220	Terra Nova River	1264	279	127	406	.	5	5	279	132	411	0.33
1210880	Northwest Bk. (Port Blandford)	28	7	21	28	.	0	0	7	21	28	1.00
1211080	Southwest Bk. (Bloomfield)	3	4	0	4	.	0	0	4	0	4	1.33
Total		4321	886	379	1265	.	40	40	886	419	1305	0.30
SFA 6												
1512520	Salmon Cove River (T.B.)	220	25	9	34	.	2	2	25	11	36	0.16
1512620	Trouty River	2	0	0	0	.	0	0	0	0	0	0.00
1612750	Popes Hr. River	37	9	2	11	.	0	0	9	2	11	0.30
1613060	Shoal Hr. River	127	0	4	4	.	0	0	0	4	4	0.03
1714680	Bellevue Bk. (Trout Bk.)	14	0	0	0	.	0	0	0	0	0	0.00
Total		400	34	15	49	.	2	2	34	17	51	0.13
SFA 7												
2115720	Salmon Cove River	28	7	0	7	.	4	4	7	4	11	0.39
2215970	North River (C.B.)	47	0	0	0	.	0	0	0	0	0	0.00
2215990	South River (C.B.)	9	2	0	2	.	0	0	2	0	2	0.22
Total		84	9	0	9	.	4	4	9	4	13	0.15
SFA 8												
2617640	Renews River	120	7	5	12	.	0	0	7	5	12	0.10
Total		120	7	5	12	.	0	0	7	5	12	0.10
SFA 9												
2700230	Biscay Bay River	342	115	106	221	.	18	18	115	124	239	0.70
2700380	N.W. Bk. Trepassey	406	76	23	99	.	4	4	76	27	103	0.25
2800860	Peters River (SMB)	5	0	0	0	.	0	0	0	0	0	0.00
2801690	Salmonier River (SMB)	1271	176	106	282	.	16	16	176	122	298	0.23
2802060	North Hr. River (SMB)	207	16	21	37	.	5	5	16	26	42	0.20
2802170	Little Salmonier River	63	26	5	31	.	4	4	26	9	35	0.56
2802210	Big Barachois River	134	30	4	34	.	0	0	30	4	34	0.25
2802240	Little Barachois River*	3	0	0	0	.	0	0	0	0	0	0.00
2802380	Branch River	209	53	12	65	.	7	7	53	19	72	0.34
Total		2640	492	277	769	.	54	54	492	331	823	0.31

Table 6. cont'd

SFA 10	River Name	Effort	Small (< 63 cm)			Large (>= 63 cm)			Total (Small + Large)			CPUE	
			Rod Days	Ret.	Rel.	Tot.	Ret.	Rel.	Tot.	Ret.	Rel.	Tot.	
2902820	Gt. Barasway Bk. (Plac.)	2	0	0	0	0	.	0	0	0	0	0	0.00
2902880	Little Barachois (Plac. Bay)	5	4	0	4	0	.	0	0	4	0	4	0.80
2902980	Southeast River (Plac.)	464	58	30	88	0	.	5	5	58	35	93	0.20
2903070	Northeast River (Plac.)	443	94	44	138	0	.	34	34	94	78	172	0.39
3003740	Come-By-Chance River	124	19	5	24	0	.	2	2	19	7	26	0.21
3003880	North Hr. River	193	41	35	76	0	.	2	2	41	37	78	0.40
3003890	Watsons Brook	3	0	0	0	0	.	0	0	0	0	0	0.00
3004090	Black River	94	23	14	37	0	.	2	2	23	16	39	0.41
3004160	Pipers Hole River	284	48	18	66	0	.	2	2	48	20	68	0.24
3105180	Paradise River*	3	0	0	0	0	.	0	0	0	0	0	0.00
3105210	Black River*	2	2	0	2	0	.	0	0	2	0	2	1.00
3105470	Nonsuch Brook	5	0	0	0	0	.	0	0	0	0	0	0.00
3105560	Cape Roger River	439	146	159	305	0	.	7	7	146	166	312	0.71
3105760	Bay De L'eau River	444	166	67	233	0	.	12	12	166	79	245	0.55
3106000	Red Hr. River	17	2	0	2	0	.	0	0	2	0	2	0.12
3206370	Northwest Brook	2	0	0	0	0	.	0	0	0	0	0	0.00
3206410	Tides Brook	110	21	5	26	0	.	2	2	21	7	28	0.25
3206830	Little Salmonier River (Burin)	3	0	0	0	0	.	0	0	0	0	0	0.00
3206950	Big Salmonier River	7	0	5	5	0	.	2	2	0	7	7	1.00
3207150	Lt. St. Lawrence River	3	0	0	0	0	.	0	0	0	0	0	0.00
3207280	Lawn River	30	11	2	13	0	.	5	5	11	7	18	0.60
3207520	Taylor Bay Brook	92	18	0	18	0	.	0	0	18	0	18	0.20
3207570	Salmonier River (Lamaline)	227	39	11	50	0	.	0	0	39	11	50	0.22
3207670	Piercey's Brook	49	7	0	7	0	.	0	0	7	0	7	0.14
Total		3045	699	395	1094	0	.	75	75	699	470	1169	0.38

SFA 11

3308040	Grand Bank Brook	58	4	4	8	0	0	4	4	8	0	0.14
3308440	Garnish River	624	224	189	413	0	7	7	224	196	420	0.67
3308540	Devils Brook	2	2	0	2	0	0	0	2	0	2	1.00
3409780	Long Hr. River	826	475	559	1034	0	11	11	475	570	1045	1.27
3410790	Bay Du Nord River	223	78	37	115	0	14	14	78	51	129	0.58
3410830	North West Brook*	7	9	0	9	0	0	0	9	0	9	1.29
3410940	Simmons Brook	52	23	11	34	0	0	0	23	11	34	0.65
3411000	Southwest Brook	9	0	0	0	0	0	0	0	0	0	0.00
3411240	Long Pond (English Hr. west)*	16	5	0	5	0	0	0	5	0	5	0.31
3511530	Old Bay Brook	35	19	9	28	0	0	0	19	9	28	0.80
3511560	Taylors Bay Brook	40	19	12	31	0	0	0	19	12	31	0.78
3612780	Salmonier Brook*	2	2	0	2	0	0	0	2	0	2	1.00
3613350	Conne River	244	141	94	235	0	26	26	141	120	261	1.07
3613410	Southeast Brook	33	16	5	21	0	0	0	16	5	21	0.64
3613490	Northwest Brook (Tail Race)	160	51	14	65	0	9	9	51	23	74	0.46
3614070	Salmon River (Bay D'Est)	2	2	0	2	0	0	0	2	0	2	1.00
3614260	D'Espoir Brook	14	11	4	15	0	0	0	11	4	15	1.07
3614760	Allan's Cove Brook	7	4	0	4	0	0	0	4	0	4	0.57
3614850	Bottom Brook	12	4	0	4	0	0	0	4	0	4	0.33
3615270	Dolland Brook	99	60	9	69	0	0	0	60	9	69	0.70
3716620	Grey River	429	194	508	702	0	11	11	194	519	713	1.66
3717440	White Bear River	704	388	208	596	0	11	11	388	219	607	0.86
3717720	Bay De Loup River	14	11	0	11	0	0	0	11	0	11	0.79
3717770	Kings Hr. River	9	11	4	15	0	0	0	11	4	15	1.67
3817890	Grandy's River	941	492	293	785	0	39	39	492	332	824	0.88
3818190	Connoire Brook	19	16	9	25	0	0	0	16	9	25	1.32
3818340	Couteau Brook*	7	5	0	5	0	0	0	5	0	5	0.71
3818490	Cinq Cerf River	98	49	32	81	0	2	2	49	34	83	0.85
Total		4686	2315	2001	4316	0	130	130	2315	2131	4446	0.95

Table 6. cont'd

River No.	River Name	Effort Rod Days	Small (< 63 cm)			Large (>= 63 cm)			Total (Small + Large)			CPUE
			Ret.	Rel.	Tot.	Ret.	Rel.	Tot.	Ret.	Rel.	Tot.	
SFA 12												
3818620	Roti Brook*	2	0	0	0	.	0	0	0	0	0	0.00
3818800	La Poile River	437	185	129	314	.	21	21	185	150	335	0.77
3818880	Barasway Brook*	2	0	0	0	.	0	0	0	0	0	0.00
3819030	Farmers Arm Brook	42	21	0	21	.	0	0	21	0	21	0.50
3819100	Garia River	309	145	131	276	.	23	23	145	154	299	0.97
3819120	Northwest Brook (Garia Bay)	3	2	2	4	.	0	0	2	2	4	1.33
3919590	Grandy's Brook (Burnt Is. River)	305	134	145	279	.	9	9	134	154	288	0.94
3919820	Isle Aux Morts River	260	95	48	143	.	25	25	95	73	168	0.65
3920100	Grand Bay Brook	99	48	19	67	.	12	12	48	31	79	0.80
Total		1459	630	474	1104	.	90	90	630	564	1194	0.82
SFA 13												
4000010	Red Rocks Brook*	7	2	0	2	.	0	0	2	0	2	0.29
4000020	Bear Cove Brook	26	0	2	2	.	0	0	0	2	2	0.08
4000140	Little Codroy River	131	30	12	42	.	23	23	30	35	65	0.50
4000330	Grand Codroy River	1428	462	274	736	.	409	409	462	683	1145	0.80
4000860	Crabbes Brook	241	4	286	290	.	122	122	4	408	412	1.71
4000900	Barachois Brook	214	44	155	199	.	58	58	44	213	257	1.20
4000920	Robinsons River	455	4	542	546	.	180	180	4	722	726	1.60
4000960	Fishells Brook	380	185	162	347	.	115	115	185	277	462	1.22
4101080	Flat Bay Brook	244	0	258	258	.	58	58	0	316	316	1.30
4101110	Little Barachois Brook	270	97	67	164	.	30	30	97	97	194	0.72
4101150	Southwest & Bottom Brook	1635	385	912	1297	.	247	247	385	1159	1544	0.94
4101200	Harry's River	537	2	584	586	.	139	139	2	723	725	1.35
4301920	Fox Island River	117	48	37	85	.	11	11	48	48	96	0.82
4402090	Serpentine River	148	44	64	108	.	67	67	44	131	175	1.18
4402430	Humber River	6163	2402	2808	5210	.	498	498	2402	3306	5708	0.93
4402450	Hughes' Brook	17	0	9	9	.	0	0	0	9	9	0.53
4402740	Goose Arm Brook	40	16	32	48	.	7	7	16	39	55	1.38
Total		12053	3725	6204	9929	.	1964	1964	3725	8168	11893	0.99
SFA 14A												
4503520	Trout River	363	95	48	143	.	9	9	95	57	152	0.42
4503740	Middle Brook*	19	9	7	16	.	2	2	9	9	18	0.95
4503920	Lomond River	1436	496	279	775	.	49	49	496	328	824	0.57
4504040	Deer Arm Brook	136	74	4	78	.	16	16	74	20	94	0.69
4604560	Parsons Pond River	51	25	0	25	.	0	0	25	0	25	0.49
4604620	Portland Creek	1203	447	293	740	.	97	97	447	390	837	0.70
4704740	River of Ponds	1666	718	302	1020	.	56	56	718	358	1076	0.65
4704750	Little Brook Ponds	31	12	2	14	.	0	0	12	2	14	0.45
4704800	Torrent River	966	328	471	799	.	76	76	328	547	875	0.91
4704840	East River	418	139	83	222	.	41	41	139	124	263	0.63
4805030	Castors River	952	572	208	780	.	25	25	572	233	805	0.85
4905170	St. Genevieve River	810	411	76	487	.	34	34	411	110	521	0.64
4905200	East River	51	14	12	26	.	0	0	14	12	26	0.51
4905370	Green Island Brook*	56	25	2	27	.	0	0	25	2	27	0.48
4905390	Eddies Cove Brook*	51	25	2	27	.	0	0	25	2	27	0.53
4905460	Big Brook	251	76	2	78	.	4	4	76	6	82	0.33
4905510	Watt's Bight Brook	75	14	4	18	.	2	2	14	6	20	0.27
0105640	Pincents Brook	35	5	0	5	.	0	0	5	0	5	0.14
0105680	Parker River (West Brook)	38	11	7	18	.	0	0	11	7	18	0.47
0105710	Bartletts River	35	12	0	12	.	0	0	12	0	12	0.34
0105720	Upper Brook	30	4	0	4	.	0	0	4	0	4	0.13
0105800	East Brook (Pistolet Bay)	12	2	0	2	.	0	0	2	0	2	0.17
Total		8685	3514	1802	5316	.	411	411	3514	2213	5727	0.66