

Figure 10. Distribution of young of the year striped wolffish taken during 1996-1999 (Aug. Sept.) using IYGPT trawl gear. Larger circles show areas of highest concentration.




Figure 11a: Distribution of spotted wolffish GREATER than 55cm in length captured in fall DFO surveys, 1981-1984.




Figure 11b: Distribution of spotted wolffish GREATER than 55cm in length captured in fall DFO surveys, 1985-1988.




Figure 11c: Distribution of spotted wolffish GREATER than 55cm in length captured in fall DFO surveys, 1989-1992.




Figure 11d: Distribution of spotted wolffish GREATER than 55cm in length captured in fall DFO surveys, 1993-1996.




Figure 11e: Distribution of spotted wolffish GREATER than 55cm in length captured in fall DFO surveys, 1997-2000.




Figure 11f: Distribution of spotted wolffish GREATER than 55cm in length captured in fall DFO surveys, 2001.




Figure 12a: Distribution of spotted wolffish LESS than 55cm in length captured in fall DFO surveys, 1981-1984.






Figure 12b: Distribution of spotted wolffish LESS THAN 55cm in length captured in fall DFO surveys, 1985-1988.




Figure 12c: Distribution of spotted wolffish LESS THAN 55cm in length captured in fall DFO surveys, 1989-1992.




Figure 12d: Distribution of spotted wolffish LESS THAN 55cm in length captured in fall DFO surveys, 1993-1996.




Figure 12e: Distribution of spotted wolffish LESS THAN 55cm in length captured in fall DFO surveys, 1997-2000.




Figure 12f: Distribution of spotted wolffish LESS THAN 55cm in length captured in fall DFO surveys, 2001




Figure 13a: Distribution of striped wolffish GREATER than 55cm in length captured in fall DFO surveys, 1981-1984.




Figure 13b: Distribution of striped wolffish GREATER than 55cm in length captured in fall DFO surveys, 1985-1988.




Figure 13c: Distribution of striped wolffish GREATER than 55cm in length captured in fall DFO surveys, 1989-1992.






Figure 13d: Distribution of striped wolffish GREATER than 55cm in length captured in fall DFO surveys, 1993-1996.




Figure 13e: Distribution of striped wolffish GREATER than 55cm in length captured in fall DFO surveys, 1997-2000.




Figure 13f: Distribution of striped wolffish GREATER than 55cm in length captured in fall DFO surveys, 2001.




Figure 14a: Distribution of striped wolffish LESS THAN 55cm in length captured in fall DFO surveys, 1981-1984.




Figure 14b: Distribution of striped wolffish LESS THAN 55cm in length captured in fall DFO surveys, 1985-1988.




Figure 14c: Distribution of striped wolffish LESS THAN 55cm in length captured in fall DFO surveys, 1989-1992.




Figure 14d: Distribution of striped wolffish LESS THAN 55cm in length captured in fall DFO surveys, 1993-1996.




Figure 14e: Distribution of striped wolffish LESS THAN 55cm in length captured in fall DFO surveys, 1997-2000.






Figure 14f: Distribution of spotted wolffish LESS THAN 55cm in length captured in fall DFO surveys, 2001.





Figure 15. Relative and absolute area occupied by wolffish in NAFO division 2G-3P during 1980-84 and 1995-2001.




Figure 16a: Wolfish landings as reported by NAFO. Canadian landings from 1985-2001 are from the Zonal Interchange Format(ZIF) data. ZIF data for 2000-01 are provisional.




Figure 16b: Canadian wolfish landings by division. Data from 1985 are from the ZIF data (2000, 2001 are provisional).