

**Not to be cited without
permission of the authors¹**

**DFO Atlantic Fisheries
Research Document 94/70**

**Ne pas citer sans
autorisation des auteurs¹**

**MPO Pêches de l'Atlantique
Document de recherche 94/70**

Groundfish Assessment Data Sheets - 1994

by

**Denis Rivard (Editor)
Fisheries Research Branch
Department of Fisheries and Oceans
200 Kent Street
Ottawa, Ontario
Canada
K1A 0E6**

¹This series documents the scientific basis for the evaluation of fisheries resources in Atlantic Canada. As such, it addresses the issues of the day in the time frames required and the documents it contains are not intended as definitive statements on the subjects addressed but rather as progress reports on ongoing investigations.

Research documents are produced in the official language in which they are provided to the secretariat.

'La présente série documente les bases scientifiques des évaluations des ressources halieutiques sur la côte atlantique du Canada. Elle traite des problèmes courants selon les échéanciers dictés. Les documents qu'elle contient ne doivent pas être considérés comme des énoncés définitifs sur les sujets traités, mais plutôt comme des rapports d'étape sur les études en cours.

Les Documents de recherche sont publiés dans la langue officielle utilisée dans le manuscrit envoyé au secrétariat.

ABSTRACT

This document summarizes, in a standard format, some of the information used in recent assessments of groundfish stocks in the Northwest Atlantic. For each stock, data are presented on historical catches and Total Allowable Catches (TAC), as well as on temporal trends in estimates of stock abundance (recruitment, total biomass, spawning biomass), in indices of abundance from research vessel surveys, in the performance of commercial fisheries (standardized catch rates) and in other biological characteristics (e.g. fish weight). For the areas where information from fisheries surveillance operations is available, the catch information has been corrected to take into consideration some of the non- or mis-reporting. These data have been compiled in a standard format to facilitate the preparation of overviews or briefing material on groundfish stocks of the Northwest Atlantic.

RÉSUMÉ

Ce document rassemble, sous un format uniforme, une partie de l'information utilisée lors des évaluations récentes sur les stocks de poisson de fond du nord-ouest de l'Atlantique. Pour chacun des stocks, on y présente les données sur les prises et le Total des Prises Admissibles (TPA) antérieurs, de même que sur les tendances temporelles des estimés d'abondance des stocks (recrutement, biomasse totale, biomasse des géniteurs), dans les indices d'abondance obtenus des navires de recherche, dans la performance des pêches commerciales (taux de capture normalisés), et dans d'autres caractères biologiques (e.g. poids du poisson). L'information sur les prises a été corrigée pour tenir compte, du moins en partie, des non-rapports ou faux-rapports là où les programmes de surveillance sur les pêches permettent de le faire. Cette compilation des données sous un format uniforme vise à faciliter la préparation de vues d'ensemble ou de divers documents d'information sur les poissons de fond du nord-ouest de l'Atlantique.

CONTENTS

Section	Page		
Introduction	4	Plaice	
Cod		2+3K	73
2GH	5	3LNO	75
2J-3KL	6	3M	77
3M	10	3Ps	79
3NO	12	4T	81
3Ps	15	4VW	83
3Pn-4RS	18	4X	85
4T-4Vn(Nov.-April)	20	Total	87
4Vn(May-October)	22	Witch flounder	
4VsW	24	2J-3KL	88
4X	26	3NO	90
5Zj,m	29	3Ps	92
Total	31	4RST	94
Haddock		4VW	96
3LNO	32	4X	98
3Ps	34	Total	100
4TVW	36	Yellowtail flounder	
4X	38	3LNO	101
5Zj,m	40	4VW	103
Total	42	4X	105
Pollock		Total	107
3Ps	43	Greenland halibut	
4VWX+5	45	OB+1B-F	108
Total	47	SA2+3KLM	110
Silver hake 4VWX	48	4RST	112
White hake		Total	114
4T	50	Winter flounder	
4VWX	52	4T	115
GADOID - Total	53	4VW	117
Redfish		4X	119
2+3K	54	Total	121
3LN	56	Atlantic halibut	
3M	58	4RST	122
3O	60	3NOPs-4VWX	123
Laurentian Channel	62	Total	125
Gulf of St. Lawrence	64	Flatfish 4VWX - Unsp.	126
Scotian-Shelf	67	Summary	127
Total	68	FLATFISH - Total	128
Grenadier			
SA0+1	69		
SA2+3	70		
Argentine 4VWX	71		
Other groundfish - Total	72		

Introduction

These data sheets summarize some of the assessment information used in the preparation of the "Report on the Status of Groundfish Stocks in the Canadian Northwest Atlantic" (DFO Atlantic Fisheries Stock Status Report 94/4) and the June 1994 report of the NAFO Scientific Council (NAFO SCS Doc. 94/19).

For each groundfish stock, data are presented on historical catches and Total Allowable Catches (TACs), as well as on trends in estimates of stock abundance (recruitment, total biomass, spawning biomass), in indices of abundance from research vessel surveys, in the performance of commercial fisheries (standardized catch rates) and in other biological information (e.g. fish weight).

For each temporal series, the median value is provided as a measure of central tendency for the series. The minimum and maximum values are also identified, together with the first and third quartiles. These measurements, which have generally been made for the 1960-1993 period, could serve to evaluate where annual values of a time series lie with respect to the long term.

Catch statistics are reported by "stock unit" and may thus not correspond exactly to the statistics reported in management plans or other reports. Also, the catch information has been corrected to take into consideration some (but not all) of the misreporting (e.g. when surveillance information is available).

These data are documented in detail in research documents published regularly in the DFO Atlantic Fisheries Research Document series, in various DFO reports and in publications of the Northwest Atlantic Fisheries Organization. They have been presented here in a standard format to facilitate the preparation of overviews or various briefing material. Scientific publications making use of this information must make reference to the original research documents where the original data, their treatment and their limitations are explained in detail.

Cod in 2GH

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results: ADAPT				Biomass		
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total	Spawning	
	Fixed	Mobile	Total							(ages) (000 t)	(ages) (000 t)	
1948			0									
1949			0									
1950			0									
1951			0									
1952			0									
1953			0		53 717							
1954			0		1 699							
1955			0		765							
1956			0		178							
1957			0		963							
1958			0		2 528							
1959			0		2 994							
1960		1 000	7 000		8 000							
1961		1 000	3 000		4 000							
1962		1 199	3 735		4 934							
1963		930	3 084		4 014							
1964		829	8 318		9 147							
1965		1 217	63 028		64 245							
1966		1 311	92 878		94 189							
1967		4	56 131		56 135							
1968		523	83 894		84 417							
1969		320	63 297		63 617							
1970		75	17 712		17 787							
1971		7	12 632		12 639							
1972		4	13 686		13 690							
1973		3	294		297							
1974		0	4 070		4 070	20 000						
1975		7	6 952		6 959	20 000						
1976		39	5 890		5 929	20 000						
1977		41	3 617		3 658	20 000						
1978		37	4 821		4 858	20 000						
1979		126	2 054		2 180	20 000						
1980		106	2 512		2 618	20 000						
1981		405	3 245		3 650	20 000						
1982		3 252	10 259		13 511	20 000						
1983		265	2 116		2 381	20 000						
1984		252	1 279		1 531	20 000						
1985		229	318		547	20 000						
1986		345	149		494	20 000						
1987		8	126		134	20 000						
1988		496	0		496	20 000						
1989		449	0		449	20 000						
1990		431	16		447	20 000						
1991		0	0		0	20 000						
1992		0	0		0	20 000						
1993		3	0		3	1 000						
1994		0			0	1 000						
1995		0										
1996		0										
1997		0										
1998		0										
1999		0										
2000		0										

Minimum	0
1st quart.	509
MEDIAN	3 322
3rd quart.	8 860
Maximum	94 189

Cod in 2J-3KL

May 94

YEAR	Catches (t)				TAC (t)	F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	Biomass	
	Canadian			Foreign						Total 3+ (000 t)	Spawning 7+ (000 t)
	Fixed	Mobile	Total								
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959	159 492	4 515	164 007	195 565	359 572						
1960	157 286	7 409	164 695	294 104	458 799						
1961	119 363	4 676	124 039	374 039	498 078						
1962	138 511	4 173	142 684	360 068	502 752		0.32	0.25		2 962	1 599
1963	144 548	4 447	148 995	360 214	509 209		0.30	0.24		2 642	1 368
1964	131 328	9 418	140 746	461 905	602 651		0.41	0.31		2 531	1 428
1965	110 527	7 035	117 562	427 473	545 035		0.55	0.39		2 381	1 187
1966	110 843	8 305	119 148	405 357	524 505		0.40	0.30		2 329	963
1967	101 859	13 620	115 479	496 285	611 764		0.43	0.32		2 377	907
1968	101 037	22 283	123 320	686 694	810 014		0.60	0.41		2 324	882
1969	97 224	18 115	115 339	638 351	753 690		0.82	0.51		2 002	810
1970	76 588	10 826	87 414	432 812	520 226		0.58	0.40		1 689	627
1971	62 539	6 175	68 714	370 804	439 518		0.48	0.35		1 598	604
1972	62 052	3 789	65 841	392 454	458 295		0.51	0.37		1 393	606
1973	41 648	2 489	44 137	310 372	354 509	666 000	0.50	0.36		984	479
1974	35 181	899	36 080	336 570	372 650	657 000	0.50	0.36		752	424
1975	41 213	1 269	42 482	245 026	287 508	554 000	0.98	0.58		568	285
1976	59 939	3 052	62 991	151 229	214 220	300 000	1.16	0.63		525	159
1977	72 623	6 938	79 561	93 159	172 720	160 000	0.51	0.37		526	93
1978	81 455	20 922	102 377	36 182	138 559	135 000	0.53	0.38		597	109
1979	85 822	44 965	130 787	36 112	166 899	180 000	0.47	0.34		696	141
1980	96 523	51 041	147 564	28 224	175 788	180 000	0.32	0.25		784	270
1981	80 038	66 997	147 035	23 677	170 712	200 000	0.35	0.27		889	373
1982	113 049	94 457	207 506	22 268	229 774	237 000	0.47	0.34		945	414
1983	106 423	108 034	214 457	17 888	232 345	260 000	0.46	0.34		1 035	334
1984	97 721	104 936	202 657	29 814	232 471	266 000	0.51	0.37		1 181	277
1985	79 883	107 211	187 094	44 199	231 293	266 000	0.55	0.39		1 146	314
1986	72 369	111 551	183 920	67 586	251 506	266 000	0.53	0.37		1 066	308
1987	78 747	120 188	198 935	36 075	235 010	256 000	0.57	0.40		955	329
1988	101 035	140 835	241 870	26 807	268 677	266 000	0.75	0.49		918	387
1989	102 869	111 756	214 625	38 799	253 424	235 000	1.00	0.58		943	391
1990	112 533	70 884	183 417	35 271	218 688	199 262	1.34	0.68		1 034	297
1991	59 830	60 286	120 116	50 753	170 869	190 000	2.23	0.84		704	131
1992	11 794	17 002	28 796	14 883	43 679	0	1.17	0.64		108	15
1993	8 998	2	9 000	2 425	11 425	0	0	0			
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Minimum					11 425	0	0.30	0.24		108	15
1st quart.					216 454	180 000	0.47	0.34		768	281
MEDIAN					268 677	236 000	0.51	0.37		1 034	387
3rd quart.					500 415	266 000	0.68	0.45		1 846	719
Maximum					810 014	666 000	2.23	0.84		2 962	1 599

1991 ass. for 62-90; annual thereafter

From 1993 NAFO SC - ADAPT

Cod in 2J-3KL

YEAR	Abundance indices										RV Mean weight at age 6 (kg)
	RV Nb/tow		RV Index								
	Estimate	Estimate	Stock Size 2J	Biomass 2J	Stock Size 3K	Biomass 3K	Stock Size 3L	Biomass 3L	CPUE Index (ages)		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972											
1973											
1974											
1975											
1976											
1977											
1978	40.11	8.84	102 999	172 443	84 311	148 482					
1979	45.80	14.57	81 672	158 574	134 903	267 862					
1980	43.21	20.41	104 895	235 005	72 521	159 298					
1981	36.26	23.39	94 961	228 757	81 732	178 220	62 303	112 086			1.85
1982	36.01	17.39	117 410	216 540	63 717	136 326	56 265	88 586			1.96
1983	57.38	16.61	180 291	267 123	94 508	175 936	103 140	152 325	38.100	2.00	
1984	60.87	17.59	139 339	181 681	96 355	179 468	165 002	190 480	48.110	1.78	
1985	45.25	14.50	120 092	136 693	51 652	86 029	125 933	164 451	64.820	1.44	
1986	98.67	39.93	301 831	404 642	225 648	356 203	121 853	191 326	68.230	1.42	
1987	41.96	20.88	117 446	175 466	71 544	123 283	87 504	151 936	58.480	1.38	
1988	41.11	25.97	137 209	249 135	54 871	75 437	78 420	139 727	49.260	1.43	
1989	55.20	22.89	105 601	140 829	209 692	290 535	48 577	73 512	57.460	1.52	
1990	50.93	16.14	35 865	32 853	171 919	193 130	127 023	210 203	67.310	1.63	
1991	33.18	5.49	46 264	28 511	130 316	125 576	41 616	52 073	44.160	1.44	
1992	8.96	1.85	4 242	2 140	10 345	8 974	44 369	51 146		1.35	
1993	2.41	0.27	1 735	868	4 464	2 932	9 692	8 977		1.29	
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	2.4	0.3	1 735	868	4 464	2 932	9 692	8 977	38.10	1.29	
1st Q	36.2	13.1	72 820	110 733	61 506	113 970	48 577	73 512	48.11	1.42	
Med.	42.6	17.0	105 248	173 955	83 022	153 890	78 420	139 727	57.46	1.44	
3rd Q	52.0	21.4	124 371	230 319	131 463	182 884	121 853	164 451	64.82	1.78	
Max.	98.7	39.9	301 831	404 642	225 648	356 203	165 002	210 203	68.23	2.00	

Cod in 2J-3KL						Alternate Methods or C.I.							
	NAFO SC 1993 ADAPT						NAFO SC 1993 LS						
	F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	Biomass Total 3+ (000 t)	Biomass Spawning 7+ (000 t)		F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	Biomass Total 3+ (000 t)	Biomass Spawning 7+ (000 t)
1948													
1949													
1950													
1951													
1952													
1953													
1954													
1955													
1956													
1957													
1958													
1959													
1960													
1961													
1962	0.32	0.25	725		2 977	1 611	0.32	0.25	725		2 977	1 611	
1963	0.30	0.24	640		2 655	1 379	0.30	0.24	640		2 655	1 379	
1964	0.42	0.31	880		2 541	1 437	0.42	0.31	880		2 541	1 437	
1965	0.55	0.39	1 040		2 390	1 196	0.55	0.39	1 040		2 390	1 196	
1966	0.40	0.30	1 196		2 336	971	0.40	0.30	1 196		2 336	971	
1967	0.43	0.32	865		2 382	912	0.43	0.32	865		2 382	912	
1968	0.60	0.41	730		2 329	886	0.60	0.41	730		2 329	886	
1969	0.82	0.51	670		2 006	814	0.82	0.51	670		2 006	814	
1970	0.58	0.40	740		1 693	630	0.58	0.40	740		1 693	630	
1971	0.48	0.35	597		1 601	606	0.48	0.35	597		1 601	606	
1972	0.51	0.37	255		1 394	607	0.51	0.37	255		1 394	607	
1973	0.50	0.36	141		983	479	0.50	0.36	141		983	479	
1974	0.50	0.36	138		752	424	0.50	0.36	138		752	424	
1975	0.98	0.58	233		568	284	0.98	0.58	233		568	284	
1976	1.16	0.63	413		526	160	1.16	0.63	413		526	160	
1977	0.51	0.37	342		526	94	0.51	0.37	342		526	94	
1978	0.53	0.38	302		597	110	0.53	0.38	302		597	110	
1979	0.47	0.34	153		695	142	0.47	0.34	153		695	142	
1980	0.32	0.25	161		781	270	0.32	0.25	161		781	270	
1981	0.35	0.27	360		882	373	0.35	0.27	360		882	373	
1982	0.47	0.34	321		931	413	0.47	0.34	321		931	413	
1983	0.46	0.34	350		1 007	332	0.46	0.34	350		1 007	332	
1984	0.51	0.37	432		1 125	272	0.51	0.37	432		1 125	272	
1985	0.55	0.39	339		1 061	301	0.55	0.39	338		1 060	301	
1986	0.53	0.38	158		952	287	0.53	0.38	158		951	287	
1987	0.57	0.40	130		814	295	0.57	0.40	129		812	294	
1988	0.75	0.48	167		704	323	0.75	0.48	160		699	323	
1989	1.00	0.58	223		590	280	1.00	0.58	185		569	279	
1990	1.34	0.68	238		472	151	1.36	0.69	117		405	150	
1991	2.23	0.84	101		330	61	2.51	0.86	64		242	59	
1992	1.17	0.64	79		210	22	2.86	0.89	68		108	15	
1993													
1994													
1995													
1996													
1997													
1998													
1999													
2000													
Min.	0.30	0.24	79		210	22	0.30	0.24	64		108	15	
1st Q	0.47	0.34	164		646	271	0.47	0.34	159		646	271	
Med.	0.51	0.37	339		952	332	0.51	0.37	338		951	332	
3rd Q	0.68	0.45	655		1 850	722	0.68	0.45	655		1 850	722	
Max.	2.23	0.84	1 196		2 977	1 611	2.86	0.89	1 196		2 977	1 611	

Cod in 2J-3KL

Relative Indices based on the 1993 NAFO Assessment

	Relative Indices						Absolute RV			
	Biomass from RV 2J	Biomass from RV 3K	Biomass from RV 3L	Biomass from RV 2J3KL	Biomass Total Ages 3+	Biomass pawning Ages 7+				Biomass RV 3+
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960										
1961										
1962					3.13	1.69				
1963					2.79	1.45				
1964					2.67	1.51				
1965					2.51	1.26				
1966					2.45	1.02				
1967					2.50	0.96				
1968					2.45	0.93				
1969					2.11	0.86				
1970					1.78	0.66				
1971					1.68	0.64				
1972					1.46	0.64				
1973					1.03	0.50				
1974					0.79	0.45				
1975					0.60	0.30				
1976					0.55	0.17				
1977					0.55	0.10				
1978	0.99	0.96	0.00		0.63	0.12				
1979	0.91	1.74	0.00		0.73	0.15				
1980	1.35	1.04	0.00		0.82	0.28				
1981	1.32	1.16	0.80	1.21	0.93	0.39				519 063
1982	1.24	0.89	0.63	1.03	0.98	0.43				441 452
1983	1.54	1.14	1.09	1.39	1.06	0.35				595 384
1984	1.04	1.17	1.36	1.28	1.18	0.29				551 629
1985	0.79	0.56	1.18	0.90	1.11	0.32				387 173
1986	2.33	2.31	1.37	2.22	1.00	0.30				952 171
1987	1.01	0.80	1.09	1.05	0.86	0.31				450 685
1988	1.43	0.49	1.00	1.08	0.74	0.34				464 299
1989	0.81	1.89	0.53	1.18	0.62	0.29				504 876
1990	0.19	1.25	1.50	1.02	0.50	0.16				436 186
1991	0.16	0.82	0.37	0.48	0.35	0.06				206 159
1992	0.01	0.06	0.37	0.14	0.22	0.02				62 260
1993	0.00	0.02	0.06	0.03						12 763
1994										
1995										
1996										
1997										
1998										
1999										
2000										

Cod in 3M

June 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass	
	Canadian		Foreign		F (ages)	Expl. rate (%)	Recruits	Stock Size (ages) (million)	Total	Spawning
	Fixed	Mobile	TOTAL	(ages)					(000 t)	
1948			0							
1949			0							
1950			0							
1951			0							
1952			0							
1953			0							
1954			0							
1955			0							
1956			0							
1957			0							
1958			0							
1959			0							
1960			0 1 000	1 000						
1961			0 20 000	20 000						
1962	349		15 558	15 907						
1963			0 35 482	35 482						
1964			0 42 734	42 734						
1965	8		56 321	56 329						
1966			0 29 972	29 972						
1967	46		37 998	38 044						
1968	235		35 464	35 699						
1969	22		23 918	23 940						
1970	1		19 720	19 721						
1971			0 26 183	26 183						
1972	7		57 757	57 764						
1973	18		22 882	22 900						
1974	63		24 875	24 938	40 000					
1975	108		22 267	22 375	40 000					
1976	134		22 132	22 266	40 000					
1977	158		26 861	27 019	25 000					
1978	139		32 992	33 131	40 000					
1979	2		29 708	29 710	40 000					
1980	25		13 691	13 716	13 000					
1981	3		13 870	13 873	12 800					
1982	0		12 753	12 753	12 400					
1983	0		11 704	11 704	12 400					
1984	0		12 702	12 702	12 900					
1985	0		13 675	13 675	12 970					
1986	0		14 518	14 518	12 970					
1987	0		10 632	10 632	12 970					
1988	0		1 718	1 718	0					
1989	0		40 000	40 000	0					
1990	1		31 999	32 000	0					
1991	0		11 000	11 000	12 965					
1992	0		11 000	11 000	12 965					
1993	0		12 500	12 500	12 965					
1994	0				13 000					
1995										
1996										
1997										
1998										
1999										
2000			0							
Minimum				1 000						
1st quart.				12 984						
MEDIAN				22 321						
3rd quart.				31 493						
Maximum				57 764						

Cod in 3M

YEAR	Abundance Indices								Mean weight at age 7 (kg)	
	EEC RV (t)			Russia RV (t)		EEC RV (t)				
	Estimate All ages	Lower limit	Upper limit	Estimate bottom All ages	Bottom plus pelagic	Estimate SSB 5+	Lower limit	Upper limit		
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960										
1961										
1962										
1963										
1964										
1965										
1966										
1967										
1968										
1969										
1970										
1971										
1972										
1973										
1974										
1975										
1976										
1977										
1978										
1979										
1980										
1981										
1982										
1983				23 070						
1984				31 210						
1985				28 070						
1986				26 060						
1987				10 150	21 600					
1988	37 127			7 720	34 200		4 218			
1989	103 644			36 520	78 300		32 345			
1990	55 360			3 920	17 300		34 259			
1991	36 597			6 740	8 200		16 218			
1992	24 295				2 500		4 543			
1993	55 642						5 599			
1994										
1995										
1996										
1997										
1998										
1999										
2000										
Min.	24 295			3 920	2 500		4 218			
1st Q	36 730			7 720	10 475		4 807			
Med.	46 244			23 070	19 450		10 909			
3rd Q	55 572			28 070	31 050		28 313			
Max.	103 644			36 520	78 300		34 259			

Cod in 3NO

February 94

YEAR	Catches (t)			TAC (t)	Assessment Results: ADAPT Flattop						
	Canadian		Foreign		F 7-10	Expl. rate (ages) (%)	Recruits Age x (million)	Stock Size (ages) (million)	Biomass		
	Fixed	Mobile							Total (000 t)	Spawning 3+ (000 t)	
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953	39 884	26 313	66 197								
1954	17 392	117 369	134 761								
1955	6 053	108 303	114 356								
1956	5 363	64 882	70 245								
1957	9 641	80 549	90 190								
1958	4 812	43 239	48 051								
1959	3 687	60 683	64 370		0.41	0.31	54		207	109	
1960	3 408	76 269	79 677		0.42	0.31	53		191	85	
1961	5 428	67 296	72 724		0.40	0.30	82		184	106	
1962	3 235	31 170	34 405		0.36	0.28	108		188	86	
1963	5 079	67 030	72 109		0.72	0.47	79		227	101	
1964	2 882	64 255	67 137		0.37	0.28	112		257	119	
1965	4 229	96 007	100 236		0.93	0.56	162		291	155	
1966	6 501	103 229	109 730		1.30	0.67	210		359	137	
1967	3 446	224 608	228 054		0.64	0.43	183		404	126	
1968	3 287	163 469	166 756		0.60	0.41	100		327	113	
1969	3 664	115 558	119 222		0.49	0.36	128		248	96	
1970	4 771	108 481	113 252		0.46	0.33	80		238	97	
1971	2 311	123 923	126 234		0.50	0.36	84		245	107	
1972	1 736	101 687	103 423		0.48	0.35	62		206	103	
1973	1 832	78 597	80 429	103 000	0.37	0.28	35		182	82	
1974	1 360	72 029	73 389	101 000	0.96	0.57	36		125	84	
1975	1 189	42 985	44 174	88 000	1.74	0.77	23		63	35	
1976	2 065	22 218	24 283	43 000	0.34	0.26	28		46	13	
1977	2 532	15 072	17 604	30 000	0.66	0.44	45		60	18	
1978	6 246	8 472	14 718	15 000	0.27	0.22	41		90	20	
1979	9 938	18 002	27 940	25 000	0.26	0.21	18		99	31	
1980	5 589	15 182	20 771	26 000	0.17	0.14	20		103	50	
1981	6 096	18 248	24 344	26 000	0.24	0.19	28		138	85	
1982	10 185	21 420	31 605	17 000	0.36	0.28	22		153	95	
1983	11 374	17 750	29 124	17 000	0.24	0.20	36		165	95	
1984	8 705	18 398	27 103	26 000	0.29	0.23	42		181	102	
1985	18 179	18 720	36 899	33 000	0.29	0.23	33		167	99	
1986	18 035	32 610	50 645	33 000	0.32	0.25	9		155	105	
1987	18 652	22 967	41 619	33 000	0.37	0.28	7		135	106	
1988	19 727	23 423	43 150	40 000	0.46	0.34	14		100	81	
1989	13 514	19 742	33 256	25 000	0.37	0.28	14		79	59	
1990	10 660	18 722	29 382	18 600	0.37	0.28	6		66	48	
1991	12 056	17 333	29 389	13 600	0.64	0.43	8		51	39	
1992	7 684	4 876	12 560	13 600	0.31	0.25	47		39	23	
1993	5 326	4 402	9 728	10 200	0.19	0.16	33		44	15	
1994	0			6 000							
1995	0										
1996	0										
1997	0										
1998	0										
1999	0										
2000	0										
Minimum			9 728		0.17	0.14	6		39	13	
1st quart.			29 382		0.32	0.25	22		94	49	
MEDIAN			50 645		0.37	0.28	41		165	95	
3rd quart.			90 190		0.55	0.39	81		217	105	
Maximum			228 054		1.74	0.77	210		404	155	

Cod in 3NO

YEAR	Abundance indices								Mean weight at age 7 (kg)	
	CAN spring RV (nb/tow)		Other			CAN Otter trawl (t/hr)				
	Estimate 1+	Estimate 5+	Rus. Abun Spring	Can Abun Fall	Can Abun Juvenile	Estimate All ages	Lower limit	Upper limit		
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960										
1961										
1962										
1963										
1964										
1965										
1966										
1967										
1968										
1969										
1970										
1971	36.93	4.92								
1972	33.24	4.30							2.89	
1973	10.56	4.09							3.63	
1974	6.97	1.02							2.86	
1975	11.87	2.03							3.14	
1976	10.89	2.21							3.25	
1977	25.17	7.20	161			1.028	0.582	1.474	3.51	
1978	21.03	4.28	120			0.849	0.567	1.131	3.74	
1979	25.57	10.41	44			1.145	0.785	1.505	2.87	
1980	9.77	2.42	46			0.933	0.577	1.289	3.69	
1981	13.66	6.49	38			1.206	0.764	1.648	3.55	
1982	16.82	2.79	136			1.536	1.040	2.032	3.83	
1983			137			1.460	1.026	1.894	3.80	
1984	38.10	18.67	259			1.189	0.809	1.569	3.04	
1985	20.40	9.39	521			1.223	0.843	1.603	3.25	
1986	22.02	13.09	270			1.085	0.757	1.413	3.49	
1987	85.69	70.77	54			1.068	0.752	1.384	2.89	
1988	12.54	8.16	55			1.111	0.773	1.449	2.23	
1989	8.44	5.19	13		141	1.064	0.732	1.396	3.27	
1990	9.15	6.35	5	25	315	1.058	0.722	1.394	2.73	
1991	10.77	2.61	36	71	440	0.534	0.358	0.710	3.83	
1992	6.40	1.16		66	104	0.471	0.299	0.643	2.82	
1993	35.65	3.33	114	13	83				2.79	
1994										
1995										
1996										
1997										
1998										
1999										
2000										
Min.	6.4	1.0		5	13	83	0.47	0.30	0.64	
1st Q	10.6	2.7		43	22	104	1.00	0.58	1.36	
Med.	15.2	4.6		85	46	141	1.08	0.75	1.43	
3rd Q	25.5	7.9		143	67	315	1.19	0.79	1.58	
Max.	85.7	70.8		521	71	440	1.54	1.04	2.03	
									3.83	

Cod in 3NO Alternate Methods or C.I.

	ADAPT-DOME PR						Method 3					
	F (7-10)	Expl. rate (ages) (%)	Recruits Age 3 (million)	Stock Size (ages) (million)	Biomass Total 3+ (000 t)	Biomass Spawning (000 t)	F (ages)	Expl. rate (ages) (%)	Recruits Age x (million)	Stock Size (ages) (million)	Biomass Total (ages) (000 t)	Biomass Spawning (ages) (000 t)
1945												
1949												
1950												
1951												
1952												
1953												
1954												
1955												
1956												
1957												
1958												
1959	0.41	0.31	54		217	115						
1960	0.42	0.31	53		210	108						
1961	0.40	0.30	82		188	97						
1962	0.36	0.28	108		196	93						
1963	0.72	0.47	79		231	104						
1964	0.37	0.28	113		258	115						
1965	0.93	0.56	163		294	144						
1966	1.29	0.67	210		360	139						
1967	0.63	0.43	184		410	135						
1968	0.59	0.41	102		330	119						
1969	0.48	0.35	129		259	106						
1970	0.44	0.33	81		266	121						
1971	0.48	0.35	87		263	120						
1972	0.45	0.33	64		220	107						
1973	0.34	0.26	38		195	94						
1974	0.81	0.51	42		154	101						
1975	0.97	0.57	27		83	49						
1976	0.13	0.11	36		70	29						
1977	0.22	0.18	57		98	41						
1978	0.08	0.07	73		153	50						
1979	0.10	0.09	26		170	68						
1980	0.07	0.06	27		190	100						
1981	0.11	0.09	34		254	161						
1982	0.14	0.12	32		290	203						
1983	0.10	0.08	46		315	220						
1984	0.12	0.11	51		331	223						
1985	0.16	0.13	38		315	229						
1986	0.16	0.13	11		308	243						
1987	0.17	0.14	7		284	242						
1988	0.22	0.18	15		195	165						
1989	0.19	0.16	16		164	140						
1990	0.18	0.15	7		144	123						
1991	0.29	0.23	10		129	114						
1992	0.13	0.11	57		112	91						
1993	0.09	0.08	40		95	59						
1994					132							
1995					227							
1996												
1997												
1998												
1999												
2000												
Min.	0.07	0.06	7		70	29						
1st Q	0.14	0.12	30		154	95						
Med.	0.29	0.23	51		217	115						
3rd Q	0.46	0.34	82		284	142						
Max.	1.29	0.67	210		410	243						

Cod in 3Ps
May 94

YEAR	Catches (t)				TAC (t) by Canada	Assessment Results				SPA		
	Canadian			Foreign		F 6+	Expl. rate 6+ (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	Biomass		
	Fixed	Mobile	Total							Total 3+ (000 t)	SSB 7+ (000 t)	
1948												
1949			0									
1950			0									
1951			0									
1952			0									
1953			0									
1954			0									
1955			0									
1956			0									
1957			0									
1958			0									
1959	32 718	7 510	40 228	19 942	60 170		0.41	0.31	59	261	293	
1960	40 059	6 875	46 934	25 702	72 636		0.48	0.35	59	238	288	
1961	32 506	6 050	38 556	45 064	83 620		0.67	0.45	51	203	262	
1962	29 888	2 650	32 538	20 101	52 639		0.39	0.29	49	174	213	
1963	30 447	11 430	41 877	9 944	51 821		0.37	0.28	43	157	196	
1964	23 897	2 531	26 428	30 139	56 567		0.55	0.39	71	177	196	
1965	25 902	3 662	29 564	22 290	51 854		0.55	0.38	81	202	201	
1966	23 785	6 056	29 841	36 366	66 207		0.73	0.47	84	223	212	
1967	26 331	5 120	31 451	31 323	62 774		0.43	0.32	98	242	208	
1968	22 938	7 123	30 061	47 495	77 556		0.42	0.31	70	234	221	
1969	20 009	5 118	25 127	38 672	63 799		0.56	0.39	54	210	222	
1970	23 410	6 816	30 226	46 632	76 858		0.50	0.36	35	176	212	
1971	26 651	9 388	36 039	26 409	62 448		0.63	0.43	60	166	188	
1972	19 276	3 575	22 851	21 362	44 213		0.64	0.43	39	140	156	
1973	21 349	3 288	24 637	28 004	52 641	70 500	0.78	0.50	30	125	144	
1974	15 999	4 427	20 426	26 286	46 712	70 000	1.16	0.63	41	116	120	
1975	14 332	863	15 195	20 178	35 373	62 400	0.91	0.55	54	121	103	
1976	20 978	2 330	23 308	13 825	37 133	47 500	0.36	0.27	57	132	96	
1977	23 755	5 504	29 259	2 986	32 245	32 500	0.49	0.35	75	156	138	
1978	19 560	2 782	22 342	4 879	27 221	25 000	0.53	0.37	39	146	133	
1979	23 413	3 244	26 657	6 349	33 006	25 000	0.43	0.32	23	125	133	
1980	29 427	3 524	32 951	4 617	37 568	28 000	0.62	0.42	36	118	147	
1981	26 068	5 017	31 085	7 807	38 892	30 000	0.54	0.38	64	142	157	
1982	21 351	5 587	26 938	6 964	33 902	33 000	0.48	0.35	44	142	150	
1983	23 915	4 680	28 595	9 856	38 451	33 000	0.44	0.33	73	172	193	
1984	22 865	2 864	25 729	11 221	36 950	33 000	0.33	0.26	65	187	237	
1985	24 854	8 005	32 859	18 508	51 367	41 000	0.49	0.35	52	187	245	
1986	24 208	7 101	31 309	25 981	57 290	41 000	0.55	0.38	26	152	200	
1987	26 589	6 200	32 789	24 512	57 301	41 000	0.66	0.44	36	129	168	
1988	19 742	5 965	25 707	17 670	43 377	41 000	0.59	0.41	48	124	144	
1989	23 208	5 459	28 667	10 873	39 540	35 400	0.46	0.34	51	130	141	
1990	20 047	6 279	26 326	14 927	41 253	35 400	0.58	0.40	39	122	139	
1991	21 297	5 991	27 288	15 787	43 075	35 400	0.70	0.46	17	93	111	
1992	17 940	6 533	24 473	7 052	31 525	35 400	0.70	0.46	22	72	81	
1993	11 533	3 338	14 871	40	14 911	20 000			39	80	80	
1994			0			0					23	
1995			0									
1996			0									
1997			0									
1998			0									
1999			0									
2000			0									
Minimum					14 911		0.33	0.26	17	72	80	
1st quart.					37 351		0.45	0.33	39	125	139	
MEDIAN					46 712		0.54	0.38	51	152	168	
3rd quart.					58 736		0.64	0.43	62	187	212	
Maximum					83 620		1.16	0.63	98	261	293	
											123	

Cod in 3Ps

YEAR	Abundance indices								Mean weight at age 7 (kg)	
	RV Canada (#/tow)			RV Canada (wgt/tow)			CPUE (units)			
	Estimate Feb. All ages	April All ages		Estimate Feb. All ages	April All ages	Upper limit	Estimate (ages)	Lower limit	Upper limit	
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960										
1961										
1962										
1963										
1964										
1965										
1966										
1967										
1968										
1969										
1970										
1971										
1972										
1973	5.90				7.70					
1974	9.02				11.23					
1975	4.27				6.05					
1976	11.52				17.71					
1977	6.51				9.14					2.67
1978	7.82				12.59					2.45
1979	28.18				29.81					2.55
1980	14.82				21.20					2.48
1981	30.95				52.64					2.30
1982	15.28				21.87					2.36
1983	12.34				35.84					2.58
1984	6.28				18.87					2.64
1985	20.14				41.94					2.51
1986	20.93				43.56					2.43
1987	29.64				57.63					2.31
1988	25.22				64.88					2.17
1989	10.39				32.57					2.25
1990	25.46				37.38					2.45
1991	27.14				41.99					2.37
1992	9.03				12.23					2.25
1993	6.33	4.91			7.77	5.68				2.13
1994		9.76				9.97				
1995										
1996										
1997										
1998										
1999										
2000										
Min.	4.27	4.91			6.05	5.68				2.13
1st Q	7.82	6.12			12.23	6.75				2.30
Med.	12.34	7.34			21.87	7.83				2.43
3rd Q	25.22	8.55			41.94	8.90				2.51
Max.	30.95	9.76			64.88	9.97				2.67

Cod in 3Ps

Alternate Methods or C.I.

Maturity						Method 3				
	Age 50% mat.		F (ages)	Expl. rate (%)	Recruits	Age x (million)	Stock Size (ages) (million)	Biomass Total (ages) (000 t)	Biomass Spawning (ages) (000 t)	
	Males	Females								
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960										
1961										
1962										
1963										
1964										
1965										
1966										
1967										
1968										
1969										
1970										
1971										
1972										
1973										
1974										
1975										
1976										
1977										
1978	6.01	6.35								
1979	5.87	6.64								
1980	4.66	6.08								
1981	4.98	5.35								
1982	5.38	6.40								
1983	5.31	5.79								
1984	5.58	5.85								
1985	6.87	5.75								
1986	6.02	6.23								
1987	6.18	6.52								
1988	5.42	7.05								
1989	5.60	6.54								
1990	5.43	5.93								
1991	4.39	5.21								
1992	5.12	5.01								
1993	4.54	5.21								
1994										
1995										
1996										
1997										
1998										
1999										
2000										
Min.	4.39	5.01								
1st Q	5.09	5.65								
Med.	5.43	6.01								
3rd Q	5.91	6.43								
Max.	6.87	7.05								

Cod in 3Pn-4RS

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results: ADAPT				
	Canadian			Foreign		F (7-9)	Expl. rate (7-9) (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	
	Fixed	Mobile	Total							
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960	29 619	14 731	44 350	50 000	94 350					
1961	28 673	9 337	38 010	62 000	100 010					
1962	38 471	4 053	42 524	43 397	85 921					
1963	41 911	6 299	48 210	26 536	74 746					
1964	34 413	6 149	40 562	43 672	84 234					
1965	28 842	7 773	36 615	32 314	68 929					
1966	24 970	11 280	36 250	28 835	65 085					
1967	30 445	6 334	36 779	42 533	79 312					
1968	37 859	12 090	49 949	39 722	89 671					
1969	33 045	16 943	49 988	21 152	71 140					
1970	24 387	20 301	44 688	60 777	105 465					
1971	23 041	9 189	32 230	51 580	83 810					
1972	19 913	10 813	30 726	27 511	58 237					
1973	24 779	3 592	28 371	37 434	65 805					
1974	20 529	13 642	34 171	32 265	66 436					
1975	20 567	8 022	28 589	31 644	60 233					
1976	26 629	16 077	42 706	34 275	76 981	55 000	0.47	0.34	118	
1977	24 688	30 740	55 428	18 138	73 566	55 000	0.57	0.40	161	
1978	33 042	29 693	62 735	15 771	78 506	55 000	0.42	0.31	174	
1979	38 474	30 534	69 008	13 769	82 777	75 000	0.49	0.36	127	
1980	51 478	36 705	88 183	9 396	97 579	75 000	0.50	0.36	196	
1981	45 801	39 602	85 403	12 508	97 911	75 000	0.41	0.31	122	
1982	49 395	43 531	92 926	12 013	104 939	93 300	0.53	0.38	112	
1983	49 617	45 779	95 396	10 684	106 080	100 000	0.37	0.28	125	
1984	41 783	50 237	92 020	11 623	103 643	100 000	0.54	0.38	79	
1985	35 515	43 589	79 104	9 185	88 289	100 000	0.49	0.36	85	
1986	27 279	42 415	69 694	13 122	82 816	92 100	0.69	0.46	55	
1987	23 737	41 275	65 012	1 535	66 547	80 300	0.86	0.53	37	
1988	18 283	29 669	47 952	0	47 952	73 900	0.53	0.38	41	
1989	13 287	31 046	44 333	2 586	46 919	76 540	0.69	0.46	41	
1990	8 702	28 761	37 463	2 478	39 941	58 000	0.69	0.46	59	
1991	10 530	18 869	29 399	2 402	31 801	35 000	0.57	0.40	33	
1992	8 818	17 770	26 588	2 358	28 946	35 000	0.51	0.36	20	
1993	8 095	10 076	18 171	0	18 171	18 000	0.60	0.41	31	
1994						0			64	
1995									127	
1996									72	
1997									19	
1998									106	
1999									30	
2000										
Minimum					18 171		0.36	0.28	20	
1st quart.					65 265		0.46	0.34	41	
MEDIAN					77 744		0.52	0.37	85	
3rd quart.					89 326		0.58	0.40	125	
Maximum					106 080		0.86	0.53	546	

Cod in 3Pn-4RS

YEAR	Abundance indices								Mean weight at age 7 (kg)	
	RV Biomass (t) - winter			RV Numbers (x 1000)			RV- summer			
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Biomass (t) All Ages	Number (x1000) 3+		
All ages				3+						
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960										
1961										
1962										
1963										
1964										
1965										
1966										
1967										
1968										
1969										
1970										
1971										
1972										
1973										
1974									1.67	
1975									1.89	
1976									2.15	
1977									2.02	
1978	195 424			135 858					1.98	
1979	94 661			77 708					1.87	
1980	191 504			169 181					1.91	
1981	126 989			97 135					1.85	
1982									1.76	
1983	212 016			137 724					1.90	
1984	341 738			238 623					1.77	
1985	157 687			116 735					1.62	
1986	280 663			220 189					1.47	
1987	49 440			38 625					1.31	
1988	95 220			54 987					1.49	
1989	50 606			38 253					1.42	
1990	38 036			53 729					1.39	
1991	126 541			135 329			30 597	60 359	1.38	
1992	105 756			107 449			61 408	91 960	1.29	
1993	48 524			69 743			20 698	27 284	1.30	
1994	16 984			34 158			4 830	8 914		
1995										
1996										
1997										
1998										
1999										
2000										
							lagged one year			
Min.	16 984			34 158			4 830	8 914	1.29	
1st Q	50 315			54 673			16 731	22 692	1.41	
Med.	116 149			102 292			25 648	43 822	1.72	
3rd Q	192 484			136 325			38 300	68 259	1.89	
Max.	341 738			238 623			61 408	91 960	2.15	

Cod in 4T-Vn (J.-A.), including Nov.+Dec.

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results: Hybrid						
	Canadian		Foreign		F 7+	Expl. rate 7+ (%)	Recruits	Stock Size 3+	Biomass		
	Fixed	Mobile							Total 3+ (000 t)	Adult 5+ (000 t)	
1948											
1949											
1950				44 023							
1951				34 627	0.42	0.31	100	329	330	226	
1952				41 956	0.26	0.22	109	362	351	281	
1953				58 911	0.32	0.25	111	395	403	312	
1954				63 901	0.36	0.29	106	412	434	341	
1955				55 227	0.52	0.37	77	387	442	386	
1956				104 469	0.41	0.31	68	348	472	402	
1957				89 131	0.52	0.37	81	336	491	427	
1958				86 582	0.49	0.35	106	344	446	364	
1959				70 720	0.61	0.51	110	359	398	311	
1960				41 013	1.39	0.70	142	389	352	257	
1961				25 000	0.65	0.39	133	403	312	216	
1962				55 583	0.66	0.44	48	341	315	236	
1963				53 417	0.35	0.27	59	302	293	280	
1964				53 805	0.50	0.38	41	261	248	213	
1965	13 515	44 824	58 339	6 765	65 104	0.71	0.48	51	262	176	
1966	17 580	32 281	49 861	7 220	57 081	0.62	0.42	58	184	153	
1967	16 296	21 365	37 661	5 751	43 412	0.48	0.35	97	216	159	
1968	18 374	27 125	45 499	3 492	48 991	0.67	0.45	87	241	175	
1969	20 896	26 951	47 847	2 414	50 261	0.51	0.37	51	222	179	
1970	20 538	28 307	48 845	17 143	65 988	0.81	0.51	47	204	186	
1971	19 326	29 681	49 007	8 924	57 931	0.58	0.40	89	224	208	
1972	13 352	34 921	48 273	20 370	68 643	0.53	0.38	35	191	185	
1973	12 099	22 559	34 658	17 285	51 943	0.53	0.37	49	154	136	
1974	8 558	21 375	29 933	20 646	50 579	63 000	0.69	0.46	57	149	
1975	10 963	21 191	32 154	11 112	43 266	50 000	0.82	0.51	47	141	
1976	6 395	25 001	31 396	5 947	37 343	30 000	0.55	0.39	121	211	
1977	8 920	17 576	26 496	388	26 884	15 000	0.35	0.27	169	319	
1978	11 847	23 667	35 514	3 506	39 020	38 000	0.44	0.33	165	410	
1979	17 124	37 733	54 857	2 839	57 696	46 000	0.65	0.44	116	424	
1980	14 433	33 771	48 204	9 022	57 226	54 000	0.52	0.37	116	428	
1981	20 075	38 954	59 029	8 118	67 147	53 000	0.81	0.51	85	396	
1982	18 067	36 786	54 853	6 816	61 669	60 000	0.53	0.38	152	430	
1983	17 253	41 233	58 486	5 504	63 990	62 000	0.50	0.36	205	516	
1984	14 516	36 578	51 094	6 470	57 564	67 000	0.67	0.45	109	489	
1985	11 861	45 345	57 206	6 767	63 973	67 000	0.54	0.38	104	470	
1986	11 649	50 321	61 970	6 712	68 682	60 000	0.63	0.43	84	422	
1987	12 872	40 595	53 467	1 125	54 592	45 200	0.47	0.34	67	362	
1988	9 647	46 072	55 719		55 719	54 000	0.62	0.42	55	306	
1989	7 465	49 274	56 739	530	57 269	54 000	0.80	0.50	60	265	
1990	6 429	50 558	56 987	937	57 924	53 000	0.98	0.58	54	224	
1991	4 966	42 834	47 800	1 588	49 388	48 000	1.03	0.59	38	177	
1992	3 989	35 052	39 041	1 610	40 651	43 000	1.12	0.62	37	141	
1993	2 855	2 384	5 239		5 239	13 000	0.19	0.16	27	108	
1994			0		0				44	119	
1995			0							93	
1996			0							105	
1997			0							68	
1998			0							112	
1999			0							79	
2000			0								
Minimum				5 239		0.19	0.16	27	108	73	
1st quart.				49 289		0.48	0.35	51	211	167	
MEDIAN				57 810		0.54	0.38	81	319	248	
3rd quart.				65 684		0.68	0.45	109	395	349	
Maximum				104 469		1.39	0.70	205	516	491	

Cod in 4T-Vn (J.-A.), including Nov.+Dec.

YEAR	Abundance indices					Mean weight at age 7 (kg)		
	RV (Nb/tow) - fall		RV (Nb/tow) - fall		OT CPUE (t/hour)			
	Estimate 1+	Estimate 5+	Estimate	Lower limit	Upper limit			
1948								
1949								
1950								
1951								
1952								
1953								
1954								
1955								
1956								
1957								
1958								
1959								
1960						1.97		
1961						1.71		
1962						1.53		
1963						1.18		
1964						1.04		
1965						1.29		
1966						1.58		
1967						2.18		
1968						2.01		
1969						2.20		
1970						2.12		
1971	32.41	24	41	17.81		2.15		
1972	34.34	25	44	14.62		1.52		
1973	36.57	23	50	16.03		1.69		
1974	30.64	26	35	10.54		1.96		
1975	26.58	14	39	10.35		2.36		
1976	59.82	40	80	9.50		2.19		
1977	50.40	37	64	11.40		2.42		
1978	77.83	40	116	23.58		2.27		
1979	136.88	105	168	45.60		2.22		
1980	134.31	83	185	72.52		1.50		
1981	226.65	151	303	125.34		1.39		
1982	159.86	98	222	94.62	0.272	0.208	0.336	1.45
1983	165.39	128	202	61.70	0.310	0.239	0.381	1.31
1984	142.30	102	183	79.98	0.254	0.194	0.314	1.38
1985	303.02	72	534	208.64	0.326	0.250	0.402	1.42
1986	276.39	95	458	156.89	0.410	0.314	0.506	1.29
1987	131.67	99	164	87.05	0.397	0.299	0.495	0.99
1988	217.47	144	291	124.52	0.359	0.277	0.441	1.04
1989	159.48	122	197	86.72	0.313	0.241	0.385	1.07
1990	102.40	82	123	46.87	0.277	0.212	0.342	1.17
1991	87.76	57	119	36.49	0.224	0.172	0.276	1.22
1992	45.33	35	56	20.92	0.244	0.186	0.302	1.22
1993	54.38	44	65	29.87	0.159	0.112	0.206	1.40
1994								
1995								
1996								
1997								
1998								
1999								
2000								
Min.	26.6	14	35	9.5	0.16	0.11	0.21	0.99
1st Q	47.9	36	60	16.9	0.25	0.19	0.31	1.29
Med.	102.4	72	123	45.6	0.29	0.23	0.36	1.51
3rd Q	159.7	100	200	86.9	0.33	0.26	0.41	2.09
Max.	303.0	151	534	208.6	0.41	0.31	0.51	2.42

Cod in 4Vn (M.-O.)

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results: ADAPT				
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	
	Fixed	Mobile	Total							
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960	7 000	1 000	8 000							
1961	3 000	1 000	4 000							
1962	6 000	2 000	8 000							
1963	7 213	43	7 244							
1964	9 470	1 158	10 578							
1965	7 130	2 784	9 914							
1966	6 983	660	7 643							
1967	5 415	114	5 529							
1968	4 524	88	4 612							
1969	6 575	123	6 698							
1970	8 371		8 371							
1971	9 075		9 075							
1972	7 587		7 587							
1973	4 440		4 440							
1974	4 157		4 157	10 000						
1975	3 203		3 203	0 000						
1976	2 029		2 029	10 000						
1977	3 256		3 256	3 500						
1978	4 421		4 421	3 500						
1979	4 674		4 674	3 500						
1980	7 580		7 580	5 000						
1981	10 651		10 651	10 000						
1982	8 859		8 859	14 000						
1983	6 713		6 713	14 000						
1984	8 329		8 329	14 000						
1985	10 572		10 572	12 000						
1986	10 323		10 323	12 000						
1987	8 928		8 928	9 000						
1988	7 871		7 871	7 500						
1989	5 780		5 780	7 500						
1990	3 181		3 181	7 500						
1991	2 784		2 784	10 000						
1992	2 262		2 262	10 000						
1993	650		650	1 800						
1994	0			0						
1995	0									
1996	0									
1997	0									
1998	0									
1999	0									
2000	0									
Minimum				650						
1st quart.				4 223						
MEDIAN				7 147						
3rd quart.				8 361						
Maximum				10 651						

May-Dec.

Cod in 4Vn (M.-O.)

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	Summer RV (no/tow)			CPUE (/1000 hks)			CPUE (units)				
	Estimate 1+	Lower limit	Upper limit	Estimate ALI ages	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970	42.96										
1971	114.05										
1972	9.39										
1973	34.28										
1974	9.47										
1975	23.47										
1976	20.21										
1977	17.46										
1978	42.84										
1979	13.66										
1980	63.84										
1981	110.98										
1982	42.73										
1983	63.30										
1984	62.14										
1985	237.94										
1986	59.93										
1987	34.66										
1988	120.39										
1989	135.47			0.28							
1990	37.68			0.20							
1991	29.58			0.17							
1992	80.34			0.23							
1993	39.96			0.15							
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	9.4			0.15							
1st Q	28.1			0.17							
Med.	42.8			0.20							
3rd Q	68.0			0.23							
Max.	237.9			0.28							

Cod in 4VsW

May 94

YEAR	Catch (t)				TAC (t)	Assessment Results		ADAPT		Biomass			
	Canada			Foreign		F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 1 (million)	Stock Size 1+ (million)	Total	SSB		
	4VsW	4T cull	Net							1+	6+ (000 t)		
1948													
1949													
1950													
1951													
1952													
1953													
1954													
1955													
1956													
1957													
1958	17 938		17 938	20 653	38 591					106			
1959	20 069		20 069	45 957	66 026					96			
1960	18 390		18 390	32 255	50 645					108			
1961	19 697		19 697	46 612	66 309					94			
1962	17 579		17 579	47 575	65 154					141			
1963	13 144		13 144	55 029	68 173					159			
1964	14 330		14 330	48 927	63 257					153			
1965	23 104		23 104	47 882	70 986					146			
1966	17 690		17 690	50 835	68 525					154			
1967	18 464		18 464	35 694	54 158					121			
1968	24 888		24 888	55 540	80 428					76			
1969	14 188		14 188	35 977	50 165					99			
1970	11 818		11 818	45 616	57 434		0.33	0.26	85	323	226	64	
1971	17 064		17 064	35 499	52 563		0.59	0.41	85	299	193	83	
1972	19 987		19 987	41 658	61 645		0.42	0.31	67	268	184	75	
1973	15 929		15 929	38 164	54 093	60 500	1.23	0.65	62	226	151	52	
1974	10 700		10 700	33 041	43 741	60 000	0.45	0.33	74	215	113	29	
1975	9 939		9 939	22 578	32 517	60 000	1.07	0.61	85	220	94	34	
1976	9 567		9 567	14 840	24 407	30 000	0.60	0.41	71	220	84	22	
1977	9 890		9 890	500	10 390	7 000	0.29	0.23	67	230	104	23	
1978	24 642		24 642	763	25 405	7 000	0.28	0.22	102	285	152	38	
1979	39 219		39 219	811	40 030	30 000	0.23	0.19	90	311	191	59	
1980	48 821		48 821	431	49 252	45 000	0.46	0.34	106	339	208	78	
1981	53 053		53 053	665	53 718	50 000	0.44	0.32	112	367	232	79	
1982	55 675		55 675	79	55 754	55 600	0.47	0.34	63	337	243	80	
1983	50 898		50 898	1 482	52 380	64 000	0.35	0.27	63	313	243	90	
1984	52 104		52 104	442	52 546	55 000	0.40	0.30	26	255	235	96	
1985	56 553		56 553	902	57 455	55 000	0.64	0.43	27	211	217	102	
1986	51 467	3 469	47 998	62	48 060	48 000	0.45	0.33	35	183	175	100	
1987	45 430	2 029	43 401	73	43 474	44 000	0.54	0.38	45	172	136	84	
1988	38 215	2 496	35 719	141	35 860	38 000	0.67	0.45	51	172	111	70	
1989	36 526	2 574	33 952	217	34 169	35 200	0.56	0.39	29	155	103	51	
1990	34 136	4 606	29 530	198	29 728	35 200	1.31	0.68	25	136	90	33	
1991	32 698	8 761	23 937	217	24 154	35 200	0.74	0.48	55	152	76	19	
1992	29 682	4 358	25 324	120	25 444	35 200	1.37	0.69		110	65	19	
1993	3 434	0	3 434	40	3 474	11 000	0.28	0.22		72	47	16	
1994					0								
1995													
1996													
1997													
1998													
1999													
2000													
Minimum					3 474		0.23	0.19	25	72	47	16	
1st quart.					35 437		0.39	0.29	62	172	101	32	
MEDIAN					51 513		0.47	0.34	85	223	152	62	
3rd quart.					58 503		0.65	0.44	106	302	211	81	
Maximum					80 428		1.37	0.69	159	367	243	102	

Cod in 4VsW

YEAR	Abundance Indices										Mean weight at age 7 (kg)	
	RV (#/tow)			CPUE (t/hour) - ZIFF			CPUE (t/hour) - IOP					
	July 3+	Spring 3+		Estimate All ages	Lower limit	Upper limit	Estimate All ages	Lower limit	Upper limit			
1948												
1949												
1950												
1951												
1952												
1953												
1954												
1955												
1956												
1957												
1958												
1959												
1960												
1961												
1962												
1963												
1964												
1965												
1966												
1967												
1968												
1969												
1970	6.86			0.96	0.77	1.15						
1971	20.44			0.72	0.58	0.86				2.28		
1972	16.63			0.78	0.64	0.92				2.29		
1973	44.31			0.76	0.62	0.90				2.29		
1974	8.77			0.66	0.54	0.79				2.59		
1975	7.01			0.47	0.38	0.57				2.34		
1976	9.45			0.65	0.53	0.78				3.33		
1977	16.09			0.71	0.55	0.88				3.15		
1978	22.84			1.43	1.15	1.72				3.39		
1979	18.35	4.95		1.37	1.01	1.74				3.08		
1980	18.64	10.98		1.34	1.10	1.59				3.10		
1981	21.49	28.81		1.36	1.12	1.60				2.96		
1982	79.33	41.96		1.63	1.35	1.91	1.750	0.940	2.560	2.73		
1983	79.86	80.92		1.62	1.33	1.91	1.580	0.880	2.270	3.09		
1984	56.08	24.48		1.76	1.46	2.11	2.960	1.640	4.270	2.69		
1985	36.24			2.26	1.85	2.67	3.340	1.850	4.830	2.38		
1986	16.99	76.55		2.23	1.82	2.64	2.370	1.030	3.720	2.38		
1987	26.98	27.30		1.65	1.34	1.96	2.670	1.430	3.910	1.87		
1988	23.21	27.18		1.46	1.19	1.73	2.180	1.220	3.150	1.92		
1989	20.06	22.41		1.50	1.22	1.78	2.920	1.560	4.280	2.19		
1990	33.16	9.69		1.88	1.53	2.23	1.900	1.040	2.750	1.68		
1991	14.40	41.16		1.41	1.14	1.67	1.470	0.770	2.170	1.57		
1992	13.94	1.55		1.58	1.27	1.88	1.110	0.580	1.640	1.76		
1993	23.70	13.21		0.76	0.53	1.00	1.020	0.510	1.530	1.79		
1994		2.91										
1995												
1996												
1997												
1998												
1999												
2000												
Min.	6.9	1.6		0.47	0.38	0.57	1.02	0.51	1.53	1.57		
1st Q	15.7	10.3		0.76	0.61	0.92	1.55	0.85	2.25	2.06		
Med.	20.3	24.5		1.39	1.13	1.70	2.04	1.04	2.95	2.38		
3rd Q	28.5	35.0		1.62	1.33	1.91	2.73	1.46	4.00	3.02		
Max.	79.9	80.9		2.26	1.85	2.67	3.34	1.85	4.83	3.39		

Cod in 4X

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results: ADAPT				Biomass (beg yr)	
	Canadian		Foreign		F 4+	Expl. rate (%)	Recruits	Stock Size (ages) (million)	Total (000 t)	SSB (000 t)
	M&Q	Nfld	Total	1+ (000 t)					3+ (000 t)	
1948	17 761		17 761	1 999	19 760				65	54
1949	14 282		14 282	1 799	16 081				77	58
1950	19 088		19 088	1 581	20 669				84	66
1951	16 543		16 543	1 639	18 182				75	62
1952	16 570		16 570	1 651	18 221				70	58
1953	12 903		12 903	1 461	14 364				74	62
1954	14 406		14 406	2 542	16 948				76	62
1955	13 432		13 432	1 378	14 810				71	60
1956	14 849		14 849	1 663	16 512				80	58
1957	13 619		13 619	1 083	14 702				62	45
1958	11 103		11 103	1 110	12 213				62	45
1959	12 866		12 866	862	13 728				67	48
1960	12 123		12 123	1 605	13 728				71	46
1961	12 424		12 424	1 274	13 698				87	65
1962	14 656		14 656	1 240	15 896				90	69
1963	15 849		15 849	1 995	17 844				93	67
1964	20 767		20 767	4 688	25 455				112	77
1965	24 221		24 221	2 693	26 914				113	83
1966	24 244		24 244	6 735	30 979				113	95
1967	27 813		27 813	4 648	32 461				105	90
1968	30 770		30 770	4 773	35 543				96	82
1969	24 056		24 056	8 670	32 726				89	73
1970	18 001		18 001	4 308	22 309				81	62
1971	20 180		20 180	3 197	23 377	Offshore	0.39	0.29	15	76
1972	20 490		20 490	1 902	22 392				72	56
1973	20 002		20 002	2 222	22 224				79	57
1974	19 005		19 005	2 166	21 171				76	56
1975	19 493		19 493	1 595	21 088	5'000	0.44	0.32	25	80
1976	16 138		16 138	517	16 655	4'000	0.30	0.24	25	87
1977	22 002		22 002	949	22 951	4'000	0.29	0.23	17	92
1978	23 719	10	23 729	288	24 017	4'000	0.42	0.31	33	100
1979	28 647	28	28 675	47	28 722	4'000	0.50	0.36	29	104
1980	30 735	355	31 090	187	31 277	4'000	0.45	0.33	21	105
1981	31 043	47	31 090	130	31 220	4'000	0.49	0.35	27	102
1982	32 701	9	32 710	235	32 945	30 000	0.60	0.41	13	92
1983	28 963		28 963	298	29 261	30 000	0.50	0.36	14	78
1984	25 068		25 068	194	25 262	30 000	0.47	0.34	19	70
1985	21 370		21 370	9	21 379	30 000	0.59	0.41	10	62
1986	19 869		19 869	43	19 912	20 000	0.56	0.39	28	58
1987	18 671		18 671	11	18 682	17 500	0.50	0.36	18	65
1988	19 766		19 766	4	19 770	14 000	0.59	0.41	26	51
1989	19 581		19 581	4	19 585	12 500	0.43	0.32	9	53
1990	23 499		23 499	143	23 642	22 000	0.54	0.38	15	64
1991	27 470		27 470	0	27 470	26 000	0.66	0.44	19	55
1992	25 780		25 780	220	26 000	26 000	1.04	0.60	20	42
1993	15 970		15 970	0	15 970	15 000	0.73	0.48	20	35
1994						13 000				38
1995										
1996										
1997										
1998										
1999										
2000										
Minimum					12 213		0.27	0.22	9	58
1st quart.					16 728		0.35	0.27	16	71
MEDIAN					21 130		0.47	0.34	19	79
3rd quart.					25 864		0.56	0.39	24	92
Maximum					35 543		1.04	0.60	43	113

Cod in 4X

YEAR	Abundance indices									Mean weight at age 5 (kg)	
	RV summer biomass			RV summer biomass			CPUE				
	Estimate (000 t) Age 3	Lower limit	Upper limit	Estimate (000 t) Ages 4+	Lower limit	Upper limit	Estimate	OT	LL		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970										3.00	
1971										2.73	
1972	16.869			40.46						2.45	
1973	5.37			29.26						3.10	
1974	18.57			26.28						2.62	
1975	7.50			66.11						3.15	
1976	12.73			50.07						3.00	
1977	20.36			39.01						2.34	
1978	10.27			27.55						2.39	
1979	8.49			46.54						3.11	
1980	15.12			40.59						2.98	
1981	10.74			46.56						2.80	
1982	8.94			39.59						2.84	
1983	26.01			46.58						2.61	
1984	25.18			51.89					2.13	2.73	
1985	28.06			45.82					1.83	2.52	
1986	16.06			31.40					1.72	2.63	
1987	4.08			30.50					0.28	1.80	
1988									0.38	2.66	
1989	24.83			35.48					0.54	2.49	
1990	38.58			58.42					0.52	3.07	
1991	7.12			45.68					0.42	2.78	
1992	10.35			33.86					0.33	2.29	
1993	18.77			13.77					0.23	1.13	
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	4.1			13.8					0.23	1.13	
1st Q	8.9			31.4					0.31	1.81	
Med.	15.1			40.5					0.38	2.21	
3rd Q	20.4			46.6					0.47	2.62	
Max.	38.6			66.1					0.54	3.07	
										2.64	
										2.34	
										2.63	
										2.75	
										3.00	
										2.22	

Cod in 4X

Alternate Methods or C.I.

	LS						Method 13					
	F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Biomass Total (ages) (000 t)	Biomass Spawning (ages) (000 t)	F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Biomass Total (ages) (000 t)	Biomass Spawning (ages) (000 t)
1948					65	54						
1949					77	58						
1950					84	66						
1951					75	62						
1952					70	58						
1953					74	62						
1954					76	62						
1955					71	60						
1956					80	58						
1957					62	45						
1958					62	45						
1959					67	48						
1960					71	46						
1961					87	65						
1962					90	69						
1963					93	67						
1964					112	77						
1965					113	83						
1966					113	95						
1967					105	90						
1968					96	82						
1969					89	73						
1970					81	62						
1971					76	60						
1972					72	56						
1973					79	57						
1974					76	56						
1975					80	58						
1976					87	67						
1977					92	72						
1978					100	77						
1979					104	74						
1980					105	82						
1981					102	80						
1982					92	72						
1983					78	68						
1984					70	59						
1985					62	51						
1986					58	46						
1987					65	42						
1988					77	53						
1989					80	58						
1990					88	75						
1991					85	68						
1992					76	58						
1993					70	52						
1994												
1995												
1996												
1997												
1998												
1999												
2000												
Min.					58	42						
1st Q					71	56						
Med.					80	62						
3rd Q					92	72						
Max.					113	95						

Cod in 5Zj,m
May 94

YEAR	Catches (t)			TAC (t) by Canada	Assessment Results: ADAPT (illustrative)						
	Canadian		Foreign		F 3+	Expl. rate 3+ (%)	Recruits	Stock Size 3+ (million)	Biomass		
	Fixed	Mobile							Total 1+ (000 t)	SSB 3+ (000 t)	
1948											
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			0	10 000	10 000						
1961			200	13 800	14 000						
1962			2 404	20 677	23 081						
1963			7 832	19 121	26 953						
1964			7 108	18 057	25 165						
1965			10 598	27 735	38 333						
1966			15 601	37 315	52 916						
1967			8 232	28 102	36 334						
1968			9 122	31 754	40 876						
1969			5 997	29 394	35 391						
1970			2 583	21 183	23 766						
1971			2 979	22 763	25 742						
1972			2 540	20 282	22 822						
1973			3 220	22 510	25 730	35 000					
1974			1 374	23 417	24 791	35 000					
1975			1 847	21 361	23 208	35 000					
1976			2 320	16 592	18 912	35 000					
1977			6 173	19 580	25 753						
1978	1 016	7 762	8 778	5 502	14 280	0.45	0.33	11	16	45	
1979	1 341	4 637	5 978	6 408	12 386	35 000	0.40	0.30	9	10	
1980	2 658	5 405	8 063	6 418	14 481	35 000	0.34	0.26	9	12	
1981	4 539	3 960	8 499	8 094	16 593	35 000	0.39	0.29	17	13	
1982	5 487	12 337	17 824	8 565	26 389	35 000	0.58	0.40	6	13	
1983	5 227	6 903	12 130	8 572	20 702	45 000	0.57	0.40	5	15	
1984	5 027	736	5 763	10 551	16 314	45 000	0.47	0.34	14	10	
1985	2 887	7 556	10 443	6 641	17 084	25 000	0.62	0.42	5	8	
1986	2 302	6 109	8 411	5 696	14 107	1 000	0.50	0.36	22	10	
1987	4 237	7 608	11 845	4 792	16 637	12 500	0.44	0.32	7	8	
1988	5 312	7 620	12 932	7 645	20 577	12 500	0.53	0.38	14	15	
1989	6 014	1 987	8 001	6 182	14 183	8 000	0.36	0.28	4	12	
1990	6 456	7 854	14 310	6 378	20 688	1 0	0.51	0.37	5	15	
1991	6 757	6 698	13 455	6 549	20 004	15 000	0.75	0.48	11	7	
1992	6 074	5 638	11 712	5 080	16 792	15 000	0.69	0.46	3	8	
1993	3 629	4 890	8 519	4 019	12 538	15 000	0.64	0.43	2	5	
1994			0		10 000					17	
1995			0							15	
1996			0							27	
1997			0							33	
1998			0							39	
1999			0							22	
2000			0							21	
Minimum					10 000	0.34	0.26	2	5	15	
1st quart.					16 384	0.43	0.32	5	8	27	
MEDIAN					20 695	0.51	0.36	8	11	33	
3rd quart.					25 739	0.59	0.41	12	13	39	
Maximum					52 916	0.75	0.48	22	16	43	

Cod in 5Zj.m

YEAR	Abundance indices						Mean weight at age 4 (kg)	
	U.S.A. spring (nb/tow)			U.S.A. fall (nb/tow)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
	1+			1+				
1948								
1949								
1950								
1951								
1952								
1953								
1954								
1955								
1956								
1957								
1958								
1959								
1960								
1961								
1962								
1963								
1964								
1965								
1966								
1967								
1968								
1969								
1970								
1971								
1972								
1973								
1974								
1975								
1976								
1977								
1978	10.000			8.660			3.47	
1979	7.860			9.320			4.21	
1980	9.970			9.780			3.67	
1981	8.530			4.490			3.42	
1982		14.120		9.270			3.83	
1983		3.660		2.600			3.31	
1984		10.970		3.010			3.62	
1985		6.370		5.860			3.89	
1986		4.290		4.790		21.65	3.66	
1987		7.670		5.900		9.04	0.561	
1988		5.750		2.480		18.52	0.689	
1989		6.780		4.420		13.14	0.561	
1990		6.620		4.000		28.71	0.685	
1991		3.220		3.980		17.61	0.582	
1992		4.190		0.730		11.98	0.523	
1993				2.050		10.10	3.84	
1994				0.820		0.220	3.08	
1995						9.31		
1996								
1997								
1998								
1999								
2000								
Min.	3.2			0.7		9.0	0.3	
1st Q	5.0			2.6		10.1	0.5	
Med.	6.8			4.4		13.1	0.6	
3rd Q	9.3			5.9		18.5	0.6	
Max.	14.1			9.8		28.7	3.64	

COD

July 94

YEAR	Catches (t)			TAC (t)	1961 ass. 67-68 90 annual thereafter			Biomass		
	Canadian		Foreign		F 7 to 9	Expl. rate (%)	recruits	Stock Size 3+ million)	Total	Spawning
	Fixed	Mobile	Total	3+					7+	
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960		338 913	523 935	637 580						
1961		297 937	644 085	942 022						
1962		316 585	558 768	875 353						
1963		342 734	595 463	938 197						
1964		313 011	734 461	1 047 472						
1965		312 587	785 292	1 097 879						
1966		307 430	799 402	1 106 832						
1967		284 790	963 187	1 247 977						
1968		322 178	1 152 385	1 474 563						
1969		293 123	977 526	1 270 649						
1970		256 793	774 384	1 031 177						
1971		237 606	681 914	919 520						
1972		220 042	698 669	918 711						
1973		177 247	557 764	735 011	935 000					
1974		157 269	575 365	732 634	1 056 000					
1975		154 206	425 698	579 904	924 400					
1976		192 693	287 465	480 158	614 500					
1977		234 796	181 250	416 046	352 000					
1978		290 960	113 176	404 136	342 500					
1979		369 921	116 099	486 020	483 500					
1980		418 176	89 680	507 856	485 000					
1981		432 349	96 362	528 711	515 800					
1982		510 728	101 372	612 100	607 300					
1983		507 277	85 854	593 131	657 400					
1984		471 721	102 694	574 415	668 900					
1985		473 609	118 924	592 533	661 970					
1986		451 874	166 479	618 353	616 070					
1987		451 708	101 848	553 556	571 470					
1988		467 759	77 408	545 167	566 900					
1989		425 641	118 933	544 574	509 140					
1990		385 805	111 069	496 874	448 962					
1991		304 305	105 629	409 934	441 165					
1992		191 660	47 199	238 859	246 165					
1993		81 183	23 426	104 609	117 965					
1994					43 000					
1995										
1996										
1997										
1998										
1999										
2000										
Minimum		81 183	23 426	104 609	43 000					
1st quart.		242 403	103 428	518 284	443 114					
MEDIAN		312 799	234 358	612 100	541 350					
3rd quart.		423 775	672 457	928 859	647 068					
Maximum		510 728	1 152 385	1 474 563	1 056 000					

Haddock in 3LNO

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results: ADAPT						
	Canadian		Foreign		F (ages)	Expl. rate (%)	Recruits	Stock Size (ages) (million)	Biomass		
	Fixed	Mobile							Total (ages) (000 t)	Spawning (ages) (000 t)	
1948			0	0							
1949			0	0							
1950			0	0							
1951			0	0							
1952			0	0							
1953			8 221	304	8 525						
1954			5 760	19 907	25 667						
1955			3 205	41 109	44 314						
1956			23 219	27 199	50 418						
1957			30 332	28 046	58 378						
1958			23 037	16 933	39 970						
1959			20 604	7 675	28 279						
1960			16 983	45 159	62 142						
1961			29 366	47 057	76 423						
1962			27 653	5 680	33 333						
1963			8 563	3 676	12 239						
1964			5 779	2 868	8 647						
1965			2 244	4 103	6 347						
1966			1 070	6 208	7 278						
1967			441	8 417	8 858						
1968			281	3 450	3 731						
1969			512	1 215	1 727						
1970			354	2 279	2 633						
1971			256	3 151	3 407						
1972			169	2 265	2 434						
1973			69	1 074	1 143						
1974			27	1 417	1 444						
1975			15	1 283	1 298						
1976			52	86	138						
1977			73	64	137						
1978			378	106	484						
1979			554	301	855						
1980			173	5	178						
1981			115	9	124						
1982			875	94	969						
1983			215	337	552						
1984			1 469	1 382	2 851						
1985			3 294	719	4 013						
1986			6 743	596	7 339						
1987			4 388	1 272	5 660	4 100					
1988			7 746	501	8 247	8 100					
1989			6 290	410	6 700	8 100					
1990			3 052	121	3 173	10 000					
1991			1 105	163	1 268	4 100					
1992			827	167	994	4 100					
1993			854		854	500					
1994			0		0	500					
1995			0		0						
1996			0		0						
1997			0		0						
1998			0		0						
1999			0		0						
2000			0		0						
Minimum					0						
1st quart.					137						
MEDIAN					1 727						
3rd quart.					8 247						
Maximum					76 423						

Haddock in 3LNO

YEAR	Abundance Indices									Mean weight at age 7 (kg)	
	RV Numbers (000s)			RV Biomass (t)			CPUE (units)				
	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972											
1973	306	-182	794	459	-67	985					
1974											
1975	379	-649	1 406	631	-4 590	5 853					
1976	1 387	191	2 583	438	-3 691	4 568					
1977	325	107	545	215	-139	569					
1978	4 587	-2 913	12 087	4 079	-4 085	12 242					
1979	1 533	-801	3 867	913	308	1 519					
1980	745	382	1 108	1 401	684	2 117					
1981	430	780	1 640	64	-470	598					
1982	79 888	-96 991	256 767	11 682	-11 049	34 813					
1983											
1984	104 284	50 376	158 194	54 873	29 281	80 465					
1985	18 512	-63 570	100 594	12 244	-41 893	66 382					
1986	24 017	-142 558	190 593	15 901	-86 984	118 786					
1987	21 123	-6 297	48 542	21 240	-12 458	54 939					
1988	33 407	-16 108	82 922	41 692	-19 965	103 349					
1989	1 871	798	2 946	2 859	204	5 513					
1990	7 190	-9 342	23 722	11 603	-15 403	38 609					
1991	4 830	-1 726	11 386	2 836	-11 627	17 299					
1992	1 395	-1 355	4 145	990	-734	2 714					
1993	2 530	-16 630	21 689	2 704	1 650	3 757					
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	306			64							
1st Q	1 066			772							
Med.	2 530			2 836							
3rd Q	19 818			12 063							
Max.	104 284			54 873							

Haddock in 3Ps

May 94

YEAR	Catches (t)			Canadian Quota (t)	Assessment Results:		ADAPT		Biomass	
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total	Spawning
	Fixed	Mobile	Total	(000 t)					(000 t)	
1948			0							
1949			0							
1950			0							
1951			0							
1952			0							
1953			0							
1954			0							
1955			0							
1956			0							
1957			0							
1958			0							
1959			0							
1960			2 000	2 000	4 000					
1961			1 000	2 000	3 000					
1962			702	777	1 479					
1963			578	1 278	1 856					
1964			904	1 192	2 096					
1965			370	1 058	1 428					
1966			547	1 452	1 999					
1967			1 257	1 105	2 362					
1968			1 066	1 700	2 766					
1969			1 986	1 513	3 499					
1970			2 175	2 158	4 333					
1971			922	555	1 477					
1972			428	473	901					
1973			366	284	650					
1974			203	185	388					
1975			146	1	147					
1976			219	26	245					
1977			768	25	793					
1978			600	3	603					
1979			224	27	251					
1980			246	202	448					
1981			235	210	445					
1982			200	109	309					
1983			146	327	473					
1984			909	1 839	2 748					
1985			2 226	5 272	7 498					
1986			1 600	3 813	5 413					
1987			673	2 014	2 687	150				
1988			1 761	626	2 387	2 200				
1989			2 507	413	2 920	3 200				
1990			1 508	0	1 508	3 200				
1991			512	0	512	3 200				
1992			453	0	453	3 200				
1993			142	0	142	500				
1994			0	0	0	500				
1995			0	0	0					
1996			0	0	0					
1997			0	0	0					
1998			0	0	0					
1999			0	0	0					
2000			0	0	0					
Minimum					0					
1st quart.					251					
MEDIAN					793					
3rd quart.					2 387					
Maximum					7 498					

Haddock in 3Ps

YEAR	Abundance Indices										Mean weight at age 7 (kg)	
	RV Numbers (000s)			RV Biomass (t)			CPUE (units)					
	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit			
1948												
1949												
1950												
1951												
1952												
1953												
1954												
1955												
1956												
1957												
1958												
1959												
1960												
1961												
1962												
1963												
1964												
1965												
1966												
1967												
1968												
1969												
1970												
1971												
1972	2 442	740	4 144	2 886	457	5 315						
1973	1 759	-271	3 789	683	328	1 037						
1974	659	367	950	866	509	1 224						
1975	478	129	826	666	308	1 023						
1976	691	219	1 164	937	250	1 625						
1977	1 551	-152	3 255	1 996	-731	4 723						
1978	214	-109	537	118	18	217						
1979	554	-945	2 052	770	-2 395	3 935						
1980	359	105	613	829	169	1 488						
1981	342	-56	741	472	-53	997						
1982	14 602	1 053	28 150	1 570	694	2 445						
1983	6 684	-293	13 661	2 345	-584	5 275						
1984	7 659	-131	16 626	6 442	-607	12 490						
1985	30 328	5 356	55 299	32 349	5 484	59 214						
1986	18 471	-105 675	142 618	18 309	-68 879	105 498						
1987	5 724	-816	12 263	10 092	-2 836	23 021						
1988	3 634	826	6 442	5 241	3 520	6 963						
1989	7 269	-6 165	20 702	5 752	-2 995	14 500						
1990	1 181	352	2 011	3 157	-33	6 347						
1991	1 419	-2 767	5 605	588	-2 647	3 823						
1992	744	-722	2 211	1 045	-5 129	7 219						
1993	387	125	650	793	432	1 154						
1994	2 565	-27 661	32 791	3 070	-29 502	35 641						
1995												
1996												
1997												
1998												
1999												
2000												
Min.	214			118								
1st Q	607			782								
Med.	1 551			1 570								
3rd Q	6 204			4 199								
Max.	30 328			32 349								

Haddock in 4TVW

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results*				From RV Index		
	Canadian			Foreign		(ages)	F	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Biomass Index	
	Fixed	Mobile	Total								Total (ages) (000 t)	
1948												
1949			0									
1950			0									
1951			0									
1952			0									
1953			0									
1954			0		28 334							
1955			0		22 111							
1956			0		29 557							
1957			0		30 111							
1958			0		26 928							
1959			0		37 920							
1960		23 000	6 837		29 837							
1961		24 000	4 963		28 963							
1962		17 898	8 068		25 966							
1963		13 276	13 296		26 572							
1964		11 445	11 849		23 294							
1965		8 610	46 908		55 518							
1966		10 064	13 585		23 649							
1967		8 281	2 631		10 912							
1968		9 647	3 671		13 318							
1969		9 241	2 079		11 320							
1970		5 769	3 660		9 429							
1971		9 539	3 930		13 469							
1972		2 879	1 869		4 748	4 000						
1973		3 349	1 065		4 414	4 000						
1974		1 215	1 142		2 357	0						
1975		1 567	301		1 868	0						
1976		1 290	70		1 360	2 000						
1977		3 178	70		3 248	2 000						
1978		5 509	392		5 901	2 000						
1979		3 183	250		3 433	2 000						
1980		14 477	363		14 840	15 000						
1981		19 599	410		20 009	23 000						
1982		15 054	172		15 226	23 000						
1983		9 050	362		9 412	19 000						
1984		7 486	535		8 021	15 000						
1985		10 751	913		11 664	15 000						
1986		15 979	942		16 921	17 000						
1987		3 065	812		3 877	0						
1988		3 740	800		4 540	0						
1989		7 024	2 104		9 128	6 700						
1990		6 647	362		7 009	6 000						
1991		4 787	634		5 421	bycatch						
1992		5 935	178		6 113	bycatch						
1993		1 210			1 210	bycatch						
1994		0				bycatch						
1995		0										
1996		0										
1997		0										
1998		0										
1999		0										
2000		0										
Minimum					1 210							
1st quart.					5 253							
MEDIAN					11 492							
3rd quart.					24 228							
Maximum					55 518							

Haddock in 4TVW

YEAR	Abundance/Indices									Mean weight at age 7 (kg)	
	RV (#/tow) - July			RV (#/tow) - March			CPUE (units)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
All ages				All ages							
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970	8.87										
1971	8.00										
1972	4.41										
1973	3.36										
1974	6.16										
1975	9.40										
1976	7.89										
1977	25.82										
1978	37.74										
1979	28.91			15.99							
1980	37.74										
1981	52.47			31.07							
1982	62.51			84.58							
1983	85.49			100.07							
1984	67.08										
1985	44.46										
1986	50.49			76.94							
1987	30.89			66.57							
1988	56.15			49.40							
1989	41.52			69.36							
1990	42.42			51.36							
1991	63.01			20.89							
1992	28.61			9.48							
1993	27.71			18.22							
1994				38.66							
1995											
1996											
1997											
1998											
1999											
2000											
Min.	3.4			9.5							
1st Q	9.3			20.9							
Med.	34.3			49.4							
3rd Q	51.0			69.4							
Max.	85.5			100.1							

Haddock in 4X

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT			
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Biomass	
	Fixed	Mobile							Real females (000 t)	
1948				18 500						
1949			0	16 800						
1950			0	18 800						
1951			0	20 500						
1952			0	20 200						
1953			0	16 200						
1954			0	20 800						
1955			0	19 600						
1956			0	20 900						
1957			0	12 600						
1958			0	21 300						
1959			0	14 800						
1960			7 946	16 261						
1961			8 556	17 862						
1962			11 537	17 925						
1963			16 763	24 414						
1964			26 343	35 979						
1965			22 740	29 007						
1966			29 543	42 224						
1967			32 012	37 307						
1968			28 837	32 482						
1969			28 074	30 413						
1970	4 165	11 395	15 560	2 022	17 582				15	
1971	4 068	12 000	16 068	1 099	17 167				18	
1972	4 898	7 492	12 390	890	13 280	9 000			9	
1973	6 484	6 050	12 534	419	12 953	9 000			12	
1974	6 670	5 571	12 241	792	13 033	0			9	
1975	5 490	10 493	15 983	2 159	18 142	15 000			13	
1976	5 802	10 491	16 293	1 072	17 365	15 000			15	
1977	5 030	14 521	19 551	1 662	21 213	15 000			26	
1978	7 995	17 415	25 410	1 164	26 574	21 500			50	
1979	5 784	18 756	24 540	88	24 628	26 000			27	
1980	8 120	20 159	28 279	332	28 611	28 000			31	
1981	8 909	21 357	30 266	481	30 747	27 850			28	
1982	8 558	14 670	23 228	858	24 086	32 000			28	
1983	9 302	15 142	24 444	518	24 962	32 000			30	
1984	6 962	12 460	19 422	206	19 628	32 000			20	
1985	4 503	10 399	14 902	26	14 928	15 000			20	
1986	5 576	9 410	14 986	48	15 034	15 000			23	
1987	5 085	8 453	13 538	17	13 555	15 000			17	
1988	3 471	7 450	10 921	55	10 976	12 400			12	
1989	2 921	3 745	6 666	34	6 700	4 600			9	
1990	4 012	3 285	7 297	52	7 349	4 600			10	
1991	5 392	4 244	9 636	41	9 677	bycatch			9	
1992	6 719	3 610	10 329	17	10 346	bycatch			10	
1993	4 180	2 631	6 811	21	6 832	6 000			6	
1994			0			4 500			10	
1995			0						15	
1996			0						17	
1997			0						13	
1998			0						14	
1999			0						14	
2000			0						5	
Minimum				6 700				5	9	
1st quart.				14 832				12	13	
MEDIAN				18 321				16	17	
3rd quart.				24 332				22	24	
Maximum				42 224				50	31	

Haddock in 4X

YEAR	Abundance Indices								Mean weight at age 7 (kg)	
	RV (Nb/tow)		CPUE		RV (kg/tow)					
	Estimate	Recruit Index 1+2	t/1000 hooks	OTB-2	t/h	<43 cm	>43 cm	Total		
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960										
1961										
1962										
1963										
1964										
1965										
1966										
1967										
1968										
1969		0.91								
1970	25.660	0.02				3.708	23.180	27.540		
1971	30.580	1.30				5.432	27.371	33.010		
1972	15.180	1.50				2.399	12.408	15.500		
1973	35.650	0.92				6.992	13.553	21.070		
1974	74.420	0.72				25.281	20.548	45.640		
1975	26.920	1.90				5.460	19.339	25.560		
1976	28.560	0.67				4.445	22.178	26.380		
1977	110.780	1.06				31.783	71.251	110.220		
1978	33.980	0.46				8.116	23.934	33.070		
1979	46.150	2.77				8.318	41.307	51.790		
1980	74.060	3.80				12.412	56.542	68.530		
1981	91.440	1.08				17.614	32.793	53.680		
1982	71.930	1.43				13.122	31.682	47.980		
1983	39.950	0.63				8.798	23.004	30.900		
1984	70.580	0.84				19.533	27.107	47.240		
1985	73.300	0.30		0.272	0.291	21.496	32.237	53.290		
1986	52.080	0.15		0.229	0.219	14.606	24.778	39.880		
1987	20.010	0.90		0.258	0.206	4.880	14.120	19.900		
1988	22.950	0.83		0.235	0.199	3.882	15.171	19.570		
1989	24.010	0.03		0.204	0.187	5.302	9.224	15.100		
1990	29.460	0.39		0.215	0.180	8.762	18.964	29.500		
1991	39.330			0.220	0.340	7.263	36.123	44.760		
1992	21.960			0.244	0.408	3.059	20.538	23.630		
1993	11.910			0.267		1.810	7.560	9.140		
1994										
1995										
1996										
1997										
1998										
1999										
2000										
Min.	11.9	0.0		0.20	0.18	1.81	7.56	9.14		
1st Q	25.2	0.5		0.22	0.20	4.77	18.02	22.99		
Med.	34.8	0.9		0.24	0.21	7.69	23.09	31.96		
3rd Q	70.9	1.2		0.26	0.30	13.49	31.82	47.43		
Max.	110.8	3.8		0.27	0.41	31.78	71.25	110.22		

Haddock in 5Zj,m

May 94

YEAR	Catches (t)				Canadian Quota (t)	Assessment Results: ADAPT				
	USA		Canada	Foreign w USA		F 4+	Expl. rate 4+ (%)	Recruits Age 1 (million)	Stock Size (ages) (million)	
	Discard	Reported								
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960		77	40 785	40 862						
1961		133	46 350	46 483						
1962		3 461	50 512	53 973						
1963		8 379	46 443	54 822						
1964		11 625	52 461	64 086						
1965		14 889	135 473	150 362						
1966		18 292	102 982	121 274						
1967		13 040	38 429	51 469						
1968		9 292	30 926	40 218						
1969	6 622	3 941	7 317	11 258		0.61	0.41	0.8		
1970	3 153	1 970	3 510	5 480		0.55	0.35	3.7	22.5	
1971	3 534	1 610	4 304	5 914		1.09	0.53	0.2	12.4	
1972	1 551	609	2 053	2 662	6 000	0.99	0.37	5.0	7.8	
1973	1 396	1 565	1 792	3 357	6 000	0.43	0.44	11.0	4.0	
1974	760	955	462	1 528	1 990	0.23	0.15	2.8	2.2	
1975		1 705	1 353	1 734	3 087	0.55	0.22	3.4	3.2	
1976		973	1 355	997	2 352	6 000	0.19	0.28	54.0	
1977	3 874	2 429	2 871	2 429	5 300	6 000	0.31	0.21	8.2	
1978	1 577	4 724	9 968	4 724	14 692		0.39	0.19	6.3	
1979		5 211	5 080	5 211	10 291		0.44	0.30	42.6	
1980	9 404	5 615	10 017	5 615	15 632	32 500	0.39	0.24	35.1	
1981		9 077	5 658	9 077	14 735	32 500	0.35	0.25	6.2	
1982		6 280	4 872	6 280	11 152	32 500	0.33	0.28	27.3	
1983		4 454	3 208	4 454	7 662	28 000	0.40	0.29	2.1	
1984		5 121	1 463	5 121	6 584	20 000	0.67	0.34	25.0	
1985		1 683	3 484	1 683	5 167	10 000	0.40	0.26	15.4	
1986		2 200	3 415	2 200	5 615	5 100	0.41	0.26	11.0	
1987		1 418	4 703	1 418	6 121	8 300	0.52	0.32	17.1	
1988		1 693	4 046	1 693	5 739	8 300	0.53	0.34	13.8	
1989		787	3 059	787	3 846	8 300	0.39	0.25	15.6	
1990		1 189	3 339	1 189	4 528		0.41	0.34	0.7	
1991		949	5 446	949	6 395	5 000	0.49	0.41	2.2	
1992		1 629	4 061	1 629	5 690	5 000	0.86	0.67	23.3	
1993		421	3 722	421	4 143	5 000	1.14	20.3	15.1	
1994						3 000 e			10.7	
1995									6.8	
1996									7.7	
1997										
1998										
1999										
2000										
Minimum					1 990		0.19	0.15	2.2	
1st quart.					5 200		0.39	0.25	8.3	
MEDIAN					6 490		0.43	0.30	13.1	
3rd quart.					34 072		0.55	0.36	21.4	
Maximum					150 362		1.14	0.67	42.6	

Haddock in 5Zj,m

YEAR	Abundance Indices									Mean weight at age 5 (kg)	
	RV (#)			RV (#) Age 2			CPUE and Effort				
	CAN Spring 3+	USA Spring 3+	USA Fall 3+	CAN Spring Age 2	USA Spring Age 2	USA Fall Age 2	LL	OT			
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969	21.50	34.26		0.07	0.20				1.68		
1970	26.27	19.25		0.44	0.00				1.91		
1971	6.06	27.75		1.55	13.54				2.14		
1972	3.52	8.84		0.00	0.00				2.20		
1973	4.97	2.64		14.22	5.40				2.30		
1974	12.06	9.37		48.48	35.35				2.00		
1975	21.31	5.74		1.19	0.44				2.00		
1976	7.06	11.93		0.88	1.30				2.80		
1977	9.59	9.59		57.02	260.86	1.19			2.50		
1978	65.63	128.63		1.79	0.53	1.72			3.10		
1979	37.90	67.04		1.00	1.15	2.10			2.40		
1980	33.28	21.23		234.77	57.72	5.64			2.30		
1981	90.77	42.64		5.48	4.54	3.44			2.40		
1982	35.15	39.28		8.45	9.44	1.73			2.34		
1983	14.92	47.79		1.75	0.00	2.07			2.20		
1984	16.16	13.75		2.97	0.83	2.00			2.30		
1985	20.58	11.63		17.75	7.51	1.86			2.17		
1986	16.68	14.54	10.40	0.57	0.57	0.69	2.61		2.90		
1987	12.98	8.19	9.94	6.41	8.88	10.82	3.19	0.31	2.25		
1988	27.96	8.92	5.57	0.09	0.12	0.01	1.72	0.32	2.23		
1989	10.26	10.55	26.79	9.53	11.05	5.68	1.88	0.47	2.22		
1990	31.43	29.59	18.60	0.20	0.15	0.16	1.49	0.15	2.23		
1991	35.01	13.03	14.35	4.63	4.97	2.22	2.02	0.16	2.00		
1992	18.54	3.28	5.24	7.76	0.62	0.67	2.06	0.16	2.26		
1993	8.19	5.83	3.19	3.33	2.29	1.93	1.90	0.09	2.13		
1994	12.15	0.00	23.64	30.43	0.00	13.47					
1995											
1996											
1997											
1998											
1999											
2000											
Min.	8.2	0.0	2.6	0.1	0.0	0.0	1.19	0.09	1.68		
1st Q	12.1	7.3	9.4	0.6	0.6	0.5	1.73	0.15	2.14		
Med.	16.7	13.8	14.0	4.6	1.8	1.6	2.00	0.16	2.23		
3rd Q	28.0	25.1	27.5	7.8	8.8	9.0	2.10	0.32	2.34		
Max.	35.0	90.8	128.6	30.4	234.8	260.9	5.64	0.47	3.10		

HADDOCK
May 94

YEAR	Catches (t)			TAC (t)	1991: less, or 1992:90; annual thereafter					
	Canadian		Foreign		F 7 to 9	Expl. rate 7 to 9 (%)	Recruits	Stock Size 3+	Biomass	
	Fixed	Mobile	TOTAL	Total 3+ (000 t)					Spawning 7+ (000 t)	
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960		50 006	103 096	153 102						
1961		63 055	109 676	172 731						
1962		61 251	71 425	132 676						
1963		47 559	72 344	119 903						
1964		56 096	78 006	134 102						
1965		48 853	193 809	242 662						
1966		59 516	136 908	196 424						
1967		55 031	55 877	110 908						
1968		49 123	43 392	92 515						
1969		43 754	14 463	58 217						
1970		25 828	13 629	39 457						
1971		28 395	13 039	41 434						
1972		16 475	7 550	24 025	19 000					
1973		17 883	4 634	22 517	19 000					
1974		14 148	5 064	19 212	0					
1975		19 064	5 478	24 542	15 000					
1976		19 209	2 251	21 460	23 000					
1977		26 441	4 250	30 691	23 000					
1978		41 865	6 389	48 254	23 500					
1979		33 581	5 877	39 458	28 000					
1980		53 192	6 517	59 709	75 500					
1981		55 873	10 187	66 060	83 350					
1982		44 229	7 513	51 742	87 500					
1983		37 063	5 998	43 061	79 000					
1984		30 749	9 083	39 832	67 000					
1985		34 657	8 613	43 270	40 000					
1986		42 723	7 599	50 322	37 100					
1987		26 367	5 533	31 900	27 550					
1988		28 214	3 675	31 889	31 000					
1989		25 546	3 748	29 294	30 900					
1990		21 843	1 724	23 567	23 800					
1991		21 486	1 787	23 273	12 300					
1992		21 605	1 991	23 596	12 300					
1993		12 739	442	13 181	12 000					
1994					8 500					
1995										
1996										
1997										
1998										
1999										
2000										
Minimum		12 739	442	13 181	0					
1st quart.		22 769	4 742	25 730	17 000					
MEDIAN		34 119	7 532	42 248	23 800					
3rd quart.		49 056	36 160	85 901	38 550					
Maximum		63 055	193 809	242 662	87 500					

Pollock in 3Ps

May 94

YEAR	Catches (t)				Canadian Quota (t)	Assessment Results: ADAPT				Biomass		
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	Spawning (ages) (000 t)	
	Fixed	Mobile	Total							Total (ages) (000 t)	Spawning (ages) (000 t)	
1948												
1949												
1950												
1951												
1952												
1953												
1954												
1955												
1956												
1957												
1958												
1959												
1960												
1961												
1962												
1963												
1964												
1965												
1966												
1967			194	423	617							
1968			129	316	445							
1969			64	123	187							
1970			83	379	462							
1971			77	199	276							
1972			154	157	311							
1973			121	145	266							
1974			134	84	218							
1975			100	23	123							
1976			69	68	137							
1977			835	4	839							
1978			430	2	432							
1979			718	59	777							
1980			570	94	664							
1981			246	42	288							
1982			434	336	770							
1983			929	181	1 110							
1984			1 816	0	1 816							
1985			2 284	0	2 284							
1986			7 554	0	7 554							
1987			5 071	0	5 071	1 500						
1988			4 266	0	4 266	5 400						
1989			2 159	1 145	3 304	5 400						
1990			1 581	438	2 019	5 400						
1991			1 263	42	1 305	5 400						
1992			473	0	473	5 400						
1993			137	0	137	600						
1994						500						
1995												
1996												
1997												
1998												
1999												
2000												
Minimum					123							
1st quart.					282							
MEDIAN					617							
3rd quart.					1 561							
Maximum					7 554							

Pollock in 3Ps

YEAR	Abundance Indices									Mean weight at age 7 (kg)	
	RV Numbers (000s)			RV Biomass (t)			CPUE (units)				
	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972											
1973											
1974											
1975											
1976											
1977	146	30	261	342	-100	783					
1978	156	45	268	247	54	441					
1979	381	-334	1 095	782	-553	2 118					
1980	761	-6 493	8 015	1 667	-14 349	17 683					
1981	1 538	-4 445	7 521	4 112	-11 780	20 004					
1982	632	221	1 042	1 338	-730	3 405					
1983	450	157	742	1 149	222	2 075					
1984	453	-2	907	738	-2 064	3 540					
1985	2 931	-27 462	33 325	3 716	-33 094	40 526					
1986	1 556	655	2 456	2 692	1 536	3 848					
1987	4 004	-4 623	12 631	7 877	-6 878	22 631					
1988	1 241	709	1 772	2 302	206	4 397					
1989	1 161	734	1 587	2 324	1 575	3 073					
1990	423	177	668	885	384	1 387					
1991	204	107	301	355	99	611					
1992	544	-5 217	6 306	1 388	-14 005	16 781					
1993	78	-102	258	167	-226	561					
1994	112	53	171	244	-35	522					
1995											
1996											
1997											
1998											
1999											
2000											
Min.	78			167							
1st Q	248			451							
Med.	499			1 244							
3rd Q	1 221			2 319							
Max.	4 004			7 877							

Pollock in 4VWX+5

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results:			ADAPT		
	Canada		Total		F 7-9	Expl. rate 7-9 (%)	Recruits	Stock Size 4+	Biomass	
			Total						Total 2+ (000 t)	SSB 4+ (000 t)
1948										
1949			0							
1950			0							
1951			0							
1952			0							
1953			0							
1954			0							
1955			0							
1956			0							
1957			0							
1958			0							
1959			0							
1960	27 259	6 564	33 823							
1961	25 999	6 530	32 529							
1962	31 509	5 028	36 537							
1963	28 946	5 472	34 418							
1964	29 888	9 607	39 495							
1965	27 157	7 640	34 797							
1966	18 199	15 123	33 322							
1967	17 034	4 539	21 573							
1968	17 988	3 359	21 347							
1969	15 928	4 318	20 246							
1970	10 725	6 227	16 952							
1971	11 677	7 548	19 225							
1972	17 855	8 870	26 725							
1973	26 729	9 606	36 335	50 000						
1974	24 975	4 486	29 461	55 000	0.59	0.41	17	23	98	58
1975	26 543	3 575	30 118	55 000	0.85	0.53	26	31	105	72
1976	23 565	3 615	27 180	55 000	0.75	0.48	37	27	103	65
1977	24 653	929	25 582	30 000	0.82	0.51	46	31	120	66
1978	26 801	1 237	28 038	30 000	0.71	0.47	20	41	141	82
1979	29 967	1 515	31 482	30 000	0.34	0.26	5	56	131	110
1980	35 986	1 605	37 591	40 000	0.40	0.30	14	46	127	111
1981	40 270	1 381	41 651	54 000	0.63	0.43	76	29	149	95
1982	38 029	1 268	39 297	55 000	0.68	0.45	44	23	159	78
1983	32 749	1 839	34 588	45 000	0.55	0.39	34	58	166	111
1984	33 465	1 959	35 424	53 000	0.26	0.21	36	63	189	137
1985	43 300	496	43 796	42 400	0.65	0.44	26	63	205	159
1986	43 249	1 083	44 332	40 000	0.54	0.38	27	62	176	151
1987	45 330	767	46 097	43 000	0.55	0.39	32	55	163	133
1988	41 831	1 280	43 111	43 000	0.57	0.40	21	49	169	120
1989	41 112	1 882	42 994	43 000	0.65	0.44	28	48	149	115
1990	36 178	1 301	37 479	43 000	0.68	0.45	39	38	132	97
1991	37 798	1 674	39 472	43 000	0.95	0.56	28	36	119	88
1992	32 191	2 102	34 293	43 000	0.78	0.50	12	34	102	83
1993	21 105	0	21 105	21 000	0.51	0.37	5	30	85	77
1994	0			24 000				32	88	76
1995	0								86	63
1996	0								103	78
1997	0									
1998	0									
1999	0									
2000	0									
Minimum				16 952	0.26	0.21	5	23	85	58
1st quart.				27 395	0.55	0.39	19	31	103	77
MEDIAN				34 356	0.64	0.43	28	38	131	88
3rd quart.				38 871	0.72	0.47	36	55	161	113
Maximum				46 097	0.95	0.56	76	63	205	159

Pollock in 4VWX+5

YEAR	Abundance indices						Mean weight at age 6 (kg)	
	RV (#/tow) - July			RV (#/tow) - July				
	Estimate 1+	Lower limit	Upper limit	Estimate 4-10	Lower limit	Upper limit		
1948								
1949								
1950								
1951								
1952								
1953								
1954								
1955								
1956								
1957								
1958								
1959								
1960								
1961								
1962								
1963								
1964								
1965								
1966								
1967								
1968								
1969								
1970	3.174			0.900				
1971	1.638			0.297				
1972	0.860			0.823				
1973	4.118			3.238				
1974	2.087			1.097			4.09	
1975	1.209			1.182			3.81	
1976	3.367			3.108			3.71	
1977	6.158			5.123			3.50	
1978	2.595			2.424			3.90	
1979	2.606			2.465			3.40	
1980	13.650			11.211			3.46	
1981	2.267			1.880			3.34	
1982	4.433			1.417			4.18	
1983	3.763			2.600			4.12	
1984	5.816			5.038			3.84	
1985	17.729			11.320			3.12	
1986	6.101			4.783			3.29	
1987	18.546			15.478			2.94	
1988	9.621			8.972			3.21	
1989	5.094			4.875			3.25	
1990	29.065			11.656			2.95	
1991	7.273			5.038			2.79	
1992	5.473			3.800			3.33	
1993	20.380			13.700			2.62	
1994								
1995								
1996								
1997								
1998								
1999								
2000								
Min.	0.9			0.30			2.62	
1st Q	2.6			1.76			3.19	
Med.	4.8			3.52			3.37	
3rd Q	7.9			6.09			3.82	
Max.	29.1			15.48			4.18	

POLLOCK

May 94

YEAR	Catches (t)			TAC (t)	1991 assessment or 52 900 annual thereafter					
	Canadian		Foreign		F 7 to 9	Expl. rate 7 to 9 (%)	Recruits	Stock Size 3+ (million)	Biomass	
	Fixed	Mobile	TOTAL	Total 3+ (000 t)					Spawning 7+ (000 t)	
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960		27 259	6 564	33 823						
1961		25 999	6 530	32 529						
1962		31 509	5 028	36 537						
1963		28 946	5 472	34 418						
1964		29 888	9 607	39 495						
1965		27 157	7 640	34 797						
1966		18 199	15 123	33 322						
1967		17 228	4 962	22 190						
1968		18 117	3 675	21 792						
1969		15 992	4 441	20 433						
1970		10 808	6 606	17 414						
1971		11 754	7 747	19 501						
1972		18 009	9 027	27 036						
1973		26 850	9 751	36 601	50 000					
1974		25 109	4 570	29 679	55 000					
1975		26 643	3 598	30 241	55 000					
1976		23 634	3 683	27 317	55 000					
1977		25 488	933	26 421	30 000					
1978		27 231	1 239	28 470	30 000					
1979		30 685	1 574	32 259	30 000					
1980		36 556	1 699	38 255	40 000					
1981		40 516	1 423	41 939	54 000					
1982		38 463	1 604	40 067	55 000					
1983		33 678	2 020	35 698	45 000					
1984		35 281	1 959	37 240	53 000					
1985		45 584	496	46 080	42 400					
1986		50 803	1 083	51 886	40 000					
1987		50 401	767	51 168	44 500					
1988		46 097	1 280	47 377	48 400					
1989		43 271	3 027	46 298	48 400					
1990		37 759	1 739	39 498	48 400					
1991		39 061	1 716	40 777	48 400					
1992		32 664	2 102	34 766	48 400					
1993		21 242	0	21 242	21 600					
1994					24 500					
1995										
1996										
1997										
1998										
1999										
2000	Minimum	10 808	0	17 414	21 600					
	1st quart.	24 003	1 582	27 605	40 000					
	MEDIAN	28 103	3 313	34 592	48 400					
	3rd quart.	37 458	6 266	39 497	52 250					
	Maximum	50 803	15 123	51 886	55 000					

Silver Hake in 4VWX

June 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass	
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total	Spawning
	Fixed	Mobile	TOTAL	(000 t)					(000 t)	
1948			0							
1949			0							
1950			0							
1951			0							
1952			0							
1953			0							
1954			0							
1955			0							
1956			0							
1957			0							
1958			0							
1959			0							
1960			0							
1961			0							
1962			8 854	8 854						
1963			0 123 028	123 028						
1964			0 81 147	81 147						
1965			5 50 014	50 019						
1966			0 10 323	10 323						
1967			0 2 483	2 483						
1968			1 3 519	3 520						
1969			0 46 574	46 574						
1970			0 169 045	169 045						
1971			0 128 642	128 642						
1972			0 114 048	114 048						
1973			0 299 530	299 530						
1974			11 95 734	95 745	100 000					
1975			101 116 293	116 394	120 000					
1976			26 97 158	97 184	100 000					
1977			10 37 085	37 095	70 000					
1978			26 48 375	48 401	70 000					
1979			13 51 738	51 751	70 000					
1980			104 44 421	44 525	90 000					
1981			6 44 593	44 599	80 000					
1982			38 60 169	60 207	80 000					
1983			15 35 822	35 837	80 000					
1984			10 74 256	74 266	100 000					
1985			2 75 478	75 480	100 000					
1986			9 82 679	82 688	100 000					
1987			13 61 692	61 705	100 000					
1988			9 74 365	74 374	120 000					
1989			337 87 652	87 989	135 000					
1990			10 70 279	70 289	135 000					
1991			58 67 841	67 899	100 000					
1992			4 31 791	31 795	105 000					
1993			73 29 157	29 230	75 000					
1994					30 000					
1995										
1996										
1997										
1998										
1999										
2000										
Minimum				2 483						
1st quart.				42 668						
MEDIAN				64 802						
3rd quart.				89 928						
Maximum				299 530						

Silver Hake in 4VWX

YEAR	Abundance Indices									Mean weight at age 7 (kg)	
	CDA-USSR juv. survey			RV Abund. (millions) - July			CPUE (t per hour)				
	Catch per tow	Lower limit	Upper limit	Estimate All ages	Lower limit	Upper limit	Estimate All ages	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970				280							
1971				105							
1972				173							
1973				439							
1974				331							
1975				88							
1976				157							
1977				66			2.686	1.686	3.686		
1978				88			2.033	1.321	2.745		
1979				350			2.354	1.420	3.288		
1980				235			1.713	1.037	2.389		
1981	579.0			335			1.985	1.191	2.779		
1982	808.0			673			4.717	2.789	6.645		
1983	232.2			296			2.306	1.382	3.230		
1984	43.4			530			4.132	2.442	5.822		
1985	284.8			416			3.225	1.931	4.519		
1986	198.0			751			5.909	2.409	9.409		
1987	102.0			490			4.841	1.991	7.691		
1988	204.8			277			3.837	1.571	6.103		
1989	131.5			281			5.342	2.262	8.422		
1990	187.4			304			2.671	1.145	4.197		
1991	78.6			210			2.397	1.023	3.771		
1992				169			2.059	0.871	3.247		
1993	186.5			363			1.404	0.556	2.252		
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	43.4			66			1.40	0.56	2.25		
1st Q	124.1			172			2.06	1.15	3.23		
Med.	192.7			288			2.67	1.42	3.77		
3rd Q	245.4			376			4.13	1.99	6.10		
Max.	808.0			751			5.91	2.79	9.41		

White Hake in 4T

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	Spawning (ages) (000 t)	
	Fixed	Mobile	Total							Total (ages) (000 t)	Spawning (ages) (000 t)	
1948												
1949												
1950												
1951												
1952												
1953												
1954												
1955												
1956												
1957												
1958												
1959												
1960	1 508	500	2 008		2 008							
1961	3 814	1 509	5 323		5 323							
1962	6 005	1 238	7 243		7 243							
1963	5 035	1 515	6 550		6 550							
1964	4 616	1 590	6 206		6 206							
1965			4 706		4 706							
1966	4 552	2 472	7 024		7 024							
1967	4 127	2 423	6 550		6 550							
1968	3 382	879	4 261		4 261							
1969	3 128	1 080	4 208		4 208							
1970	3 823	1 845	5 668		5 668							
1971	3 552	2 155	5 707		5 707							
1972	3 755	2 002	5 757		5 757							
1973	3 023	2 679	5 702		5 702							
1974	1 857	1 759	3 616		3 616							
1975	2 245	1 880	4 125		4 125							
1976	1 931	1 827	3 758		3 758							
1977	2 349	1 635	3 984		3 984							
1978	2 785	2 040	4 825		4 825							
1979	4 372	3 738	8 110		8 110							
1980	7 378	5 045	12 423		12 423							
1981	7 384	6 655	14 039		14 039							
1982	5 897	3 879	9 776		9 776	12 000						
1983	4 258	3 047	7 305		7 305	12 000						
1984	4 728	2 322	7 050		7 050	12 000						
1985	3 367	2 647	6 014		6 014	12 000						
1986	2 956	1 992	4 948		4 948	12 000						
1987	4 047	2 325	6 372		6 372	9 400						
1988	2 682	1 205	3 887		3 887	5 500						
1989	2 797	2 557	5 354		5 354	5 500						
1990	3 188	1 987	5 175		5 175	5 500						
1991	2 449	2 061	4 510		4 510	5 500						
1992	1 976	1 837	3 813		3 813	5 500						
1993	1 193	273	1 466		1 466	3 600						
1994						2 000						
1995												
1996												
1997												
1998												
1999												
2000												
Minimum					1 466							
1st quart.					4 221							
MEDIAN					5 511							
3rd quart.					6 550							
Maximum					14 039							

White Hake in 4T

YEAR	Abundance indices								Mean weight at age 7 (kg)	
	RV (#/tow) in 4T		Survey 2 (units)			CPUE (units)				
	Prince Hammond	Needler	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
All ages										
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960										
1961										
1962										
1963										
1964										
1965										
1966										
1967										
1968										
1969										
1970										
1971	3.20									
1972	1.90									
1973	6.80									
1974	12.50									
1975	9.80									
1976	8.60									
1977	5.40									
1978	11.40									
1979	9.80									
1980	8.50									
1981	14.20									
1982	4.70									
1983	4.20									
1984	8.30									
1985	9.00									
1986		16.50								
1987		9.20								
1988		12.40								
1989		12.80								
1990		10.20								
1991		9.50								
1992			7.40							
1993			3.70							
1994										
1995										
1996										
1997										
1998										
1999										
2000										
Min.	1.9	9.2	3.7							
1st Q	5.1	9.7	4.6							
Med.	8.5	11.3	5.6							
3rd Q	9.8	12.7	6.5							
Max.	14.2	16.5	7.4							

White Hake in 4VWX

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass	
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total	Spawning
	Fixed	Mobile	TOTAL	(000 t)					(000 t)	
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960			0	0						
1961			200	200						
1962			0	0						
1963			200	200						
1964			0	0						
1965			200	200						
1966			1 000	1 000						
1967			1 000	1 000						
1968			1 000	1 000						
1969			2 000	2 000						
1970			3 000	3 000						
1971			5 000	5 000						
1972			6 000	6 000						
1973			6 000	6 000						
1974			5 000	5 000						
1975			4 000	4 000						
1976			3 000	3 000						
1977			3 000	3 000						
1978			4 000	4 000						
1979			3 000	3 000						
1980			4 000	4 000						
1981			4 000	4 000						
1982			5 000	5 000						
1983			4 000	4 000						
1984			4 000	4 000						
1985			5 000	5 000						
1986			5 000	5 000						
1987			5 000	5 000						
1988			6 000	6 000						
1989			5 000	5 000						
1990			5 297	142	5 439					
1991			4 350	69	4 419					
1992			4 690	28	4 718					
1993										
1994										
1995										
1996										
1997										
1998										
1999										
2000										
Minimum				0						
1st quart.				1 000						
MEDIAN				4 000						
3rd quart.				5 000						
Maximum				6 000						

TOTAL GADOIDS

May 94

YEAR	Catches (t)			TAC (t)	1991: a\$ 1.00 for \$2.90 annual thereafter						
	Canadian		Foreign		F 7 to 9	Expl. rate (%)	Recruits	Stock Size 3+ (million)	Biomass		
	Fixed	Mobile							Total 3+ (000 t)	Pawning 7+ (000 t)	
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960	418 186	633 595	1 051 781								
1961	392 514	760 291	1 152 805								
1962	416 588	644 075	1 060 663								
1963	425 989	796 307	1 222 296								
1964	405 201	903 221	1 308 422								
1965	393 508	1 036 755	1 430 263								
1966	393 169	961 756	1 354 925								
1967	364 599	1 026 509	1 391 108								
1968	394 680	1 202 971	1 597 651								
1969	359 077	1 043 004	1 402 081								
1970	302 097	963 664	1 265 761								
1971	288 462	831 342	1 119 804								
1972	266 283	829 294	1 095 577								
1973	233 682	871 679	1 105 361	1 004 000							
1974	205 153	680 733	885 886	1 211 000							
1975	208 139	551 067	759 206	1 114 400							
1976	242 320	390 557	632 877	792 500							
1977	293 719	223 518	517 237	475 000							
1978	368 907	169 179	538 086	466 000							
1979	445 310	175 288	620 598	611 500							
1980	524 451	142 317	666 768	690 500							
1981	546 783	152 565	699 348	733 150							
1982	608 234	170 658	778 892	841 800							
1983	589 338	129 694	719 032	873 400							
1984	548 811	187 992	736 803	900 900							
1985	564 866	203 511	768 377	856 370							
1986	555 357	257 840	813 197	805 170							
1987	539 861	169 840	709 701	752 920							
1988	551 966	156 728	708 694	771 800							
1989	505 149	213 360	718 509	728 940							
1990	455 889	184 953	640 842	661 662							
1991	373 770	177 042	550 812	607 365							
1992	254 436	83 111	337 547	417 365							
1993	116 703	53 025	169 728	230 165							
1994				108 000							
1995											
1996											
1997											
1998											
1999											
2000											
Minimum	116 703	53 025	169 728	108 000							
1st quart.	295 814	171 816	674 913	608 399							
MEDIAN	394 094	324 199	773 635	743 035							
3rd quart.	519 626	830 830	1 144 555	852 728							
Maximum	608 234	1 202 971	1 597 651	1 211 000							

Redfish in 2+3K

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results:		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	Spawning (ages) (000 t)	
	Fixed	Mobile									
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960			1	129 999	130 000						
1961			0	55 000	55 000						
1962			0	19 657	19 657						
1963			1	23 643	23 644						
1964			13	50 141	50 154						
1965			266	43 273	43 539						
1966			54	32 676	32 730						
1967			29	26 133	26 162						
1968			183	18 715	18 898						
1969			6	24 600	24 606						
1970			63	21 734	21 797						
1971			153	19 153	19 306						
1972			49	19 984	20 033						
1973			374	38 591	38 965						
1974			153	29 992	30 145	30 000					
1975			445	25 114	25 559	30 000					
1976			3 894	22 071	25 965	30 000					
1977			3 498	14 041	17 539	30 000					
1978			22 052	7 094	29 146	30 000					
1979			26 587	4 143	30 730	30 000					
1980			7 785	6 734	14 519	35 000					
1981			13 416	4 226	17 642	35 000					
1982			11 134	6 849	17 983	35 000					
1983			9 297	6 014	15 311	35 000					
1984			17 367	6 322	23 689	35 000					
1985			21 579	7 646	29 225	35 000					
1986			18 793	8 226	27 019	35 000					
1987			12 148	6 363	18 511	35 000					
1988			5 360	1 582	6 942	35 000					
1989			2 179	988	3 167	35 000					
1990			2 048	373	2 421	35 000					
1991			170	69	239	20 000					
1992			9	6	15	20 000					
1993			2	0	2	20 000					
1994				0		1 000					
1995				0							
1996				0							
1997				0							
1998				0							
1999				0							
2000				0							

Minimum 2
 1st quart. 17 565
 MEDIAN 22 721
 3rd quart. 29 205
 Maximum 130 000

Redfish in 2+3K

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	RV Biomass 2J			RV Biomass 3K			CPUE (units)				
	Biomass (t) (ages)	Lower limit	Upper limit	Biomass (t) (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972											
1973											
1974											
1975											
1976											
1977											
1978	254 278			470 721							
1979	126 484			182 658							
1980	137 742			405 461							
1981	282 841			206 661							
1982	71 603			148 970							
1983	97 088			658 226							
1984	64 161			96 637							
1985	23 290			128 909							
1986	56 954			97 445							
1987	24 351			33 711							
1988	65 435			101 272							
1989	6 355			33 234							
1990	11 661			88 358							
1991	1 810			12 235							
1992	2 369			1 135							
1993	1 180			686							
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	1 180			686							
1st Q	10 335			33 592							
Med.	60 558			99 359							
3rd Q	104 437			188 659							
Max.	282 841			658 226							

Redfish in 3LN

June 94

YEAR	Catches (t) - w surveillance estimates				TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total	Spawning	
	Fixed	Mobile	Total							(ages)	(ages) (000 t)	
1948												
1949												
1950												
1951												
1952												
1953												
1954												
1955												
1956												
1957												
1958												
1959												
1960	2 000	26 010	28 010									
1961	2 000	21 175	23 175									
1962	6 862	14 572	21 434									
1963	4 755	16 342	21 097									
1964	1 363	6 741	8 104									
1965	2 904	20 562	23 466									
1966	1 458	15 516	16 974									
1967	442	26 746	27 188									
1968	662	16 981	17 643									
1969	292	24 408	24 700									
1970	412	13 976	14 388									
1971	618	33 735	34 353									
1972	444	28 489	28 933									
1973	364	32 933	33 297									
1974	200	22 086	22 286	28 000								
1975	1 880	15 991	17 871	20 000								
1976	6 493	14 019	20 512	20 000								
1977	9 537	6 979	16 516	16 000								
1978	3 180	8 863	12 043	16 000								
1979	6 503	7 564	14 067	18 000								
1980	4 016	12 014	16 030	25 000								
1981	8 126	16 154	24 280	25 000								
1982	7 250	14 297	21 547	25 000								
1983	6 464	13 283	19 747	25 000								
1984	1 296	13 465	14 761	25 000								
1985	2 451	18 106	20 557	25 000								
1986	4 849	37 956	42 805	25 000								
1987	4 532	74 499	79 031	25 000								
1988	6 491	46 775	53 266	25 000								
1989	1 610	32 039	33 649	25 000								
1990	1 031	28 074	29 105	25 000								
1991	399	25 416	25 815	14 000								
1992	743	26 540	27 283	14 000								
1993	45	24 355	24 400	14 000								
1994				14 000								
1995												
1996												
1997												
1998												
1999												
2000												
Minimum			8 104									
1st quart.			17 757									
MEDIAN			23 175									
3rd quart.			28 472									
Maximum			79 031									

Redfish in 3LN

YEAR	Abundance indices								Mean weight at age 7 (kg)	
	RV surveys in 3LN			CPUE (t/day)		CPUE (t/hour)				
	3L - CAN All ages	Russia trawl (Million)	Russia Total (Million)	3L All ages	3N All ages	3L All ages	3N All ages			
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957	Not updated									
1958	for 1993 data									
1959				19.043	11.984	1.370	1.224			
1960				21.261	28.226	1.660	1.554			
1961				22.321	14.413	2.149	1.509			
1962				20.959	14.983	1.546	1.648			
1963				26.996	12.255	1.930	1.469			
1964				32.052	13.133	2.447	1.521			
1965				19.318	15.047	2.229	1.873			
1966				17.430	17.592	1.459	2.156			
1967				23.741		1.917	1.969			
1968				19.987	15.880	1.602	0.904			
1969				19.042	19.380	1.704	1.463			
1970				10.058	20.098	1.891	1.404			
1971				22.109	16.943	1.799	1.273			
1972				10.242	19.276	1.511	1.390			
1973				18.159	15.430	2.119	1.597			
1974				10.412	2.707	0.957	2.243			
1975				14.229	23.441	1.210	1.904			
1976				18.845	11.804	1.346	0.978			
1977				17.849	19.021	1.268	1.243			
1978	286			13.166	14.342	1.157	1.313			
1979	217			16.582	19.894	1.538	1.430			
1980	54		trawl+acoustic	17.359	21.791	1.360	1.957			
1981	247			21.307	17.904	1.587	1.723			
1982				23.619	17.808	1.615	1.843			
1983		429		23.268	17.046	1.702	1.551			
1984	478	720		17.826	15.223	1.475	1.217			
1985	180	245		16.641	11.680	1.756	1.128			
1986	78	133		22.372	14.620	1.851	1.151			
1987		182		19.215	18.322	1.547	1.736			
1988		167	822	17.484	14.202	1.337	1.283			
1989		45	145	22.810	13.880	1.959	1.132			
1990	66	23	139	14.417	9.625	1.141	0.817			
1991	35	42	373	13.357	13.692	1.256	1.213			
1992	21			15.302	10.133	1.891	0.872			
1993		130	392	20.139	14.764	2.032	1.372			
1994										
1995										
1996										
1997										
1998										
1999										
2000										
Min.	21	23	139	10.06	2.71	0.96	0.82			
1st Q	57	66	145	16.61	13.74	1.37	1.22			
Med.	129	150	373	19.04	15.14	1.60	1.43			
3rd Q	240	229	392	21.71	18.22	1.89	1.69			
Max.	478	720	822	32.05	28.23	2.45	2.24			

Redfish in 3M

June 94

YEAR	Catches (t) - w surveillance estimates			TAC (t)	Assessment Results		ADAPT		Biomass	
	Canadian		Foreign		(ages)	F	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total
	Fixed	Mobile	TOTAL	Spawning (ages) (000 t)						
1948			0							
1949			0							
1950			0							
1951			0							
1952			0							
1953			0							
1954			0							
1955			0							
1956			0							
1957			0							
1958			0							
1959			0							
1960			0 8 000	8 000						
1961			0 16 000	16 000						
1962	47		6 911	6 958						
1963			0 7 025	7 025						
1964			0 13 983	13 983						
1965			0 29 840	29 840						
1966			0 7 241	7 241						
1967			0 729	729						
1968	26		4 937	4 963						
1969	5		2 793	2 798						
1970	0		3 168	3 168						
1971	0		8 033	8 033						
1972	1		41 945	41 946						
1973	2		22 350	22 352						
1974	8		34 663	34 671	40 000					
1975	659		15 416	16 075	16 000					
1976	8 368		8 630	16 998	16 000					
1977	4 794		15 473	20 267	16 000					
1978	4 347		12 415	16 762	16 000					
1979	5 129		14 945	20 074	20 000					
1980	278		15 689	15 967	20 000					
1981	529		13 362	13 891	20 000					
1982	2		14 682	14 684	20 000					
1983	0		19 527	19 527	20 000					
1984	0		20 228	20 228	20 000					
1985	0		20 282	20 282	20 000					
1986	0		28 873	28 873	20 000					
1987	0		44 411	44 411	20 000					
1988	0		23 189	23 189	20 000					
1989	0		58 000	58 000	20 000					
1990	0		81 000	81 000	50 000					
1991	0		48 000	48 000	50 000					
1992	0		43 000	43 000	43 000					
1993	206		28 794	29 000	30 000					
1994	0				26 000					
1995	0									
1996	0									
1997	0									
1998	0									
1999	0									
2000	0									

Minimum 729
 1st quart. 9 498
 MEDIAN 18 263
 3rd quart. 28 968
 Maximum 81 000

Redfish in 3M

YEAR	Abundance/Indices									Mean weight at age 7 (kg)	
	Russian RV (t)			EEC trawl RV (t)			CPUE				
	Estimate All ages	Lower limit	Upper limit	Estimate All ages	Lower limit	Upper limit	Estimate (t/hour) All ages	Estimate (t/day) All ages	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958	Not updated										
1959	with 1993 data										
1960							2.699	30.138			
1961							4.742	27.502			
1962							5.569	22.247			
1963							3.992	51.592			
1964							4.104	36.131			
1965							2.725	16.070			
1966							3.493	21.303			
1967							1.917	19.886			
1968							2.044	8.630			
1969							3.802	24.725			
1970							3.014	18.677			
1971							7.785	23.316			
1972							5.342	22.086			
1973							2.972	27.743			
1974							2.511	25.276			
1975							3.383	27.818			
1976							2.759	24.634			
1977							2.524	23.331			
1978							2.344	20.947			
1979							2.762	20.618			
1980							2.034	19.597			
1981							2.327	20.245			
1982							2.577	22.415			
1983	155 000						2.538	19.137			
1984	132 000						2.257	19.309			
1985	52 000						2.279	20.289			
1986	310 000						2.377	23.454			
1987	106 000						3.549	32.694			
1988	379 000			158 222			3.802	32.817			
1989	366 000			136 633			2.361	19.423			
1990	247 000			104 193			2.094	20.583			
1991	107 000			63 846			1.840	18.653			
1992	100 000			104 477			1.879	17.568			
1993							1.735	20.471			
1994							1.569	13.961			
1995											
1996											
1997											
1998											
1999											
2000											
Min.	52 000			63 846			1.57	8.63			
1st Q	106 250			104 193			2.27	19.51			
Med.	143 500			104 477			2.58	21.30			
3rd Q	294 250			136 633			3.52	25.00			
Max.	379 000			158 222			7.79	51.59			

Redfish in 3O

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results: ADAPT				
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	
	Fixed	Mobile	Total							
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960			100	4 900	5 000					
1961			1 000	10 000	11 000					
1962			1 046	6 511	7 557					
1963			2 155	7 025	9 180					
1964			1 320	14 724	16 044					
1965			203	19 588	19 791					
1966			107	15 198	15 305					
1967			645	18 392	19 037					
1968			52	6 393	6 445					
1969			186	15 692	15 878					
1970			288	12 904	13 192					
1971			165	19 627	19 792					
1972			508	15 609	16 117					
1973			133	8 664	8 797					
1974			91	13 033	13 124	16 000				
1975			103	15 007	15 110	16 000				
1976			3 664	11 684	15 348	16 000				
1977			2 972	7 878	10 850	16 000				
1978			1 841	5 019	6 860	16 000				
1979			6 404	11 333	17 737	20 000				
1980			1 541	15 765	17 306	21 900				
1981			2 577	10 027	12 604	20 000				
1982			491	10 869	11 360	20 000				
1983			7	7 333	7 340	20 000				
1984			167	16 811	16 978	20 000				
1985			104	12 756	12 860	20 000				
1986			141	10 914	11 055	20 000				
1987			183	26 987	27 170	20 000				
1988			181	34 611	34 792	14 000				
1989			27	13 229	13 256	14 000				
1990			155	14 087	14 242	14 000				
1991			28	8 283	8 311	14 000				
1992			329	13 975	14 304	14 000				
1993			697	14 977	15 674	14 000				
1994					0	10 000				
1995					0					
1996					0					
1997					0					
1998					0					
1999					0					
2000					0					
Minimum					0					
1st quart.					7 340					
MEDIAN					12 860					
3rd quart.					15 878					
Maximum					34 792					

Redfish in 3O

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	RV Biomass			Survey 2 (units)			CPUE (units)				
	Biomass (t) (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959							1.960	2.826	3.692		
1960							1.499	3.335	5.171		
1961							1.935	3.489	5.043		
1962							1.961	3.001	4.041		
1963							2.196	3.284	4.372		
1964							2.084	3.680	5.276		
1965							1.416	2.688	3.960		
1966							1.059	3.297	5.535		
1967							2.533	4.123	5.713		
1968											
1969							1.460	2.270	3.080		
1970							1.741	2.649	3.557		
1971							2.364	3.400	4.436		
1972							1.776	2.450	3.124		
1973							2.138	3.216	4.294		
1974							1.429	2.179	2.929		
1975							1.174	1.988	2.802		
1976							2.362	3.108	3.854		
1977							2.171	2.897	3.623		
1978							1.866	2.472	3.078		
1979							3.120	4.072	5.024		
1980							2.675	3.465	4.255		
1981							2.818	3.702	4.586		
1982							3.031	3.911	4.791		
1983							2.549	3.455	4.361		
1984							2.529	3.293	4.057		
1985							2.454	3.282	4.110		
1986							2.222	3.034	3.846		
1987							2.610	3.332	4.054		
1991	8 082						2.532	3.244	3.956		
1991	15 649						2.024	2.662	3.300		
1992	6 759						1.994	2.626	3.258		
1992	26 256						2.241	3.539	4.837		
1993	42 008						1.547	2.269	2.991		
1993	37 305										
1994	72 000										
1995											
1996											
1997											
1998											
1999											
2000											
Min.	6 759						1.06				
1st Q	11 866						1.78				
Med.	26 256						2.14				
3rd Q	39 657						2.53				
Max.	72 000						3.12				

Redfish in Laurentian Channel

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results - ADAPT				Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	SSB (ages) (000 t)	
	Fixed	Mobile							(000 t)	(000 t)	
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961	7 222		16 065	23 287							
1962	10 981		7 712	18 693							
1963	12 158		9 189	21 347							
1964	14 111		8 179	22 290							
1965	14 760		8 432	23 192							
1966	17 617		4 233	21 850							
1967	24 482		3 910	28 392							
1968	20 572		21 598	42 170							
1969	12 187		7 982	20 169							
1970	12 689		33 587	46 276							
1971	17 334		32 073	49 407							
1972	21 197		37 003	58 200							
1973	18 052		26 878	44 930							
1974	20 998		10 829	31 827							
1975	18 146		15 892	34 038	25 000						
1976	27 422		11 049	38 471	25 000						
1977	20 592		3 117	23 709	18 000						
1978	26 940		1 810	28 750	18 000						
1979	25 850		698	26 548	18 000						
1980	18 475		296	18 771	16 000						
1981	16 801		328	17 129	18 000						
1982	21 156		595	21 751	18 000						
1983	16 889		136	17 025	18 000						
1984	13 389		84	13 473	18 000						
1985	6 777		1 364	8 141	18 000						
1986	10 354		1 140	11 494	18 000						
1987	9 220		1 545	10 765	18 000						
1988	12 564		1 392	13 956	18 000						
1989	10 047		681	10 728	15 000						
1990	14 651		735	15 386	15 000						
1991	14 016		776	14 792	10 000						
1992	22 325		1 215	23 540	15 000						
1993	17 059		231	17 290	25 000						
1994	27 098		0	27 098	28 000						
1995					25 000						
1996											
1997											
1998											
1999											
2000											
Minimum				8 141							
1st quart.				17 051							
MEDIAN				22 070							
3rd quart.				28 661							
Maximum				58 200							

For former mgt unit: 3P

Redfish in Laurentian Channel

YEAR	Abundance Indices						Mean weight at age 7 (kg)
	RV Wt/tow		RV No./tow		CPUE (units)		
	Wt/tow (kg) (ages)	April	No./tow (ages)	April	Estimate (ages)	Lower limit	Upper limit
1948							
1949							
1950							
1951							
1952							
1953							
1954							
1955							
1956							
1957							
1958							
1959							
1960					0.464	0.692	0.578
1961					0.467	0.667	0.567
1962					0.594	0.830	0.712
1963					0.584	0.788	0.686
1964					0.607	0.827	0.717
1965					0.784	1.060	0.922
1966					0.866	1.102	0.984
1967					0.866	1.098	0.982
1968					0.755	0.963	0.859
1969					0.755	0.943	0.849
1970					0.696	0.852	0.774
1971					0.632	0.772	0.702
1972					0.574	0.698	0.636
1973	108		385		0.564	0.684	0.624
1974	87		304		0.459	0.555	0.507
1975	137		987		0.470	0.566	0.518
1976	151		747		0.394	0.486	0.440
1977	77		417		0.434	0.526	0.480
1978	97		433		0.453	0.545	0.499
1979	72		245		0.382	0.466	0.424
1980	164		965		0.423	0.519	0.471
1981	49		1 407		0.402	0.498	0.450
1982	39		421		0.500	0.620	0.560
1983	40		340		0.531	0.671	0.601
1984	21		60		0.448	0.588	0.518
1985	47		183		0.436	0.536	0.486
1986	54		205		0.420	0.520	0.470
1987	65		237		0.422	0.526	0.474
1988	161		331		0.426	0.530	0.478
1989	98		239		0.652	0.832	0.742
1990	77		205		0.936	1.224	1.080
1991	117		651		0.789	1.025	0.907
1992	50		176		0.702	0.918	0.810
1993	51	62	157	325	0.564	1.052	0.808
1994		49		199			
1995							
1996							
1997							
1998							
1999							
2000							
Min.	21	49	60	199	0.38		
1st Q	50	52	205	230	0.44		
Med.	77	56	331	262	0.55		
3rd Q	108	59	433	294	0.69		
Max.	164	62	1 407	325	0.94		

Gulf Redfish

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results ADAPT						
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Biomass		
	Fixed	Mobile							Total (ages) (000 t)	SSB (ages) (000 t)	
1948											
1949											
1950											
1951											
1952											
1953			8 366	0	8 366						
1954			15 540	17 228	32 768						
1955			15 118	34 739	49 857						
1956			22 009	24 825	46 834						
1957			16 792	17 539	34 331						
1958			15 206	7 364	22 570						
1959			11 900	5 213	17 113						
1960			11 523	1 307	12 830						
1961			10 843	219	11 062						
1962			7 084	67	7 151						
1963			15 938	4 879	20 817						
1964			18 158	12 366	30 524						
1965			35 725	17 104	52 829						
1966			55 196	12 766	67 962						
1967			55 936	15 975	71 911						
1968			77 761	17 503	95 264						
1969			79 197	13 123	92 320						
1970			82 647	7 856	90 503						
1971			77 433	4 756	82 189						
1972			81 130	1 460	82 590						
1973			131 962	4 139	136 101						
1974			64 754	2 327	67 081						
1975			68 701	1 351	70 052						
1976			43 510	868	44 378	30 000					
1977			16 648	424	17 072	18 000					
1978			14 802	132	14 934	18 000					
1979			16 217	208	16 425	16 000					
1980			15 462	77	15 539	16 000					
1981			22 014	31	22 045	20 000					
1982			26 719	12	26 731	31 000					
1983			24 928	46	24 974	33 000					
1984			25 512	9	25 521	50 600					
1985			35 068	9	35 077	50 600					
1986			36 406	8	36 414	55 600					
1987			43 424	22	43 446	55 600					
1988			51 892		51 892	56 000					
1989			52 482		52 482	57 000					
1990			61 934		61 934	57 000					
1991			59 508		59 508	57 000					
1992			77 384		77 384	67 000					
1993			51 091		51 091	60 000					
1994						30 000					
1995											
1996											
1997											
1998											
1999											
2000											
Minimum					7 151						
1st quart.					22 045						
MEDIAN					43 446						
3rd quart.					67 081						
Maximum					136 101						

For former mgt unit: 4RST

Gulf Redfish

YEAR	Abundance indices												Mean weight at age 7 (kg)	
	GADUS (t)			A.Needler (t)			OTB+OTM CPUE (t/h)							
	Estimate	Lower limit	Upper	Estimate	Lower limit	Upper	Estimate	Lower limit	Upper	-2SE	+2SE			
All ages	95 % CI	All ages	95 % CI	All ages	95 % CI	All ages	2SE	+2SE						
1948														
1949														
1950														
1951														
1952														
1953														
1954														
1955														
1956														
1957														
1958														
1959														
1960														
1961														
1962														
1963														
1964														
1965														
1966														
1967														
1968														
1969														
1970														
1971														
1972														
1973														
1974														
1975														
1976														
1977														
1978	112 013	72 637	151 389											
1979	211 396	80 748	342 044											
1980	76 671	38 311	115 032											
1981	102 304	18 966	185 642											
1982														
1983	111 473	72 599	150 347											
1984	131 822	32 856	230 787	426 104	332 469	519 739								
1985	146 016	77 871	214 160	368 506	257 116	460 697								
1986	142 195	86 025	198 365	344 795	281 069	408 501								
1987	27 141	14 899	39 383	452 444	207 707	701 769								
1988	43 822	19 812	67 832	526 969	422 636	638 901								
1989	72 534	0	201 679	493 454	344 091	642 817								
1990	32 273	19 501	47 045	379 144	163 385	576 332								
1991	37 969	26 639	42 298	222 546	149 927	295 165								
1992	61 629	34 420	88 839	177 284	60 743	293 825								
1993	66 406	0	139 937	95 341	0	268 436								
1994	27 213	9 389	45 038											
1995														
1996														
1997														
1998														
1999														
2000														
Min.	27 141	0	39 383	95 341	0	268 436	0.82							
1st Q	42 359	17 949	62 635	253 108	153 292	323 499	1.11							
Med.	74 603	29 748	145 142	373 875	232 412	499 918	1.49							
3rd Q	116 965	72 609	199 194	445 859	319 619	621 759	1.70							
Max.	211 396	86 025	342 044	528 969	422 836	701 769	2.88							

Gulf Redfish

94/10/07

YEAR	Abundance indices								
	CPUE (t/j) - OTB+OTM			CPUE (t/j) - OTB(May-Oct.)			CPUE (t/h) - OTB(May-Oct.)		
	Estimate	Lower limit	Upper	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit
All ages	95 % CI	All ages	95 % CI	All ages	-2SE	+2SE			
1948									
1949									
1950									
1951									
1952									
1953									
1954									
1955									
1956									
1957									
1958									
1959									
1960									
1961									
1962									
1963									
1964									
1965									
1966									
1967									
1968									
1969									
1970									
1971									
1972									
1973									
1974									
1975									
1976									
1977									
1978									
1979									
1980									
1981							3.727	2.339	5.115
1982							2.438	1.936	2.940
1983							2.218	1.744	2.692
1984							1.814	1.456	2.172
1985							1.153	0.929	1.377
1986							1.284	1.034	1.534
1987							1.064	0.854	1.274
1988							1.298	1.006	1.590
1989							1.915	1.385	2.445
1990	12.380	9.104	15.656	12.410	7.976	16.844	3.661	2.619	4.703
1991	9.904	7.268	12.540	10.890	7.666	14.114	2.552	1.960	3.144
1992	12.360	9.084	15.636	10.710	7.618	13.802	2.907	2.217	3.597
1993	7.780	5.694	9.866	8.184	5.846	10.522	2.430	1.908	2.952
1994									
1995									
1996									
1997									
1998									
1999									
2000	7.78			8.18			1.06		
	9.37			10.08			1.30		
	11.13			10.80			2.22		
	12.37			11.27			2.55		
	12.38			12.41			3.73		

Redfish on Scotian Shelf

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results: ADAPT			
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)
	Fixed	Mobile	Total						
1948									
1949									
1950									
1951									
1952									
1953									
1954									
1955									
1956									
1957									
1958									
1959									
1960									
1961									
1962									
1963									
1964									
1965									
1966									
1967									
1968									
1969									
1970									
1971									
1972									
1973									
1974									
1975									
1976									
1977									
1978									
1979									
1980									
1981									
1982									
1983									
1984									
1985									
1986									
1987									
1988									
1989									
1990									
1991									
1992									
1993									
1994									
1995									
1996									
1997									
1998									
1999									
2000									
Minimum					0				
1st quart.					3 200				
MEDIAN					5 499				
3rd quart.					13 400				
Maximum					31 729				

4WX

For former mgt unit

REDFISH SUMMARY

June 94

YEAR	Catches (t)			TAC (t)	1991 less for 67-90 annual thereafter						
	Canadian				Foreign	TOTAL	F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	
	Fixed	Mobile	Total								
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960	20 846	206 164	227 010								
1961	24 824	130 351	155 175								
1962	27 724	85 365	113 089								
1963	37 612	96 179	133 791								
1964	36 110	118 670	154 780								
1965	57 725	146 984	204 709								
1966	82 591	116 894	199 485								
1967	79 436	115 179	194 615								
1968	92 600	74 127	166 727								
1969	96 266	116 805	213 071								
1970	110 447	102 647	213 094								
1971	112 958	140 644	253 602								
1972	109 853	155 891	265 744								
1973	159 294	133 880	293 174								
1974	87 191	131 894	219 085	179 000							
1975	103 168	93 370	196 538	137 000							
1976	89 773	65 174	154 947	150 000							
1977	66 825	49 668	116 493	134 000							
1978	74 059	36 535	110 594	134 000							
1979	81 894	39 379	121 273	140 000							
1980	49 688	51 594	101 282	165 900							
1981	72 157	45 554	117 711	168 000							
1982	65 706	48 569	114 275	179 000							
1983	58 624	47 165	105 789	181 000							
1984	55 925	59 107	115 032	198 600							
1985	75 556	59 939	135 495	198 600							
1986	76 309	87 522	163 831	203 600							
1987	78 951	153 674	232 625	203 600							
1988	77 871	106 838	184 709	195 000							
1989	74 149	104 991	179 140	196 000							
1990	81 484	124 310	205 794	221 000							
1991	84 430	82 983	167 413	200 000							
1992	97 924	83 752	181 676	193 000							
1993	84 239	68 126	152 365	176 000							
1994				116 000							
1995											
1996											
1997											
1998											
1999											
2000											
Minimum	20 846	36 535	101 282	116 000							
1st quart.	60 395	61 248	124 403	150 000							
MEDIAN	78 411	94 775	167 070	179 000							
3rd quart.	89 128	122 900	205 523	198 600							
Maximum	159 294	206 164	293 174	221 000							

Grenadier in SA0+1

June 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (000 t)	Spawning (ages) (000 t)	
	Fixed	Mobile									
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			0								
1961			0								
1962			0								
1963			0								
1964			0								
1965			0								
1966			0								
1967			6	6							
1968			0	6 191	6 191						
1969			0	2 710	2 710						
1970			0	6 525	6 525						
1971			0	8 304	8 304						
1972			0	8 094	8 094						
1973			0	4 884	4 884						
1974			0	12 318	12 318						
1975			0	4 953	4 953	10 000					
1976			0	8 503	8 503	14 000					
1977			0	2 935	2 935	8 000					
1978			0	5 839	5 839	8 000					
1979			0	6 921	6 921	8 000					
1980			0	1 753	1 753	8 000					
1981			0	479	479	8 000					
1982			0	91	91	8 000					
1983			0	68	68	8 000					
1984			0	50	50	8 000					
1985			0	55	55	8 000					
1986			0	86	86	8 000					
1987			0	377	377	8 000					
1988			0	518	518	8 000					
1989			0	80	80	8 000					
1990			0	240	240	8 000					
1991			0	160	160	8 000					
1992			0	190	190	8 000					
1993		1	99	100	8 000						
1994		0			8 000						
1995		0									
1996		0									
1997		0									
1998		0									
1999		0									
2000		0									
Minimum				6							
1st quart.				96							
MEDIAN				518							
3rd quart.				6 015							
Maximum				12 318							

Roundnose Grenadier in SA 2+3

June 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT				
	Canadian		Total		(ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Biomass		
									Total (ages) (000 t)	Spawning (ages) (000 t)	
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			0								
1961			0								
1962			0								
1963			0								
1964			0								
1965			0								
1966			0								
1967			0 17 304	17 304							
1968			0 31 263	31 263							
1969			0 12 779	12 779							
1970			0 24 428	24 428							
1971			0 75 445	75 445							
1972			0 24 386	24 386							
1973			0 17 564	17 564							
1974			0 28 416	28 416	32 000						
1975			0 27 425	27 425	32 000						
1976			16 20 577	20 593	35 000						
1977			15 15 371	15 386	35 000						
1978			9 20 693	20 702	35 000						
1979			4 7 777	7 781	35 000						
1980			0 2 053	2 053	30 000						
1981			0 7 085	7 085	27 000						
1982			0 4 344	4 344	27 000						
1983			0 3 569	3 569	11 000						
1984			0 3 873	3 873	11 000						
1985			0 4 948	4 948	11 000						
1986			9 7 415	7 424	11 000						
1987			10 7 287	7 297	11 000						
1988			2 5 380	5 382	11 000						
1989			20 4 646	4 666	11 000						
1990			177 642	819	11 000						
1991			150 477	627	11 000						
1992			0 2 982	2 982	11 000						
1993			239 4 169	4 408	11 000						
1994			0		3 000						
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum				627							
1st quart.				4 376							
MEDIAN				7 424							
3rd quart.				20 648							
Maximum				75 445							

Argentine in 4VWX

June 92

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass	
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total	Spawning
	Fixed	Mobile	TOTAL	(ages) (000 t)					(ages) (000 t)	
1948			0							
1949			0							
1950			0							
1951			0							
1952			0							
1953			0							
1954			0							
1955			0							
1956			0							
1957			0							
1958			0							
1959			0							
1960			0							
1961			0							
1962			0							
1963			8 127	8 127						
1964			0 4943	4 943						
1965			0 5611	5 611						
1966			0 14 983	14 983						
1967			0 4 233	4 233						
1968			0 2 678	2 678						
1969			0 5 354	5 354						
1970			0 4 553	4 553						
1971			0 6 715	6 715						
1972			0 5 868	5 868						
1973			0 1 444	1 444						
1974			0 17 496	17 496						
1975			0 14 694	14 694						
1976			0 7 010	7 010						
1977			0 2 489	2 489						
1978			0 1 897	1 897						
1979			0 2 640	2 640						
1980			0 2 053	2 053	20 000					
1981			0 369	369	20 000					
1982			0 417	417	20 000					
1983			0 863	863						
1984			0 360	360						
1985			0 292	292	10 000					
1986			0 203	203	10 000					
1987			0 83	83	10 000					
1988			0 351	351	10 000					
1989			0 107	107	10 000					
1990			0 217	217	10 000					
1991			0 143	143	10 000					
1992			0	0	10 000					
1993			0	0	10 000					
1994			0		1 500					
1995			0							
1996			0							
1997			0							
1998			0							
1999			0							
2000			0							
Minimum				0						
1st quart.				322						
MEDIAN				2 053						
3rd quart.				5 483						
Maximum				17 496						

OTHER GROUNDFISH - SUMMARY

June 94

YEAR	Catches (t)			TAC (t)	1991 base (or 82/90 annual thereafter)						
	Canadian		Foreign		F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	Biomass		
	Fixed	Mobile							Total 3+ (000 t)	Spawning 7+ (000 t)	
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963	0	8 127	8 127								
1964	0	4 943	4 943								
1965	0	5 611	5 611								
1966	0	14 983	14 983								
1967	0	21 543	21 543								
1968	0	40 132	40 132								
1969	0	20 843	20 843								
1970	0	35 506	35 506								
1971	0	90 464	90 464								
1972	0	38 348	38 348								
1973	0	23 892	23 892								
1974	0	58 230	58 230	32 000							
1975	0	47 072	47 072	42 000							
1976	16	36 090	36 106	49 000							
1977	15	20 795	20 810	43 000							
1978	9	28 429	28 438	43 000							
1979	4	17 338	17 342	43 000							
1980	0	5 859	5 859	58 000							
1981	0	7 933	7 933	55 000							
1982	0	4 852	4 852	55 000							
1983	0	4 500	4 500	19 000							
1984	0	4 283	4 283	19 000							
1985	0	5 295	5 295	29 000							
1986	9	7 704	7 713	29 000							
1987	10	7 747	7 757	29 000							
1988	2	6 249	6 251	29 000							
1989	20	4 833	4 853	29 000							
1990	177	1 099	1 276	29 000							
1991	150	780	930	29 000							
1992	0	3 172	3 172	29 000							
1993	240	4 268	4 508	29 000							
1994				12 500							
1995											
1996											
1997											
1998											
1999											
2000											
Minimum		0	780	930	12 500						
1st quart.		0	4 898	4 898	29 000						
MEDIAN		0	7 933	7 933	29 000						
3rd quart.		9	26 161	26 165	43 000						
Maximum		240	90 464	90 464	58 000						

Plaice in 2+3K

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results				ADAPT	
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Biomass	
	Fixed	Mobile	Total	Foreign	TOTAL					Total (ages) (000 t)	SSB (ages) (000 t)
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960	15			15	1	16					
1961	67			67	0	67					
1962	60			60	1	61					
1963	116			116	1 305	1 421					
1964	95			95	2 973	3 068					
1965	224			224	5 364	5 588					
1966	228			228	2 721	2 949					
1967	395			395	3 196	3 591					
1968	1 023			1 023	4 928	5 951					
1969	1 689			1 689	5 213	6 902					
1970	3 751			3 751	8 935	12 686					
1971	2 486			2 486	2 862	5 348					
1972	1 188	9		1 197	7 924	9 121					
1973	1 368	16		1 384	3 756	5 140					
1974	462	106		568	5 052	5 620	10 000				
1975	813	46		859	4 888	5 747	8 000				
1976	1 741	736		2 477	3 630	6 107	8 000				
1977	1 925	4 691		6 616	909	7 525	8 000				
1978	1 723	1 452		3 175	347	3 522	6 000				
1979	1 792	1 058		2 850	115	2 965	6 000				
1980	1 140	3 746		4 886	154	5 040	6 000				
1981	1 069	6 332		7 401	144	7 545	6 000				
1982	576	1 265		1 841	59	1 900	10 000				
1983	445	863		1 308	325	1 633	10 000				
1984	559	502		1 061	114	1 175	10 000				
1985	558	160		718	35	753	10 000				
1986	1 007	1 903		2 910	108	3 018	10 000				
1987	737	165		902	161	1 063	10 000				
1988	630	252		882	71	953	10 000				
1989	861	3 291		4 152	96	4 248	10 000				
1990	573	1 223		1 796	29	1 825	10 000				
1991	214	280		494	16	510	10 000				
1992	83	21		104	0	104	10 000				
1993	78	1		79	0	79	5 000				
1994				0			500				
1995				0							
1996				0							
1997				0							
1998				0							
1999				0							
2000				0							
Minimum					16						
1st quart.					1 091						
MEDIAN					3 043						
3rd quart.					5 612						
Maximum					12 686						

Plaice in 2+3K

YEAR	Abundance indices						Mean weight at age 7 (kg)		
	RV in 2J ('000 t)			RV in 3K ('000)			RV 2J3K (t)		
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate	C/B	
1+				1+			1+		
1948									
1949									
1950									
1951									
1952									
1953									
1954									
1955									
1956									
1957									
1958									
1959									
1960									
1961									
1962									
1963									
1964									
1965									
1966									
1967									
1968									
1969									
1970									
1971									
1972									
1973									
1974									
1975									
1976									
1977	105.00								
1978	58.00			57.00			115000	3.06%	
1979	38.00			31.00			69000	4.30%	
1980	59.00			33.00			92000	5.48%	
1981	65.00			40.00			105000	7.19%	
1982	89.00			27.00			116000	1.64%	
1983	95.00			32.00			127000	1.29%	
1984	54.00			40.00			94000	1.25%	
1985	42.00			27.00			69000	1.09%	
1986	37.00			33.00			70000	4.31%	
1987	23.00			24.00			47000	2.26%	
1988	33.00			18.00			51000	1.87%	
1989	30.00			17.00			47000	9.04%	
1990	16.00			8.70			24700	7.39%	
1991	6.50			6.30			12800	3.98%	
1992	2.40			3.10			5500	1.89%	
1993	2.10			3.40			5500	1.44%	
1994									
1995									
1996									
1997									
1998									
1999									
2000									
Min.	2			3			5 500		
1st Q	23			15			41 425		
Med.	38			27			69 000		
3rd Q	59			33			96 750		
Max.	105			57			127 000		

American plaice in 3LNO

June 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size Age 5 5+ (million)	Total (ages) (000 t)	pawning (ages) (000 t)	
	Fixed	Mobile	Total									
1948												
1949												
1950												
1951												
1952												
1953												
1954												
1955												
1956												
1957												
1958												
1959												
1960				21 352	2 695	24 047						
1961				14 903	3 010	17 913						
1962				15 217	982	16 199						
1963				24 591	1 128	25 719						
1964				35 474	3 093	38 567						
1965				45 365	7 896	53 261						
1966				51 225	13 786	65 011						
1967				54 190	40 223	94 413						
1968				48 674	24 493	73 167						
1969				64 815	14 622	79 437						
1970				54 929	11 724	66 653						
1971				49 394	18 494	67 888						
1972				41 605	17 756	59 361						
1973				38 586	14 257	52 843	60 500					
1974				35 101	11 196	46 297	60 000					
1975				34 015	9 206	43 221	60 000	0.50	0.36	294	1 028	
1976				47 806	4 019	51 825	47 000	0.50	0.36	279	1 068	
1977				42 579	1 402	43 981	47 000	0.39	0.29	233	1 033	
1978				48 634	1 394	50 028	47 000	0.58	0.40	218	1 001	
1979				47 131	1 438	48 569	47 000	0.20	0.17	200	950	
1980				48 296	790	49 086	47 000	0.30	0.23	190	892	
1981				48 177	1 981	50 158	55 000	0.74	0.48	172	830	
1982				49 620	1 432	51 052	55 000	0.85	0.53	173	788	
1983				35 907	2 628	38 535	55 000	0.59	0.41	157	735	
1984				33 756	5 689	39 445	55 000	0.67	0.45	146	702	
1985				40 024	14 188	54 212	49 000	0.62	0.42	128	656	
1986				33 409	31 161	64 570	55 000	1.03	0.59	96	572	
1987				33 967	21 045	55 012	48 000	0.77	0.49	81	457	
1988				26 832	14 003	40 835	40 000	0.75	0.49	78	377	
1989				27 901	15 468	43 369	30 300	0.73	0.48	73	328	
1990				22 560	9 901	32 461	24 900	0.89	0.54	102	290	
1991				22 486	11 331	33 817	25 800	0.67	0.45	75	256	
1992				9 542	3 070	12 612	25 800	0.72	0.47	29	186	
1993				7 585	9 672	17 257	10 500	NO VPA DONE in 1994				
1994							4 800					
1995												
1996												
1997												
1998												
1999												
2000												
Minimum					12 612			0.20	0.17	29	186	
1st quart.					38 543			0.52	0.37	85	397	
MEDIAN					48 828			0.67	0.45	151	718	
3rd quart.					54 812			0.75	0.48	198	935	
Maximum					94 413			1.03	0.59	294	1 068	

American plaice in 3LNO

YEAR	Abundance indices									Mean weight at age 9 (kg)	
	CAN Spring RV (millions)			Survey 2 (units)			CPUE (t/hour)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
1+	(ages)			All ages							
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956							1.432				
1957							1.346				
1958							1.296				
1959							1.278				
1960							1.221				
1961							1.110				
1962							0.934				
1963							1.060				
1964							1.092				
1965							1.044				
1966							1.015				
1967							0.935				
1968							0.685				
1969							0.593				
1970							0.573				
1971							0.525				
1972							0.512				
1973	571						0.563				
1974							0.452			0.58	
1975	681						0.429			0.56	
1976	990						0.417			0.56	
1977	1 257						0.436			0.61	
1978	1 140						0.462			0.51	
1979	1 115						0.505			0.55	
1980	1 127						0.597			0.54	
1981	1 262						0.593			0.49	
1982	957						0.596			0.49	
1983							0.638			0.66	
1984	617						0.568			0.55	
1985	575						0.619			0.55	
1986	529						0.457			0.55	
1987	636						0.434			0.50	
1988	579						0.437			0.49	
1989	509						0.441			0.49	
1990	379						0.448			0.55	
1991	214						0.257			0.61	
1992	111						0.170			0.55	
1993	126						0.106			0.63	
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	111						0.11			0.49	
1st Q	519						0.45			0.51	
Med.	617						0.58			0.55	
3rd Q	1 053						1.00			0.57	
Max.	1 262						1.43			0.66	

American plaice in 3M

June 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT	
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits from RV Age 2 (million)	Stock Size (ages) (million)
	Fixed	Mobile	Total					Total (000 t)	Biomass (000 t)
1948			0						
1949			0						
1950			0						
1951			0						
1952			0						
1953			0						
1954			0						
1955			0						
1956			0						
1957			0						
1958			0						
1959			0						
1960			0						
1961			0	2 000	2 000				
1962			14	0	14				
1963			0	179	179				
1964			0	1 876	1 876				
1965			19	5 265	5 284				
1966			0	4 073	4 073				
1967			57	97	154				
1968			100	125	225				
1969			12	113	125				
1970			0	62	62				
1971			0	1 079	1 079				
1972			0	861	861				
1973			68	436	504				
1974			211	1 717	1 928	2 000			
1975			140	1 568	1 708	2 000			
1976			191	1 001	1 192	2 000			
1977			30	1 588	1 618	1 600			
1978			7	1 326	1 333	4 000			
1979			10	786	796	2 000			
1980			1	1 184	1 185	2 000			
1981			0	632	632	2 000			
1982			0	1 072	1 072	2 000			
1983			0	1 889	1 889	2 000			
1984			0	1 302	1 302	2 000			
1985			0	1 720	1 720	2 000			
1986			0	3 754	3 754	2 000			
1987			0	5 607	5 607	2 000			
1988			0	2 861	2 861	2 000		2.28	
1989			0	3 895	3 895	2 000		0.45	
1990			0	788	788	2 000		0.36	
1991			0	1 600	1 600	2 000		0.31	
1992			0	800	800	2 000		0.74	
1993			0	275	275	2 000		0.01	
1994			0			1 000			
1995			0						
1996			0						
1997			0						
1998			0						
1999			0						
2000			0						
Minimum				14				0.01	
1st quart.				632				0.32	
MEDIAN				1 192				0.41	
3rd quart.				1 889				0.67	
Maximum				5 607				2.28	

American plaice in 3M

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	EEC RV (t)			Russian RV (t)			CPUE (units)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
All ages				All ages							
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972											
1973											
1974											
1975											
1976											
1977											
1978											
1979											
1980											
1981											
1982											
1983				8 900							
1984				7 500							
1985				7 800							
1986				20 200							
1987				9 300							
1988	11 868			6 500							
1989	10 533			5 000							
1990	9 101			1 200							
1991	7 565			14 400							
1992	6 492			1 000							
1993	5 949			2 700							
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	5 949			1 000							
1st Q	6 760			3 850							
Med.	8 333			7 500							
3rd Q	10 175			9 100							
Max.	11 868			20 200							

American Plaice in 3Ps

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT		Biomass	
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	SSB (ages) (000 t)
	Fixed	Mobile	Total								
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972	335	5 587	5 922	616	6 538						
1973	525	12 287	12 812	1 957	14 769						
1974	453	5 877	6 330	268	6 598	11 000					
1975	574	3 244	3 818	393	4 211	11 000					
1976	330	5 100	5 430	28	5 458	8 000					
1977	567	3 975	4 542	63	4 605	6 000					
1978	535	3 076	3 611	47	3 658	4 000					
1979	598	2 994	3 592	74	3 666	4 000					
1980	671	2 058	2 729	206	2 935	5 000					
1981	1 144	1 616	2 760	457	3 217	5 000					
1982	503	1 366	1 869	317	2 186	5 000					
1983	350	1 154	1 504	222	1 726	5 000					
1984	203	2 422	2 625	338	2 963	5 000					
1985	399	3 415	3 814	406	4 220	5 000					
1986	1 262	3 203	4 465	665	5 130	5 000					
1987	2 020	2 768	4 788	543	5 331	5 000					
1988	1 344	2 457	3 801	605	4 406	5 000					
1989	1 306	1 892	3 198	759	3 957	5 000					
1990	1 043	3 087	4 130	0	4 130	4 000					
1991	1 264	2 794	4 058	337	4 395	4 000					
1992	746	1 559	2 305	26	2 331	4 000					
1993	465	286	751	0	751	3 000					
1994			0			500					
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum				751							
1st quart.				2 222							
MEDIAN				4 044							
3rd quart.				5 281							
Maximum				14 769							

American Plaice in 3Ps

YEAR	Abundance indices									Mean weight at age 10 (kg)	
	CAN RV (t)		Recruits (millions)	FRENCH RV (Mean # per tow)			CPUE (units)				
	Feb.	April		Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
All ages	All ages	Age 6	1+				All ages				
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972											
1973											
1974							0.458	0.374	0.542	0.69	
1975							0.473	0.377	0.569	0.76	
1976							0.385	0.317	0.453	0.63	
1977							0.422	0.346	0.498	0.62	
1978							0.417	0.337	0.497	0.55	
1979							0.478	0.392	0.564	0.73	
1980	35800.00		12.8	496			0.411	0.325	0.497	0.55	
1981	26000.00		6.9	294			0.514	0.406	0.622	0.60	
1982	39400.00		10.7	201			0.628	0.492	0.764	0.49	
1983	45600.00		16.7	281			0.554	0.420	0.688	0.65	
1984	22600.00		7.6	196			0.793	0.553	1.033	0.49	
1985	64500.00		7.6	465			1.110	0.818	1.402	0.62	
1986	30500.00		8.7	175			0.703	0.533	0.873	0.67	
1987	33900.00		5.5	81			0.554	0.438	0.670	0.62	
1988	27300.00		8.0	68			0.561	0.447	0.675	0.65	
1989	17000.00		3.7	95			0.510	0.396	0.624	0.69	
1990	5800.00		1.1	81			0.580	0.436	0.724	0.66	
1991	12100.00		2.7	29			0.286	0.226	0.346	0.69	
1992	6800.00		1.5	27			0.229	0.175	0.283	0.64	
1993	2400.00	4 600	0.8								
1994		4 200	1.7								
1995											
1996											
1997											
1998											
1999											
2000											
Min.	2 400	4 200	0.8	27			0.23			0.49	
1st Q	13 325	4 300	2.2	81			0.42			0.61	
Med.	26 650	4 400	6.9	175			0.51			0.64	
3rd Q	35 325	4 500	8.4	281			0.57			0.68	
Max.	64 500	4 600	16.7	496			1.11			0.76	

American Plaice in 4T

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian				Foreign	TOTAL	F (ages)	Expl. rate (%)	Recruits	Stock Size (ages) (million)	
	Fixed	Mobile	Total								
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960			7 969		7 969						
1961			7 016		7 016						
1962			4 590		4 590						
1963			6 358		6 358						
1964			9 000		9 000						
1965	749	9 636	10 385		10 385						
1966	811	10 969	11 780		11 780						
1967	752	8 599	9 351		9 351						
1968	518	9 050	9 568		9 568						
1969	740	7 452	8 192		8 192						
1970	659	8 542	9 201		9 201						
1971	1 223	8 290	9 513		9 513						
1972	569	7 725	8 294		8 294						
1973	579	6 326	6 905		6 905						
1974	625	7 860	8 485		8 485	10 000					
1975	543	7 900	8 443		8 443	10 000					
1976	795	10 398	11 193		11 193	10 000					
1977	544	8 686	9 230		9 230	10 000					
1978	938	8 093	9 031		9 031	10 000					
1979	1 818	8 178	9 996		9 996	10 000					
1980	940	7 352	8 292		8 292	10 000					
1981	1 636	6 198	7 834		7 834	10 000					
1982	959	5 583	6 542		6 542	10 000					
1983	597	5 497	6 094		6 094	10 000					
1984	2 479	7 120	9 599		9 599	10 000					
1985	1 604	7 886	9 490		9 490	10 000					
1986	1 152	6 256	7 408		7 408	10 000					
1987	1 698	6 366	8 064		8 064	10 000					
1988	1 590	5 399	6 989		6 989	10 000					
1989	1 117	4 600	5 717		5 717	10 000					
1990	757	4 140	4 897		4 897	10 000					
1991	779	4 450	5 229		5 229	10 000					
1992	731	4 409	5 140		5 140	10 000					
1993	1 135	722	1 857		1 857	5 000					
1994			0			5 000					
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum				1 857							
1st quart.				6 633							
MEDIAN				8 242							
3rd quart.				9 321							
Maximum				11 780							

American Plaice in 4T

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	RV (#/tow) - Fall			Survey 2 (units)			CPUE (units)				
	Estimate 1+	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971	273	105	429								
1972	230	98	358								
1973	238	136	338								
1974	564	364	612								
1975	531	351	706								
1976	943	545	1 293								
1977	1 046	543	1 581								
1978	578	150	983								
1979	886	628	1 103								
1980	548	376	698								
1981	633	297	945								
1982	295	153	429								
1983	379	253	483								
1984	230	162	269								
1985	277	162	314								
1986	242	144	400								
1987	215	92	154								
1988	263	141	401								
1989	201	158	252								
1990	350	267	430								
1991	370	282	449								
1992	253	204	303								
1993	211	172	250								
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	201										
1st Q	240										
Med.	295										
3rd Q	556										
Max.	1 046										

American Plaice in 4VW

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	pawning (ages) (000 t)	
	Fixed	Mobile									
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			1 801	26	1 819						
1961			1 358	26	1 384						
1962			1 455	30	1 485						
1963			1 958	101	2 059						
1964			2 503	67	2 570						
1965			5 253	2 251	7 504						
1966			8 666	4 814	13 480						
1967			9 579	85	9 664						
1968			8 961	9 358	18 319						
1969			8 485	4 380	12 865						
1970			5 725	1 998	7 723						
1971			7 088	6 668	13 756						
1972			6 379	3 710	10 089						
1973			4 873	7 220	12 093						
1974			6 664	9 650	16 314						
1975			6 361	5 090	11 451						
1976			6 694	4 144	10 838						
1977			7 245	63	7 308						
1978			6 190	54	6 244						
1979			5 511	15	5 526						
1980			6 824	67	6 891						
1981			6 149	109	6 258						
1982			5 310	10	5 320						
1983			5 483	40	5 523						
1984			5 719	74	5 793						
1985			4 083	37	4 120						
1986			3 061	29	3 090						
1987			4 601	22	4 623						
1988			3 061	26	3 087						
1989			3 354	11	3 365						
1990			1 854	65	1 919						
1991			237	141	378						
1992			493	85	578						
1993			123		123						
1994			0								
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum				123							
1st quart.				2 699							
MEDIAN				5 660							
3rd quart.				9 983							
Maximum				18 319							

American Plaice in 4VW

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	Summer RV Mean # per tow			Spring RV Mean # per tow			CPUE (units)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
All ages	All ages			All ages							
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970	50.18	31.32	69.04								
1971	47.55	32.01	63.09								
1972	42.33	19.93	64.73								
1973	36.43	24.27	48.59								
1974	71.42	65.64	77.20								
1975	53.07	33.95	72.19								
1976	59.05	-3.03	121.13								
1977	34.72	11.26	58.18								
1978	38.22	2.54	73.90								
1979	57.65	-66.89	182.19								
1980	57.49	-20.49	135.47								
1981	50.69	11.59	89.79								
1982	49.29	16.47	82.11								
1983	49.03	11.49	86.57								
1984	52.25	7.81	96.69								
1985	41.36	13.66	69.06								
1986	36.28	23.70	48.86	20.04	12.50	27.58					
1987	32.83	1.51	64.15	23.12	16.96	29.28					
1988	28.32	5.52	51.12	21.22	9.88	32.56					
1989	37.73	16.29	59.17	12.16	8.38	15.94					
1990	43.61	8.87	78.35	22.78	17.26	28.30					
1991	51.21	23.77	78.65	16.53	6.97	26.09					
1992	29.97	23.51	36.43	13.42	9.42	17.42					
1993	27.78	21.92	33.64	10.76	6.50	15.02					
1994				12.47	7.25	17.69					
1995											
1996											
1997											
1998											
1999											
2000											
Min.	27.8			10.8							
1st Q	36.4			12.5							
Med.	45.6			16.5							
3rd Q	51.5			21.2							
Max.	71.4			23.1							

American plaice in 4X

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	pawning (ages) (000 t)	
	Fixed	Mobile									
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			913	44	957						
1961			151	47	198						
1962			187	55	242						
1963			150	100	250						
1964			335	177	512						
1965			289	405	694						
1966			447	279	726						
1967			945	161	1 106						
1968			867	79	946						
1969			815	55	870						
1970			578	57	635						
1971			425	120	545						
1972			476	90	566						
1973			273	66	339						
1974			303	155	458						
1975			262	34	296						
1976			238	71	309						
1977			414	35	449						
1978			489	23	512						
1979			818	10	828						
1980			666	15	681						
1981			437	77	514						
1982			311	66	377						
1983			480	104	584						
1984			220	115	335						
1985			282	35	317						
1986			560	32	592						
1987			251	11	262						
1988			362	4	366						
1989			480	1	481						
1990			464	6	470						
1991			980	8	988						
1992			414	9	423						
1993			9		9						
1994			0								
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								

Minimum 9
 1st quart. 336
 MEDIAN 497
 3rd quart. 670
 Maximum 1 106

American plaice in 4X

YEAR	Abundance Indices									Mean weight at age 7 (kg)	
	Summer RV Mean # per tow			Survey 2 (units)			CPUE (units)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
All ages				(ages)			(ages)				
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970	13.07	-8.29	34.43								
1971	6.44	1.00	11.88								
1972	5.66	1.78	9.54								
1973	5.02	2.46	7.58								
1974	13.47	7.09	19.85								
1975	4.51	2.51	6.51								
1976	1.80	1.02	2.58								
1977	1.94	0.96	2.92								
1978	5.21	3.51	6.91								
1979	3.72	1.92	5.52								
1980	6.13	2.73	9.53								
1981	4.46	2.20	6.72								
1982	8.15	3.53	12.77								
1983	6.01	4.39	7.63								
1984	8.57	4.03	13.11								
1985	4.62	1.52	7.72								
1986	7.63	2.19	13.07								
1987	7.67	4.57	10.77								
1988	11.31	3.17	19.45								
1989	8.37	4.75	11.99								
1990	2.87	1.41	4.33								
1991	8.08	0.90	15.26								
1992	9.33	2.75	15.91								
1993	5.26	2.36	8.16								
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	1.80										
1st Q	4.59										
Med.	6.07										
3rd Q	8.21										
Max.	13.47										

PLAICE

May 94

YEAR	Catches (t)			TAC (t)	1991 less 6% & 90% annual thereafter						
	Canadian				Foreign	TOTAL	F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	
	Fixed	Mobile	Total								
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960			32 877		2 826	35 695					
1961			24 919		5 114	30 033					
1962			22 545		1 070	23 615					
1963			33 702		3 038	36 740					
1964			48 769		8 366	57 135					
1965			63 384		21 354	84 738					
1966			74 840		26 585	101 425					
1967			77 792		44 981	122 773					
1968			74 716		47 740	122 456					
1969			88 074		26 808	114 882					
1970			85 779		23 509	109 288					
1971			74 859		30 452	105 311					
1972			63 873		30 957	94 830					
1973			64 901		27 692	92 593	60 500				
1974			57 662		28 038	85 700	93 000				
1975			53 898		21 179	75 077	91 000				
1976			74 029		12 893	86 922	75 000				
1977			70 656		4 060	74 716	72 600				
1978			71 137		3 191	74 328	71 000				
1979			69 908		2 438	72 346	69 000				
1980			71 694		2 416	74 110	70 000				
1981			72 758		3 400	76 158	78 000				
1982			65 493		2 956	68 449	82 000				
1983			50 776		5 208	55 984	82 000				
1984			52 980		7 632	60 612	82 000				
1985			58 411		16 421	74 832	76 000				
1986			51 813		35 749	87 562	82 000				
1987			52 573		27 389	79 962	75 000				
1988			41 927		17 570	59 497	67 000				
1989			44 802		20 230	65 032	57 300				
1990			35 701		10 789	46 490	50 900				
1991			33 484		13 433	46 917	51 800				
1992			17 998		3 990	21 988	51 800				
1993			10 404		9 947	20 351	25 500				
1994							11 800				
1995											
1996											
1997											
1998											
1999											
2000											
Minimum		10 404	1 070	20 351	11 800						
1st quart.		42 646	4 008	56 272	58 100						
MEDIAN		58 037	13 163	74 522	71 800						
3rd quart.		71 555	26 752	87 402	81 000						
Maximum		88 074	47 740	122 773	93 000						

Witch in 2J-3KL

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT		
	Canadian		Foreign	TOTAL		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	
	Fixed	Mobile								
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960			0	400	400					
1961			0	0	0					
1962			29	49	78					
1963			17	928	945					
1964			103	941	1 044					
1965			128	4 019	4 147					
1966			187	3 510	3 697					
1967			901	3 200	4 101					
1968			446	10 220	10 666					
1969			1 355	11 230	12 585					
1970			4 020	14 010	18 030					
1971			8 030	8 023	16 053					
1972			5 520	11 908	17 428					
1973			3 761	20 600	24 361					
1974			1 868	14 095	15 963	22 000				
1975			1 352	10 853	12 205	22 000				
1976			2 081	8 544	10 625	17 000				
1977			4 371	3 947	8 318	17 000				
1978			1 979	4 925	6 904	17 000				
1979			1 392	2 705	4 097	17 000				
1980			1 459	1 364	2 823	17 000				
1981			2 661	1 533	4 194	8 000				
1982			1 206	1 775	2 981	8 000				
1983			1 483	1 605	3 088	8 000				
1984			2 077	2 731	4 808	8 000				
1985			1 305	1 698	3 003	8 000				
1986			1 199	2 717	3 916	8 000				
1987			854	3 621	4 475	5 000				
1988			3 270	884	4 154	5 000				
1989			4 059	847	4 906	5 000				
1990			3 271	294	3 565	4 000				
1991			2 799	1 209	4 008	4 000				
1992			1 707	629	2 336	4 000				
1993			342		342	4 000				
1994						1 000				
1995										
1996										
1997										
1998										
1999										
2000										
Minimum					0					
1st quart.					2 987					
MEDIAN					4 124					
3rd quart.					10 048					
Maximum					24 361					

Witch in 2J-3KL

YEAR	Abundance Indices									Mean weight at age 7 (kg)	
	RV Min. Biomass (t)			Survey 2 (units)			CPUE (t/hour)				
	2J All ages	3K All ages	3L All ages	Estimate (ages)	Lower limit	Upper limit	Estimate All ages	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972											
1973											
1974							0.566	0.010	1.122		
1975							0.363	0.009	0.717		
1976							0.354	0.000	0.710		
1977							0.556	0.328	0.784		
1978							0.330	0.166	0.494		
1979							0.745	0.403	1.087		
1980							0.603	0.331	0.875		
1981	1 968	31 268	9 054				0.376	0.158	0.594		
1982	3 577	22 520	8 017				0.646	0.032	1.260		
1983	2 750	36 823	7 297				1.158	0.462	1.854		
1984	2 039	36 128	8 272				0.399	0.179	0.619		
1985	2 122	23 585	4 902								
1986	4 142	14 649	7 153				1.480	0.072	2.888		
1987	1 511	14 670	6 800				0.617	0.199	1.035		
1988	1 061	11 947	7 280				0.769	0.413	1.125		
1989	1 518	5 444	4 893				2.177	1.035	3.319		
1990	2 062	11 297	6 228				1.157	0.671	1.643		
1991	1 417	2 458	3 015				0.591	0.329	0.853		
1992	542	395	1 489				0.412	0.248	0.576		
1993	273	633	394								
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	273						0.33				
1st Q	1 417						0.40				
Med.	1 968						0.60				
3rd Q	2 122						0.76				
Max.	4 142						2.18				

Witch in 3NO

June 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian			Foreign		F (ages)	Expl. rate (%)	Recruits	Stock Size (ages) (million)	Total	pawning	
	Fixed	Mobile	Total							(ages)	(ages) (000 t)	
1948												
1949												
1950												
1951												
1952												
1953												
1954												
1955												
1956												
1957												
1958												
1959												
1960												
1961												
1962												
1963												
1964												
1965												
1966												
1967												
1968												
1969												
1970												
1971												
1972												
1973												
1974												
1975												
1976												
1977												
1978												
1979												
1980												
1981												
1982												
1983												
1984												
1985												
1986												
1987												
1988												
1989												
1990												
1991												
1992												
1993												
1994												
1995												
1996												
1997												
1998												
1999												
2000												
Minimum					1 066							
1st quart.					3 638							
MEDIAN					4 958							
3rd quart.					7 473							
Maximum					14 965							

Witch in 3NO

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	Survey 1 (units)			Survey 2 (units)			CPUE (/hour)				
	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit	Estimate All ages	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972											
1973											
1974							0.325				
1975							0.282				
1976							0.254				
1977							0.353				
1978							0.226				
1979											
1980							0.323				
1981							0.726				
1982							0.364				
1983							0.271				
1984							0.523				
1985							0.462				
1986							0.392				
1987							0.293				
1988							0.366				
1989							0.644				
1990							0.194				
1991							0.235				
1992							0.161				
1993											
1994											
1995											
1996											
1997											
1998											
1999											
2000											

Min.

1st Q

Med.

3rd Q

Max.

Witch in 3Ps

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT		Biomass	
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	pawning (ages) (000 t)
	Fixed	Mobile	Total								
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972											
1973											
1974											
1975											
1976											
1977											
1978											
1979											
1980											
1981											
1982											
1983											
1984											
1985											
1986											
1987											
1988											
1989											
1990											
1991											
1992											
1993											
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Minimum					387						
1st quart.					866						
MEDIAN					1 046						
3rd quart.					1 557						
Maximum					4 805						

Witch in 3Ps

YEAR	Abundance indices								Mean weight at age 7 (kg)	
	RV Min. Biomass (t)		Survey 2 (units)			CPUE (units)				
	Feb. All ages	April All ages	Estimate (ages)	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960										
1961										
1962										
1963										
1964										
1965										
1966										
1967										
1968										
1969										
1970										
1971										
1972										
1973										
1974										
1975										
1976	3 398									
1977	8 090									
1978	2 052									
1979	2 982									
1980	4 330									
1981	5 475									
1982	1 124									
1983	4 956									
1984	3 739									
1985	2 836									
1986	6 223									
1987	3 864									
1988	4 595									
1989	4 254									
1990	3 157									
1991	5 937									
1992	5 065									
1993	2 098	3 189								
1994		1 939								
1995										
1996										
1997										
1998										
1999										
2000										
Min.	1 124	1 939								
1st Q	3 026	2 252								
Med.	4 059	2 564								
3rd Q	5 038	2 877								
Max.	8 090	3 189								

Witch in 4RST

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total	pawning (ages) (000 t)	
	Fixed	Mobile	Total							(ages)	(000 t)	
1948			0									
1949			0									
1950			0									
1951			0									
1952			0									
1953			0									
1954			0									
1955			0									
1956			0									
1957			0									
1958			0									
1959			0									
1960	3 217	117	3 334	4	3 338							
1961	3 335	161	3 496	0	3 496							
1962	3 354	33	3 387	0	3 387							
1963	4 169	77	4 246	4	4 250							
1964	3 034	316	3 350	0	3 350							
1965	3 526	82	3 608	0	3 608							
1966	3 504	208	3 712	0	3 712							
1967	2 644	69	2 713	1	2 714							
1968	3 315	66	3 381	9	3 390							
1969	4 748	1	4 749	14	4 763							
1970	4 794	8	4 802	3	4 805							
1971	3 659	161	3 820	1	3 821							
1972	1 942	38	1 980	21	2 001							
1973	2 064	157	2 221	3	2 224							
1974	3 200	25	3 225	22	3 247							
1975	2 638	49	2 687	35	2 722							
1976	6 456	125	6 581	294	6 875							
1977	2 992	12	3 004	32	3 036	3 500						
1978	4 300	186	4 486	24	4 510	3 500						
1979	4 380	155	4 535	26	4 561	5 000						
1980	3 363	155	3 518	9	3 527	5 000						
1981	1 853	59	1 912	0	1 912	5 000						
1982	1 254	28	1 282	0	1 282	3 500						
1983	1 134	43	1 177	0	1 177	3 500						
1984	1 035	72	1 107	0	1 107	3 500						
1985	1 404	256	1 660	0	1 660	3 500						
1986	1 406	416	1 822	1	1 823	3 500						
1987	2 098	511	2 609	0	2 609	3 500						
1988	2 245	285	2 530	0	2 530	3 500						
1989	2 284	47	2 331	16	2 347	3 500						
1990	1 241	31	1 272	0	1 272	3 500						
1991	937	56	993	0	993	3 500						
1992	950	29	979	0	979	3 500						
1993	794	107	901	0	901	3 500						
1994			0		1 000							
1995			0									
1996			0									
1997			0									
1998			0									
1999			0									
2000			0									
Minimum				901								
1st quart.				1 845								
MEDIAN				2 879								
3rd quart.				3 588								
Maximum				6 875								

Witch in 4RST

YEAR	Abundance indices										Mean weight at age 7 (kg)	
	RV (#/tow) in 4R		RV (#/tow) in 4S		RV (#/tow) in 4RST							
	GADUS - Hammond	Needler	GADUS - Hammond	Needler	GADUS - Hammond	Needler						
All ages	All ages	All ages	All ages	All ages	All ages	All ages	All ages	All ages	All ages	All ages		
1948												
1949												
1950												
1951												
1952												
1953												
1954												
1955												
1956												
1957												
1958												
1959												
1960												
1961												
1962												
1963												
1964												
1965												
1966												
1967												
1968												
1969												
1970												
1971												
1972												
1973												
1974												
1975												
1976												
1977												
1978												
1979												
1980												
1981												
1982												
1983	11.84	5.75		5.87			8.10					
1984	19.17	5.75		13.73	8.24		14.58	6.83				
1985	26.47	4.18		33.60	12.45		30.94	10.14				
1986	25.32	9.88		27.36	42.41		25.59	31.35				
1987	24.03	7.41		20.56	8.19		20.61	9.65				
1988	14.79	5.66		11.20	8.16		14.13	8.70				
1989	14.49	2.93		15.18	7.47		14.18	5.92				
1990	3.94		2.90	17.78		3.65	14.55		4.10			
1991	9.22		2.68	19.15		4.00	14.62		4.74			
1992	9.11		1.02	9.51		1.36	9.20		2.54			
1993	5.22		0.50	33.07		0.46	19.89		0.81			
1994	10.60			5.07			9.39					
1995												
1996												
1997												
1998												
1999												
2000												
Min.	3.9	2.9	0.5	5.1	7.5	0.5	8.1	5.9	0.8			
1st Q	9.2	4.6	0.9	10.8	8.2	1.1	12.9	7.3	2.1			
Med.	13.2	5.7	1.9	16.5	8.2	2.5	14.6	9.2	3.3			
3rd Q	20.4	7.0	2.7	22.3	11.4	3.7	20.1	10.0	4.3			
Max.	26.5	9.9	2.9	33.6	42.4	4.0	30.9	31.4	4.7			

Witch in 4VW

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	pawning (ages) (000 t)	
	Fixed	Mobile									
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			5 725	114	5 839						
1961			4 915	103	5 018						
1962			5 614	163	5 777						
1963			6 943	468	7 411						
1964			8 219	153	8 372						
1965			7 654	4 868	12 522						
1966			6 966	7 322	14 288						
1967			7 205	228	7 433						
1968			8 078	12 869	20 947						
1969			5 915	7 386	13 301						
1970			4 160	1 081	5 241						
1971			6 041	10 682	16 723						
1972			5 346	5 307	10 653						
1973			5 471	7 963	13 434						
1974			5 457	1 460	6 917						
1975			3 125	5 466	8 591						
1976			2 181	3 220	5 401						
1977			1 905	105	2 010						
1978			1 967	136	2 103						
1979			1 774	7	1 781						
1980			1 978	12	1 990						
1981			1 266	13	1 279						
1982			884	6	890						
1983			991	13	1 004						
1984			1 306	34	1 340						
1985			1 681	65	1 746						
1986			2 329	54	2 383						
1987			2 678	47	2 725						
1988			2 294	112	2 406						
1989			1 765	0	1 765						
1990			1 304	0	1 304						
1991			1 323	3	1 326						
1992			1 025	6	1 031						
1993			532	0	532						
1994			0								
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum				532							
1st quart.				1 751							
MEDIAN				3 872							
3rd quart.				8 137							
Maximum				20 947							

Witch in 4VW

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	Summer RV Mean # per tow			Spring RV Mean # per tow			CPUE (units)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate (ages)	Lower limit	Upper limit		
All ages				All ages							
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970	4.91	3.27	6.55								
1971	6.06	2.08	10.04								
1972	3.04	1.30	4.78								
1973	8.79	0.63	16.95								
1974	19.27	-5.93	44.47								
1975	5.33	2.39	8.27								
1976	3.28	1.68	4.88								
1977	3.55	2.19	4.91								
1978	3.15	1.47	4.83								
1979	1.64	0.68	2.60								
1980	3.44	0.94	5.94								
1981	3.78	2.16	5.40								
1982	3.44	2.32	4.56								
1983	3.91	1.39	6.43								
1984	2.69	1.01	4.37								
1985	4.56	1.96	7.16								
1986	5.68	2.90	8.46	4.19	1.39	6.99					
1987	2.28	1.48	3.08	9.13	2.81	15.45					
1988	2.96	2.08	3.84	5.43	1.33	9.53					
1989	6.08	1.76	10.40	3.71	1.51	5.91					
1990	2.03	1.21	2.85	1.76	0.96	2.56					
1991	3.27	1.97	4.57	2.25	0.93	3.57					
1992	2.97	1.43	4.51	1.93	0.85	3.01					
1993	3.52	2.22	4.82	1.57	0.57	2.57					
1994				2.65	1.09	4.21					
1995											
1996											
1997											
1998											
1999											
2000											
Min.	1.6			1.6							
1st Q	3.0			1.9							
Med.	3.5			2.7							
3rd Q	5.0			4.2							
Max.	19.3			9.1							

Witch in 4X
May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (%)	Recruits	Stock Size (ages) (million)	Total pawning (ages) (000 t)		
	Fixed	Mobile									
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			12	28	40						
1961			36	23	59						
1962			24	37	61						
1963			29	46	75						
1964			187	70	257						
1965			56	365	421						
1966			80	144	224						
1967			291	92	383						
1968			694	41	735						
1969			756	36	792						
1970			760	47	807						
1971			775	366	1 141						
1972			563	135	698						
1973			383	152	535						
1974			373	125	498						
1975			281	50	331						
1976			285	56	341						
1977			402	19	421						
1978			172	16	188						
1979			283	7	290						
1980			320	11	331						
1981			421	41	462						
1982			527	56	583						
1983			482	177	659						
1984			431	162	593						
1985			452	73	525						
1986			553	78	631						
1987			472	20	492						
1988			529	12	541						
1989			524	3	527						
1990			638	7	645						
1991			602	3	605						
1992			828	1	829						
1993			373	0	373						
1994			0								
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum				40							
1st quart.				331							
MEDIAN				495							
3rd quart.				625							
Maximum				1 141							

Witch in 4X

YEAR	Abundance Indices									Mean weight at age 7 (kg)	
	Summer RV Mean # per tow			Survey 2 (units)			CPUE (units)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
All ages				(ages)							
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970	2.10	-0.54	4.74								
1971	0.92	-2.04	3.88								
1972	3.20	1.80	4.60								
1973	4.88	2.48	7.28								
1974	3.42	2.72	4.12								
1975	1.97	0.31	3.63								
1976	1.14	0.68	1.60								
1977	4.47	3.35	5.59								
1978	2.37	1.23	3.51								
1979	0.95	0.35	1.55								
1980	1.40	-0.62	3.42								
1981	3.60	2.10	5.10								
1982	3.63	2.81	4.45								
1983	2.28	0.56	4.00								
1984	4.87	1.83	7.91								
1985	1.40	-0.86	3.66								
1986	2.55	1.89	3.21								
1987	1.10	0.54	1.66								
1988	1.60	-3.30	6.50								
1989	1.70	0.58	2.82								
1990	0.77	0.15	1.39								
1991	1.94	1.44	2.44								
1992	0.61	0.21	1.01								
1993	1.47	0.69	2.25								
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	0.6										
1st Q	1.3										
Med.	2.0										
3rd Q	3.3										
Max.	4.9										

WITCH

May 94

YEAR	Catches (t)			TAC (t)	(1991: ass. for 62-90; annual thereafter)					
	Canadian				Foreign	TOTAL	F 7 to 9	Expl. rate (%)	Recruits Age 3 (million)	
	Fixed	Mobile	Total						Stock Size 3+ (million)	
1948										
1949										
1950										
1951										
1952										
1953										
1954										
1955										
1956										
1957										
1958										
1959										
1960			15 071	1 846	16 917					
1961			14 447	226	14 673					
1962			14 499	535	15 034					
1963			12 901	2 887	15 788					
1964			13 877	1 223	15 100					
1965			13 325	10 120	23 445					
1966			15 933	14 954	30 887					
1967			17 763	13 176	30 939					
1968			16 663	33 805	50 468					
1969			15 563	24 682	40 245					
1970			17 056	21 292	38 348					
1971			21 037	33 916	54 953					
1972			18 345	23 206	41 551					
1973			19 119	31 033	50 152					
1974			15 429	21 027	36 456	35 000				
1975			9 952	21 493	31 445	35 000				
1976			15 038	15 142	30 180	30 000				
1977			16 887	6 904	23 791	33 500				
1978			10 770	7 415	18 185	33 500				
1979			10 006	4 654	14 660	32 000				
1980			8 521	3 411	11 932	32 000				
1981			7 057	3 684	10 741	21 000				
1982			6 092	3 865	9 957	19 500				
1983			6 069	3 867	9 936	19 500				
1984			6 197	4 938	11 135	19 500				
1985			8 321	7 981	16 302	19 500				
1986			9 563	9 650	19 213	19 500				
1987			10 591	8 579	19 170	16 500				
1988			11 127	6 465	17 592	14 500				
1989			10 772	3 382	14 154	14 500				
1990			10 095	1 826	11 921	13 500				
1991			9 441	3 438	12 879	13 500				
1992			9 935	1 236	11 171	13 500				
1993			7 265	250	7 515	13 500				
1994										
1995										
1996										
1997										
1998										
1999										
2000										
Minimum			6 069	226	7 515	13 500				
1st quart.			9 656	3 389	13 198	14 500				
MEDIAN			12 014	6 685	17 255	19 500				
3rd quart.			15 530	15 095	30 926	32 000				
Maximum			21 037	33 916	54 953	35 000				

Yellowtail Flounder in 3LNO

June 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT	
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)
	Fixed	Mobile	Total					Age x (million)	
1948									
1949									
1950									
1951									
1952									
1953									
1954									
1955									
1956									
1957									
1958									
1959									
1960				5	5				
1961				100	100				
1962				67	67				
1963				138	518				
1964				126	147				
1965				3 075	3 130				
1966				4 185	7 026				
1967				2 122	8 878				
1968				4 180	13 340				
1969				10 494	15 708				
1970				22 814	26 426				
1971				24 206	37 342				
1972				26 939	39 259				
1973				28 492	50 000				
1974				17 053	40 000				
1975				18 458	35 000				
1976				7 910	9 000				
1977				11 295	12 000				
1978				15 091	15 000				
1979				18 116	18 000				
1980				12 011	18 000				
1981				14 122	21 000				
1982				11 479	23 000				
1983				9 085	19 000				
1984				12 437	17 000				
1985				13 440	15 000				
1986				14 168	15 000				
1987				13 420	15 000				
1988				10 607	15 000				
1989				5 009	5 000				
1990				4 969	5 000				
1991				6 642	5 000				
1992				6 809	5 000				
1993				6 697	5 000				
1994					5				
1995					9 210				
1996					13 777				
1997					17 947				
1998					39 259				
1999									
2000									
Minimum									
1st quart.									
MEDIAN									
3rd quart.									
Maximum									

Yellowtail Flounder in 3LNO

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	Spring RV (millions)			RV Recruitment Index			Stan. CPUE (t per hour)				
	Estimate 1+	Lower limit	Upper limit	Estimate 1-4	Lower limit	Upper limit	Estimate All ages	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965							1.164				
1966							1.129				
1967							1.107				
1968							0.939				
1969							0.822				
1970							0.816				
1971							0.781				
1972							0.697				
1973							0.796				
1974							0.530				
1975	305						0.526				
1976	307						0.481				
1977	321						0.580			0.48	
1978	237						0.588			0.55	
1979	269						0.611			0.48	
1980	340						0.681			0.55	
1981	274						0.679			0.51	
1982	281						0.624			0.47	
1983							0.702			0.51	
1984	316						0.682			0.49	
1985	206						0.711			0.50	
1986	191			85			0.523			0.47	
1987	168			263			0.541			0.45	
1988	100			99			0.501			0.45	
1989	132			210			0.507			0.44	
1990	150			239			0.579			0.45	
1991	134			325			0.316			0.48	
1992	84			153			0.344			0.47	
1993	124			177			0.431			0.44	
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	84			85			0.32			0.44	
1st Q	138			139			0.53			0.45	
Med.	221			193			0.62			0.48	
3rd Q	299			245			0.78			0.50	
Max.	340			325			1.16			0.55	

Yellowtail flounder in 4VW

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	pawning (ages) (000 t)	
	Fixed	Mobile							(ages) (000 t)		
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			913	1	914						
1961			2 908	0	2 908						
1962			3 479	0	3 479						
1963			3 759	129	3 888						
1964			5 231	18	5 249						
1965			5 295	585	5 880						
1966			3 712	973	4 685						
1967			4 956	15	4 971						
1968			5 204	7 719	12 923						
1969			2 383	1 242	3 625						
1970			735	2 621	3 356						
1971			825	732	1 557						
1972			853	468	1 321						
1973			303	1 071	1 374						
1974			378	325	703						
1975			909	448	1 357						
1976			392	282	674						
1977			1 135	6	1 141						
1978			1 226	15	1 241						
1979			1 799	0	1 799						
1980			2 235	1	2 236						
1981			2 656	6	2 662						
1982			2 409	2	2 411						
1983			2 102	0	2 102						
1984			2 284	6	2 290						
1985			941	6	947						
1986			694	0	694						
1987			1 041	0	1 041						
1988			988	1	989						
1989			1 459	0	1 459						
1990			2 930	1	2 931						
1991			1 328	3	1 331						
1992			1 373	0	1 373						
1993			1 648	0	1 648						
1994			0								
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum				674							
1st quart.				1 261							
MEDIAN				1 724							
3rd quart.				3 250							
Maximum				12 923							

Yellowtail flounder in 4VW

YEAR	Abundance indices						Mean weight at age 7 (kg)	
	Summer RV Mean # per tow			Spring RV Mean # per tow				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
All ages				All ages				
1948								
1949								
1950								
1951								
1952								
1953								
1954								
1955								
1956								
1957								
1958								
1959								
1960								
1961								
1962								
1963								
1964								
1965								
1966								
1967								
1968								
1969								
1970	32.10	12.72	51.48					
1971	27.01	12.29	41.73					
1972	28.43	17.69	39.17					
1973	29.29	13.69	44.89					
1974	42.51	21.81	63.21					
1975	48.17	11.07	85.27					
1976	34.24	19.38	49.10					
1977	79.06	13.74	144.38					
1978	19.88	8.26	31.50					
1979	29.94	17.80	42.08					
1980	20.09	12.27	27.91					
1981	29.86	20.96	38.76					
1982	40.24	12.96	67.52					
1983	18.05	12.77	23.33					
1984	21.85	12.85	30.85					
1985	22.79	16.31	29.27					
1986	18.47	11.43	25.51	15.95	8.71	23.19		
1987	24.88	7.28	42.48	25.70	10.60	40.80		
1988	18.21	14.37	22.05	34.87	15.17	54.57		
1989	22.22	16.08	28.36	12.58	7.24	17.92		
1990	33.42	19.24	47.60	10.76	6.00	15.52		
1991	39.28	15.86	62.70	10.31	-2.29	22.91		
1992	31.31	17.97	44.65	2.72	1.16	4.28		
1993	18.07	11.29	24.85	18.49	0.51	36.47		
1994				10.16	5.30	15.02		
1995								
1996								
1997								
1998								
1999								
2000								
Min.	18.1		2.7					
1st Q	21.4		10.3					
Med.	28.9		12.6					
3rd Q	33.6		18.5					
Max.	79.1		34.9					

Yellowtail flounder in 4X

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total pawning (ages) (000 t)		
	Fixed	Mobile									
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			1	13	14						
1961			0	9	9						
1962			4	20	24						
1963			25	59	84						
1964			57	93	150						
1965			83	141	224						
1966			58	108	166						
1967			196	29	225						
1968			173	32	205						
1969			180	21	201						
1970			212	114	326						
1971			208	10	218						
1972			154	10	164						
1973			121	18	139						
1974			215	21	236						
1975			174	39	213						
1976			218	12	230						
1977			289	13	302						
1978			384	3	387						
1979			289	2	291						
1980			251	4	255						
1981			225	2	227						
1982			211	1	212						
1983			320	1	321						
1984			165	7	172						
1985			73	0	73						
1986			111	0	111						
1987			109	0	109						
1988			79	0	79						
1989			50	0	50						
1990			78	1	79						
1991			144	0	144						
1992			118	0	118						
1993			53	0	53						
1994			0								
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								

Minimum 9
 1st quart. 90
 MEDIAN 169
 3rd quart. 227
 Maximum 387

Yellowtail flounder in 4X

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	Summer RV Mean # per tow			Survey 2 (units)			CPUE (units)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
All ages				(ages)			(ages)				
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970	0.40	-1.06	1.86								
1971	0.56	-0.56	1.68								
1972	1.64	1.50	1.78								
1973	0.26	-0.30	0.82								
1974	0.35	0.01	0.69								
1975	0.43	-0.65	1.51								
1976	1.54	0.84	2.24								
1977	0.45	-2.77	3.67								
1978	0.44	-1.06	1.94								
1979	2.05	1.63	2.47								
1980	1.74	-0.42	3.90								
1981	1.48	1.08	1.88								
1982	1.61	1.03	2.19								
1983	0.15	-1.75	2.05								
1984	0.93	0.79	1.07								
1985	0.27	-0.09	0.63								
1986	1.32	1.10	1.54								
1987	0.67	-1.97	3.31								
1988	2.77	2.59	2.95								
1989	1.28	0.90	1.66								
1990	0.66	-0.72	2.04								
1991	2.16	-0.04	4.36								
1992	1.77	0.33	3.21								
1993	1.85	0.59	3.11								
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	0.2										
1st Q	0.4										
Med.	1.1										
3rd Q	1.7										
Max.	2.8										

YELLOWTAIL FLOUNDER

May 94

YEAR	Catches (t)				TAC (t)	1991 ass. for 62-90; annual thereafter					
	Canadian			Foreign		F 7 to 9	Expl. rate 7 to 9 (%)	Recruits	Stock Size 3+ (million)	Biomass	
	Fixed	Mobile	Total							Total (000 t)	
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960			919	14	933						
1961			3 008	9	3 017						
1962			3 550	20	3 570						
1963			3 922	568	4 490						
1964			5 414	132	5 546						
1965			8 453	781	9 234						
1966			7 955	3 922	11 877						
1967			7 274	6 800	14 074						
1968			9 557	16 911	26 468						
1969			13 057	6 477	19 534						
1970			23 761	6 347	30 108						
1971			25 239	13 878	39 117						
1972			27 946	12 798	40 744						
1973			28 916	5 412	34 328	50 000					
1974			17 646	7 606	25 252	40 000					
1975			19 541	4 923	24 464	35 000					
1976			8 520	441	8 961	9 000					
1977			12 719	362	13 081	12 000					
1978			16 701	393	17 094	15 000					
1979			20 204	237	20 441	18 000					
1980			14 497	371	14 868	18 000					
1981			17 003	566	17 569	21 000					
1982			14 099	1 843	15 942	23 000					
1983			11 507	1 389	12 896	19 000					
1984			14 886	4 311	19 197	17 000					
1985			14 454	15 529	29 983	15 000					
1986			14 973	16 008	30 981	15 000					
1987			14 570	2 894	17 464	15 000					
1988			11 674	5 552	17 226	15 000					
1989			6 518	5 198	11 716	5 000					
1990			7 977	9 022	16 999	5 000					
1991			8 114	9 617	17 731	7 000					
1992			8 300	3 948	12 248	7 000					
1993			8 398	6 868	15 266	7 000					
1994						7 000					
1995											
1996											
1997											
1998											
1999											
2000											
Minimum			919	9	933	5 000					
1st quart.			8 011	472	11 970	7 500					
MEDIAN			12 197	4 130	17 047	15 000					
3rd quart.			16 269	6 851	23 458	18 750					
Maximum			28 916	16 911	40 744	50 000					

Greenland Halibut in SA 0B+1B-F

June 94

YEAR	Catches (t)			TAC (t)	Assessment Results: ADAPT					
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Biomass	
	Fixed	Mobile	Total						Total (ages) (000 t)	pawning (ages) (000 t)
1948			0							
1949			0							
1950			0							
1951			0							
1952			0							
1953			0							
1954			0							
1955			0							
1956			0							
1957			0							
1958			0							
1959			0							
1960			0	1 585	1 585					
1961			0	1 402	1 402					
1962			0	0	0					
1963			0	2 923	2 923					
1964			0	2 868	2 868					
1965			0	3 069	3 069					
1966			0	2 696	2 696					
1967			0	2 327	2 327					
1968			0	3 323	3 323					
1969			0	2 510	2 510					
1970			0	1 884	1 884					
1971			0	4 336	4 336					
1972			0	13 697	13 697					
1973			0	9 558	9 558					
1974			0	13 368	13 368					
1975			0	24 948	24 948					
1976			0	15 788	15 788	20 000				
1977			0	12 649	12 649	20 000				
1978			0	11 653	11 653	20 000				
1979			0	19 188	19 188	25 000				
1980	136		8 136	8 272	25 000					
1981	0	9 561	9 561	25 000						
1982	0	3 814	3 814	25 000						
1983	0	4 551	4 551	25 000						
1984	0	522	522	25 000						
1985	0	1 044	1 044	25 000						
1986	0	272	272	25 000						
1987	0	1 295	1 295	25 000						
1988	2	2 603	2 605	25 000						
1989	0	2 207	2 207	25 000						
1990	6 194	9 361	15 555	25 000						
1991	5 931	5 509	11 440	25 000						
1992	8 185	6 271	14 456	25 000						
1993	7 613	4 289	11 902	25 000						
1994	0			25 000						
1995	0									
1996	0									
1997	0									
1998	0									
1999	0									
2000	0									
Minimum				0						
1st quart.				2 237						
MEDIAN				3 569						
3rd quart.				11 840						
Maximum				24 948						

Greenland Halibut in SA 0B+1B-F

YEAR	Abundance indices							Mean weight at age 7 (kg)
	Biomass - Japan	Greeland RV	RV biomass SA0B only			CPUE (t/hr)-1CD: JPN (1 vs)		
0B+	1ABCD	1BCD	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit
All ages	All ages	All ages				All ages		
1948								
1949								
1950								
1951								
1952								
1953								
1954								
1955								
1956								
1957								
1958								
1959								
1960								
1961								
1962								
1963								
1964								
1965								
1966								
1967								
1968								
1969								
1970								
1971								
1972								
1973								
1974								
1975								
1976								
1977								
1978								
1979								
1980								
1981								
1982								
1983								
1984								
1985								
1986								
1987	81 000	54 000	37 000			1.339		
1988	118 000	53 000	55 000			1.238		
1989	142 000	63 000	79 000			1.259		
1990	128 000	53 000	72 000			1.111		
1991	125 000	77 000	46 000			0.933		
1992	102 000	62 000	38 000			1.229		
1993	-	38 000	-			-		
1994								
1995								
1996								
1997								
1998								
1999								
2000								
Min.	81 000	38 000	37 000			0.93		
1st	106 000	53 000	40 000			1.14		
Med.	121 500	54 000	50 500			1.23		
3rd Q	127 250	62 500	67 750			1.25		
Max.	142 000	77 000	79 000			1.34		

Greenland Halibut in 2-3KLM

June 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT	
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)
	Fixed	Mobile	Total					Age x (million)	(ages) (million)
1948									
1949									
1950									
1951									
1952									
1953									
1954									
1955									
1956									
1957									
1958									
1959									
1960			961	0	961				
1961			741	0	741				
1962			586	2	588				
1963			776	826	1 602				
1964			1 757	2 171	3 928				
1965			8 082	1 419	9 501				
1966			16 209	3 035	19 244				
1967			16 604	9 040	25 644				
1968			13 322	18 664	31 986				
1969			11 553	24 967	36 520				
1970			10 706	25 696	36 402				
1971			9 408	15 246	24 654				
1972			8 952	20 870	29 822				
1973			6 840	22 104	28 944				
1974			5 745	21 378	27 123	40 000			
1975			7 807	20 874	28 681	40 000			
1976			9 306	15 293	24 599	30 000			
1977			17 967	13 974	31 941	30 000			
1978			24 692	13 840	38 532	30 000			
1979			29 940	4 128	34 068	30 000			
1980			31 774	868	32 642	35 000			
1981			24 125	6 557	30 682	55 000			
1982			19 248	6 966	26 214	55 000			
1983			17 113	10 726	27 839	55 000			
1984			17 283	9 414	26 697	55 000			
1985			12 277	8 034	20 311	75 000			
1986			8 213	9 760	17 973	100 000			
1987			13 450	18 991	32 441	100 000			
1988			8 451	9 959	18 410	100 000			
1989			11 919	6 991	18 910	100 000			
1990			9 048	38 398	47 446	50 000			
1991			6 451	58 539	64 990	50 000			
1992			6 936	56 225	63 161	50 000			
1993			4 684	57 550	62 234	50 000			
1994						25 000			
1995									
1996									
1997									
1998									
1999									
2000									
Minimum					588				
1st quart.					18 994				
MEDIAN					27 481				
3rd quart.					32 592				
Maximum					64 990				

Greenland Halibut in 2-3KLM

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	CAN RV numbers (x 1000)			CAN RV numbers (x 1000)			CPUE (/hour)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
1+	7+	All ages									
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971											
1972											
1973											
1974											
1975							0.497				
1976							0.461				
1977							0.576				
1978	305 607			63 970			0.725				
1979	194 679			40 015			0.596			0.96	
1980	181 902			53 853			0.733			0.87	
1981	205 605			50 524			0.605			0.79	
1982	215 407			91 981			0.772			0.89	
1983	223 114			90 780			0.735			0.86	
1984	249 703			72 463			0.688			0.83	
1985	214 031			49 575			0.572			0.94	
1986	292 758			65 787			0.429			0.81	
1987	230 089			67 127			0.548			0.84	
1988	237 673			43 922			0.394			0.80	
1989	299 672			46 242			0.479			0.77	
1990	241 356			39 328			0.490			0.75	
1991	139 497			12 067			0.274			0.81	
1992	127 468			9 524			0.294			0.80	
1993	248 031			3 188			0.249			0.81	
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	127 468			3 188			0.25			0.75	
1st Q	202 874			39 843			0.45			0.80	
Med.	226 602			50 050			0.55			0.81	
3rd Q	248 449			66 122			0.65			0.87	
Max.	305 607			91 981			0.77			0.96	

Greenland Halibut in 4RST

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass	
	Canadian		Foreign		F (ages)	Expl. rate (%)	Recruits	Stock Size (ages) (million)	Total	SSB
	Fixed	Mobile	Total	(ages) (million)					(ages) (000 t)	
1948										
1949			0							
1950			0							
1951			0							
1952			0							
1953			0							
1954			0							
1955			0							
1956			0							
1957			0							
1958			0							
1959			0							
1960			0							
1961			0							
1962			0							
1963			0							
1964			0							
1965			24	24						
1966			365	365						
1967			365	365						
1968			689	689						
1969			802	802						
1970			1 132	1 132						
1971			954	954						
1972			670	13	683					
1973			763		763					
1974			1 011		1 011					
1975			1 534	10	1 544					
1976			1 994	25	2 019					
1977			3 962		3 962					
1978			6 247		6 247					
1979			8 779	12	8 791					
1980			7 006		7 006					
1981			3 176		3 176					
1982			2 269		2 269	7 500				
1983			1 104		1 104	5 000				
1984			2 126		2 126	5 000				
1985			2 332		2 332	5 000				
1986			6 469		6 469	5 000				
1987			11 069	11 069		8 900				
1988			8 027		8 027	10 500				
1989			4 958	1	4 959	10 500				
1990			2 441	4	2 445	10 500				
1991			2 293		2 293	10 500				
1992			3 423		3 423	10 500				
1993			2 766		2 766	4 000				
1994			0			4 000				
1995			0							
1996			0							
1997			0							
1998			0							
1999			0							
2000			0							
Minimum				24						
1st quart.				954						
MEDIAN				2 269						
3rd quart.				3 962						
Maximum				11 069						

Greenland Halibut in 4RST

YEAR	Abundance indices			CPUE (kg/h) - from May 93			Mean weight at age 7 (kg)	
	Gadus (t)			A. Needler (t)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
All ages	95 % CI			All ages	95 % CI			
1948								
1949								
1950								
1951								
1952								
1953								
1954								
1955								
1956								
1957								
1958								
1959								
1960								
1961								
1962								
1963								
1964								
1965								
1966								
1967								
1968								
1969								
1970								
1971								
1972								
1973								
1974								
1975								
1976								
1977								
1978	25 142	0	50 000				14.277	
1979	13 707	0	50 000				13.085	
1980	13 508	4 866	22 150				14.658	
1981	5 859	0	22 697				8.494	
1982		0	0				6.783	
1983	7 140	0	15 682				5.698	
1984	5 226	3 258	7 195	20 474	5 921	35 827	4.880	
1985	5 646	1 264	10 028	26 480	20 157	32 804	5.551	
1986	6 859	4 361	9 357	44 926	31 757	58 036	6.769	
1987	7 287	5 105	9 469	42 977	6 007	79 947	3.075	
1988	7 400	5 384	9 417	26 688	21 004	32 371	10.078	
1989	3 212	1 793	4 631	13 189	9 787	18 579	13.148	
1990	3 145	597	5 692	12 487	10 293	14 680	6.194	
1991	3 188	0	7 815	21 145	15 293	27 248	22.714	
1992	2 030	0	4 192	21 979	17 759	26 200	15.983	
1993	4 549	3 381	5 717	9 931	6 949	12 913	7.693	
1994	2 783	0	9 473				11.631	
1995							5.495	
1996							17.767	
1997							9.916	
1998							4.682	
1999							15.150	
2000							7.448	
Min.	2 030			9 931			3.308	
1st Q	3 206			14 995			11.588	
Med.	5 752			21 562			8.419	
3rd Q	7 315			26 636			3.969	
Max.	25 142			44 926			12.869	
					Not updated in 1994			

GREENLAND HALIBUT (TURBOT)

June 94

YEAR	Catches (t)				TAC (t)	1991 less for 62 900 annual thereafter					
	Canadian			Foreign		F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	Biomass	
	Fixed	Mobile	Total							Total 3+ (000 t)	pawning 7+ (000 t)
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960			961	1 585	2 546						
1961			741	1 402	2 143						
1962			586	2	588						
1963			776	3 749	4 525						
1964			1 757	5 039	6 796						
1965			8 106	4 488	12 594						
1966			16 574	5 731	22 305						
1967			16 969	11 367	28 336						
1968			14 011	21 987	35 998						
1969			12 355	27 477	39 832						
1970			11 838	27 580	39 418						
1971			10 362	19 582	29 944						
1972			9 622	34 780	44 402						
1973			7 603	31 662	39 265						
1974			6 756	34 746	41 502	40 000					
1975			9 341	45 832	55 173	40 000					
1976			11 300	31 106	42 406	50 000					
1977			21 929	26 623	48 552	50 000					
1978			30 939	25 493	56 432	50 000					
1979			38 719	23 328	62 047	55 000					
1980			38 916	9 004	47 920	60 000					
1981			27 301	16 118	43 419	80 000					
1982			21 517	10 780	32 297	87 500					
1983			18 217	15 277	33 494	85 000					
1984			19 409	9 936	29 345	85 000					
1985			14 609	9 078	23 687	105 000					
1986			14 682	10 032	24 714	130 000					
1987			24 519	20 286	44 805	133 900					
1988			16 480	12 562	29 042	135 500					
1989			16 877	9 199	26 076	135 500					
1990			17 683	47 763	65 446	85 500					
1991			14 675	64 048	78 723	85 500					
1992			18 544	62 496	81 040	85 500					
1993			15 063	61 839	76 902	79 000					
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Minimum			586	2	588	40 000					
1st quart.			9 411	9 108	25 055	53 750					
MEDIAN			14 679	17 850	37 632	85 000					
3rd quart.			18 462	30 225	47 141	91 875					
Maximum			38 916	64 048	81 040	135 500					

Winter flounder in 4T

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	pawning (ages) (000 t)	
	Fixed	Mobile									
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960	33	867	900	900							
1961	101	1 495	1 596	1 596							
1962	263	2 049	2 312	2 312							
1963	127	3 021	3 148	3 148							
1964	209	2 793	3 002	3 002							
1965	169	4 243	4 412	4 412							
1966	116	2 940	3 056	3 056							
1967	110	2 334	2 444	2 444							
1968	19	531	550	550							
1969	380	1 314	1 694	1 694							
1970	299	2 385	2 684	2 684							
1971	480	2 341	2 821	2 821							
1972	96	1 726	1 822	1 822							
1973	104	2 196	2 300	2 300							
1974	203	1 717	1 920	1 920							
1975	179	1 831	2 010	2 010							
1976	169	2 238	2 407	2 407							
1977	284	951	1 235	1 235							
1978	273	848	1 121	1 121							
1979	253	1 332	1 585	1 585							
1980	632	1 344	1 976	1 976							
1981	306	1 635	1 941	1 941							
1982	621	1 684	2 305	2 305							
1983	255	1 544	1 799	1 799							
1984	74	75	149	149							
1985	189	991	1 180	1 180							
1986	634	1 410	2 044	2 044							
1987	680	1 131	1 811	1 811							
1988	351	1 063	1 414	1 414							
1989	506	1 583	2 089	2 089							
1990	632	1 445	2 077	2 077							
1991	484	2 052	2 536	2 536							
1992	434	1 459	1 893	1 893							
1993	447	790	1 237	1 237							
1994			0								
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum				149							
1st quart.				1 588							
MEDIAN				1 959							
3rd quart.				2 383							
Maximum				4 412							

Winter flounder in 4T

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	RV (#/tow) - Fall			Magdalen Is. (St:28+35)			Miramichi (St:20+21)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970											
1971	8.5	0.71	16.37	17.5			124.3				
1972	11.0	5.51	16.39	19.0			157.5				
1973	9.2	6.97	11.43	28.3			36.4				
1974	33.3	16.21	50.33	132.1			25.4				
1975	14.6	10.04	19.14	27.2			18.4				
1976	64.6	-9.33	138.57	66.4			273.9				
1977	10.1	2.57	17.71	30.2			114.9				
1978	25.6	7.53	43.75	13.7			81.0				
1979	15.9	8.22	23.52	49.8			136.3				
1980	22.9	10.00	35.70	62.4			137.7				
1981	25.0	11.89	38.19	63.0			102.0				
1982	17.1	10.13	24.15	40.1			152.4				
1983	29.6	11.34	47.82	44.3			329.5				
1984	9.3	0.71	17.87	74.6			81.9				
1985	15.3	-0.62	31.28	33.2			100.6				
1986	44.7	26.26	63.20	115.5			360.6				
1987	19.8	9.12	30.46	20.8			205.3				
1988	30.6	7.65	53.47	21.9			302.9				
1989	43.8	20.67	66.85	6.2			473.0				
1990	52.4	24.18	80.58	0.0			693.0				
1991	33.8	4.36	63.16	7.2			533.2				
1992	44.2	16.89	71.51	8.4			619.2				
1993	24.1	9.18	39.08	5.0			252.4				
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	8.5			0.0			18.4				
1st Q	15.0			15.6			101.3				
Med.	24.1			28.3			152.4				
3rd Q	33.5			56.1			316.2				
Max.	64.6			132.1			693.0				

Winter flounder in 4VW

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results				ADAPT	
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Biomass	
	Fixed	Mobile	Total	Total (ages) (000 t)					pawning (ages) (000 t)	
1948			0							
1949			0							
1950			0							
1951			0							
1952			0							
1953			0							
1954			0							
1955			0							
1956			0							
1957			0							
1958			0							
1959			0							
1960			18	0	18					
1961			138	0	138					
1962			127	0	127					
1963			82	0	82					
1964			31	0	31					
1965			134	77	211					
1966			60	29	89					
1967			42	0	42					
1968			13	25	38					
1969			4	12	16					
1970			10	42	52					
1971			12	1 589	1 601					
1972			32	597	629					
1973			271	864	1 135					
1974			570	1 212	1 782					
1975			187	517	704					
1976			212	368	580					
1977			235	0	235					
1978			323	0	323					
1979			241	0	241					
1980			40	0	40					
1981			37	0	37					
1982			92	0	92					
1983			80	0	80					
1984			7	0	7					
1985			29	0	29					
1986			6	0	6					
1987			12	0	12					
1988			112	0	112					
1989			187	0	187					
1990			78	1	79					
1991			43	0	43					
1992			5	0	5					
1993			2	0	2					
1994			0							
1995			0							
1996			0							
1997			0							
1998			0							
1999			0							
2000			0							
Minimum					2					
1st quart.					33					
MEDIAN					81					
3rd quart.					229					
Maximum					1 782					

Winter flounder in 4VW

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	Summer RV Mean # per tow			Spring RV Mean # per tow			CPUE OTB TC 1-3				
	Estimate for 4W All ages	Lower limit	Upper limit	Estimate All ages	Lower limit	Upper limit	Estimate 4VW All ages	Lower limit	Upper limit		
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970	0.54										
1971	1.30										
1972	3.18										
1973	1.42										
1974	0.98										
1975	1.15										
1976	0.34										
1977	0.68										
1978	0.20										
1979	0.18										
1980	0.55										
1981	0.29										
1982	0.85										
1983	0.20										
1984	2.33										
1985	2.31										
1986	1.63										
1987	2.00										
1988	1.67										
1989	2.13										
1990	4.69										
1991	7.59										
1992	1.74										
1993	3.85										
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	0.2							0.13			
1st Q	0.5							0.14			
Med.	1.4							0.20			
3rd Q	2.2							0.44			
Max.	7.6							0.90			

Winter flounder in 4X

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total pawning (ages) (000 t)	pawning (ages) (000 t)	
	Fixed	Mobile									
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			53	7	60						
1961			696	3	699						
1962			443	6	449						
1963			586	28	614						
1964			1 251	29	1 280						
1965			1 103	25	1 128						
1966			937	320	1 257						
1967			884	18	902						
1968			1 115	28	1 143						
1969			1 388	12	1 400						
1970			1 470	8	1 478						
1971			1 418	65	1 483						
1972			792	33	825						
1973			633	141	774						
1974			751	223	974						
1975			615	55	670						
1976			696	21	717						
1977			1 009	13	1 022						
1978			879	5	884						
1979			844	3	847						
1980			1 133	1	1 134						
1981			1 411	0	1 411						
1982			1 139	5	1 144						
1983			912	3	915						
1984			870	7	877						
1985			794	1	795						
1986			1 031	3	1 034						
1987			1 024	20	1 044						
1988			1 459	1	1 460						
1989			1 289	0	1 289						
1990			1 885	1	1 886						
1991			602	1	603						
1992			564	0	564						
1993			343	0	343						
1994			0								
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum				60							
1st quart.				731							
MEDIAN				945							
3rd quart.				1 229							
Maximum				1 886							

Winter flounder in 4X

YEAR	Abundance indices									Mean weight at age 7 (kg)	
	Summer RV Mean # per tow			Spring RV Mean # per tow			CPUE OTB TC 1-3				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
All ages	All ages			All ages			4X (ages)				
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960											
1961											
1962											
1963											
1964											
1965											
1966											
1967											
1968											
1969											
1970	0.31										
1971	0.29										
1972	0.24										
1973	0.54										
1974	1.04										
1975	0.60										
1976	0.68										
1977	1.34										
1978	0.32										
1979	3.91										
1980	2.06										
1981	3.35										
1982	4.32										
1983	2.69										
1984	4.01										
1985	1.88										
1986	3.42										
1987	5.60										
1988	7.08										
1989	6.57										
1990	8.98										
1991	6.07										
1992	10.29										
1993	5.44										
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Min.	0.2									0.07	
1st Q	0.7									0.08	
Med.	3.0									0.09	
3rd Q	5.5									0.10	
Max.	10.3									0.12	

WINTER FLOUNDER

June 94

YEAR	Catches (t)			TAC (t)	1991 less for 57-90 annual thereafter						
	Canadian		Foreign		F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	Biomass		
	Fixed	Mobile							Total 3+ (000 t)	pawning 7+ (000 t)	
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960			971	7	978						
1961			2 430	3	2 433						
1962			2 882	6	2 888						
1963			3 816	28	3 844						
1964			4 284	29	4 313						
1965			5 649	102	5 751						
1966			4 053	349	4 402						
1967			3 370	18	3 388						
1968			1 678	53	1 731						
1969			3 086	24	3 110						
1970			4 164	50	4 214						
1971			4 251	1 654	5 905						
1972			2 646	630	3 276						
1973			3 204	1 005	4 209						
1974			3 241	1 435	4 676						
1975			2 812	572	3 384						
1976			3 315	389	3 704						
1977			2 479	13	2 492						
1978			2 323	5	2 328						
1979			2 670	3	2 673						
1980			3 149	1	3 150						
1981			3 389	0	3 389						
1982			3 536	5	3 541						
1983			2 791	3	2 794						
1984			1 026	7	1 033						
1985			2 003	1	2 004						
1986			3 081	3	3 084						
1987			2 847	20	2 867						
1988			2 985	1	2 986						
1989			3 565	0	3 565						
1990			4 040	2	4 042						
1991			3 181	1	3 182						
1992			2 462	0	2 462						
1993			1 582	0	1 582						
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Minimum			971	0	978						
1st quart.			2 521	2	2 537						
MEDIAN			3 084	7	3 166						
3rd quart.			3 499	52	3 809						
Maximum			5 649	1 654	5 905						

Atlantic Halibut in 4RST

May 94

YEAR	Catches (t)			TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian		Foreign		F (ages)	Expl. rate (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	Pawning (ages) (000 t)	
	Fixed	Mobile									
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			691	13	704						
1961			774	6	780						
1962			620	1	621						
1963			536	1	537						
1964			0								
1965			690	3	693						
1966			605	7	612						
1967			433	27	460						
1968			432	12	444						
1969			484	26	510						
1970			489	20	509						
1971			439	15	454						
1972			308	2	310						
1973			383	2	385						
1974			414	4	418						
1975			266	6	272						
1976			185	11	196						
1977			142	8	150						
1978			135		135						
1979			132		132						
1980			202		202						
1981			94	1	95						
1982			90	1	91						
1983			170	4	174						
1984			176		176						
1985			151		151						
1986			313	1	314						
1987			261		261						
1988			238		238	300					
1989			285	6	291	300					
1990			448		448	300					
1991			339		339	300					
1992			162		162	300					
1993			145		145	300					
1994			0			300					
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum					91						
1st quart.					174						
MEDIAN					310						
3rd quart.					460						
Maximum					780						

Atlantic Halibut in 3N0Ps4VWX

May 94

YEAR	Catches (t)				TAC (t)	Assessment Results		ADAPT		Biomass		
	Canadian			Foreign		F (ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)	pawning (ages) (000 t)	
	Fixed	Mobile	Total							(000 t)	(000 t)	
1948												
1949												
1950												
1951												
1952												
1953												
1954												
1955												
1956												
1957												
1958												
1959												
1960			3 229	1 051	4 280							
1961			2 728	546	3 274							
1962			2 854	379	3 233							
1963			2 127	302	2 429							
1964			1 834	673	2 507							
1965			1 741	449	2 190							
1966			1 348	358	1 706							
1967			1 604	580	2 184							
1968			1 590	327	1 917							
1969			1 437	313	1 750							
1970	832	650	1 482	37	1 519							
1971	948	479	1 427	159	1 586							
1972	831	396	1 227	114	1 341							
1973	861	356	1 217	51	1 268							
1974	695	291	986	149	1 135							
1975	660	310	970	99	1 069							
1976	651	326	977	82	1 059							
1977	580	692	1 272	44	1 316							
1978	762	657	1 419	18	1 437							
1979	923	721	1 644	3	1 647							
1980	1 092	617	1 709	44	1 753							
1981	1 120	496	1 616	23	1 639							
1982	1 445	743	2 188	59	2 247							
1983	1 646	429	2 075	203	2 278							
1984	2 394	431	2 825	222	3 047							
1985	2 616	915	3 531	500	4 031							
1986	2 345	755	3 100	245	3 345							
1987	1 766	308	2 074	499	2 573							
1988	1 865	163	2 028	280	2 308	3 200						
1989	1 676	149	1 825	117	1 942	3 200						
1990	1 499	277	1 776	325	2 101	3 200						
1991			1 419	749	2 168	3 200						
1992			1 269	104	1 373	3 200						
1993			1 189	54	1 243	3 200						
1994						1 500						
1995												
1996												
1997												
1998												
1999												
2000												
Minimum				1 059								
1st quart.				1 458								
MEDIAN				1 930								
3rd quart.				2 399								
Maximum				4 280								

Atlantic Halibut in 3N0Ps4VWX

YEAR	Abundance Indices						Mean weight at age 7 (kg)	
	RV - 4VWX summer (#/tow)			Survey 2 (units)				
	Estimate	Lower limit	Upper limit	Estimate	Lower limit	Upper limit		
All ages	(ages)							
1948								
1949								
1950								
1951								
1952								
1953								
1954								
1955								
1956								
1957								
1958								
1959								
1960								
1961								
1962								
1963								
1964								
1965								
1966								
1967								
1968								
1969								
1970	0.12	0.04	0.20				0.055	
1971	0.13	0.01	0.25				0.064	
1972	0.10	0.06	0.14				0.064	
1973	0.15	0.07	0.23				0.058	
1974	0.21	0.09	0.33				0.054	
1975	0.22	0.12	0.32				0.053	
1976	0.38	0.20	0.56				0.060	
1977	0.41	0.19	0.63				0.056	
1978	0.25	0.15	0.35				0.060	
1979	0.33	0.21	0.45				0.088	
1980	0.39	0.23	0.55				0.092	
1981	0.31	0.15	0.47				0.078	
1982	0.23	0.11	0.35				0.075	
1983	0.07	0.03	0.11				0.077	
1984	0.20	0.10	0.30				0.067	
1985	0.13	0.07	0.19			0.074	0.069	0.077
1986	0.20	0.08	0.32			0.076	0.123	0.061
1987	0.19	0.11	0.27			0.083	0.141	0.063
1988	0.25	0.09	0.41			0.107	0.147	0.084
1989	0.33	0.19	0.47			0.084	0.131	0.066
1990	0.21	0.11	0.31			0.080	0.097	0.068
1991	0.31	0.17	0.45			0.067	0.079	0.058
1992	0.25	0.11	0.39			0.076	0.097	0.067
1993	0.18	0.08	0.28			0.062	0.089	0.052
1994								
1995								
1996								
1997								
1998								
1999								
2000								
Min.	0.07					0.062	0.069	0.052
1st Q	0.17					0.074	0.089	0.058
Med.	0.22					0.076	0.097	0.064
3rd Q	0.31					0.083	0.131	0.076
Max.	0.41					0.107	0.147	0.092

ATLANTIC HALIBUT

June 94

YEAR	Catches (t)			TAC (t)	1991 ass. (or 62.90) annual thereafter						
	Canadian		Foreign		F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	Biomass		
	Fixed	Mobile							Total 3+ (000 t)	pawning 7+ (000 t)	
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960			3 920	1 064	4 984						
1961			3 502	552	4 054						
1962			3 474	380	3 854						
1963			2 663	303	2 966						
1964			1 834	673	2 507						
1965			2 431	452	2 883						
1966			1 953	365	2 318						
1967			2 037	607	2 644						
1968			2 022	339	2 361						
1969			1 921	339	2 260						
1970			1 971	57	2 028						
1971			1 866	174	2 040						
1972			1 535	116	1 651						
1973			1 600	53	1 653						
1974			1 400	153	1 553						
1975			1 236	105	1 341						
1976			1 162	93	1 255						
1977			1 414	52	1 466						
1978			1 554	18	1 572						
1979			1 776	3	1 779						
1980			1 911	44	1 955						
1981			1 710	24	1 734						
1982			2 278	60	2 338						
1983			2 245	207	2 452						
1984			3 001	222	3 223						
1985			3 682	500	4 182						
1986			3 413	246	3 659						
1987			2 335	499	2 834						
1988			2 266	280	2 546	3 500					
1989			2 110	123	2 233	3 500					
1990			2 224	325	2 549	3 500					
1991			1 758	749	2 507	3 500					
1992			1 431	104	1 535	3 500					
1993			1 334	54	1 388	3 500					
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Minimum			1 162	3	1 255	3 500					
1st quart.			1 628	68	1 673	3 500					
MEDIAN			1 962	215	2 328	3 500					
3rd quart.			2 321	376	2 787	3 500					
Maximum			3 920	1 064	4 984	3 500					

Flatfish (unspecified) in 4VWX

June 94

YEAR				TAC (t)	Assessment Results		ADAPT		Biomass		
	Catch (t)				(ages)	Expl. rate (ages) (%)	Recruits	Stock Size (ages) (million)	Total (ages) (000 t)		
	4X	4VW	Total						(ages)	pawning (ages) (000 t)	
1948			0								
1949			0								
1950			0								
1951			0								
1952			0								
1953			0								
1954			0								
1955			0								
1956			0								
1957			0								
1958			0								
1959			0								
1960			0								
1961	25	237	262	262							
1962	120	761	881	881							
1963			0	0							
1964		194	194	194							
1965		90	90	90							
1966		30	30	30							
1967		0	0	0							
1968	1	29	30	30							
1969		2	2	2							
1970	2	9	11	11							
1971	1	0	1	1							
1972	681	43	724	724							
1973	806	176	982	982	32 000						
1974	716	101	817	817	32 000						
1975	834	288	1 122	1 122	32 000						
1976	496	547	1 043	1 043	32 000						
1977	898	46	944	944	32 000						
1978	1 027	33	1 060	1 060	28 000						
1979	1 212	91	1 303	1 303	14 000						
1980	1 858	29	1 887	1 887	14 000						
1981	1 556	21	1 577	1 577	14 000						
1982	1 763	11	1 774	1 774	14 000						
1983	2 023	50	2 073	2 073	14 000						
1984	1 995	8	2 003	2 003	14 000						
1985	2 200	10	2 210	2 210	14 000						
1986	3 234	68	3 302	3 302	14 000						
1987	2 380	42	2 422	2 422	14 000						
1988	2 205	89	2 294	2 294	14 000						
1989	976	93	1 069	1 069	14 000						
1990	3 012	32	3 044	3 044	14 000						
1991	3 445	1 481	4 926	4 926	14 000						
1992	3 958	1 883	5 841	5 841	14 000						
1993	3 232	1 655	4 887	4 887	14 000						
1994			0		10 000						
1995			0								
1996			0								
1997			0								
1998			0								
1999			0								
2000			0								
Minimum			0	10 000							
1st quart.			194	14 000							
MEDIAN			1 060	14 000							
3rd quart.			2 073	24 500							
Maximum			5 841	32 000							

Catches (t) of plaice, witch, winter flounder, yellowtail flounder and unspecified flatfish in 4VWX.

June 94

4VW							4X							Catch		TAC		TOTAL	
Year	Plaice	Witch	W. fl.	Yt	Unsp.	TOTAL	Plaice	Witch	W. fl.	Yt	Unsp.	TOTAL	TOTAL	Canada	4VWX	Unsp.			
1960	1 819	5839	18	914	0	8 590	957	40	60	14	0	1 071	9 661	9436		0			
1961	1 384	5018	138	2908	237	9 685	198	59	699	9	25	990	10 675	10464		262			
1962	1 485	5777	127	3479	761	11 629	242	61	449	24	120	896	12 525	11537		881			
1963	2 059	7411	82	3888	0	13 440	250	75	614	84	0	1 023	14 463	13532		0			
1964	2 570	8372	31	5249	194	16 416	512	257	1280	150	0	2 199	18 615	17814		194			
1965	7 504	12522	211	5880	90	26 207	694	421	1128	224	0	2 467	28 674	19867		90			
1966	13 480	14288	89	4685	30	32 572	726	224	1257	166	0	2 373	34 945	20927		30			
1967	9 664	7433	42	4971	0	22 110	1106	383	902	225	0	2 616	24 726	24240		0			
1968	18 319	20947	38	12923	29	52 256	946	735	1143	205	1	3 030	55 286	25115		30			
1969	12 865	13301	16	3625	2	29 809	870	792	1400	201	0	3 263	33 072	19945		2			
1970	7 723	5241	52	3356	9	16 381	635	807	1478	326	2	3 248	19 629	13667		11			
1971	13 756	16723	1601	1557	0	33 637	545	1141	1483	218	1	3 388	37 025	16816		1			
1972	10 089	10653	629	1321	43	22 735	566	698	825	164	681	2 934	25 669	15327		724			
1973	12 093	13434	1135	1374	176	28 212	339	535	774	139	806	2 593	30 805	13145		982			
1974	16 314	6917	1782	703	101	25 817	458	498	974	236	716	2 882	28 699	15466	32000	817			
1975	11 451	8591	704	1357	288	22 391	296	331	670	213	834	2 344	24 735	12784	32000	1122			
1976	10 838	5401	580	674	547	18 040	309	341	717	230	496	2 093	20 133	11537	28000	1043			
1977	7 308	2010	235	1141	46	10 740	449	421	1022	302	898	3 092	13 832	13782	28000	944			
1978	6 244	2103	323	1241	33	9 944	512	188	884	387	1027	2 998	12 942	13201	14300	1060			
1979	5 526	1781	241	1799	91	9 438	828	290	847	291	1212	3 468	12 906	13743	14000	1303			
1980	6 891	1990	40	2236	29	11 186	681	331	1134	255	1858	4 259	15 445	15559	14000	1887			
1981	6 258	1279	37	2662	21	10 257	514	462	1411	227	1556	4 170	14 427	14306	14000	1577			
1982	5 320	890	92	2411	11	8 724	377	583	1144	212	1763	4 079	12 803	12688	14000	1774			
1983	5 523	1004	80	2102	50	8 759	584	659	915	321	2023	4 502	13 261	12916	14000	2073			
1984	5 793	1340	7	2290	8	9 438	335	593	877	172	1995	3 972	13 410	13017	14000	2003			
1985	4 120	1746	29	947	10	6 852	317	525	795	73	2200	3 910	10 762	10557	14000	2210			
1986	3 090	2383	6	694	68	6 241	592	631	1034	111	3234	5 602	11 843	11639	14000	3302			
1987	4 623	2725	12	1041	42	8 443	262	492	1044	109	2380	4 287	12 730	12617	14000	2422			
1988	3 087	2406	112	989	89	6 683	366	541	1460	79	2205	4 651	11 334	11201	14000	2294			
1989	3 365	1765	187	1459	93	6 869	481	527	1289	50	976	3 323	10 192	10187	14000	1069			
1990	1 919	1304	79	2931	32	6 265	470	645	1886	79	3012	6 092	12 357	12194	14000	3044			
1991	378	1326	43	1331	1481	4 559	988	605	603	144	3445	5 785	10 344	10 115	14000	4926			
1992	578	1031	5	1373	1883	4 870	423	829	564	118	3958	5 892	10 762	10 599	14000	5841			
1993	123	532	2	1648	1655	3 960	9	373	343	53	3232	4 010	7 970	7 970	14000	4887			
1994	0	0	0	0	0	0	0	0	0	0	0	0		10000	0	0			
1995	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0			
1996	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0			
1997	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0			
1998	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0			
1999	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0			
2000	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0			

FLATFISH

May 94

YEAR	Catches (t)			TAC (t)	1991 ass (or 62-90 annual thereafter)				Biomass		
	Canadian		Foreign		F 7 to 9	Expl. rate 7 to 9 (%)	Recruits Age 3 (million)	Stock Size 3+ (million)	Total 3+ (000 t)	pawning 7+ (000 t)	
	Fixed	Mobile									
1948											
1949											
1950											
1951											
1952											
1953											
1954											
1955											
1956											
1957											
1958											
1959											
1960			54 719	7 342	62 053						
1961			49 309	7 306	56 615						
1962			48 417	2 013	50 430						
1963			57 780	10 573	68 353						
1964			76 129	15 462	91 591						
1965			101 438	37 297	138 735						
1966			121 338	51 906	173 244						
1967			125 205	76 949	202 154						
1968			118 677	120 835	239 512						
1969			134 058	85 807	219 865						
1970			144 580	78 835	223 415						
1971			137 615	99 656	237 271						
1972			124 691	102 487	227 178						
1973			126 325	96 857	223 182	142 500					
1974			102 951	93 005	195 956	240 000					
1975			97 902	94 104	192 006	233 000					
1976			114 407	60 064	174 471	196 000					
1977			127 028	38 014	165 042	200 100					
1978			134 484	36 515	170 999	197 500					
1979			144 586	30 663	175 249	188 000					
1980			140 575	15 247	155 822	194 000					
1981			130 795	23 792	154 587	214 000					
1982			114 789	19 509	134 298	226 000					
1983			93 678	25 951	119 629	219 500					
1984			99 502	27 046	126 548	217 500					
1985			103 690	49 510	153 200	229 500					
1986			100 827	71 688	172 515	260 500					
1987			109 857	59 667	169 524	254 400					
1988			88 753	42 430	131 183	249 500					
1989			85 713	38 132	123 845	229 800					
1990			80 764	69 727	150 491	172 400					
1991			75 579	91 286	166 865	175 300					
1992			64 511	71 774	136 285	175 300					
1993			48 933	78 958	127 891	142 500					
1994											
1995											
1996											
1997											
1998											
1999											
2000											
Minimum			48 417	2 013	50 430	142 500					
1st quart.			82 001	26 225	128 714	188 000					
MEDIAN			103 321	50 708	160 432	214 000					
3rd quart.			126 045	78 927	187 817	229 800					
Maximum			144 586	120 835	239 512	260 500					