## TSUNAMI OF MARCH 27-29, 1964 WEST COAST OF CANADA

S.O. Wigen
Canadian Hydrographic Service
Marine Sciences Branch
Victoria, B.C.

and

W.R.H. White
Seismology Division
Dominion Astrophysical Observatory
Victoria, B.C.

DEPARTMENT OF MINES AND TECHNICAL SURVEYS
August, 1964

## TSUNAMI OF MARCH 27-29, 1964 WEST COAST OF CANADA

The destructive Alaskan earthquake which occurred at 03:36:13 GMT March 28th, 1964 resulted in the death of 65 people in the area of the epicentre. Widespread property damage occurred in the communities of this area. The following data have been published (United States Coast and Geodetic Survey, 1964).

Origin Time  $03:36:13.0 \pm .14$  seconds

Latitude 61.05° North ± 0.022° Longitude 147.50° West + 0.051°

Depth 20 km

Magnitude (M) 8.4 Pasadena;  $8\frac{1}{2} - 8\frac{3}{4}$  Berkeley;

8.6 Palisades; 8.5 C&GS (from Wood-

Anderson at Albuquerque)

A large number of aftershocks were recorded from an earea extending to about 400 miles southwest of the epicentre of the main shock. This suggests that the area from which energy was released in the main shock may also have been this large.

In Canada, earth tremors were noticed in the Yukon Territory and the northern part of British Columbia. Very noticeable motions in buildings and other structures were reported generally as far south as towns along the Canadian National Railroad east of Prince Rupert. Light fixtures on long suspensions were set swinging as far distant as Vancouver and Calgary. Seiches and fracturing of ice occurred on lakes on Vancouver Island and in the interior of British Columbia. These earth tremors produced no damage in Canada.

The tsunami produced by the earthquake swept southward along the British Columbia coast, and into the coastal passages and fiords. It penetrated up rivers, and was even recorded at Pitt Lake, a fresh water tidal lake

over 30 miles from the sea. It arrived at most points during the hours of darkness, after 9 p.m. March 27th on the northern B.C. coast (0500 March 28th GMT) and about midnight at southern Vancouver Island.

The tsunami waves were larger than any previously recorded on the B.C. coast. In some inlets they crested above extreme tidal high water, and swept into built up areas. Damage was extensive and the loss was estimated by insurance adjusters at \$2,500,000 to \$3,000,000. The most severe damage occurred at the head of Alberni Inler in residential and industrial structures in the twin cities of Alberni and Port Alberni.

The tsunami was recorded on twelve gauges of the Canadian Hydrographic Service. An additional record was obtained from Ocean Falls through the courtesy of Crown Zellerbach Ltd. Water Resources Branch, Department of Northern Affairs and National Resources, has provided water level diagrams showing the tsunami on the Fraser and Somass Rivers. Most of these records have been transcribed to the same time and amplitude scales and are reproduced in the appendix. See Figures 1 to 4. Pacific Standard and Greenwich Mean Times are both shown on these diagrams. A list of all the gauges and their locations is included in Table 1, and these places appear on the reference maps, figures 5 and 6.

The tide records at Tasu Sound and Ballenas Islands were obtained from pressure gauges. These each had a submerged pressure diaphragm with a capillary air tube to the gauge. All other records were produced by float-actuated gauges, employing a stilling well with an inlet hole to supress most of the short period waves. Some suppression of the tsunami waves may have occurred in both the pressure and the float gauges.

The gauge at Ocean Falls is located at the power house about 1000 feet inside the river mouth. For this reason low tides are not recorded, and do not appear in Figure 1. The time scale of the original record was 0.1 inches per hour, and has been expanded in the transcription.

<sup>\*</sup> Diagrams from Ballenas Islands, Port Moody, and Deas Island have not been reproduced in Figure 4, since they differ only slightly from Point Atkinson, Vancouver, and Steveston, respectively.

The times on this gauge record may be out by several minutes.

The Port Alberni tide gauge was put out of action during the first wave of the tsunami. It recorded a portion of the second wave between 0917 and 0930 GMT, as shown in Figure 3, and was restored to action at 1608. The times and amplitudes of the first three wave crests have been deduced. The height of the second crest, 20.9 feet above tidal datum, was established from water marks on buildings, and the time shown for this crest was projected from the recorded portion of the wave. The first three waves travelled up the Somass River, and were registered on the Water Resources Branch gauge  $3\frac{1}{2}$  miles above Alberni. The crests, measured from the level of the river immediately prior to their arrival, rose to the following heights:

- 0.8 feet at 1016 GMT (approx.)
- 2.6 feet at 1153 GMT (approx.)
- 1.0 feet at 1330 GMT (approx.)

In deducing the missing Port Alberni record it has been assumed that the same time and height intervals between these crests occurred at Port Alberni as at the Somass River gauge.

The Fraser River records shown on Figure 4 are transcribed from Water Resources Branch diagrams. Steveston, North Arm, and New Westminster are reduced from an original time scale of 0.4 inches per hour; Pitt Lake has been expanded from 0.1 inches per hour.

The smoothed curves superimposed on the Hydrographic Service gauge records, Figures 2, 3, and 4, represent predicted tides. These have been produced on a Doodson-Lege twelve-component analog computer. The rise or fall of wave crests listed in Table 1 have been scaled from these smoothed curves, to eliminate normal tidal movement from the wave measurements. Diagram time on the Hydrographic Service gauge records will have a probable error of about  $\pm$  2 minutes and heights will have a probable error of about  $\pm$  0.1 feet.

The heights reached by the maximum tsunami wave crest were measured at a number of Vancouver Island ports where no tide gauges were operating. These are compared in Table 2 to the elevations of higher high water, large tide. Elevations at some permanent gauging stations, showing normal and extreme recorded high waters are also included for comparison.

|                  | TAI           | BLE 2  | ·/               |        |              |                      |
|------------------|---------------|--------|------------------|--------|--------------|----------------------|
| Port             | Lat.          | Long.  | Tsunami<br>Crest | H.H.W. | Diff.        | Extreme<br>High Tide |
| Port Alice       | 50 23         | 127 27 | 19.3             | 14.0   | +5.3         |                      |
| Klaskino         | 50 18         | 127 44 | 19.2             | 13.7   | +5.5         |                      |
| Fair Harbour     | 50 04         | 127 07 | 21.0             | 13.6   | +7.4         |                      |
| Amai Inlet       | 50 06         | 127 05 | 19.0             | 13,5   | +5.5         |                      |
| Zeballos         | 49 59         | 126 51 | 16.8             | 13.6   | +3.2         |                      |
| Esperanza        | 49 52         | 126 44 | 15.2             | 13.6   | +1.6         |                      |
| Tahsis           | 49 55         | 126 40 | 16.4             | 14.0   | +2.4         |                      |
| Gold River       | 49 41         | 126 07 | 17,7             | 14.0   | +3.7         |                      |
| Hot Springs Cove | 49 22         | 126 16 | 20.5             | 13.1   | <b>+</b> 7.4 |                      |
| Tofino           | 49 09         | 125 55 | 14.0             | 13.2   | +0.8         | 15.60                |
| Franklin River   | 49 06         | 124 49 | 20,6             | 13.0   | +7.6         |                      |
| Port Alberni     | 49 14         | 124 49 | 20.9             | 12.2   | +8.7         | 14.8                 |
| Victoria         | 48 <b>2</b> 5 | 123 24 | 8.4              | 9.6    | -1.2         | 12.10                |
| Prince Rupert    | 54 19         | 130 20 | 25.2             | 24.6   | +0.6         | 26.18                |

A far larger tsunami wave occurred at Shields Bay, on the west coast of Queen Charlotte Islands (Lat. 53 19, Long. 132 25). The crest, reported to be 17 feet above spring high water (or 32 feet above tidal datum, severely damaged a logging camp.

The shock waves from the earthquake produced an oscillation of the water surface in some lakes, rivers, and tidal waters. These disturbances commenced at approximately the time of arrival of the earthquake surface

waves, and were recorded on some of the gauge records. The periods of these oscillations were too short to be identified on the slow-moving gauge diagrams, and were less than the seiche wave periods frequently recorded on tide records. The oscillations have been transcribed with the tide diagrams, Figures 2 and 4. In Table 3 are listed the time of commencement of these oscillations, the time of their disappearance, and their maximum amplitudes.


TABLE 3

|                 | T - 4  | <b>T</b> | Characteristics of Oscillation   |
|-----------------|--------|----------|--|
| Gauge Station   | Lat.   |          | Begins Ends Max. Amplitude   |
|                 | **     |          |  |
| Prince Rupert   | 54 19  | 130 20   | 0339 GMT 0405 0.25 feet  |
| Bella Bella     | 5.2 10 | 128 08   | 0341 0418 0.35   |
| Tasu            | 52 45  | 132 01   | 0342 0406 1.10   |
| Victoria        | 48 25  | 123 24   | 0345 0358 0.15   |
| Pt. Atkinson    | 49 20  | 123 15   | 0345 0418 0.40   |
| Vancouver       | 49 17  | 123 07   | 0342 0 0355 0.40   |
| Port Moody*     | 49 17  | 122 52   | 0346 0359 0.35   |
| Ballenas Is.*   | 49 20  | 124 09   | 0346 0420 0.40   |
| New Westminster | 49 12  | 122 54   | 0344 0400 0.15   |
| Link Lake, near |        |          | The second secon |
| Ocean Falls*    | 52 21  | 127 41   | 0340 0440 0.26   |
| Cambridge Bay,  |        |          |  |
| N.W.T.*         | 69 07  | 105 04   | 0344 0359 0.30   |

<sup>(\*</sup> Not included in Figures 2 and 4)

## Reference:

Preliminary Report, Prince William Sound, Alaskan Earthquakes March - April, 1964. Coast and Geodetic Survey, United States Department of Commerce, Washington 25, D.C.



Canadian Hydrographic Service 512 Federal Building, Victoria B.C.

Figure 1




Figure 2




Figure 3





Figure 4

Figure 5



.

1

) ·

: **.**